STUDENT / START

Help starts here.

Medical help is selected to start. Choose a floor and change the help type if needed.

Location first

Large floor choices on the opening screen.


Your school, your words

A, B and C Block are all visible as tap buttons. Block selection is optional.


Atif Al Azad

XI-D | 10673 | Rose House

01 / HOME



02 / LOCATION



STUDENT / REQUEST

A clear next step.

Check the help type and location, then follow the response.


Easy to change

Back and Edit preserve the choices already made.


Clear status

Delivery, acknowledgement and arrival are separate states.

03 / REVIEW



04 / STATUS



STUDENT / CONNECTION

Keep the connection.

Use text when speaking is difficult. Close the request once a responsible adult is there.


A quiet way to ask

Quick replies and messages work before acknowledgement.


Confirmed handover

The student closes the request after meeting an adult.

05 / CHAT



06 / HANDOVER



TEACHER / RESPONSE

The other side of help.

The shared inbox receives the request immediately. Mrs. Aditi can acknowledge and reply.


Shared responsibility

An individual accepting is not a condition of delivery.


An explicit channel

A ping goes to the in-app inbox. The contact is from the school directory.

07 / INBOX



08 / FOLLOW-UP



RELIABILITY / EDGE CASES

When help is still pending.

An unanswered request triggers follow-up. A connection failure stays visible.

30-second escalation


The prototype adds an office escalation if nobody acknowledges. Escalate now is also available.

Unsent stays unsent

Keep the details, retry or use the direct-call options.

Requests, pings and office escalation are simulated. Live delivery and the timing policy require school approval.

09 / ESCALATION



10 / CONNECTION LOSS

