

EASYPARCEL INDIVIDUAL API DOCUMENT 1.4.0.0 (MALAYSIA)

Table Content

Overview

Base URL

Getting an API key

Rate Checking

- URL
- HTTP post request
- Response / Return value
- Sample Code

Rate Checking

- URL
- HTTP post request
- Response / Return value
- Sample Code

Making Order

- URL
- HTTP post request
- Response / Return value
- Sample Code

Making Order

- URL
- HTTP post request
- Response / Return value
- Sample Code

Making Order Payment

- URL
- HTTP post request
- Response / Return value
- Sample Code

Making Order Payment

- URL
- HTTP post request
- Response / Return value
- Sample Code

Checking Order Status

- URL
- HTTP post request
- Response / Return value
- Sample Code

Checking Order Status

- URL
- HTTP post request

- Response / Return value
- Sample Code

Checking Parcel Status

- URL
- HTTP post request
- Response / Return value
- Sample Code

Checking Parcel Status

- URL
- HTTP post request
- Response / Return value
- Sample Code

Tracking Parcel Details

- URL
- HTTP post request
- Response / Return value
- Sample Code

Tracking Parcel Details

- URL
- HTTP post request
- Response / Return value
- Sample Code

Check Credit Balance

- URL
- HTTP post request
- Response / Return value
- Sample Code

Check Credit Balance

- URL
- HTTP post request
- Response / Return value
- Sample Code

Market Rate Checking

- URL
- HTTP post request
- Response / Return value
- Sample Code

Market Rate Checking

- URL
- HTTP post request
- Response / Return value
- Sample Code

Appendix I (API Return Status)

Appendix II (Country Code List)

Appendix III (State Code List)

Overview

The Easyparcels API allows your application to access current data within EasyParcel. However, EasyParcel API is using RESTful with PHP concept to develop API for web based applications. Through the API, several common operations can be performed on EasyParcel objects.

Base URL

All API URLs start with the following base part: For Demo: http://demo.connect.easyparcel.my/

For Live: http://connect.easyparcel.my/

Demo URL is only for testing purposes. Live URL is for real live transaction usage.

Getting an API key

An API key is required to build an application using our API. Here's how to get an API key:

- 1. Sign up an EasyParcel account at www.easyparcel.my.
- 2. Complete the account verification.
- 3. Register the key for API access.

Rate Checking

This enable rate checking from all courier companies in EasyParcel platform. User need to provide sender and receiver address to check the shipment rate.

URL

For Live: https://connect.easyparcel.my/?ac=EPRateCheckingBulk For Demo: http://demo.connect.easyparcel.my/?ac=EPRateCheckingBulk

HTTP POST Request L1

Name	Туре	Required	Description
api	string(25)	Yes	Obtain from registered account.
bulk	array	Yes	(Refer to Request L2)
exclude_fields	array	Optional	Exclude certain fields from response.
			Supported values: "pgeon_point",
			"rates.*.dropoff_point",
			"rates.*.pickup_point"

HTTP POST Request L2

Name	Туре	Required	Description
pick_code	string(10)	Yes	Sender's postcode.
pick_state	string(35)	Yes	Sender's state. (Refer to Appendix III)
pick_country	string(2)	Yes	Sender's country ("MY").
send_code	string(10)	Yes	Receiver's postcode.
send_state	string(35)	Yes	Receiver's state. (Refer to Appendix III)
send_country	string(2)	Yes	Receiver's country ("MY").
weight	double(8,2)	Yes	The weight of the parcel.
width	double(8,2)	Optional	The width of the parcel.
length	double(8,2)	Optional	The length of the parcel.
height	double(8,2)	Optional	The height of the parcel.
date_coll	date	Optional	Check the available pickup date. If the date
			is left empty, the default will be today's
			date. Format : "YYYY-MM-DD"

Response/ Return Value L1

Return Value	Туре	Description	Remarks
api_status	string(10)	Validation result	(Refer to Appendix I)
error_code	int(5)	Error code	(Refer to Appendix I)
error_remark	string(100)	Error message	(Refer to Appendix I)
result	array	Result for rate checking	(Refer to Response L2)

Return Value	Туре	Description	Remarks
		-	1

status	string(10)	The status of the rate checking. Fail / Success	
remarks	string(100)	The error message for rate checking	
rates	array	The response of the rate checking	(Refer to Response L4)
pgeon_point	array	Available pgeon point of the rate	(Refer to Response L3)
		checking	

Return Value	Туре	Description	Remarks
Sender_point	array	Pgeon Point near sender address	(Refer to Response L5)
Receiver_point	array	Pgeon Point near Receiver address	(Refer to Response L5)

Return Value	Туре	Description	Remarks
rate_id	string (15)	Rate ID	
service_detail	string (15)	Service Detail	dropoff, pickup,
			dropoff/pickup
service_id	string (15)	Service ID	using for Making Order
			API
service_type	string (10)	Type of service	parcel/ document
courier_id	string (10)	Courier ID	
courier_logo	string (300)	Courier logo	
scheduled_start_date	string (50)	Scheduled pickup for parcel.	
pickup_date	date	The date to pickup the parcel.	Same day pickup only
			available before 12pm.
delivery	string (100)	The day(s) to deliver the parcel.	
price	double(8,2)	Total price	shipping + addon
addon_price	double(8,2)	Addon service pricing	
shipment_price	double(8,2)	Shipping price	
require_min_order	int(11)	Courier require minimum parcel	
service_name	string (100)	Service name	
courier_name	string (100)	Courier name	
dropoff_point	array	Drop-off point for it's courier	(Refer to Response L6)
		service	
pickup_point	array	Pickup point for it's courier	(Refer to Response L6)
		service	
cod_service_availabl	boolean	Identifies whether Cash On Demand	True if supported / False
е		is supported	if not supported
cod_service_min_cod_	double(8,2)	COD minimum amount	Anything below or
amount			equivalent to this amount
			will not be able to be
			supported by COD service

cod_service_max_cod	double(8,2)	COD maximum amount	Maximum amount to be
amount			collected for COD
			parcels. Anything above
			this amount will not be
			able to be supported by
			COD service
cod_charges_calculat	json	JSON which contains the method to	Type could be fixed or
ion		calculate the COD Charges	percentage. (var
			calculated_charges=cod_am
			ount * rate. If
			calculated_charges <min< td=""></min<>
			then min should be used,
			else use
			calculated_charges)
basic_insurance_max_	int(11)	Basic insurance maximum coverage.	Based on condition to
value			cover parcel value or
			maximum up to this
			maximum amount.
basic_insurance_curr	string (3)	The currency which the basic	
ency		insurance has been defined by	
		courier	
covered_by_insure_pl	boolean	Identifies if the service is under	True if supported / False
us		InsurePlus Feature which is	if not
		provided by EasyParcel	
addon_insurance_avai	boolean	Identifies if there is additional	True if supported / False
lable		insurance available for purchase	if not supported. Addon
			insurance can only be
			purchased for parcels
			which value exceed the
			basic_insurance_max_value
whatsapp_tracking_av	boolean	Identifies if there is whatsapp	True if supported / False
ailable		tracking service available	if not supported. Addon
			insurance can only be
			purchased for parcels
			which value exceed the
			basic_insurance_max_value
whatsapp_tracking_pr	double(8,2)	Whatsapp Tracking charges/price	
ice			

Return Value	Type	Description	Remarks
Itctuiii Valuc	I y p c	Description	Itellialks

point_id	string(25)	Drop-off point ID	
company	string(100)	Drop-off point company	
point_name	string(100)	Drop-off point name	
point_contact	string(10)	Drop-off point contact	
point_lat	double(8,16)	Drop-off point latitude	
point_lon	double(8,16)	Drop-off point longitude	
point_addr1	string(10)	Drop-off point address line 1	
point_addr2	string(10)	Drop-off point address line 2	
point_addr3	string(10)	Drop-off point address line 3	
point_addr4	string(10)	Drop-off point address line 4	
point_city	string(10)	Drop-off point city	
point_state	string(10)	Drop-off point state (Refer to Appendix II	
point_postcode	string(10)	Drop-off point postcode	
price	double(8,2)	Drop-off point Booking fee	

Return Value	Туре	Description	Remarks
point_id	string(25)	Drop-off point ID	
point_name	string(100)	Drop-off point name	
point_contact	string(10)	Drop-off point contact	
point_addr1	string(10)	Drop-off point address line 1	
point_addr2	string(10)	Drop-off point address line 2	
point_addr3	string(10)	Drop-off point address line 3	
point_addr4	string(10)	Drop-off point address line 4	
point_postcode	string(10)	Drop-off point postcode	
point_city	string(10)	Drop-off point city	
point_state	string(10)	Drop-off point state (Refer to Appendix I	
price	double(8,2)	Drop-off point fee	

Example Code

```
<?php
$domain = "https://demo.connect.easyparcel.my/?ac=";
$action = "EPRateCheckingBulk";
$postparam = array(
'api' => 'xxxxxx',
'bulk' => array(
array(
'pick_code' => '10050',
'pick_state' => 'png',
'pick_country' => 'MY',
'send_code' => '11950',
'send_state' => 'png',
'send_country' => 'MY',
'weight' => '5',
'width' => '0',
'length' => '0',
```

```
'height' => '0',
'date_coll' => '2017-11-08',
),
array(
'pick_code' => '14300',
'pick_state' => 'png',
'pick_country' => 'MY',
'send_code' => '81100',
'send state' => 'jhr',
'send_country' => 'MY',
'weight' => '10',
'width' => '0',
'length' => '0',
'height' => '0',
'date_coll' => '2017-11-08',
),
),
'exclude_fields' => array(
'rates.*.pickup_point',
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print_r($json); echo "";
?>
```

Response Success Code

```
{
"api_status": "Success",
"error_code": "0",
"error_remark": "",
"result": [
{
"REQ_ID": "",
"status": "Success",
"remarks": "",
"rates": [
{
"rate_id": "EP-RR0M2NL",
"service_detail": "dropoff/pickup",
```

```
"service_id": "EP-CS0CH",
"service_type": "parcel",
"courier_id": "EP-CR0A",
courier_logo": "https://s3-ap-southeast-1.amazonaws.com/easyparcel-static/Public/source/general/"
img/couriers/Pos_Laju.jpg",
"scheduled start date": "2020-07-21 Tuesday",
"pickup date": "2020-07-21",
"delivery": "3-5 working day(s)",
"price": "8.00",
"addon price": "0.00",
"shipment_price": "8.00",
"require_min_order": 0,
"service_name": "Poslaju Same Day Pick up (within WM)",
"courier_name": "POSLAJU NATIONAL COURIER",
"dropoff_point": [{
"point_id": "EP-CB0MI",
"point_name": "Pos Malaysia Banting",
"point_contact": "03-3187 1437",
"point_addr1": "No. 101 Jalan Bunga, Pekan 2",
"point addr2": "42700",
"point_addr3": "",
"point_addr4": "",
"point_postcode": "Banting",
"point_city": "",
"point_state": "sgr",
"start time": "00:00:00",
"end_time": "00:00:00",
"price": 0
}],
"pickup_point": []
},
"rate_id": "EP-RR0MCOV",
"service_detail": "pickup",
"service_id": "EP-CS0KS",
"service_type": "parcel",
"courier_id": "EP-CR0Z",
"courier_logo": "https://s3-ap-southeast-1.amazonaws.com/easyparcel-static/Public/source/general
/img/couriers/CJ_Century.jpg",
"scheduled start date": "2020-07-21 Tuesday",
"pickup_date": "2020-07-21",
"delivery": "3-5 working day(s)",
"price": "7.80",
"addon_price": "0.00",
"shipment_price": "7.80",
"require_min_order": 0,
"service name": "CJ Century",
"courier_name": "CJ Century Logistics Sdn Bhd",
"dropoff_point": [],
"pickup point": []
},
"rate id": "EP-RR0914N",
```

```
"service_detail": "dropoff",
"service_id": "EP-CS09J",
"service_type": "parcel",
"courier_id": "EP-CR0C",
"courier_logo": "https://s3-ap-southeast-1.amazonaws.com/easyparcel-static/Public/source/genera
I/img/couriers/DHLeC.jpg",
"scheduled start date": "2020-07-21 Tuesday",
"pickup_date": "2020-07-21",
"delivery": "3-5 working day(s)",
"price": "7.30",
"addon_price": "0.00",
"shipment_price": "7.30",
"require_min_order": 0,
"service_name": "DHL eCommerce (Dropoff only)",
"courier_name": "DHL eCommerce",
"dropoff_point": [{
"point id": "EP-CB02X",
"point_name": "DHL ServicePoint - E3 Farmasi",
"point contact": "",
"point addr1": "71",
"point_addr2": "Jalan Bunga Tanjung 6A",
"point_addr3": "Taman Muda",
"point_addr4": "",
"point_postcode": "68000",
"point_city": "Ampang",
"point_state": "sgr",
"start_time": "00:00:00",
"end time": "00:00:00",
"price": 0
}],
"pickup_point": []
1,
"pgeon_point": {
"Sender_point": [{
"point_id": "PGEON_P_TA",
"company": "newsplus",
"point_name": "TES-S ALAM (43)",
"point_contact": "355105643",
"point_lat": "3.07191150",
"point lon": "101.53883690",
"point_addr1": "LOT 20,1ST FLR TESCO SHAH ALAM,",
"point_addr3": "",
"point_addr4": "",
"point_city": "SHAH ALAM",
"point_state": "sgr",
"point_postcode": "40100",
"price": "0.00"
}],
"Receiver_point": [{
"point_id": "PGEON_P_RP",
"company": "newsplus",
```

```
"point_name": "RKL-AMP PARK (271)",
"point_contact": "327111975",
"point_lat": "3.15987000",
"point_lon": "101.71910000",
"point_addr1": "AMPANG PARK STATION (UNDERGROUND),",
"point_addr2": "JLN AMPANG,",
"point_addr3": "",
"point_addr4": "",
"point_city": "KUALA LUMPUR",
"point_state": "kul",
"point_postcode": "50450",
"price": "0.00"
}]
"cod_service_available": true,
"cod_service_min_cod_amount": "5",
"cod_service_max_cod_amount": "2000",
"cod_charges_calculation": {
"min": "5",
"rate": "0.025",
"type": "percentage"
}
}
1}
```

```
api_status":"Error",
"error_code":"3",
"error_remark":"Required api key",
"result":[
]}
```

Making Order

The authenticated user can make single order at EasyParcel. User need to make sure the courier service is available.

URL

For Live: https://connect.easyparcel.my/?ac=EPSubmitOrderBulk

For Demo: http://demo.connect.easyparcel.my/?ac=EPSubmitOrderBulk

HTTP POST Request L1

Name	Туре	Required	Description
api	string(25)	Yes	Obtain from registered account.
bulk	array	Yes	(Refer to Request L2)

HTTP POST Request L2

Name	Туре	Required	Description
weight	double(8,2)	Yes	The weight of the parcel.
width	double(8,2)	Optional	The width of the parcel.
length	double(8,2)	Optional	The length of the parcel.
height	double(8,2)	Optional	The height of the parcel.
content	string(35)	Yes	The content of the parcel.
value	double(8,2)	Yes	The amount of the items.
service_id	string(10)	Yes	Obtain from EPRateChecking return value.
pick_point	string(35)	Yes / Optional	Obtain from EPRateChecking return value
			(point_id) from pgeon_point or (point_id)
			from Dropoff_Point. This field is required
			when you choose for Pgeon Delivery and must
			choose from Sender_point.
pick_name	string(35)	Yes	Sender's name.
pick_company	string(35)	Optional	Sender's company.
pick_contact	string(16)	Yes	Sender's contact.
pick_mobile	string(16)	Optional	Sender's mobile.
pick_addr1	string(35)	Yes	Sender's address line 1.
pick_addr2	string(35)	Optional	Sender's address line 2.
pick_addr3	string(35)	Optional	Sender's address line 3.
pick_addr4	string(35)	Optional	Sender's address line 4.
pick_city	string(35)	Yes	Sender's city.
pick_state	string(35)	Yes	Sender's state.
pick_code	string(10)	Yes	Sender's postcode.
pick_country	string(35)	Yes	Sender's country. (Refer to Appendix II)

send_point	string(35)	Yes / Optional	Obtain from EPRateCheckingBulk return value
			(point_id) from pgeon_point This field is
			required when you choose for Pgeon Delivery
			and must choose from Receiver_point.
send_name	string(35)	Yes	Receiver's name.
send_company	string(35)	Optional	Receiver's company.
send_contact	string(16)	Yes	Receiver's contact.
send_mobile	string(16)	Optional	Receiver's mobile.
send_addr1	string(35)	Yes	Receiver's address line 1.
send_addr2	string(35)	Optional	Receiver's address line 2.
send_addr3	string(35)	Optional	Receiver's address line 3.
send_addr4	string(35)	Optional	Receiver's address line 4.
send_city	string(35)	Yes	Receiver's city.
send_state	string(35)	Yes	Receiver's state.
send_code		Yes	Receiver's postcode.
send_country	string(35)	Yes	Receiver's country. (Refer to Appendix II)
collect_date	date	Yes	Check the available pickup date. If didn't
			put the date,today date will be default.
			Format: "YYYY-MM-DD"
sms	boolean	Yes	Require for sms feature (Example, true/false)
send_email	string(35)	Yes	Receiver's email.
hs_code	string(20)	Optional	Hs code is a common standard worldwide for
			describing the type of commodity that is
			shipped
REQ_ID	string(100)	Optional	The reference for easier track back from
			Response (Refer to Response L2)
reference	string(25)	Optional	The parcel reference
cod_enabled	boolean	Optional	The parcel is COD parcel. (true / false)
			*Only Applicable for Courier Services which
			support COD, Refer to Rate Checking.
cod_amount	double(8,2)	Optional	The COD amount to be collected. Please refer
			to RateChecking for the minimum and maximum
			amount.
tax_duty	string(10)	Optional	DDU or DDP
parcel_category_id	string(10)	Optional	The parcel category id (Refer to Get Parcel
			Category)

addon_insurance_enal	boolean	Optional	The parcel is to whether purchase additional
led			insurance. To purchase additional insurance
			the parcel value must be above basic
			insurance coverage (Refer to RateChecking
			Result for the value. To purchase additional
			insurance, parcel category ID is a must.
addon_whatsapp_track	boolean	Optional	The parcel is to whether purchase WhatsApp
ing_enabled			tracking. The receiver phone must be valid
			for the WhatsApp tracking to be received

Return Value	Туре	Description	Remarks
result	array	Result for making order	(Refer to Response L2)
api_status	string(10)	Validation result	(Refer to Appendix I)
error_code	int(5)	Error code	(Refer to Appendix I)
error_remark	string(100)	Error message	(Refer to Appendix I)

Return Value	Туре	Description	Remarks
REQ_ID	string(100)	The reference pass back from	
		Request	
parcel_number	string(12)	The response of the parcel placed.	
order_number	string(12)	The response of the order placed.	
price	double(8,2)	Order total price inclusive of all	
		charges	
status	string(10)	The status of the orders made.	Fail / Success
remarks	string(100)	The error message for orders made.	
courier	string(35)	The courier selected of the	
		shipment	
cod_charges	double(8,2)	The COD charges that will be	
		charged for COD parcels.	
insurance_charges	double(8,2)	The Addon Insurance Charges	The Addon Insurance
			Charges is calculated
			based and returned
			accordingly.
max_insurance_cover	adouble(8,2)	The Amount Maximum Claimable Under	The maximum amount
ge		Insurance	claimable under the
			shipment order made.
			Terms and Conditions
			Apply.
shipment_price	double(8,2)	The Shipment Charges Only	

addon_whatsapp_trackdouble(8,2)	The WhatsApp Tracking Charges Only	
ing_charges		

Example Code

```
<?php
$domain = "https://demo.connect.easyparcel.my/?ac=";
$action = "EPSubmitOrderBulk";
$postparam = array(
'api' => 'xxxxxx',
'bulk' => array(array(
'weight' => '1',
'width' => '1',
'length' => '1',
'height' => '1',
'content' => 'book',
'value' => '10',
'service_id' => 'EP-CS0W',
'pick_point' => ",
'pick_name' => 'Yong Tat',
'pick_company' => 'Yong Tat Sdn Bhd',
'pick_contact' => '0123456789',
'pick_mobile' => '0123456789',
'pick addr1' => 'ppppp46/7 adfa',
'pick addr2' => 'test',
'pick addr3' => ",
'pick addr4' => ",
'pick_city' => 'city',
'pick_state' => 'png',
'pick_code' => '11950',
'pick_country' => 'MY',
'send_point' => ",
'send_name' => 'sam',
'send_company' => ",
'send contact' => '0122134567',
'send_mobile' => '0122134567',
'send_addr1' => 'ssssadsasdst test',
'send addr2' => 'test test',
'send_addr3' => ",
'send_addr4' => ",
'send_city' => 'send city',
'send_state' => 'png', 'send_code' => '11950',
'send_country' => 'MY',
'collect_date' => '2020-02-20',
'sms' => '0'.
'send email' => 'xxxxxx@hotmail.com',
'hs code' => 'yshs code',
'REQ ID' => 'shipping # 1',
'reference' => 'order12321',
'cod_enabled' => true,
'cod_amount' => '10.00',)
,)
```

```
,);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);

ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);

$json = json_decode($return);
echo "return = curl_r($json); echo "";
?>
```

Response Success Code

```
{
    "result":[
    {
        "REQ_ID":"shipping # 1",
        "parcel_number":"EP-PQKTE",
        "order_number":"EI-5UFAI",
        "price":"6.10",
        "status":"Success",
        "remarks":"Order Successfully Placed.",
        "courier":"Skynet"
    }
    ],
    "api_status":"Success",
    "error_code":"0",
    "error_remark":"" }
```

```
{
    "result":[

],
    "api_status":"Error",
    "error_code":"3",
    "error_remark":"Required api key" }
```

Making Order Payment

This step involves payment for the orders made. The authenticated user can do single order payment. Single order payment refers to payment for a single parcel only. There are various payment conditions that may appear such as insufficient credit (when user's account do not have sufficient credit to perfom payment), sufficient credit (when there are sufficient credit for payment) and etc.

URL

For Live: https://connect.easyparcel.my/?ac=EPPayOrderBulk

For Demo: http://demo.connect.easyparcel.my/?ac=EPPayOrderBulk

HTTP POST Request L1

Name	Туре	Required	Description
api	string(25)	Yes	Obtain from registered account.
bulk	array	Yes	(Refer to Request L2)

HTTP POST Request L2

Name	Туре	Required	Description
order_no	string(15)	Yes	Acquire from the order that placed.

Response/Return Value L1

Return Value	Туре	Description	Remarks
api_status	string(10)	Validation result	(Refer to Appendix I)
error_code	int(5)	Error code	(Refer to Appendix I)
error_remark	string(100)	Error message	(Refer to Appendix I)
result	array	The response of the make order	(Refer to Response L2)
		payment	

Response/Return Value L2

Return Value	Туре	Description	Remarks
orderno	string(15)	Valid order number.	Valid and authenticated.
messagenow	string(50)	The message that shows the status	
		of order.	
parcel	array	The details of the parcel.	(Refer to Response L3)

Response/Return Value L3

Return Value	Туре	Description	Remarks
parcelno	string (15)	Parcel number.	
awb	string (45)	Airway bill number.	
awb_id_link	string (300)	PDF link of Airway bill number.	
tracking_url	string (300)	Link of tracking url.	

Example Code

<?php

\$domain = "https://demo.connect.easyparcel.my/?ac=";

\$action = "EPPayOrderBulk";

```
$postparam = array(
'api' => 'xxxxxx',
'bulk' => array(
array(
'order_no' => 'EI-5UFAI',
),
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print_r($json); echo "";
?>
```

Response Success Code

```
"api_status":"Success",
"error code":"0",
"error_remark":"",
"result":[
"orderno":"EI-5UFAI",
"messagenow": "Fully Paid",
"parcel":[
"parcelno": "EP-PQKTE",
"awb":"238770015234",
"awb_id_link":"http:\/\demo.connect.easyparcel.my\/?ac=AWBLabel&id=QmlxTE43
eHQjMTYzMDQwMTI%3D",
"tracking_url":"https:\/\easyparcel.com\/my\/en\/track\/details\/?courier=Skynet&awb=238770015
234"
}
]
}
```

```
api_status": "Success",

"error_code": "0",

"error_remark": "",
```

```
"result": [
{
  "orderno": "EI-5UFAI",
  "messagenow": "Insufficient Credit",
  "parcel": [
{}
]
}
]
```

Checking Order Status

Get order status by using order number is the recommended call to use for management. Use this call to retrieve all orders in which the authenticated caller.

URL

For Live: https://connect.easyparcel.my/?ac=EPOrderStatusBulk

For Demo: http://demo.connect.easyparcel.my/?ac=EPOrderStatusBulk

HTTP POST Request L1

| Name | Туре | Required | Description |
|------|------------|----------|---------------------------------|
| api | string(25) | Yes | Obtain from registered account. |
| bulk | array | Yes | (Refer to Request L2) |

HTTP POST Request L2

| Name | Туре | Required | Description |
|----------|------------|----------|-------------------------------------|
| order_no | string(15) | Yes | Acquire from the order that placed. |

Response/ Return Value L1

| Return Value | Туре | Description | Remarks |
|--------------|-------------|---------------------------------|------------------------|
| api_status | string(10) | Validation result | (Refer to Appendix I) |
| error_code | int(5) | Error code | (Refer to Appendix I) |
| error_remark | string(100) | Error message | (Refer to Appendix I) |
| result | array | The result for order status, if | (Refer to Response L2) |
| | | status is Success | |

Response/Return Value L2

| Return Value | Туре | Description | Remarks |
|---------------|-------------|--------------------------------|--------------------------|
| status | string(10) | The status of the orders made. | Fail / Success. |
| remarks | string(100) | The message for orders made. | |
| order_no | string(15) | Order number. | |
| order_status | string(25) | The status of your order. | Cancel / Waiting Payment |
| | | | / Paid / Partial Payment |
| | | | / Undefined Status |
| order_payable | string(10) | The order that can pay. | True / False |

Example Code

```
<?php
$domain = "https://demo.connect.easyparcel.my/?ac=";

$action = "EPOrderStatusBulk";
$postparam = array(
'api' => 'xxxxxx',
'bulk' => array(
array(
'order_no' => 'EI-AAGWD',
),
array(
```

```
'order_no' => 'EI-AAGWD',
),
);
$url = $domain.$action;
$ch = curl init();
curl_setopt($ch, CURLOPT_URL, $url);
curl setopt($ch, CURLOPT POST, 1);
curl setopt($ch, CURLOPT POSTFIELDS, http build query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$ison = ison decode($return);
echo ""; print_r($json); echo "";
?>
```

Response Success Code

```
"api_status":"Success",
"error code":"0",
"error_remark":"",
"result":[
"status": "Success",
"remarks": "Correct Order_no",
"order_no":"EI-AAGWD",
"order_status":"Paid",
"order_payable":"False"
},
"status": "Success",
"remarks": "Correct Order_no",
"order_no":"EI-AAGWD",
"order status": "Paid",
"order_payable":"False"
1}
```

```
{
"api_status":"Error",
"error_code":"3",
"error_remark":"Required api key",
"result":[
]}
```

Checking Parcel Status

Get parcel status by using order number is the recommended call to use for checking the shipment. Use this call to retrieve parcel details.

URL

For Live: https://connect.easyparcel.my/?ac=EPParcelStatusBulk

For Demo: http://demo.connect.easyparcel.my/?ac=EPParcelStatusBulk

HTTP POST Request L1

| Name | Туре | Required | Description |
|------|------------|----------|---------------------------------|
| арі | string(25) | Yes | Obtain from registered account. |
| bulk | array | Yes | (Refer to Request L2) |

HTTP POST Request L2

| Name | Туре | Required | Description |
|----------|------------|----------|-------------------------------------|
| order_no | string(15) | Yes | Acquire from the order that placed. |

Response/ Return Value L1

| Return Value | Туре | Description | Remarks |
|--------------|-------------|----------------------------------|------------------------|
| api_status | string(10) | Validation result | (Refer to Appendix I) |
| error_code | int(5) | Error code | (Refer to Appendix I) |
| error_remark | string(100) | Error message | (Refer to Appendix I) |
| result | array | The result for parcel status, if | (Refer to Response L2) |
| | | status is Success | |

Response/ Return Value L2

| Return Value | Туре | Description | Remarks |
|--------------|-------------|----------------------------------|------------------------|
| status | string(10) | The status of the orders made. | |
| remarks | string(100) | The message for orders made. | |
| order_no | string(15) | Order number. | |
| parcel | array | The result for parcel status, if | (Refer to Response L3) |
| | | status is Success | |

| Return Value | Туре | Description | Remarks |
|---------------|------------|---------------------------|---------|
| parcel_number | string(15) | The number of the parcel. | |

| ship_status | string(45) | The status of the shipment. | Cancel / Waiting Payment |
|-------------|-------------|-----------------------------|---------------------------|
| | | | / Pending For Collection |
| | | | / Collected / Returned / |
| | | | Delivering(in transit) / |
| | | | Successfully Delivered / |
| | | | Schedule In Arrangement / |
| | | | On Hold / Expired |
| | | | (Unpaid) / Cancel By |
| | | | Admin / Pending for Drop |
| | | | Off / Parcel Drop Off at |
| | | | Point / Parcel has been |
| | | | collected / Other Status |
| awb | string(45) | awb number. | Empty if null. |
| awb_id_link | string(300) | The URL link of the awb | Downloadable PDF file |

Example Code

```
<?php
$domain = "https://demo.connect.easyparcel.my/?ac=";
$action = "EPParcelStatusBulk";
$postparam = array(
'api' => 'xxxxxx',
'bulk' => array(
array(
'order_no' => 'EI-AAGWD',
),
array(
'order_no' => 'EI-AAGWD',
),
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print_r($json); echo "";
?>
```

Response Success Code

```
"api_status":"Success",
"error_code":"0",
"error_remark":"",
"result":[
"status": "Success",
"remarks":"Correct Order_no",
"order no":"EI-AAGWD",
"parcel":[
"parcel_number":"EP-AOBH3",
"ship_status": "Schedule In Arrangement",
"awb": "238725129086",
"awb_id_link":"http:\/\demo.connect.easyparcel.my\/?ac=AWBLabel&id=QmlxTE43eHQ
jMTUyNzc4Mw%3D%3D"
]
},
"status": "Success",
"remarks":"Correct Order_no",
"order_no":"EI-AAGWD",
"parcel":[
"parcel_number":"EP-AOBH3",
"ship_status": "Schedule In Arrangement",
"awb": "238725129086",
"awb_id_link":"http:\/\demo.connect.easyparcel.my\/?ac=AWBLabel&id=QmlxTE43eHQ
jMTUyNzc4Mw%3D%3D"
]
}
]}
```

```
{
"api_status":"Error",
"error_code":"3",
"error_remark":"Required api key",
"result":[
] }
```

Tracking Parcel Details

Track the shipment status using airway bill number.

URL

For Live: https://connect.easyparcel.my/?ac=EPTrackingBulk

For Demo: http://demo.connect.easyparcel.my/?ac=EPTrackingBulk

HTTP POST Request L1

| Name | Туре | Required | Description |
|------|------------|----------|---------------------------------|
| api | string(25) | Yes | Obtain from registered account. |
| bulk | array | Yes | (Refer to Request L2) |

HTTP POST Request L2

| Name | Туре | Required | Description |
|--------|------------|----------|---|
| awb_no | string(25) | Yes | Generate automatically after the payment. |

Response/ Return Value L1

| Return Value | Туре | Description | Remarks |
|--------------|-------------|--------------------|------------------------|
| api_status | string(10) | Validation result | (Refer to Appendix I) |
| error_code | int(5) | Error code | (Refer to Appendix I) |
| error_remark | string(100) | Error message | (Refer to Appendix I) |
| result | array | Result of tracking | (Refer to Response L2) |

Response/ Return Value L2

| Return Value | Туре | Description | Remarks |
|---------------|------------|---------------------------------|------------------------|
| status_list | array | The result for trackings. | (Refer to Response L3) |
| latest_status | string(45) | The status of the shipment from | |
| | | courier partners. | |
| latest_update | string(45) | Show the date and time. | |
| awb | string(45) | Airway bill number. | |

Response/ Return Value L3

| Return Value | Туре | Description | Remarks |
|--------------|------------|-----------------------------|---------|
| status | string(45) | The status of the shipment. | |
| | | (standardised) | |
| sender | string(45) | The name of the sender | |
| receiver | string(45) | The name of the receiver | |

| Return Value | Туре | Description | Remarks |
|--------------|------|-------------|---------|
| event_date | date | Show date. | |

| event_time | time | Show time. | |
|----------------|-------------|------------------------------------|---------------------------|
| status | string(150) | The status of the shipment from | |
| | | courier partners. | |
| ep_status | string(100) | The shipment status from | |
| | | EasyParcel. | |
| ep_status_code | int(2) | The status code of shipment status | 1 : Schedule In |
| | | from EasyParcel. (correspond to | Arrangement, 2: To Be |
| | | ep_status) | Collected, 3: Collected, |
| | | | 4 : Delivery In Transit / |
| | | | On Hold, 5 : Delivered / |
| | | | Returned |
| location | string(100) | Track the location of the parcel. | |

Example Code

```
<?php
$domain = "https://demo.connect.easyparcel.my/?ac=";
$action = "EPTrackingBulk";
$postparam = array(
'api' => 'xxxxxx',
'bulk' => array(
array(
'awb_no' => '238725129086',
),
array(
'awb_no' => '238725129086',
),
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print_r($json); echo "";
```

Response Success Code

```
{
| "api_status":"Success",
```

```
"error_code":"0",
"error_remark":"",
"result":[
"status_list":{
"0":{
"event_date": "2017-10-28",
"event_time":"11:40 AM",
"status":"Deliverd",
"location": "Penang"
},
"1":{
"event_date": "2017-06-28",
"event_time":"11:40 AM",
"status": "Parcel has been collected at Penang",
"location": "Penang"
},
"status":"",
"sender":"Yong Tat",
"receiver": "Sam"
},
"latest_status":"Deliverd",
"latest_update":"2017-10-28",
"awb":"238725129086"
},
{
"status list":{
"0":{
"event_date": "2017-10-28",
"event time":"11:40 AM",
"status":"Deliverd",
"location": "Penang"
},
"1":{
"event_date":"2017-06-28",
"event_time":"11:40 AM",
"status": "Parcel has been collected at Penang",
"location":"Penang"
},
"status":"",
"sender":"Yong Tat",
"receiver": "Sam"
},
"latest_status": "Deliverd",
"latest_update": "2017-10-28",
"awb":"238725129086"
]}
```

```
| {
| "api_status":"Error",
| "error_code":"3",
```

| "error_remark":"Required api key", "result":[|
|---|
|]} |

Check Credit Balance

This allow you check currently user balance.

URL

For Live: https://connect.easyparcel.my/?ac=EPCheckCreditBalance For Demo: http://demo.connect.easyparcel.my/?ac=EPCheckCreditBalance

HTTP POST Request L1

| Name | Туре | Required | Description |
|------|------------|----------|---------------------------------|
| api | string(25) | Yes | Obtain from registered account. |

Response/ Return Value L1

| Return Value | Туре | Description | Remarks |
|--------------|-------------|--------------------|-----------------------|
| result | double(8,2) | Account Balance | |
| api_status | string(10) | API execute status | (Refer to Appendix I) |
| error_code | int(5) | API error code | (Refer to Appendix I) |
| error_remark | string(100) | API error remarks | (Refer to Appendix I) |

Example Code

```
<?php
$domain = "https://demo.connect.easyparcel.my/?ac=";
$action = "EPCheckCreditBalance";
$postparam = array(
'api' => 'xxxxxx',
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print r($json); echo "";
?>
```

Response Success Code

```
{
    "result":"99999755.99",
    "api_status":"Success",
    "error_code":"0",
    "error_remark":"" }
```

```
api_status":"Error",
"error_code":"3",
"error_remark":"Required api key" }
```

Domestic Express Order

This endpoint is designed to direct create order + payment at EasyParcel. Currently it is limited within Domestic (Malaysia) shipping delivery.

URL

For Live: https://connect.easyparcel.my/?ac=EPSubmitOrderBulkV3

For Demo: http://demo.connect.easyparcel.my/?ac=EPSubmitOrderBulkV3

HTTP POST Request L1

| Name | Туре | Required | Description | |
|---------|------------|----------|---|--|
| api | string(25) | Yes | Obtain from registered account. | |
| courier | array | Yes | Courier List : 'Pgeon Prime', 'Pgeon | |
| | | | Delivery', 'Poslaju', 'Skynet', 'ABX', 'DHL | |
| | | | eCommerce', 'Aramex', 'CJ Century', 'UTS', | |
| | | | 'ULTIMATE CONSOLIDATORS' If the first courier | |
| | | | is not available, it will select the next | |
| | | | available courier in the array | |
| dropoff | int(1) | Optional | Require for dropoff service. Value: 0,1 | |
| | | | (e.g, 1 = true/ 0 =false[Default]) | |
| bulk | array | Yes | (Refer to Request L2) | |

HTTP POST Request L2

| Name | Туре | Required | Description |
|--------------|-------------|----------|---|
| referrence | string | Yes | Require identifier of vendor's order |
| weight | double(8,2) | Yes | The weight of the parcel. |
| content | string(35) | Yes | The content of the parcel. |
| value | double(8,2) | Yes | The amount of the items. |
| pick_name | string(35) | Yes | Sender's name. |
| pick_company | string(35) | Optional | Sender's company. |
| pick_contact | string(16) | Yes | Sender's contact. |
| pick_mobile | string(16) | Optional | Sender's mobile. |
| pick_addr1 | string(35) | Yes | Sender's address line 1. |
| pick_addr2 | string(35) | Optional | Sender's address line 2. |
| pick_addr3 | string(35) | Optional | Sender's address line 3. |
| pick_addr4 | string(35) | Optional | Sender's address line 4. |
| pick_city | string(35) | Yes | Sender's city. |
| pick_state | string(35) | Yes | Sender's state. (Refer to Appendix III) |
| pick_code | string(10) | Yes | Sender's postcode. |
| pick_country | string(35) | Yes | Sender's country. Refer to ISO 3166-2 |
| send_name | string(35) | Yes | Receiver's name. |
| send_contact | string(16) | Yes | Receiver's contact. |
| send_mobile | string(16) | Optional | Receiver's mobile. |

| send_addr1 | string(35) | Yes | Receiver's address line 1. |
|--------------|------------|----------|---|
| send_addr2 | string(35) | Optional | Receiver's address line 2. |
| send_addr3 | string(35) | Optional | Receiver's address line 3. |
| send_addr4 | string(35) | Optional | Receiver's address line 4. |
| send_city | string(35) | Yes | Receiver's city. |
| send_state | string(35) | Yes | Receiver's state. (Refer to Appendix III) |
| send_code | string(10) | Yes | Receiver's postcode. |
| send_country | string(35) | Yes | Receiver's country. Refer to ISO 3166-2 |
| collect_date | date | Optional | Check the available pickup date. If didn't |
| | | | put the date, available date will be auto |
| | | | assign as default. Format : "YYYY-MM-DD" |
| send_email | string | Yes | Receiver's email. |
| sms | boolean | Optional | Require for sms feature, Value: 0,1 (e.g, 1 = |
| | | | true/ 0 =false[Default]) |

| Return Value | Туре | Description | Remarks |
|--------------|--------|-----------------------|------------------------|
| api_status | string | Validation result | (Refer to Appendix I) |
| error_code | int | Error code | (Refer to Appendix I) |
| error_remark | string | Error message | (Refer to Appendix I) |
| result | array | Result for make order | (Refer to Response L2) |

Response/ Return Value L2

| Return Value | Туре | Description | Remarks |
|--------------|--------|------------------------|------------------------|
| summary | object | Summary of Result | (Refer to Response L3) |
| success | array | Success order | (Refer to Response L4) |
| fail | array | Fail order with reason | (Refer to Response L5) |

Response/ Return Value L3

| Return Value | Туре | Description | Remarks |
|-------------------|-------------|----------------------------------|---------|
| courier_service | array | The response of courier selected | |
| | | from order | |
| orders_number | array | The response of the order number | |
| | | placed. | |
| total_paid_amount | double(8,2) | Total of order price | |
| total_success | int | Total of success order | |
| total_fail | int | Total of fail order | |

| Return Value | Туре | Description | Remarks |
|--------------|------|-------------|---------|
|--------------|------|-------------|---------|

| referrence | string | The reference pass back from | |
|---------------|-------------|------------------------------------|---------------------------|
| | | Request | |
| status | string | The status of the orders made. | |
| remarks | string | The error message for orders made. | |
| order_number | string | The response of the order number | |
| | | placed. | |
| courier | string | The response of the courier full | |
| | | name | |
| courier_short | string | The response of the courier shot | |
| | | name | |
| price | double(8,2) | shipping price of this parcel | shipping + tax + addon |
| tax | double(8,2) | tax amount | |
| addon_price | double(8,2) | add on price | Setting on easyparcel |
| | | | website - marketing tools |
| parcel_number | string | The response of the parcel number | |
| | | placed. | |
| awb | string | Airway bill number / Tracking | |
| | | Number | |
| awb_id_link | string | PDF link of Airway bill number. | consignment note |
| tracking_url | string | Link of tracking url. | |

| Return Value | Туре | Description | Remarks |
|--------------|--------|------------------------------------|---------|
| referrence | string | The reference pass back from | |
| | | Request | |
| status | string | The status of the orders made. | |
| remarks | string | The error message for orders made. | |

Example Code

```
<?php
$domain = "https://demo.connect.easyparcel.my/?ac=";
$action = "EPSubmitOrderBulkV3";
$postparam = array(
'api' => 'xxxxxx',
'courier' => array('Poslaju'),
'dropoff' => '0',
'bulk' => array(
array(
'referrence' => 'item1',
'weight' => '1',
'content' => '2017-09-14 - book',
'value' => '20',
'pick_name' => 'Yong Tat',
'pick_company' => 'Yong Tat Sdn Bhd',
'pick_contact' => '+6012-1234-5678',
'pick_mobile' => '+6017-1234-5678',
```

```
'pick_addr1' => 'ppppp46/7 adfa',
'pick_addr2' => 'test',
'pick_addr3' => 'test',
'pick_addr4' => ",
'pick_city' => 'png',
'pick_state' => 'png',
'pick code' => '14300',
'pick_country' => 'MY',
'send name' => 'Sam',
'send contact' => '+6012-2134567',
'send_mobile' => '+6017-1234-5678',
'send_addr1' => 'ssssadsasdst test',
'send addr2' => 'test test'.
'send_addr3' => 'test',
'send_addr4' => ",
'send_city' => 'png',
'send_state' => 'png',
'send_code' => '11950',
'send country' => 'MY',
'collect date' => '2020-03-16',
'send_email' => 'xxxxxx@hotmail.com',
'sms' => '0',
),
),
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$ison = ison decode($return);
echo ""; print_r($json); echo "";
```

Response Success Code

```
{
"api_status":"Success",
"error_code":0,
"error_remark":"",
"result":{
"summary":{
"courier_service":[
"POSLAJU NATIONAL COURIER"
],
```

```
"orders_number":[
"EI-5UF8T"
"total_paid_amount": "8.15",
"total_success":1,
"total fail":0
},
"success":[
"referrence":"item1",
"status": "Success",
"remarks": "Order Successfully Placed And Paid.",
"order_number":"EI-5UF8T",
"courier": "POSLAJU NATIONAL COURIER",
"courier_short":"Pos Laju",
"price": "8.00",
"tax":"0.00",
"addon_price":"0.15",
"parcel number": "EP-PXUIB",
"awb":"ER665997516MY",
"awb_id_link":"http:\/\demo.connect.easyparcel.my\/?ac=AWBLabel&id=b0VYQjhEMW4
jMTc0OTc4MzA%3D",
"tracking_url": "https:\//easyparcel.com/my/en/track/details//?courier=Poslaju&awb=ER66
5997516MY"
],
"fail":[
]
}}
```

```
"api_status":"Error",
"error_code":3,
"error_remark":"Required api key",
"result":{
"summary":[
],
"success":[
],
"fail":[
]
}}
```

Get Parcel Category

This endpoint is designed to get the parcel category id for orders

URL

For Live: https://connect.easyparcel.my/?ac=EPGetParcelCategory

For Demo: http://demo.connect.easyparcel.my/?ac=EPGetParcelCategory

HTTP POST Request L1

| Name | Туре | Required | Description |
|------|------------|----------|---------------------------------|
| api | string(25) | Yes | Obtain from registered account. |

Response/ Return Value L1

| Return Value | Туре | Description | Remarks |
|--------------|-------------|-------------------------|---------|
| api_status | string(10) | Validation result | |
| error_code | int(5) | Error code | |
| error_remark | string(100) | Error message | |
| result | | Result for making order | |

Response/Return Value L2

| Return Value | Туре | Description | Remarks |
|--------------------|-------------|-----------------------------------|---------|
| parcel_category_id | int(5) | used when creating order with tax | |
| | | and duty | |
| parcel_category | string(100) | parcel description | |

Example Code

```
$domain = "https://demo.connect.easyparcel.my/?ac=";
$action = "EPGetParcelCategory";
$postparam = array(
'api' => 'xxxxxx',
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print_r($json); echo "";
?>
```

Response Success Code

```
"api_status":"Success",
"error_code":"0",
"error_remark":"",
"result":[
"parcel_category_id":1,
"parcel_category":"Bags & Luggages"
},
"parcel_category_id":2,
"parcel_category":"Board Games"
{
"parcel_category_id":4,
"parcel_category":"Cameras"
},
"parcel_category_id":5,
"parcel_category":"Books"
},
"parcel_category_id":9,
"parcel_category":"Gaming"
"parcel_category_id":11,
"parcel_category":"Home Appliances"
},
"parcel_category_id":12,
"parcel_category":"Home Decor"
},
"parcel_category_id":13,
"parcel_category":"Jewelry"
},
"parcel_category_id":15,
"parcel_category":"Pet Accessory"
},
"parcel_category_id":17,
"parcel_category":"Sport & Don't Leisure"
},
"parcel_category_id":19,
"parcel_category":"Toys"
},
"parcel_category_id":20,
"parcel_category":"Watches"
```

```
"parcel_category_id":21,
"parcel_category":"Automotive Accessories"
"parcel_category_id":22,
"parcel_category":"Document"
"parcel_category_id":23,
"parcel_category":"Bird\u2019s Nest"
},
"parcel_category_id":24,
"parcel_category":"Computers And Parts V Telecommunication Parts And Equipments"
{
"parcel_category_id":25,
"parcel_category":"Food Enhancers\/Stabilizers\/Supplements"
},
"parcel_category_id":26,
"parcel_category":"Perishable Food"
{
"parcel_category_id":27,
"parcel_category":"Non Perishable Food"
},
"parcel_category_id":28,
"parcel_category":"Fashion And Accessories"
},
{
"parcel_category_id":29,
"parcel_category": "Cosmetic And Beauty Product"
},
"parcel_category_id":30,
"parcel_category":"Pesticides"
},
"parcel_category_id":31,
"parcel_category":"Health Supplements"
"parcel_category_id":32,
"parcel_category":"Plant"
},
"parcel_category_id":33,
"parcel_category":"Accessories"
```

```
"parcel_category_id":34,
"parcel_category":"Bag"
"parcel_category_id":35,
"parcel_category":"Face Mask"
"parcel_category_id":36,
"parcel_category":"Garments"
"parcel_category_id":37,
"parcel_category":"Gifts"
},
"parcel_category_id":38,
"parcel_category":"Household Products"
"parcel_category_id":39,
"parcel_category":"Printed Material"
},
"parcel_category_id":40,
"parcel_category":"Snacks"
"parcel_category_id":41,
"parcel_category":"Pillow"
},
"parcel_category_id":42,
"parcel_category":"Shoes"
},
"parcel_category_id":43,
"parcel_category":"Toiletries"
},
"parcel_category_id":44,
"parcel_category":"Kitchenware"
] }
```

```
{
"api_status":"Error",
"error_code":"3",
"error_remark":"Required api key",
"result":[
```

Get Insurance Rate

This enables users to check the insurance rates from specific courier companies on the EasyParcel platform. Users are required to fill in the necessary fields to access the insurance rate information.

URL

For Live: https://connect.easyparcel.my/?ac=EPInsuranceRateChecking

For Demo: http://demo.connect.easyparcel.my/?ac=EPInsuranceRateChecking

HTTP POST Request L1

| Name | Туре | Required | Description | |
|----------------------|-------------|----------|--|--|
| арі | string(25) | Yes | Obtain from a registered account. | |
| awb | string(100) | Yes | Tracking number of the parcel | |
| parcel_content_value | double(8,2) | Yes | Parcel pricing | |
| courier | string(25) | Yes | Shipment courier. (Refer to Appendix IV) | |
| coll_country | string(5) | Yes | Sender's country. (Refer to Appendix II) | |
| deli_country | string(5) | Yes | Receiver's country. (Refer to Appendix II) | |
| coll_state | string(25) | Yes | Sender's state. (Refer to Appendix III) | |
| deli_state | string(25) | No | Receiver's state, if deli_courtery is MY, | |
| | | | will be required | |

Response/ Return Value L1

| Return Value | Туре | Description | Remarks |
|--------------|-------------|-----------------------------------|------------------------|
| result | object | Result for rate checking | (Refer to Response L2) |
| error_code | int(5) | Error Code | (Refer to Appendix I) |
| error_remark | string(100) | Error Message | (Refer to Appendix I) |
| error_detail | object | Error Details | |
| status | string(10) | Get rate status is Success / Fail | |
| api_status | string(10) | API Validation result | (Refer to Appendix I) |

Response/ Return Value L2

| Return Value | Туре | Description | Remarks |
|----------------------|-------------|----------------------------------|---------------------------|
| awb | string(25) | The Air Waybill (AWB) number. | |
| courier | string(100) | The name of the courier. | |
| parcel_content_value | double(8,2) | The declared value of the parcel | |
| | | content. | |
| insurance_amount | double(8,2) | The quoted amount for insurance | |
| | | coverage. | |
| parcel_delivery_type | string(100) | Type of parcel delivery | domestic / international. |

Example Code

<?php

\$domain = "http://demo.connect.easyparcel.my/?ac=";

\$action = "EPInsuranceRateChecking";

\$postparam = array(

'api' => 'xxxxxx',

```
'awb' => 'TestingAWB',
'parcel_content_value' => '390',
'courier' => 'EP-CR05',
'coll_country' => 'MY',
'deli_country' => 'MY',
'coll state' => 'srw',
'deli state' => 'srw',
);
$url = $domain.$action;
$ch = curl_init();
curl_setopt($ch, CURLOPT_URL, $url);
curl_setopt($ch, CURLOPT_POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl_setopt($ch, CURLOPT_HEADER, 0);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, TRUE);
ob_start();
$return = curl exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print_r($json); echo "";
?>
```

Response Success Code

```
{
  "result": {
  "awb": "TestingAWB",
  "courier": "Skynet",
  "parcel_content_value": "390",
  "insurance_amount": 9.75,
  "parcel_delivery_type": "Domestic"
  },
  "status": "Success",
  "error_code": 0,
  "error_remark": "",
  "error_detail": "",
  "api_status": "Success" }
```

```
{
  "result":[

],
  "status":"",
  "error_code":"3",
  "error_remark":"Required api key",
  "api_status":"Error" }
```

Purchase Insurance

This step involves both ordering and making payments for the orders placed. Authenticated users can make single insurance order payments. Single order payment specifically refers to the payment for a single parcel. Various payment conditions may arise, such as insufficient credit (when the user account lacks sufficient funds for payment) or sufficient credit (when there are adequate funds available for payment).

URL

For Live: https://connect.easyparcel.my/?ac=EPInsurancePurchase

For Demo: http://demo.connect.easyparcel.my/?ac=EPInsurancePurchase

HTTP POST Request L1

| Name | Туре | Required | Description | |
|----------------------|-------------|----------|---|--|
| api | string(25) | Yes | Obtain from a registered account. | |
| awb | string(25) | Yes | The Air Waybill (AWB) number. | |
| parcel_content_value | double(8,2) | Yes | The declared value of the parcel content. | |
| courier | string(25) | Yes | Shipment courier. (Refer to Appendix IV) | |
| coll_country | string(2) | Yes | The country code of the collection address, | |
| | | | limited to 'MY' or 'SG'. | |
| deli_country | string(2) | Yes | Receiver country code.Refer to ISO 3166-2 | |
| coll_state | string(35) | Yes | Sender's state. (Refer to Appendix III) | |
| deli_state | string(35) | Yes | Receiver state. | |
| parcel_category_id | int(2) | Yes | The parcel category id (Refer to Get Parcel | |
| | | | Category API) | |
| parcel_content | string(35) | Yes | The content of the parcel. | |
| parcel_content_type | string(8) | Yes | The type of parcel content, limited to | |
| | | | 'document' or 'parcel'. | |
| parcel_content_curre | string(3) | Yes | The currency code of the parcel content. | |
| ncy_code | | | | |
| parcel_content_weigh | double(8,2) | Yes | The weight of the parcel content. | |
| t | | | | |
| coll_name | string(35) | Yes | Sender name. | |
| coll_company | string(35) | No | Sender company | |
| coll_mobile_code | string(2) | Yes | Sender mobile country mobile , eg: 60 | |
| coll_mobile | string(16) | Yes | Sender mobile number | |
| coll_alternative_mob | string(2) | No | Sender alternative mobile country mobile , | |
| ile_code | | | eg: 60 | |
| coll_alternative_mob | string(16) | No | Sender alternative mobile number | |
| ile | | | | |
| coll_email | string(35) | No | Sender email | |
| deli_name | string(35) | Yes | Receiver name. | |
| deli_company | string(35) | No | Receiver company name. | |
| deli_mobile_code | string(2) | Yes | Receiver mobile country mobile , eg: 60 | |

| deli_mobile | string(35) | Yes | Receiver mobile number. |
|----------------------|------------|-----|--|
| deli_alternative_mob | string(2) | No | Receiver alternative mobile country mobile , |
| ile_code | | | eg: 60 |
| deli_alternative_mob | string(35) | No | Receiver alternative mobile number. |
| ile | | | |
| deli_email | string(35) | No | Receiver email address. |
| coll_address_1 | string(35) | Yes | Sender's address line 1. |
| coll_address_2 | string(35) | No | Sender's address line 2. |
| coll_postcode | string(10) | Yes | Sender's postcode. |
| coll_city | string(35) | Yes | Sender city |
| deli_address_1 | string(35) | Yes | Receiver address line 1. |
| deli_address_2 | string(35) | No | Receiver address line 2. |
| deli_postcode | string(10) | Yes | Receiver postcode. |
| deli_city | string(35) | Yes | Receiver city |
| shipment_date | date | Yes | The date of the shipment in the format |
| | | | YYYY-MM-DD. |

Response/ Return Value L1

| Return Value | Туре | Description | Remarks |
|--------------|-------------|-----------------------------------|-----------------------|
| result | array | Result for Purchase Insurance | |
| status | string(7) | Get rate status is Success / Fail | |
| error_code | int(5) | Error Code | Refer to Appendix I |
| error_remark | string(100) | Error Message | Refer to Appendix I |
| error_detail | object | Error Details | Only show detail when |
| | | | error code under 1001 |
| api_status | string(10) | API Validation result | Refer to Appendix I |

Response/ Return Value L2

| Return Value | Туре | Description | Remarks |
|----------------------|--------------|----------------------------------|---------|
| email | string(35) | The email address of the login | |
| | | email. | |
| name | string(35) | The name of the sender. | |
| payment_number | string(10) | The payment reference number | |
| | | associated with the transaction. | |
| insurance_amount | decimal(8,2) | The quoted amount for insurance | |
| | | coverage. | |
| parcel_content_value | decimal(8,2) | The declared value of the parcel | |
| | | content. | |
| awb | string(25) | The Air Waybill (AWB) number | |
| | | provided for tracking purposes. | |

| shipment_date | date | The date of shipment for the | |
|-------------------|--------------|-----------------------------------|--|
| | | parcel. | |
| deli_name | string(35) | Receiver name. | |
| parcel_content | string(35) | Description or contents of the | |
| | | parcel. | |
| amount | decimal(8,2) | The total amount associated with | |
| | | the transaction. | |
| send_email_status | string(100) | The status indicates whether the | |
| | | email notification has been sent. | |

Example Code

```
<?php
$domain = "http://demo.connect.easyparcel.my/?ac=";
$action = "EPInsurancePurchase";
$postparam = array(
'api' => 'xxxxxx',
'awb' => 'TESTDomestic',
'parcel content value' => '250',
'courier' => 'EP-CR05',
'coll_country' => 'MY',
'deli_country' => 'MY',
'coll_state' => 'png',
'deli_state' => 'png',
'parcel_category_id' => '12',
'parcel_content' => 'testing',
'parcel_content_type' => 'parcel',
'parcel content currency code' => 'MYR',
'parcel content weight' => '123',
'coll_name' => '12313',
'coll_company' => 'Testing Company',
'coll mobile code' => '60',
'coll_mobile' => '162631234',
'coll_alternative_mobile_code' => '60',
'coll_alternative_mobile' => '123456789',
'coll_email' => 'test@easyparcel.com',
'deli_name' => 'Receiver Testing',
'deli_company' => 'Receiver Testing Company',
'deli mobile code' => '60',
'deli mobile' => '123456789',
'deli_alternative_mobile_code' => ",
'deli alternative mobile' => ",
'deli_email' => 'receiver@easyparcel.com',
'coll_address_1' => 'testing',
'coll address 2' => 'testing 2',
'coll_postcode' => '11950',
'coll_city' => 'penang',
'deli_address_1' => 'test receiver',
'deli address 2' => 'test receiver 2',
'deli postcode' => '11950',
'deli_city' => 'penang',
```

```
'shipment_date' => '2024-05-11',
);
$url = $domain.$action;
$ch = curl_init();
curl setopt($ch, CURLOPT URL, $url);
curl setopt($ch, CURLOPT POST, 1);
curl_setopt($ch, CURLOPT_POSTFIELDS, http_build_query($postparam));
curl setopt($ch, CURLOPT HEADER, 0);
curl setopt($ch, CURLOPT RETURNTRANSFER, TRUE);
ob_start();
$return = curl_exec($ch);
ob_end_clean();
curl_close($ch);
$json = json_decode($return);
echo ""; print_r($json); echo "";
?>
```

Response Success Code

```
"result":{
"email": "test@easyparcel.com",
"name":"12313",
"payment number":"EC-HXELB",
"insurance amount":6.25,
"parcel content value": "250",
"awb":"TESTDomestic",
"shipment date": "2024-05-11T00:00:00.000Z",
"deli_name":"Receiver Testing",
"parcel_content":"testing",
"amount":6.25,
"send_email_status":"email sent"
},
"status": "Success",
"error_code":0,
"error_remark":"",
"error_detail":"",
"api_status":"Success" }
```

```
{
  "result":[

],
  "status":"",
  "error_code":"3",
  "error_remark":"Required api key",
  "api_status":"Error" }
```

Appendix I (API Return Status)

| api_status | error_code | error_remark | Explanation |
|------------|------------|------------------------------|---|
| Success | 0 | | |
| Error | 1 | Required authentication ke | eyMissing authentication param |
| Error | 2 | Invalid authentication key | |
| Error | 3 | Required api key | Missing API key param |
| Error | 4 | Invalid api key | |
| Error | 5 | Unauthorized user | Invalid API key |
| Error | 6 | Required bulk array | |
| Error | 7 | Required bulk data insert t | format in array |
| Error | 8 | Invalid account | |
| Error | 9 | Unverified account. Please | e kindly verify your account at ea |
| Error | 1000 | Missing / Invalid Paramete | er If a required parameter is miss |
| Error | 1002 | Invalid User Account | The user does not have a wall |
| Error | 1003 | Invalid parcel category, yo | u Ishaudhpefeeltoaægorargeducsh |
| Error | 1004 | Invalid collection/ delivery | postcode |
| Error | 1005 | Invalid collection/delivery | staftehe value is "Pulau Per |
| Error | 1006 | Invalid courier | Incorrect Courier code |
| Error | 3001 | Shipment insured | This tracking number has prev |
| Error | 3002 | Shipment delivered | The status of this tracking num |
| Error | 3003 | Not under claim coverage | The courier insurance provide |
| Error | 3004 | Only support international | /d ē oresxia na þle m Teardl ex only supp |
| Error | 3005 | No Cover | If the collection state or deliver |
| Error | 9999 | Unknown error | If this error occurs, please con |
| | | | |

Appendix II (Country Code List)

| Short Country Name | Full Country Name |
|--------------------|----------------------------|
| SR | SURINAME |
| SD | SUDAN |
| VC | ST. VINCENT |
| XM | ST. MAARTEN |
| LC | ST. LUCIA |
| KN | ST. KITTS |
| XE | ST. EUSTATIUS |
| BL | ST. BARTHELEMY |
| LK | SRI LANKA |
| ES | SPAIN |
| ZA | SOUTH AFRICA |
| XS | SOMALILAND (NORTH SOMALIA) |
| SO | SOMALIA |
| SB | SOLOMON ISLANDS |
| SI | SLOVENIA |
| SK | SLOVAKIA |
| SG | SINGAPORE |

| SC
RS | SEYCHELLES |
|----------|-----------------------|
| | CEDDIA |
| | SERBIA |
| SN | SENEGAL |
| SA | SAUDI ARABIA |
| ST | SAO TOME AND PRINCIPE |
| SM | SAN MARINO |
| WS | SAMOA |
| MP | SAIPAN |
| RW | RWANDA |
| RU | RUSSIAN FEDERATION |
| RO | ROMANIA |
| RE | REUNION |
| QA | QATAR |
| PR | PUERTO RICO |
| PT | PORTUGAL |
| PL | POLAND |
| PH | PHILIPPINES |
| PE | PERU |
| PY | PARAGUAY |
| PG | PAPUA NEW GUINEA |
| PA | PANAMA |
| PW | PALAU |
| PK | PAKISTAN |
| OM | OMAN |
| NO | NORWAY |
| NU | NIUE |
| NG | NIGERIA |
| NE | NIGER |
| NI | NICARAGUA |
| NZ | NEW ZEALAND |
| NC | NEW CALEDONIA |
| XN | NEVIS |
| NL | NETHERLANDS |
| NP | NEPAL |
| NR | NAURU |
| NA | NAMIBIA |
| MM | MYANMAR |
| MA | MOROCCO |
| MS | MONTSERRAT |
| ME | MONTENEGRO |
| MN | MONGOLIA |
| MC | MONACO |
| MD | MOLDOVA, REPUBLIC OF |

| FM | MICRONESIA, FEDERATED STATES OF |
|----|--|
| MX | MEXICO |
| YT | MAYOTTE |
| MU | MAURITIUS |
| MR | MAURITANIA |
| MQ | MARTINIQUE |
| MH | MARSHALL ISLANDS |
| MT | MALTA |
| ML | MALI |
| MV | MALDIVES |
| MW | MALAWI |
| MY | MALAYSIA |
| MG | MADAGASCAR |
| MK | MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF |
| MO | MACAU |
| LU | LUXEMBOURG |
| LT | LITHUANIA |
| LI | LIECHTENSTEIN |
| LY | LIBYA |
| LR | LIBERIA |
| LS | LESOTHO |
| LB | LEBANON |
| LV | LATVIA |
| LA | LAO PEOPLE'S DEMOCRATIC REPUBLIC |
| KG | KYRGYZSTAN |
| KW | KUWAIT |
| XK | KOSOVO |
| KR | KOREA, REPUBLIC OF |
| KP | KOREA, DEMOCRATIC PEOPLE'S REPUBLIC OF |
| KI | KIRIBATI |
| KE | KENYA |
| KZ | KAZAKHSTAN |
| JO | JORDAN |
| JE | JERSEY |
| JP | JAPAN |
| JM | JAMAICA |
| IT | ITALY |
| IL | ISRAEL |
| IE | IRELAND |
| IQ | IRAQ |
| IR | IRAN, ISLAMIC REPUBLIC OF |
| ID | INDONESIA |
| IN | INDIA |
| IS | ICELAND |
| | |

| HK HONG KON HN HONDURA HT HAITI GY GUYANA GW GUINEA BI GN GUINEA RI | S |
|---|--------------------|
| HT HAITI GY GUYANA GW GUINEA BI | |
| GY GUYANA GW GUINEA BI | SSAU |
| GW GUINEA BI | SSAU |
| | SSAU |
| GN GLIINEA RI | |
| JOINEAN | EPUBLIC |
| GG GUERNSE | Υ |
| GT GUATEMA | LA |
| GU GUAM | |
| GP GUADELO | UPE |
| GD GRENADA | |
| GL GREENLAI | ND |
| GR GREECE | |
| GI GIBRALTA | R |
| GH GHANA | |
| DE GERMANY | , |
| GE GEORGIA | |
| GM GAMBIA | |
| GA GABON | |
| ZW ZIMBABWE | Ξ |
| FR FRANCE | |
| FI FINLAND | |
| ZM ZAMBIA | |
| FJ FIJI | |
| YE YEMEN | |
| FO FAROE ISL | ANDS |
| FK FALKLAND | ISLANDS (MALVINAS) |
| ET ETHIOPIA | |
| VI VIRGIN ISL | ANDS, U.S. |
| EE ESTONIA | |
| VG VIRGIN ISL | ANDS, BRITISH |
| ER ERITREA | |
| GQ EQUATOR | IAL GUINEA |
| SV EL SALVAI | DOR |
| EG EGYPT | |
| VN VIETNAM | |
| EC ECUADOR | |
| TP EAST TIMO | DR |
| VE VENEZUEL | _A |
| DO DOMINICA | N REPUBLIC |
| DM DOMINICA | |
| DJ DJIBOUTI | |
| VU VANUATU | |

| DK | DENMARK |
|----|---------------------------------------|
| CZ | CZECH REPUBLIC |
| CY | CYPRUS |
| CU | CUBA |
| UZ | UZBEKISTAN |
| UY | URUGUAY |
| HR | CROATIA |
| CI | COTE D'IVOIRE |
| CR | COSTA RICA |
| СК | COOK ISLANDS |
| CD | CONGO, THE DEMOCRATIC REPUBLIC OF THE |
| UM | UNITED STATES MINOR OUTLYING ISLANDS |
| CG | CONGO |
| KM | COMOROS |
| CN | CHINA |
| US | UNITED STATES |
| GF | FRENCH GUIANA |
| AN | NETHERLANDS ANTILLES |
| MZ | MOZAMBIQUE |
| CW | CURACAO |
| CO | COLOMBIA |
| CL | CHILE |
| TD | CHAD |
| CF | CENTRAL AFRICAN REPUBLIC |
| KY | CAYMAN ISLANDS |
| GB | UNITED KINGDOM |
| CV | CAPE VERDE |
| AE | UNITED ARAB EMIRATES |
| IC | CANARY ISLANDS, THE |
| CA | CANADA |
| UA | UKRAINE |
| CM | CAMEROON |
| KH | CAMBODIA |
| UG | UGANDA |
| BI | BURUNDI |
| BF | BURKINA FASO |
| BG | BULGARIA |
| BN | BRUNEI DARUSSALAM |
| TV | TUVALU |
| BR | BRAZIL |
| TC | TURKS AND CAICOS ISLANDS |
| TM | TURKMENISTAN |
| BW | BOTSWANA |
| BA | BOSNIA AND HERZEGOVINA |

| BQ | BONAIRE |
|----|---------------------|
| ВО | BOLIVIA |
| BT | BHUTAN |
| TR | TURKEY |
| BM | BERMUDA |
| TN | TUNISIA |
| BJ | BENIN |
| TT | TRINIDAD AND TOBAGO |
| BZ | BELIZE |
| ТО | TONGA |
| BE | BELGIUM |
| TG | TOGO |
| BY | BELARUS |
| BB | BARBADOS |
| BD | BANGLADESH |
| ВН | BAHRAIN |
| TH | THAILAND |
| BS | BAHAMAS |
| TZ | TANZANIA |
| AZ | AZERBAIJAN |
| TJ | TAJIKISTAN |
| AT | AUSTRIA |
| AU | AUSTRALIA |
| TW | TAIWAN |
| PF | TAHITI |
| AW | ARUBA |
| AM | ARMENIA |
| SY | SYRIA |
| AR | ARGENTINA |
| AG | ANTIGUA |
| Al | ANGUILLA |
| СН | SWITZERLAND |
| AO | ANGOLA |
| AD | ANDORRA |
| SE | SWEDEN |
| AS | AMERICAN SAMOA |
| SZ | SWAZILAND |
| DZ | ALGERIA |
| AL | ALBANIA |
| AF | AFGHANISTAN |

Appendix III (State Code List)

| Short State Name | Full State Name |
|------------------|-----------------|
| ihr | Johor |

| kdh | Kedah |
|-----|-----------------|
| ktn | Kelantan |
| mlk | Melaka |
| nsn | Negeri Sembilan |
| phg | Pahang |
| prk | Perak |
| pls | Perlis |
| png | Pulau Pinang |
| sgr | Selangor |
| trg | Terengganu |
| kul | Kuala Lumpur |
| рју | Putra Jaya |
| srw | Sarawak |
| sbh | Sabah |
| Ibn | Labuan |

Appendix IV (Insurance Courier List)

| Courier | Courier Name |
|----------|----------------------|
| EP-CR0H | KEX Express |
| EP-CR01 | UTS |
| EP-CR03 | Aramex |
| EP-CR05 | Skynet |
| EP-CR0C | DHLeC |
| EP-CR0DS | Flash Express |
| EP-CR0A | Pos Laju |
| EP-CR0DP | J&T Express |
| EP-CR0DK | Pickupp |
| EP-CR0DU | Ninjavan |
| EP-CR0D3 | J&T Cargo |
| EP-CR0U | TNT |
| EP-CR0DH | Best Express |
| EP-CR0D1 | City-Link Express |
| EP-CR0T | FedEx |
| EP-CR06 | Aramex International |