
AN OPERATING SYSTEM FOR INTELLIGENT ENTERPRISE

Axiom.

Product & engineering guide

A premium frontend foundation for AI infrastructure, agent operations and data intelligence.



06
PRODUCT ROUTES

19 / 15
REACT / NEXT.JS

01
COHESIVE SYSTEM

01 / PRODUCT OVERVIEW

Two journeys. One platform.

The template connects executive evaluation with hands-on technical exploration through a consistent shell, visual language and workspace context.

/	Marketing hub: spatial network, lead brief, bento previews and expandable example cases.
/observability/	Operational inspection: time ranges, area/step/scatter charts, execution traces and CSV export.
/developers/	Integration preview: four languages, request controls, simulated console and demo-key lifecycle.
/workflows/	Visual authoring: three blueprints, node configuration, connections, history, persistence and simulated runs.
/pricing/	Commercial planning: billing cadence, enterprise SLA requirements and a configurable ROI model.
/docs/	Embedded onboarding: setup, configuration, architecture, quality and deployment guidance.

EXECUTIVE PATH

Homepage → example case → pricing → ROI scenario → local demo brief.

PRACTITIONER PATH

Observe → inspect a trace → run an SDK simulation → configure an agent workflow.

Delivered scope: a runnable frontend and tested domain-model foundation. Authentication, live inference, durable tenant data and billing require production integrations.

02 / DESIGN & CONVERSION

Editorial clarity. Technical depth.

Dark cyber-minimalism uses deliberate hierarchy and restrained accent color to make dense infrastructure interfaces feel legible and composed.



CANVAS	SLATE	MINT	BLUE	VIOLET
#08080C	#1C1D24	#72E6BD	#618EFF	#A88AFF

A conversion sequence with purpose

Orient with compact navigation and a release cue. Lead with one clear promise. Let a reserved-height spatial graph communicate the product. Follow with illustrative proof, product demonstrations, economics and a consistent final action.

A system that adapts

Self-hosted Inter Variable, tight display typography, readable data labels and tabular numerals. Four-column bento geometry gives major surfaces more room. Small screens preserve reading order and use one card column.

HOMEPAGE BLOCK SPECIFICATION


1 Hero	Headline + supporting copy + lead action + interactive node field with pause, reset and inspection.
2 Proof	Fictional logo ticker with motion controls; expandable scenario cards with labeled example outcomes.
3 Demonstration	Workflow, chart, SDK and ingestion previews link into the operational workspaces.
4 Conversion	Email validation, local confirmation and downloadable JSON brief. No server delivery is implied.

Motion is feedback and atmosphere. Reduced-motion preferences, visible focus and semantic controls remain part of the experience.

03 / OBSERVABILITY

From a signal to an explanation.

Explore latency, throughput and drift, then inspect the execution decisions behind a sample trace.



Actual template interface • synthetic data and local simulation

Operational surface

Change the sample time range; inspect area-chart points with a pointer or arrow keys. Throughput uses steps to represent bucket changes. A model selector updates the labeled drift scatter.

Execution intelligence

Search and filter five trace fixtures by service or status. Expand a trace to see token usage, estimated cost, routing rationale and a stage waterfall. Export the selected interval as CSV.

INTERACTION PATH


Select workspace → select time range → inspect series → filter executions → expand trace → export evidence.

Live integration contract: preserve units, timestamps and collection time. Represent missing, partial, stale, denied and failed data explicitly; absence must not become zero.

04 / DEVELOPER WORKSPACE

Make integration tangible.

A configurable request, synchronized language examples and an inspectable response make the developer evaluation path concrete.



Actual template interface • synthetic data and local simulation

Configure and simulate

Choose a model, edit the prompt and temperature, then switch between Python, cURL, Go and Node.js. The generated example reflects the request settings. Run the local simulation and switch between response and event-log views.

Understand key lifecycle

Create a named and scoped demo key, reveal or hide it, copy it, and confirm revocation. Each demo workspace keeps its own local set, with a maximum of ten active keys. These examples grant no service access.

PRODUCTION REPLACEMENT


Issue credentials on an authenticated server. Show the secret once; store only its hash. Enforce scopes, expiry and revocation, and record audit events. Keep service credentials out of public environment variables and frontend bundles.

The console is a simulation. Snippets use an example endpoint and an environment-variable placeholder; no model provider is called by the reference interface.

05 / AGENTIC WORKFLOWS

A graph you can actually author.

The workflow editor turns a visual demonstration into a usable definition-building tool, with domain validation outside the presentation layer.



Actual template interface • synthetic data and local simulation

Authoring loop

Start from Customer intelligence, Document operations or Risk intelligence. Select and configure nodes, drag or move them with keyboard controls, connect through explicit controls, and use undo/redo. Up to 12 nodes are supported.

Portable definitions

Save and restore a workspace-local draft. Export or import a versioned JSON definition. Run validation checks inputs, outputs and paths, then the simulation follows dependency order and produces an inspectable output report.

GRAPH RULES ENFORCED IN THE DOMAIN LAYER


Reject unknown endpoints, self-links, duplicate edges and cycles. Validate imported shape, unique identifiers, coordinate bounds and node limits. A valid run must reach an output from every branch.

Definition ≠ execution: the simulated run does not invoke an LLM. A production executor must revalidate the graph and apply per-tenant policies.

06 / ENTERPRISE CONVERSION

Make the buying decision explicit.

Pricing, feature comparison and a downloadable enterprise requirements brief support a considered B2B evaluation.



Actual template interface • synthetic data and local simulation

Tier and billing clarity

Monthly and annual modes update visible prices and billing labels together. The enterprise column receives a clear custom-contract action. Feature comparisons remain readable without hover and support focus highlighting.

SLA planning surface

Choose residency, an availability target and a severity-one response target. The configurator calculates a 30-day downtime allowance and exports a JSON requirements brief. It is planning input, not an executed agreement.

A USEFUL DOWNTIME EXAMPLE

99.9% availability over 30 days implies a 43.2-minute downtime budget: 30 × 24 × 60 × (1 − 0.999). Contract exclusions and measurement rules must be defined separately.

The ROI calculator has independent, editable assumptions. Changing the plan billing switch does not turn the estimate into a price quote.

07 / ROI MODEL

Economics buyers can reproduce.

All values below are illustrative monthly USD assumptions from the delivered default scenario, not guaranteed savings or a customer quote.

MONTHLY COST CATEGORY	TRADITIONAL	AXIOM MODEL
Fixed infrastructure	$1,200.00	$800.00
10,000 GB data volume	$1,600.00	$650.00
40 autonomous agents	$1,440.00	$560.00
Total monthly cost	$4,240.00	$2,010.00

$2,230
MONTHLY SAVINGS

$26,760
ANNUAL SAVINGS

3 months
PAYBACK

TRANSPARENT ARITHMETIC

```
Traditional = 1,200 + (10,000 × 0.16) + (40 × 36)
Platform = 800 + (10,000 × 0.065) + (40 × 14)
Savings = 4,240 − 2,010 = 2,230 per month
Net first year = (2,230 × 12) − 6,000 migration = 20,760
```


Payback rounds up to the first whole month covering migration: ceil(6,000 / 2,230) = 3. Costs round to integer cents per category; negative savings stay negative. A zero baseline has no percentage result.

Pilot, Production and Enterprise presets accelerate exploration. Save a baseline for comparison and export every assumption to CSV. Excluded costs include labor, model-provider charges, tax, financing and growth.

08 / CODE ARCHITECTURE

Clear boundaries. Reusable rules.

Route composition stays separate from interactive features and deterministic business logic. The reference build exports static assets.



Shared shell	app/layout.tsx, site-shell.tsx and WorkspaceProvider compose navigation, landmarks and demo context.
Global navigation	command-palette.tsx supplies Cmd/Ctrl+K search, arrow selection, Enter navigation and Escape dismissal.
Workflow rules	lib/workflow.ts owns the versioned graph, restoration, edge validation and stable execution ordering.
Commercial math	lib/roi.ts normalizes inputs, applies rates, calculates signed savings/payback and emits reproducible CSV.
Configuration	lib/config.ts holds brand/navigation and demo workspaces. Additional brand copy remains in shell and marketing components.
Static output	next.config.ts enables output: export and trailing slashes. npm run build writes out/; a static host serves each index.html.

Browser storage is not a security boundary. Atlas and Helix demonstrate local state partitioning. Only a server can authenticate users and authorize access to tenant data.

09 / ONBOARDING

From checkout to first run.

Use Node.js 22 LTS and the supplied lockfile. The reference demo needs no credentials, environment variables or paid services.

```
npm ci

npm run dev

# Open http://localhost:3000

npm run typecheck && npm test && npm run build
```

CUSTOMIZATION ORDER

- Set product identity and metadata in lib/config.ts and app/layout.tsx; update remaining brand copy in shell and marketing components.
- Adapt theme tokens in app/globals.css and component styles; retain local font licensing and test long labels at 320 px.
- Review ROI rates, currency and assumptions in lib/roi.ts. Update allowed node definitions and blueprints in lib/workflow.ts.
- Replace fixture providers through authenticated adapters. Keep demo labels until real records and verified claims replace examples.

CHOOSE A DEPLOYMENT MODEL

Static reference

Retain output: export. Build and deploy out/ to a CDN/static host supporting directory index files. Keep private credentials out of exported assets.

Full SaaS runtime

Remove output: export; add server-only adapters, sessions and route handlers. Deploy a Next.js server runtime and add an appropriate start script.

Optional variable names in .env.example are proposals; they do not activate a backend automatically.

10 / PRODUCTION INTEGRATION

A path to production.

Build the server boundary before handling customer information. A workspace selector is a UI hint, never proof of membership.

BROWSER

Session + selector

—

API

Authenticate + authorize

—

REPOSITORY

Verified tenant scope

1 Identity + tenancy	Resolve session and membership on the server. Enforce capabilities on every operation; scope database rows and caches by verified workspace.
2 Persistence + keys	Use revisions for workflow writes, reject conflicts, hash issued secrets, enforce scopes and expiry, and log creation/revocation.
3 Agent execution	Use immutable workflow revisions, run IDs, timeouts, bounded retries, cancellation, budgets and idempotency for external side effects.
4 Telemetry	Bound time windows and buckets; abort stale requests. Return units, collection time, partial flags and explicit unavailable values.
5 Conversion + billing	Validate leads server-side and queue CRM delivery. Verify and deduplicate billing events before granting entitlements.
6 Operational release	Add monitoring, request IDs, error reporting, backup/restore, retention rules, dependency review and incident ownership.

Use predictable HTTP states: 401 unauthenticated, 403/404 denied, 409 conflict, 422 invalid input, 429 rate limited and 503 retryable service failure. Do not expose secrets or server stack traces.

11 / VALIDATION & HANDOFF

Evidence, with its practical limits.

The reference static build was exercised with its lockfile and Chromium. These checks describe the delivered template, not a connected production service.

Type safety + domain	Strict TypeScript passed. 13 business-logic tests passed, covering ROI arithmetic/bounds/payback and graph validation/order/imports.
Build + routes	Production static export passed. Six routes returned HTTP 200 with no page runtime errors in browser checks.
Responsive containment	No document overflow on six routes at 320 and 1440 px; five product routes were also checked at 3840 px.
Automated accessibility	axe-core reported zero detected WCAG-tagged violations on six default routes and four dialogs at 390 px.
Payload snapshot	Next.js reports 106-157 kB first-load JavaScript across product routes. Total static output is approximately 1.9 MB.

Still required before production
Manual screen-reader, zoom/reflow and real-device checks; field Core Web Vitals and throttled mobile benchmarks; security testing, cross-tenant denial tests and end-to-end backend verification. Full WCAG conformance and sub-500 ms loads are not established.

DELIVERY REFERENCES

Live preview (owner-private):
axiom-intelligence.atifmahmood131.chatgpt.site

GitHub repository: github.com/atifmahmoodai/axiom-enterprise-ai-template
Source handoff: README plus Blueprint, Onboarding, Architecture, Accessibility, Performance and Validation guides.