
AN OPERATING SYSTEM FOR INTELLIGENT ENTERPRISE

# Axiom.

# Product & engineering guide

A premium frontend foundation for AI infrastructure, agent operations and data intelligence.




**06**
PRODUCT ROUTES

**19 / 15**
REACT / NEXT.JS

**01**
COHESIVE SYSTEM

01 / PRODUCT OVERVIEW

# Two journeys. One platform.

The template connects executive evaluation with hands-on technical exploration through a consistent shell, visual language and workspace context.

| | |
|---|---|
| **/** | Marketing hub: spatial network, lead brief, bento previews and expandable example cases. |
| **/observability/** | Operational inspection: time ranges, area/step/scatter charts, execution traces and CSV export. |
| **/developers/** | Integration preview: four languages, request controls, simulated console and demo-key lifecycle. |
| **/workflows/** | Visual authoring: three blueprints, node configuration, connections, history, persistence and simulated runs. |
| **/pricing/** | Commercial planning: billing cadence, enterprise SLA requirements and a configurable ROI model. |
| **/docs/** | Embedded onboarding: setup, configuration, architecture, quality and deployment guidance. |

### EXECUTIVE PATH

Homepage → example case → pricing → ROI scenario → local demo brief.

### PRACTITIONER PATH

Observe → inspect a trace → run an SDK simulation → configure an agent workflow.

Delivered scope: a runnable frontend and tested domain-model foundation. Authentication, live inference, durable tenant data and billing require production integrations.

02 / DESIGN & CONVERSION

# Editorial clarity. Technical depth.

Dark cyber-minimalism uses deliberate hierarchy and restrained accent color to make dense infrastructure interfaces feel legible and composed.



| CANVAS | SLATE | MINT | BLUE | VIOLET |
|---|---|---|---|---|
| #08080C | #1C1D24 | #72E6BD | #618EFF | #A88AFF |

## A conversion sequence with purpose

Orient with compact navigation and a release cue. Lead with one clear promise. Let a reserved-height spatial graph communicate the product. Follow with illustrative proof, product demonstrations, economics and a consistent final action.

## A system that adapts

Self-hosted Inter Variable, tight display typography, readable data labels and tabular numerals. Four-column bento geometry gives major surfaces more room. Small screens preserve reading order and use one card column.

HOMEPAGE BLOCK SPECIFICATION


| | |
|---|---|
| **1 Hero** | Headline + supporting copy + lead action + interactive node field with pause, reset and inspection. |
| **2 Proof** | Fictional logo ticker with motion controls; expandable scenario cards with labeled example outcomes. |
| **3 Demonstration** | Workflow, chart, SDK and ingestion previews link into the operational workspaces. |
| **4 Conversion** | Email validation, local confirmation and downloadable JSON brief. No server delivery is implied. |

Motion is feedback and atmosphere. Reduced-motion preferences, visible focus and semantic controls remain part of the experience.

03 / OBSERVABILITY

# From a signal to an explanation.

Explore latency, throughput and drift, then inspect the execution decisions behind a sample trace.




Actual template interface • synthetic data and local simulation

## Operational surface

Change the sample time range; inspect area-chart points with a pointer or arrow keys. Throughput uses steps to represent bucket changes. A model selector updates the labeled drift scatter.

## Execution intelligence

Search and filter five trace fixtures by service or status. Expand a trace to see token usage, estimated cost, routing rationale and a stage waterfall. Export the selected interval as CSV.

INTERACTION PATH


Select workspace → select time range → inspect series → filter executions → expand trace → export evidence.

Live integration contract: preserve units, timestamps and collection time. Represent missing, partial, stale, denied and failed data explicitly; absence must not become zero.

04 / DEVELOPER WORKSPACE

# Make integration tangible.

A configurable request, synchronized language examples and an inspectable response make the developer evaluation path concrete.




Actual template interface • synthetic data and local simulation

## Configure and simulate

Choose a model, edit the prompt and temperature, then switch between Python, cURL, Go and Node.js. The generated example reflects the request settings. Run the local simulation and switch between response and event-log views.

## Understand key lifecycle

Create a named and scoped demo key, reveal or hide it, copy it, and confirm revocation. Each demo workspace keeps its own local set, with a maximum of ten active keys. These examples grant no service access.

PRODUCTION REPLACEMENT


Issue credentials on an authenticated server. Show the secret once; store only its hash. Enforce scopes, expiry and revocation, and record audit events. Keep service credentials out of public environment variables and frontend bundles.

The console is a simulation. Snippets use an example endpoint and an environment-variable placeholder; no model provider is called by the reference interface.

05 / AGENTIC WORKFLOWS

# A graph you can actually author.

The workflow editor turns a visual demonstration into a usable definition-building tool, with domain validation outside the presentation layer.




Actual template interface • synthetic data and local simulation

## Authoring loop

Start from Customer intelligence, Document operations or Risk intelligence. Select and configure nodes, drag or move them with keyboard controls, connect through explicit controls, and use undo/redo. Up to 12 nodes are supported.

## Portable definitions

Save and restore a workspace-local draft. Export or import a versioned JSON definition. Run validation checks inputs, outputs and paths, then the simulation follows dependency order and produces an inspectable output report.

### GRAPH RULES ENFORCED IN THE DOMAIN LAYER


Reject unknown endpoints, self-links, duplicate edges and cycles. Validate imported shape, unique identifiers, coordinate bounds and node limits. A valid run must reach an output from every branch.

Definition ≠ execution: the simulated run does not invoke an LLM. A production executor must revalidate the graph and apply per-tenant policies.

06 / ENTERPRISE CONVERSION

# Make the buying decision explicit.

Pricing, feature comparison and a downloadable enterprise requirements brief support a considered B2B evaluation.




Actual template interface • synthetic data and local simulation

## Tier and billing clarity

Monthly and annual modes update visible prices and billing labels together. The enterprise column receives a clear custom-contract action. Feature comparisons remain readable without hover and support focus highlighting.

## SLA planning surface

Choose residency, an availability target and a severity-one response target. The configurator calculates a 30-day downtime allowance and exports a JSON requirements brief. It is planning input, not an executed agreement.

### A USEFUL DOWNTIME EXAMPLE

99.9% availability over 30 days implies a 43.2-minute downtime budget: 30 × 24 × 60 × (1 − 0.999). Contract exclusions and measurement rules must be defined separately.

The ROI calculator has independent, editable assumptions. Changing the plan billing switch does not turn the estimate into a price quote.

07 / ROI MODEL

# Economics buyers can reproduce.

All values below are illustrative monthly USD assumptions from the delivered default scenario, not guaranteed savings or a customer quote.

| MONTHLY COST CATEGORY | TRADITIONAL | AXIOM MODEL |
|---|---|---|
| Fixed infrastructure | $1,200.00 | $800.00 |
| 10,000 GB data volume | $1,600.00 | $650.00 |
| 40 autonomous agents | $1,440.00 | $560.00 |
| **Total monthly cost** | $4,240.00 | $2,010.00 |

**$2,230**
MONTHLY SAVINGS

**$26,760**
ANNUAL SAVINGS

**3 months**
PAYBACK

### TRANSPARENT ARITHMETIC

```
Traditional = 1,200 + (10,000 × 0.16) + (40 × 36)
Platform = 800 + (10,000 × 0.065) + (40 × 14)
Savings = 4,240 − 2,010 = 2,230 per month
Net first year = (2,230 × 12) − 6,000 migration = 20,760
```


Payback rounds up to the first whole month covering migration: ceil(6,000 / 2,230) = 3. Costs round to integer cents per category; negative savings stay negative. A zero baseline has no percentage result.

Pilot, Production and Enterprise presets accelerate exploration. Save a baseline for comparison and export every assumption to CSV. Excluded costs include labor, model-provider charges, tax, financing and growth.

08 / CODE ARCHITECTURE

# Clear boundaries. Reusable rules.

Route composition stays separate from interactive features and deterministic business logic. The reference build exports static assets.




| | |
|---|---|
| **Shared shell** | app/layout.tsx, site-shell.tsx and WorkspaceProvider compose navigation, landmarks and demo context. |
| **Global navigation** | command-palette.tsx supplies Cmd/Ctrl+K search, arrow selection, Enter navigation and Escape dismissal. |
| **Workflow rules** | lib/workflow.ts owns the versioned graph, restoration, edge validation and stable execution ordering. |
| **Commercial math** | lib/roi.ts normalizes inputs, applies rates, calculates signed savings/payback and emits reproducible CSV. |
| **Configuration** | lib/config.ts holds brand/navigation and demo workspaces. Additional brand copy remains in shell and marketing components. |
| **Static output** | next.config.ts enables output: export and trailing slashes. npm run build writes out/; a static host serves each index.html. |

Browser storage is not a security boundary. Atlas and Helix demonstrate local state partitioning. Only a server can authenticate users and authorize access to tenant data.

09 / ONBOARDING

# From checkout to first run.

Use Node.js 22 LTS and the supplied lockfile. The reference demo needs no credentials, environment variables or paid services.

```
npm ci

npm run dev

# Open http://localhost:3000

npm run typecheck && npm test && npm run build
```

## CUSTOMIZATION ORDER

- Set product identity and metadata in lib/config.ts and app/layout.tsx; update remaining brand copy in shell and marketing components.
- Adapt theme tokens in app/globals.css and component styles; retain local font licensing and test long labels at 320 px.
- Review ROI rates, currency and assumptions in lib/roi.ts. Update allowed node definitions and blueprints in lib/workflow.ts.
- Replace fixture providers through authenticated adapters. Keep demo labels until real records and verified claims replace examples.

## CHOOSE A DEPLOYMENT MODEL

### Static reference

Retain output: export. Build and deploy out/ to a CDN/static host supporting directory index files. Keep private credentials out of exported assets.

### Full SaaS runtime

Remove output: export; add server-only adapters, sessions and route handlers. Deploy a Next.js server runtime and add an appropriate start script.

Optional variable names in .env.example are proposals; they do not activate a backend automatically.

10 / PRODUCTION INTEGRATION

# A path to production.

Build the server boundary before handling customer information. A workspace selector is a UI hint, never proof of membership.

**BROWSER**

Session + selector

—

**API**

Authenticate + authorize

—

**REPOSITORY**

Verified tenant scope

| | |
|---|---|
| **1 Identity + tenancy** | Resolve session and membership on the server. Enforce capabilities on every operation; scope database rows and caches by verified workspace. |
| **2 Persistence + keys** | Use revisions for workflow writes, reject conflicts, hash issued secrets, enforce scopes and expiry, and log creation/revocation. |
| **3 Agent execution** | Use immutable workflow revisions, run IDs, timeouts, bounded retries, cancellation, budgets and idempotency for external side effects. |
| **4 Telemetry** | Bound time windows and buckets; abort stale requests. Return units, collection time, partial flags and explicit unavailable values. |
| **5 Conversion + billing** | Validate leads server-side and queue CRM delivery. Verify and deduplicate billing events before granting entitlements. |
| **6 Operational release** | Add monitoring, request IDs, error reporting, backup/restore, retention rules, dependency review and incident ownership. |

Use predictable HTTP states: 401 unauthenticated, 403/404 denied, 409 conflict, 422 invalid input, 429 rate limited and 503 retryable service failure. Do not expose secrets or server stack traces.

11 / VALIDATION & HANDOFF

# Evidence, with its practical limits.

The reference static build was exercised with its lockfile and Chromium. These checks describe the delivered template, not a connected production service.

| | |
|---|---|
| **Type safety + domain** | Strict TypeScript passed. 13 business-logic tests passed, covering ROI arithmetic/bounds/payback and graph validation/order/imports. |
| **Build + routes** | Production static export passed. Six routes returned HTTP 200 with no page runtime errors in browser checks. |
| **Responsive containment** | No document overflow on six routes at 320 and 1440 px; five product routes were also checked at 3840 px. |
| **Automated accessibility** | axe-core reported zero detected WCAG-tagged violations on six default routes and four dialogs at 390 px. |
| **Payload snapshot** | Next.js reports 106-157 kB first-load JavaScript across product routes. Total static output is approximately 1.9 MB. |

Still required before production
Manual screen-reader, zoom/reflow and real-device checks; field Core Web Vitals and throttled mobile benchmarks; security testing, cross-tenant denial tests and end-to-end backend verification. Full WCAG conformance and sub-500 ms loads are not established.

DELIVERY REFERENCES

Live preview (owner-private):
axiom-intelligence.atifmahmood131.chatgpt.site

Source handoff: README plus Blueprint, Onboarding, Architecture, Accessibility, Performance and Validation guides. GitHub upload requires repository creation/access; no repository URL is claimed in this edition.