
AtiNAMatiC-Cab — User Manual

Version 1.0.0 · ATIJ STUDIO · Windows · macOS · Linux · VST3 · CLAP · LV2 · AU (macOS) · Free and open source (GPL v3)



What's new in v1.0.0

- First public release, now **free and open source** (GPL v3).
- New look, shared across the whole ONE KNOB Series.
- **Every plug-in format:** VST3, CLAP and LV2 on Windows, macOS and Linux, plus AU on macOS. (The standalone app has been retired: these work best inside your DAW.)
- New **ONE KNOB Series installers** for Windows and macOS: tick the plug-ins and formats you want, skip the rest. Linux gets an install script that asks the same questions.

1. What it is

Many NAM captures are "amp only" (direct out, no cabinet): played straight they sound fizzy and harsh. Normally you'd load an impulse response. AtiNAMatiC-Cab is the one-knob alternative: a speaker cabinet voiced with filters, where the one knob moves the microphone across the speaker.

- Resonant low cut (the "thump" of a closed box), low-mid body, a slight mid scoop, two cone-breakup presence peaks (~2.5 kHz and ~4.5 kHz) and a steep speaker roll-off.
- **MIC** moves the mic from the dust cap (bright, forward) to the cone edge (darker, warmer). Measured on a cab-less amp: the fizz above 7 kHz is cut by about 11 dB at the cap and 29 dB at the edge.
- Loudness is matched automatically from the filter response (within about ±1.5 dB across the knob and cabinets).
- Zero latency, minimum phase, very light on CPU.

It is not an impulse-response loader and does not try to copy a specific cabinet; it is a fast, musical "cab" that is always in tune with the knob.

2. Signal chain placement

```
Guitar -> ... -> Amp sim (no cab) -> [AtiNAMatiC-Cab] -> Cohere / Air / Room
```

Use it **after** an amp capture that has no cabinet. Do not stack it after a cab/IR (you'd filter twice).

3. Controls

MIC POSITION (big knob, 0–100 %, default 35 %)

Position	Sound
0 % (CAP)	brightest, most forward, most presence
50 % (CONE)	balanced
100 % (EDGE)	darker, warmer, rounder low-mids

CABINET (mode switch)

Cabinet	Low cut / thump	Body	Character
1x12	105 Hz, soft	200 Hz	open-back combo: lighter, looser low end
2x12	85 Hz	160 Hz	balanced
4x12 (default)	75 Hz, resonant	140 Hz	closed-back stack: tight, deep thump

MIX (0–100 %) and OUTPUT (-24 to +12 dB)

Blend with the raw amp (for a little extra edge) and final trim.

4. Meters

- **INPUT / OUTPUT** — peak level.
- **BRIGHT** — where the mic is (100 % = on the cap).
- Status: **ON THE CAP**, **MID CONE**, **CONE EDGE**.

5. Installation

Windows (64-bit)

- **Easiest:** run `ONE-KNOB-Series-v1.0.0-Windows-x64-Setup.exe`, tick the plug-ins and formats you want and untick the rest.
- **Just this plug-in:** unzip `AtiNAMatiC-Cab-v1.0.0-Windows-x64.zip` and copy:

File	Copy to
`AtiNAMatiC-Cab.vst3`	`C:\Program Files\Common Files\VST3\`
`AtiNAMatiC-Cab.clap`	`C:\Program Files\Common Files\CLAP\`
`AtiNAMatiC-Cab.lv2`	`C:\Program Files\Common Files\LV2\`

macOS 10.15 or later (Apple Silicon and Intel)

- **Easiest:** open `ONE-KNOB-Series-v1.0.0-macOS-Installer.pkg`, click **Customize** and tick the plug-ins and formats you want.
- **Just this plug-in:** unzip `AtiNAMatiC-Cab-v1.0.0-macOS.zip` and copy:

File	Copy to
`AtiNAMatiC-Cab.vst3`	`/Library/Audio/Plug-Ins/VST3/`
`AtiNAMatiC-Cab.component` (AU)	`/Library/Audio/Plug-Ins/Components/`
`AtiNAMatiC-Cab.clap`	`/Library/Audio/Plug-Ins/CLAP/`
`AtiNAMatiC-Cab.lv2`	`/Library/Audio/Plug-Ins/LV2/`

The plug-ins aren't signed by Apple. If macOS blocks the installer, right-click it and choose **Open**. If you copied files from the zip, clear the quarantine flag in Terminal, e.g. `xattr -cr /Library/Audio/Plug-Ins/VST3/AtiNAMatiC-Cab.vst3`.

Linux (x86_64 and ARM64)

- **Easiest:** extract `ONE-KNOB-Series-v1.0.0-Linux-x86_64.tar.gz` (or `-Linux-ARM64`) and run `./install.sh`. It asks which plug-ins and formats to install. Use `./install.sh --system` to install for all users.
- **Just this plug-in:** unzip `AtiNAMatiC-Cab-v1.0.0-Linux-x86_64.zip` (or `-Linux-ARM64`) and copy the `.vst3` folder to `~/.vst3/`, the `.clap` file to `~/.clap/` and the `.lv2` folder to `~/.lv2/`.

Then rescan plug-ins in your DAW.

6. Tips

- High gain: 4x12, MIC 30–50 %. Then **Cohere** if anything still bites.
- Clean / edge of breakup: 1x12, MIC 20–40 %.
- Double-click any knob to reset it; hold Shift while dragging for fine control.

AtiNAMatiC-Cab v1.0.0 · Atij 666 Studio