

VLAN

admin@00:0C:29:0E:81:1F (MikroTik) - WinBox v7.15 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:0E:81:1F

Quick Set
WiFi
Interfaces
WireGuard
Bridge
PPP
Mesh
IP
IPv6
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
Dot1X
Make Supout.tif
New WinBox
Exit

Windows

Interface List

Interface	Interface List	Ethernet	EoIP Tunnel	IP Tunnel	GRE Tunnel	VLAN	VXLAN	VRRP	VETH	MACsec	MACVLAN	
R	AZHARUL	VLAN				1500	1500			666	ether3	
R	BDIX	VLAN				1500	1500			1643	ether3	
R	FNA	VLAN				1500	1500			1880	ether3	
R	GGC	VLAN				1500	1500			1770	ether3	
R	INT	VLAN				1500	1500			1440	ether3	

5 items out of 7 (1 selected)

Interface <FNA>

General

Name: FNA

Type: VLAN

MTU: 1500

Actual MTU: 1500

L2 MTU:

MAC Address: 00:0C:29:0E:81:1F

ARP: enabled

ARP Timeout:

VLAN ID: 1880

Interface: ether3

☐ Use Service Tag

☐ MVRP

enabled running slave passthrough

OK Cancel Apply Disable Comment Copy Remove Torch Reset Traffic Counters

IP ADDRESS

admin@00:0C:29:0E:81:1F (MikroTik) - WinBox v7.15 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:0E:81:1F

Quick Set
WiFi
Interfaces
WireGuard
Bridge
PPP
Mesh
IP
IPv6
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
Dot1X
Make Supout.tif
New WinBox
Exit

Windows

Address List

Address	Network	Interface
10.32.10.2/30	10.32.10.0	BDIX
172.16.10.6/30	172.16.10.4	FNA
172.18.20.10/30	172.18.20.8	GGC
192.168.0.108/...	192.168.0.0	ether3
192.168.70.14/...	192.168.70.12	INT

5 items (1 selected)

Address <172.16.10.6/30>

Address: 172.16.10.6/30

Network: 172.16.10.4

Interface: FNA

enabled

OK Cancel Apply Disable Comment Copy Remove

IP POOL

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set

WiFi

Wireless

User Manager

Interfaces

WireGuard

Bridge

PPP

Switch

Mesh

IP

IPv6

OpenFlow

MPLS

Routing

System

Queues

Files

Log

RADIUS

Tools

New Terminal

IoT

TR069

Dot1X

Dude

Container

Make Supout.nif

Windows

More

IP Pool

Pools Used Addresses

Name	Addresses	Next Pool	Total	Used	Available
80MB Package	172.16.10.2-172.16.10.254	none	253	0	253
100MB Package	172.16.20.2-172.16.20.254	none	253	0	253
120MB Package	172.16.30.2-172.16.30.254	none	253	0	253
135MB Package	192.168.20.2-192.168.20.254	none	253	0	253
145MB Package	192.168.20.2-192.168.20.252	none	251	0	251
130MB Package	172.16.30.2-172.16.30.248	none	247	0	247
140MB Package	172.16.30.2-172.16.30.248	none	247	0	247
150MB Package	172.16.20.2-172.16.20.248	none	247	0	247
225MB Package	192.168.20.2-192.168.20.248	none	247	0	247
105MB Package	192.168.20.2-192.168.20.246	none	245	0	245
110MB Package	172.16.30.2-172.16.30.228	none	227	0	227
85MB Package	192.168.20.2-192.168.20.226	none	225	0	225
70MB Package	172.16.30.2-172.16.30.224	none	223	0	223
90MB Package	172.16.20.2-172.16.20.222	none	221	0	221
115MB Package	192.168.20.2-192.168.20.218	none	217	0	217
95MB Package	192.168.20.2-192.168.20.126	none	127	0	127
50MB Package	192.168.20.2-192.168.20.126	none	125	0	125
75MB Package	192.168.20.2-192.168.20.60	none	59	0	59
55MB Package	192.168.20.2-192.168.20.31	none	30	0	30
60MB Package	192.168.20.2-192.168.20.30	none	29	0	29

IP Pool <150MB Package>

Name: 150MB Package

Addresses: 172.16.20.2-172.16.20.248

Next Pool: none

Total: 247

Used: 0

Available: 247

OK

Cancel

Apply

Comment

Copy

Remove

20 items (1 selected)

Type here to search

12:17 AM 10/26/2025

PCQ

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set

WiFi

Wireless

User Manager

Interfaces

WireGuard

Bridge

PPP

Switch

Mesh

IP

IPv6

OpenFlow

MPLS

Routing

System

Queues

Files

Log

RADIUS

Tools

New Terminal

IoT

TR069

Dot1X

Dude

Container

Make Supout.nif

Windows

More

Queue List

Simple Queues Interface Queues Queue Tree Queue Types

Type Name	Kind
50MB Package BDIX (U&D)	pcq
50MB Package FNA (U&D)	pcq
50MB Package INT (U&D)	pcq
50MB Package IX (U&D)	pcq
55MB Package BDIX (U&D)	pcq
55MB Package FNA (U&D)	pcq
55MB Package INT (U&D)	pcq
55MB Package IX (U&D)	pcq
60MB Package BDIX (U&D)	pcq
60MB Package FNA (U&D)	pcq
60MB Package INT (U&D)	pcq
60MB Package IX (U&D)	pcq
65MB Package BDIX (U&D)	pcq
65MB Package FNA (U&D)	pcq
65MB Package INT (U&D)	pcq
65MB Package IX (U&D)	pcq
70MB Package BDIX (U&D)	pcq
70MB Package FNA (U&D)	pcq
70MB Package INT (U&D)	pcq
70MB Package IX (U&D)	pcq
75MB Package BDIX (U&D)	pcq
75MB Package FNA (U&D)	pcq
75MB Package INT (U&D)	pcq
75MB Package IX (U&D)	pcq
80MB Package BDIX (U&D)	pcq
80MB Package FNA (U&D)	pcq
80MB Package INT (U&D)	pcq
80MB Package IX (U&D)	pcq
85MB Package BDIX (U&D)	pcq
85MB Package FNA (U&D)	pcq
85MB Package INT (U&D)	pcq
85MB Package IX (U&D)	pcq
90MB Package BDIX (U&D)	pcq

Queue Type <55MB Package FNA (U&D)>

Type Name: 55MB Package FNA (U&D)

Kind: pcq

Rate: 110M bits/s

Queue Size: 55 KiB

Total Queue Size: 2000 KiB

Burst Rate: bits/s

Burst Threshold: pcq

Burst Time: 00:00:10

Classifier: ☒ Src. Address ☒ Dst. Address ☐ Src. Port ☐ Dst. Port

Src. Address Mask: 32

Dst. Address Mask: 32

Src. Address6 Mask: 128

Dst. Address6 Mask: 128

OK

Cancel

Apply

Copy

Remove

86 items (1 selected)

Type here to search

12:20 AM 10/26/2025

SIMPLE QUES

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

RouterOS WinBox

Quick Set

WiFi

Wireless

User Manager

Interfaces

WireGuard

Bridge

PPP

Switch

Mesh

IP

IPv6

OpenFlow

MPLS

Routing

System

Queues

Files

Log

RADIUS

Tools

New Terminal

IoT

TR069

Dot1X

Dude

Container

Make Supout.rtf

Windows

More

Queue List

Simple Queues Interface Queues Queue Tree Queue Types

Reset Counters Reset All Counters

Find

Simple Queue <55M Package IX (U&D)>

General Advanced Statistics Traffic Total Total Statistics

Name: 55M Package IX (U&D)

Target: 192.168.20.0/27

Dst:

Target Upload Target Download

Max Limit: 1G 1G bits/s

Burst

Time

OK Cancel Apply Disable Comment Copy Remove Reset Counters Reset All Counters Torch

80 items (1 selected) 0 B queued 0 packets queued

Type here to search

12:21 AM 10/26/2025

Simple queues,advanced

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

RouterOS WinBox

Quick Set

WiFi

Wireless

User Manager

Interfaces

WireGuard

Bridge

PPP

Switch

Mesh

IP

IPv6

OpenFlow

MPLS

Routing

System

Queues

Files

Log

RADIUS

Tools

New Terminal

IoT

TR069

Dot1X

Dude

Container

Make Supout.rtf

Windows

More

Queue List

Simple Queues Interface Queues Queue Tree Queue Types

Reset Counters Reset All Counters

Find

Simple Queue <55M Package IX (U&D)>

General Advanced Statistics Traffic Total Total Statistics

Packet Marks:

Limit At: 0 0 bits/s

Priority: 8 8

Bucket Size: 0.100 0.100 ratio

Queue Type: 55MB Package IX (U&D) 55MB Package IX (U&D)

Parent: none

OK Cancel Apply Disable Comment Copy Remove Reset Counters Reset All Counters Torch

80 items (1 selected) 0 B queued 0 packets queued

Type here to search

12:21 AM 10/26/2025

NAT,Advanced

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMWare Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set Queue List

Simple Queues Interface Queues Queue Tree Queue Types

Filter Rules NAT Mangle Raw Service Ports Connections

NAT Rule <172.16.10.4/30>

General Advanced Extra Action Statistics

Chain: srcnat

Src. Address: 172.16.10.4/30

Dst. Address:

Src. Address List:

Dst. Address List:

Protocol:

Src. Port:

Dst. Port:

Any Port:

In. Interface:

Out. Interface: FNA

In. Interface List:

Out. Interface List:

Packet Mark:

Connection Mark:

Routing Mark:

Connection Type:

OK Cancel Apply Disable Comment Copy Remove Reset Counters Reset All Counters

In.	Out.	Int.	Bytes	Packets
			0 B	0
			0 B	0
			0 B	0

0 B queued 0 packets queued

NAT Action

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMWare Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set Queue List

Simple Queues Interface Queues Queue Tree Queue Types

Filter Rules NAT Mangle Raw Service Ports Connections

NAT Rule <172.16.10.4/30>

General Advanced Extra Action Statistics

Action: srcnat

Log Prefix:

To Addresses: 182.48.70.215

To Ports:

OK Cancel Apply Disable Comment Copy Remove Reset Counters Reset All Counters

In.	Out.	Int.	Bytes	Packets
			0 B	0
			0 B	0
			0 B	0

0 B queued 0 packets queued

BGP Connection

admin@00:0C:29:0E:81:1F (MikroTik) - WinBox v7.15 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:0E:81:1F

Quick Set
WiFi
Interfaces
WireGuard
Bridge
PPP
Mesh
IP
IPv6
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
Dot1X
Make Supout.nif
New WinBox
Exit

Interface List

BGP

Name	Template	AFI	Router ID	Remote Address	Remote...	Remote AS	Local Role	Multihop
BDIX	temp1		10.32.10.2/32			55632	ebgp	
FNA	temp1		172.16.10.6/32			24564	ebgp	
GGC	temp1		172.18.20.10/32			35324	ebgp	
INT	temp1		192.168.70.14/32			54325	ebgp	

4 items (1 selected)

BGP Connection <GGC>

General Extra Attributes Filter

Name: GGC

Template: temp1

AS: 64575

AFI:

Router ID:

Remote Address: 172.18.20.10/32

Remote Port:

Remote AS: 35324

Remote Allow AS:

Local Address:

Local Port:

Local Role: ebgp

TCP MD5 Key:

Multihop:

Tx TTL:

Rx Min TTL:

Connect: ☒

Listen: ☒

enabled

OK
Cancel
Apply
Disable
Comment
Copy
Remove

Find

Type here to search

Very...

12:26 AM
10/26/2025

BGP Templates

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set
WiFi
Wireless
User Manager
Interfaces
WireGuard
Bridge
PPP
Switch
Mesh
IP
IPv6
OpenFlow
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
IoT
TR069
Dot1X
Dude
Container
Make Supout.nif
More

BGP

Name	AS	AFI	Multihop	Templates	Use BFD	Router ID
Piran Company	64575					
default						

2 items (1 selected)

BGP Template <Piran Company>

General Extra Attributes Filter

Name: Piran Company

AS: 64575

AFI:

Multihop:

Templates:

enabled

default

OK
Cancel
Apply
Disable
Comment
Copy
Remove

Find

Type here to search

Hot...

12:18 AM
10/26/2025

BGP Sessions

admin@00:0C:29:0E:81:1F (MikroTik) - WinBox v7.15 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:0E:81:1F

Quick Set
WiFi
Interfaces
WireGuard
Bridge
PPP
Mesh
IP
IPv6
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
Dot1X
Make Spout.nif
New WinBox
Exit

Windows

Interface List

BGP

Connection	Templates	Sessions	VPN
Resend	Refresh	Stop	Clear
Dump Adv.			
Remote Add.	Remote AS	Remote ID	Remote Capa.
10.32.10.2	0	ip	0.0.0.0
172.16.10.6	0	ip	0.0.0.0
172.18.20.10	0	ip	0.0.0.0
192.168.70.14	0	ip	0.0.0.0

Local Address	Local AS	Local AFI	Local ID	Local Capabilt.	Input Filter	Output Filter	Output Select.	Name	Prefix Count	Up
10.32.10.2	64575	ip	192.168.70.14	mp r as4 gr				BDIX-1	0	0
172.16.10.6	64575	ip	192.168.70.14	mp r as4 gr				FNA-1	0	0
172.18.20.10	64575	ip	192.168.70.14	mp r as4 gr				GGC-1	0	0
192.168.70.14	64575	ip	192.168.70.14	mp r as4 gr				INT-1	0	0

4 items (1 selected)

Type here to search

Very...

1:25 AM 10/26/2025

PPP Profile

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set
WiFi
Wireless
User Manager
Interfaces
WireGuard
Bridge
Switch
Mesh
IP
IPv6
OpenFlow
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
IoT
TR069
Dot1X
Dude
Container
Make Spout.nif
Windows
More

PPP

Interface	PPPoE Servers	OVPN Servers	Secrets	Profiles	Active Connections	L2TP Ethernet
Name	Local Address	Remote Address	Bridge	Rate Limit	Only One	
75M Package	192.168.20.1	75MB Package			default	
80M Package	172.16.30.1	80MB Package			default	
85M Package	192.168.20.1	85MB Package			default	
90M Package	172.16.30.1	90MB Package			default	
95M Package	192.168.20.1	95MB Package			default	
100M Package	172.16.30.1	100MB Package			default	
105M Package	192.168.20.1	105MB Package			default	
110M Package	172.16.30.1	110MB Package			default	
115M Package	192.168.20.1	115MB Package			default	
120M Package	172.16.30.1	120MB Package			default	
130M Package	172.16.30.1	130MB Package			default	
135M Package	192.168.20.1	135MB Package			default	
140M Package	172.16.30.1	140MB Package			default	
145M Package	192.168.20.1	145MB Package			default	
150M Package	172.16.30.1	150MB Package			default	
default					default	
default-ency...					default	

21 items (1 selected)

PPP Profile <100M Package>

General Protocols Limits Queue Scripts

Name: 100M Package

Local Address: 172.16.30.1

Remote Address: 100MB Package

Remote IPv6 Prefix Pool:

Remote IPv6 Prefix Reuse:

DHCPv6 PD Pool:

DHCPv6 Use Radius:

DHCPv6 Lease Time:

Bridge:

Bridge Port Priority:

Bridge Path Cost:

Bridge Horizon:

Bridge Learning: default

Bridge Port VID:

Bridge Port Trusted:

Incoming Filter:

Outgoing Filter:

Address List:

Interface List:

DNS Server: 8.8.8.8

WINS Server:

Change TCP MSS: no yes default

Type here to search

Hot...

12:35 AM 10/26/2025

PPP Secrets

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set
WiFi
Wireless
User Manager
Interfaces
WireGuard
Bridge
PPP
Switch
Mesh
IP
IPv6
OpenFlow
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
IoT
TR069
Dot1X
Dude
Container
Make Supout.rtf
Windows
More

PPP

Interface	PPPoE Servers	OVPN Servers	Secrets	Profiles	Active Connections	L2TP Ethernet
Name	Password	Service	Caller ID	Profile	Local Address	Remote
users	****	pppoe		50M Package		
users 1	****	pppoe		55M Package		
users 2	****	pppoe		60M Package		
users 3	****	pppoe		70M Package		
users 4	****	pppoe		75M Package		
users 5	****	pppoe		80M Package		
users 6	****	pppoe		85M Package		
users 7	****	pppoe		90M Package		
users 8	****	pppoe		95M Package		
users 9	****	pppoe		100M Packa...		
users 10	****	pppoe		105M Packa...		
users 11	****	pppoe		110M Packa...		
users 12	****	pppoe		115M Packa...		
users 13	****	pppoe		120M Packa...		
users 14	****	pppoe		130M Packa...		
users 15	****	pppoe		135M Packa...		
users 16	****	pppoe		140M Packa...		

19 items (1 selected)

PPP Secret <users 5>

Name: users 5
Password: ****
Service: pppoe
Caller ID:
Profile: 80M Package
Local Address:
Remote Address:
Remote IPv6 Prefix:
Routes:
IPv6 Routes:
Limit Bytes In:
Limit Bytes Out:
Last Logged Out:
Last Caller ID:
Last Disconnect Reason:
enabled

OK
Cancel
Apply
Disable
Comment
Copy
Remove

Find

Type here to search

26°C 12:13 AM 10/26/2025

PPPoE Service

admin@00:0C:29:63:46:E0 (MikroTik) - WinBox v7.20.2 on x86 VMware, Inc. VMware Virtual Platform (x86_64)

Session Settings Dashboard

Safe Mode Session: 00:0C:29:63:46:E0

Quick Set
WiFi
Wireless
User Manager
Interfaces
WireGuard
Bridge
PPP
Switch
Mesh
IP
IPv6
OpenFlow
MPLS
Routing
System
Queues
Files
Log
RADIUS
Tools
New Terminal
IoT
TR069
Dot1X
Dude
Container
Make Supout.rtf
New WinBox
Exit

PPP

Service Name	Interface	Max MTU	Max MRU	MRRU	Default Profile	Authentication	PPPoE Over VLAN
service1	AZHARUL	512			default	mschap2 mschap...	

1 item (1 selected)

PPPoE Service <service1>

Service Name: service1
Interface: AZHARUL
Max MTU: 512
Max MRU:
MRRU:
Keepalive Timeout: 10
Default Profile: default
☒ Accept Empty Service
☒ One Session Per Host
Max Sessions:
PADO Delay: ms
Authentication: ☒ mschap2 ☒ mschap1
☒ chap ☒ pap
PPPoE Over VLAN Range:
☒ Accept Untagged
enabled

OK
Cancel
Apply
Disable
Comment
Copy
Remove

Find

Type here to search

Very... 12:40 AM 10/26/2025