COURSEDUP

REM UNDERSTAND APP ANA EVA CRE

Anatomy and Physiology of the Auditory System

Anatomy of the Middle Ear

INSTRUCTOR	UNIVERSITY	CODE
Danielle Gray	**Virtual Earth University**	**AUD102**
FACULTY	**DEPARTMENT**	**WEEK**
Life Sciences	**Audiology**	**3**
DISCIPLINE	**TYPE**	**LEVEL**
Anatomy and Physiology	**Quizzes**	**Undergraduate**

THEORETICAL FRAMEWORK

- Tympanic Membrane
- Ossicular Chain
- Eustachian Tube
- Impedance Matching
- Middle Ear Cavity

Anatomy of the Middle Ear

Learning Objectives:

- Analyze the biomechanical principles of impedance matching in the middle ear.
- Evaluate the structural role of the ossicular chain in sound transmission.
- Synthesize the relationship between Eustachian tube function and middle ear pressure regulation.

Duration: 45 minutes **Total:** 100 points

PART A: MULTIPLE CHOICE (50 POINTS — 5 PTS EACH)

Choose the single best answer for each question.

1. The middle ear acts as an impedance matching transformer. Given the surface area of the tympanic membrane (A_{TM}) is approximately 55 mm^2 and the area of the stapes footplate (A_{FP}) is 3.2 mm^2, what is the area ratio advantage?

A. 1.7:1

B. 17:1

C. 55:1

D. 17.2:1

2. Which ligament is primarily responsible for constraining the movement of the malleus within the epitympanic recess?

A. Superior malleal ligament

B. Anterior malleal ligament

C. Lateral malleal ligament

D. Posterior incudal ligament

3. What is the primary physiological consequence of a permanent blockage of the Eustachian tube?

A. Hyper-compliance of the tympanic membrane

B. Negative middle ear pressure resulting in transudation of fluid

C. Ossicular discontinuity

D. Increased efficiency of high-frequency sound transmission

4. The lever action of the ossicular chain contributes to the total impedance matching benefit. What is the approximate lever ratio?

A. 1.3:1

B. 1.1:1

C. 2.0:1

D. 17:1

5. Which muscle contraction is associated with the acoustic reflex, and what is its effect on the middle ear transfer function?

A. Tensor tympani; increases stiffness

B. Stapedius; increases mass

C. Stapedius; increases stiffness

D. Tensor tympani; decreases impedance

6. What anatomical structure separates the middle ear cavity from the jugular bulb?

A. Tegmen tympani

B. Promontory

C. Floor of the tympanic cavity

D. Posterior wall

7. The catenary lever action of the tympanic membrane contributes to the impedance matching process by approximately how many decibels?

   A. 6 dB

   B. 2 dB

   C. 25 dB

   D. 12 dB

8. Which nerve traverses the middle ear space and is susceptible to injury during middle ear surgery?

   A. Chorda tympani

   B. Greater petrosal nerve

   C. Vagus nerve

   D. Trigeminal nerve

9. What is the resonant frequency of the normal adult human ear canal and middle ear system combined?

   A. 500 Hz

   B. 1000 Hz

   C. 2500 Hz

   D. 8000 Hz

10. If the stapes footplate is fixed (otosclerosis), what is the expected clinical finding on tympanometry?

    A. Type A

    B. Type As

    C. Type Ad

    D. Type B

PART B: TRUE / FALSE (20 POINTS — 4 PTS EACH)

Circle T if the statement is True or F if the statement is False.

1. **[T / F]** The tensor tympani muscle is innervated by the facial nerve (CN VII).

2. **[T / F]** The total impedance matching gain of the middle ear is approximately 30-35 dB.

3. **[T / F]** The epitympanic recess contains the head of the malleus and the body of the incus.

4. **[T / F]** The Eustachian tube is typically open in healthy adults at rest.

5. **[T / F]** A Type Ad tympanogram suggests a highly compliant system, often associated with ossicular chain discontinuity.

PART C: OPEN-ENDED QUESTIONS (30 POINTS)

Answer each question in the space provided. Show your reasoning clearly.

1. **(10 pts)** Explain the physical mechanism of the 'impedance matching transformer' function of the middle ear. Why is this necessary for human hearing?

2. **(10 pts)** Compare and contrast the physiological roles of the stapedius muscle and the tensor tympani muscle in the middle ear.

3. **(10 pts)** Discuss the clinical implications of Eustachian tube dysfunction (ETD) on the middle ear cavity and the resulting audiometric configuration.

INSTRUCTOR COPY — ANSWER KEY

Part A — MCQ Answer Key

Q	Answer	Q	Answer
1	**B**	6	**C**
2	**A**	7	**A**
3	**B**	8	**A**
4	**A**	9	**C**
5	**C**	10	**B**

MCQ Explanations:

- **Q1 (B):** The area ratio is calculated by $A_{TM}/A_{FP} = 55/3.2 \approx 17.18$, rounding to 17:1.
- **Q2 (A):** The superior malleal ligament (or suspensory ligament) anchors the head of the malleus to the roof of the epitympanic recess.
- **Q3 (B):** Failure to equilibrate pressure leads to gas absorption, negative pressure, and subsequent serous effusion.
- **Q4 (A):** The ratio of the manubrium of the malleus to the long process of the incus provides a mechanical advantage of approximately 1.3:1.
- **Q5 (C):** The stapedius muscle contracts in response to loud sounds, pulling the stapes to increase the stiffness of the ossicular chain.
- **Q6 (C):** The floor of the middle ear cavity (jugular wall) is a thin layer of bone separating the cavity from the jugular bulb.
- **Q7 (A):** The curved membrane effect, or catenary lever, contributes approximately 6 dB to the total gain.
- **Q8 (A):** The chorda tympani nerve branches from the facial nerve and passes through the middle ear across the neck of the malleus.
- **Q9 (C):** The combined system typically exhibits resonance in the 2000-3000 Hz range, peaking around 2500 Hz.
- **Q10 (B):** Type As (shallow) tympanograms indicate reduced compliance (stiffness) consistent with ossicular fixation.

Part B — True/False Answer Key

- **TF1 (FALSE):** The tensor tympani is innervated by the mandibular branch of the trigeminal nerve (CN V3).
- **TF2 (TRUE):** The combined effects of the area ratio, lever action, and catenary motion provide approximately 30-35 dB of gain.
- **TF3 (TRUE):** These structures are located superior to the level of the tympanic membrane in the attic.
- **TF4 (FALSE):** The Eustachian tube is normally closed at rest and opens during swallowing or yawning via the tensor veli palatini.
- **TF5 (TRUE):** Type Ad (deep) indicates excessive mobility, which occurs when the ossicular chain is interrupted.

Part C — Open-Ended Answer Guidance

Open-Ended Q1 (10 pts): Explain the physical mechanism of the 'impedance matching transformer' function of the middle ear. Why is this necessary for human hearing?

Answer Guidance: 1. Describe the acoustic impedance mismatch between air and cochlear fluid. 2. Define the area ratio effect (A_{TM}/A_{FP}). 3. Explain the lever action of the ossicles. 4. State that without this mechanism, 99.9% of sound energy would be reflected.

Open-Ended Q2 (10 pts): Compare and contrast the physiological roles of the stapedius muscle and the tensor tympani muscle in the middle ear.

Answer Guidance: 1. Stapedius: innervated by CN VII, reflexively triggered by high intensity sounds. 2. Tensor tympani: innervated by CN V, triggered by tactile stimulation or self-vocalization. 3. Both increase stiffness. 4. Discuss their role in protecting the cochlea and attenuating self-generated noise.

Open-Ended Q3 (10 pts): Discuss the clinical implications of Eustachian tube dysfunction (ETD) on the middle ear cavity and the resulting audiometric configuration.

Answer Guidance: 1. Describe pressure regulation failure (negative pressure). 2. Explain the formation of middle ear effusion (transudate). 3. Predict conductive hearing loss (primarily low frequency). 4. Discuss tympanometric changes (Type C or B).