QuaTrain
BUILDING CAPABILITIES WORLDWIDE
An ISO 9001:2015 Certified Company

Kubernetes



Figure 1.1 Components inside a monolithic application vs. standalone microservices


Single instance
(possibly not scalable)
Server 1
Process 1.1
Process 1.2
Process 1.3
Server 2
Process 2.1
Process 2.2
Process 2.3
Server 3
Process 3.1
Process 3.2
Process 3.3
Server 4
Process 4.1
Process 4.2
Three instances of
the same component


1. Developer tells Docker to build and push image
2. Docker builds image
3. Docker pushes image to registry
Developer
Image
Docker
Development machine
Image
Image registry
Container
Image
Docker
Production machine
4. Developer tells Docker on production machine to run image
5. Docker pulls image from registry
6. Docker runs container from image

Host running multiple VMs



Host running multiple Docker containers





Figure 1.8 Kubernetes exposes the whole datacenter as a single deployment platform.



Figure 1.10 A basic overview of the Kubernetes architecture and an application running on top of it



Figure 2.1 Running echo "Hello world" in a container based on the busybox container image



Figure 2.4 How you're interacting with your three-node Kubernetes cluster



Figure 2.5 The relationship between containers, pods, and physical worker nodes



Figure 2.6 Running the `luksa/kubia` container image in Kubernetes



Figure 2.7 Your system consists of a ReplicationController, a Pod, and a Service.



Figure 2.8 Three instances of a pod managed by the same ReplicationController and exposed through a single service IP and port.

Listing 3.2 A basic pod manifest: kubia-manual.yaml




```
apiVersion: v1
kind: Pod
metadata:
  name: kubia-manual
spec:
  containers:
  - image: luksa/kubia
    name: kubia
    ports:
    - containerPort: 8080
      protocol: TCP
```



Figure 3.6 Uncategorized pods in a microservices architecture



Figure 3.7 Organizing pods in a microservices architecture with pod labels



Figure 3.8 Selecting the product catalog microservice pods using the "app=pc" label selector



Figure 4.1 When a node fails, only pods backed by a ReplicationController are recreated.



Figure 4.2 A ReplicationController's reconciliation loop



Figure 4.3 The three key parts of a ReplicationController (pod selector, replica count, and pod template)

Listing 4.4 A YAML definition of a ReplicationController: kubia-rc.yaml

```
apiVersion: v1
kind: ReplicationController
metadata:
  name: kubia
spec:
  replicas: 3
  selector:
    app: kubia
  template:
    metadata:
      labels:
        app: kubia
    spec:
      containers:
      - name: kubia
        image: luksa/kubia
        ports:
        - containerPort: 8080
```

This manifest defines a ReplicationController (RC)

The name of this ReplicationController

The desired number of pod instances

The pod selector determining what pods the RC is operating on

The pod template for creating new pods



Figure 4.4 If a pod disappears, the ReplicationController sees too few pods and creates a new replacement pod.



Figure 4.5 Removing a pod from the scope of a ReplicationController by changing its labels

QuaTrain
BUILDING CAPABILITIES WORLDWIDE
An ISO 9001:2015 Certified Company

Services



Figure 5.2 Label selectors determine which pods belong to the Service.

Listing 5.1 A definition of a service: kubia-svc.yaml

```
apiVersion: v1
kind: Service
metadata:
  name: kubia
spec:
  ports:
  - port: 80
    targetPort: 8080
  selector:
    app: kubia
```



Figure 5.5 Exposing a service to external clients

Kubernetes deployment

- Everyone running applications on Kubernetes cluster uses a deployment.
- It's what you use to scale, roll out, and roll back versions of your applications.
- With a deployment, you tell Kubernetes how many copies of a Pod you want running. The deployment takes care of everything else.



Installation - Online

- https://labs.play-with-k8s.com

QuaTrain
BUILDING CAPABILITIES WORLDWIDE
An ISO 9001:2015 Certified Company

Thanks