

Scan Accuracy and Completeness Validation DEV-356

(Sanitized / Masked Version —)

Project Reference: Open Port Scanning and Service Mapping — DEV-352

Report Type: Scan Validation and Accuracy Review

Scope: 15 Authorized Systems (anonymized)

Assessment Focus: Target Coverage, Open TCP Port Accuracy, Service Detection Validation, Result Completeness, and Unidentified Services

SECURITY NOTE: All real IP addresses have been replaced with TARGET-01 to TARGET-15. This document contains no identifiable infrastructure information and is safe for LinkedIn / public portfolio use.

1. Objective

The objective of this task was to double-check the completed port scan and service detection results for accuracy and completeness, verifying that no open TCP ports or identified services were missed in the supplied scan data.

2. Validation Scope

The review covered all 15 unique target systems included in the scan results.

The following checks were performed:

- Verified that every target system was scanned.
- Compared discovery-scan and service-detection results.
- Verified the reported open TCP ports for each target.
- Confirmed that closed ports were not included as open.
- Reviewed service identification for each open port.
- Recorded services that could not be conclusively identified instead of assigning unsupported service names.

3. Target Coverage Validation

All 15/15 target systems were present in the supplied scan results.

Each target also had a corresponding service-detection scan. No missing target was identified during the review.

4. Open-Port Accuracy Check

The scan results contained 45 open TCP port instances across the 15 targets, representing 19 distinct TCP port numbers.

The discovery and service-detection results were compared for consistency. The open-port lists matched for all reviewed targets.

The validation confirmed:

- TCP/22 was open on all 15 targets.
- All discovered open ports were retained in the final results.
- No additional open ports appeared during service detection.
- Closed ports were not incorrectly recorded as open.
- No missing open TCP port was identified within the supplied raw scan results.

5. Service Detection Review

Service detection was reviewed against the Nmap results for each open port.

The following services were successfully identified or strongly fingerprinted:

- SSH / OpenSSH
- MariaDB
- HTTP / HTTPS
- OpenResty
- PostgreSQL
- Redis
- nginx
- Consul
- MinIO

- MinIO Console

Examples of confirmed service identification include:

- TARGET-01:54321 — MariaDB 10.6.23
- TARGET-02:8500 — Consul Agent
- TARGET-02:9000 — MinIO
- TARGET-02:9001 — MinIO Console
- TARGET-06:7212 — PostgreSQL
- TARGET-06:9111 — Redis
- TARGET-12:80/443 — nginx 1.31.2

6. Unidentified and Partially Identified Services

Some ports were detected as open but could not be conclusively mapped to a specific service. These were retained as exceptions rather than being incorrectly classified.

Target ID	Port	Validation Result
TARGET-02	8301	Service unidentified
TARGET-02	8502	Service unidentified
TARGET-02	8503	Service identification inconclusive
TARGET-06	7213	Service unidentified
TARGET-06	9112	HTTP/Golang detected; MinIO header observed
TARGET-07	7213	Service unidentified
TARGET-07	9112	HTTP/Golang detected; MinIO header observed
TARGET-12	8443	Service not conclusively identified
TARGET-15	443	HTTPS detected; implementation not confirmed

Ports 53/tcp and 8600/tcp were reported as tcpwrapped. They were retained as open ports, while their underlying services remained unconfirmed.

7. Completeness Review

The complete supplied scan output was reviewed for discrepancies between port discovery and service detection.

The review confirmed:

- 15/15 targets accounted for
- 45 open TCP port instances recorded
- 19 distinct open TCP ports identified
- No discovery/service-detection port mismatch found
- No open port was identified during service detection that was missing from discovery results
- No open port was identified in the supplied raw results that was omitted from the consolidated findings

The unresolved service entries represent service-identification limitations, not missing open ports.

8. Validation Summary

Validation Area	Result
Target coverage	15/15 — Passed
Open-port accuracy	Passed
Discovery vs. service detection	No discrepancies
Closed-port handling	Passed
Service identification	Mostly confirmed
Unidentified services	Documented for further verification
Missing open ports identified	None in supplied scan data

9. Final Validation Status

VALIDATED — WITH SERVICE IDENTIFICATION EXCEPTIONS

The scan results are considered accurate and complete with respect to the supplied discovery and service-detection data. No missing open TCP ports were identified during the validation review.

The remaining exceptions are limited to ports where Nmap could not conclusively determine the underlying service.

10. Conclusion

The port scan results were successfully reviewed for accuracy and completeness across all 15 target systems. The comparison between discovery and service-detection results showed consistent open-port information, with no missing open TCP ports identified in the supplied scan output.

All identified services were retained in the final results, while uncertain service mappings were explicitly documented for further verification.