

Atriveo API Database Calls A–Z Template

Generated from source code inventory

2026-03-07 04:30:53 UTC

Contents

1	How to Use This Template	4
2	System Sync Diagram (High-Level)	4
3	Entity Sync Matrix	4
4	DB Call Inventory Summary	5
5	DB Calls A–Z (Detailed Template)	12
5.1	DB-001 - authMiddleware	12
5.2	DB-002 - createSession	13
5.3	DB-003 - DELETE /api/jobs/:id	13
5.4	DB-004 - DELETE /api/notes/:id	14
5.5	DB-005 - DELETE /api/oa/archive/:id	14
5.6	DB-006 - DELETE /api/referrals/:id	15
5.7	DB-007 - ensureAcceptedFriendship	15
5.8	DB-008 - ensureOwnerUser	16
5.9	DB-009 - ensureOwnerUser	17
5.10	DB-010 - expectedJobsTrend	17
5.11	DB-011 - expectedReferralsTrend	18
5.12	DB-012 - expectedSummary	18
5.13	DB-013 - expectedSummary	19
5.14	DB-014 - expectedSummary	19
5.15	DB-015 - expectedSummary	20
5.16	DB-016 - expectedSummary	21
5.17	DB-017 - expectedSummary	21
5.18	DB-018 - expectedSummary	22
5.19	DB-019 - expectedSummary	22
5.20	DB-020 - expectedSummary	23
5.21	DB-021 - expectedSummary	23
5.22	DB-022 - expectedSummary	24
5.23	DB-023 - expectedSummary	25
5.24	DB-024 - expectedSummary	25
5.25	DB-025 - expectedSummary	26
5.26	DB-026 - firstLine	26
5.27	DB-027 - GET /api/dashboard/summary	27


5.28	DB-028 - GET	/api/dashboard/summary	27
5.29	DB-029 - GET	/api/dashboard/summary	28
5.30	DB-030 - GET	/api/dashboard/summary	29
5.31	DB-031 - GET	/api/dashboard/summary	29
5.32	DB-032 - GET	/api/dashboard/summary	30
5.33	DB-033 - GET	/api/dashboard/summary	30
5.34	DB-034 - GET	/api/dashboard/summary	31
5.35	DB-035 - GET	/api/dashboard/summary	31
5.36	DB-036 - GET	/api/dashboard/summary	32
5.37	DB-037 - GET	/api/dashboard/summary	33
5.38	DB-038 - GET	/api/dashboard/summary	33
5.39	DB-039 - GET	/api/dashboard/summary	34
5.40	DB-040 - GET	/api/dashboard/summary	34
5.41	DB-041 - GET	/api/dashboard/summary	35
5.42	DB-042 - GET	/api/dashboard/summary	36
5.43	DB-043 - GET	/api/dashboard/summary	36
5.44	DB-044 - GET	/api/jobs	37
5.45	DB-045 - GET	/api/jobs	37
5.46	DB-046 - GET	/api/jobs	38
5.47	DB-047 - GET	/api/jobs	39
5.48	DB-048 - GET	/api/jobs	39
5.49	DB-049 - GET	/api/jobs/trend	40
5.50	DB-050 - GET	/api/jobs/trend	40
5.51	DB-051 - GET	/api/jobs/trend	41
5.52	DB-052 - GET	/api/jobs/trend	41
5.53	DB-053 - GET	/api/jobs/trend	42
5.54	DB-054 - GET	/api/notes	43
5.55	DB-055 - GET	/api/oa/active	43
5.56	DB-056 - GET	/api/oa/active	44
5.57	DB-057 - GET	/api/oa/active	44
5.58	DB-058 - GET	/api/pending	45
5.59	DB-059 - GET	/api/pending	45
5.60	DB-060 - GET	/api/referrals	46
5.61	DB-061 - GET	/api/referrals/:id	47
5.62	DB-062 - GET	/api/referrals/trend	47
5.63	DB-063 - GET	/api/targets/progress	48
5.64	DB-064 - GET	/api/targets/progress	48
5.65	DB-065 - GET	/api/targets/progress	49
5.66	DB-066 - main		49
5.67	DB-067 - main		50
5.68	DB-068 - main		51
5.69	DB-069 - main		51
5.70	DB-070 - main		52
5.71	DB-071 - main		52
5.72	DB-072 - main		53
5.73	DB-073 - main		53
5.74	DB-074 - main		54
5.75	DB-075 - main		55

5.76	DB-076 - main	55
5.77	DB-077 - main	56
5.78	DB-078 - main	56
5.79	DB-079 - main	57
5.80	DB-080 - PATCH /api/jobs/:id	57
5.81	DB-081 - PATCH /api/notes/:id	58
5.82	DB-082 - PATCH /api/oa/archive/:id	59
5.83	DB-083 - PATCH /api/oa/archive/:id	59
5.84	DB-084 - PATCH /api/pending/:id	60
5.85	DB-085 - PATCH /api/referrals/:id	60
5.86	DB-086 - POST /api/friends/:id/block	61
5.87	DB-087 - POST /api/friends/:id/reject	61
5.88	DB-088 - POST /api/friends/request	62
5.89	DB-089 - POST /api/friends/request	63
5.90	DB-090 - POST /api/friends/request	63
5.91	DB-091 - POST /api/friends/request	64
5.92	DB-092 - POST /api/jobs/import/csv	64
5.93	DB-093 - POST /api/notes	65
5.94	DB-094 - POST /api/oa/complete/:jobId	65
5.95	DB-095 - POST /api/pending	66
5.96	DB-096 - POST /api/referrals	67
5.97	DB-097 - POST /auth/google	67
5.98	DB-098 - POST /auth/google	68
5.99	DB-099 - POST /auth/google	68
5.100	DB-100 - POST /auth/signup	69
5.101	DB-101 - POST /auth/signup	70
5.102	DB-102 - query	70
5.103	DB-103 - referralStatus	71
5.104	DB-104 - referralStatus	71
5.105	DB-105 - resolveScopedUserId	72
5.106	DB-106 - resolveScopedUserId	72
5.107	DB-107 - revokeSession	73
5.108	DB-108 - seedJobs	74
5.109	DB-109 - syncReferralsForUser	74
5.110	DB-110 - syncReferralsForUser	75
5.111	DB-111 - transaction	75
5.112	DB-112 - upsertUser	76
5.113	DB-113 - upsertUser	77
6	Cross-Endpoint Sync Flows	77
6.1	Job Write to Dashboard Read	77
6.2	Referral Sync	78
6.3	Friendship State Machine	78
7	Release Checklist	79

1 How to Use This Template

- This template is pre-populated from current DB callsites in `apps/api/src` and `apps/api/scripts`.
- For each DB call section, fill the TODO fields before release/review.
- Keep one subsection per DB callsite so traceability remains exact.
- Re-generate this template whenever code changes that add/remove SQL calls.

2 System Sync Diagram (High-Level)



3 Entity Sync Matrix

Entity	Primary Writers	Primary Readers	Sync / Consistency Notes
dashboard_users	Auth signup/login/google, seed scripts	Auth middleware, social/network endpoints	TODO: Confirm unique constraints and update semantics.
dashboard_sessions	Session create/revoke	Auth middleware	TODO: Document TTL, revocation race handling, cleanup strategy.
jobs	Jobs create/import/patch/delete/extension endpoint, seeds	Dashboard summary, jobs list/export, audits	TODO: Document dedupe strategy and idempotency guarantees.
referrals	Referral CRUD + sync routines	Referral list/trends, dashboard summary	TODO: Document sync ownership and conflict resolution.
pending_items	Pending CRUD	Pending list and dashboard summary	TODO: Clarify archive semantics and dashboard visibility.
notes	Notes CRUD	Notes list	TODO: Clarify retention and privacy scope.
friendships	Friend request lifecycle	Friends/requests/network endpoints	TODO: Document lock ordering and status transitions.

Entity	Primary Writers	Primary Readers	Sync / Consistency Notes
user_targets	Target upsert end-point	Target/progress and dashboard summaries	TODO: Confirm null/zero meaning by product requirements.
user_field_visibility	Visibility patch end-point	Network pages	TODO: Document required fields enforced by API.

4 DB Call Inventory Summary

Total DB callsites discovered: 113

Source scope: UI interface/apps/api/src and UI interface/apps/api/scripts

ID	Context	Kind	Operation	Tables (detected)	Location
DB-001	authMiddleware	query	SELECT	dashboard_sessions, dash-board_users	UI inter-face/apps/api/src/auth.ts:1
DB-002	createSession	query	INSERT	dashboard_sessions	UI inter-face/apps/api/src/auth.ts:1
DB-003	DELETE /api/jobs/:id	query	DELETE	jobs, archive, on-line_assessment_records	UI inter-face/apps/api/src/index.ts:2
DB-004	DELETE /api/notes/:id	query	DELETE	daily_notes, pending_items	UI inter-face/apps/api/src/index.ts:3
DB-005	DELETE /api/oa/archive/:id	query	DELETE	online_assessment_records, referrals	UI inter-face/apps/api/src/index.ts:3
DB-006	DELETE /api/referrals/:id	query	DELETE	referrals, daily_notes	UI inter-face/apps/api/src/index.ts:3
DB-007	ensureAcceptedFriendsShip	sql.query	INSERT	friendships, dash-board_users	UI interface/apps/api/scripts/network-demo-friends.js:214
DB-008	ensureOwnerUser	query	INSERT	dashboard_users, dash-board_sessions	UI inter-face/apps/api/src/auth.ts:1
DB-009	ensureOwnerUser	query	SELECT	dashboard_users, dash-board_sessions	UI inter-face/apps/api/src/auth.ts:1
DB-010	expectedJobsTrend	sql.query	SELECT	jobs	UI interface/apps/api/scripts/dashboard-api.mjs:273

ID	Context	Kind	Operation	Tables (detected)	Location
DB-011	expectedReferralsTrend	sql.query	SELECT	referrals, jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:302
DB-012	expectedSummary	sql.query	SELECT	jobs, referrals, pending_items	UI interface/apps/api/scripts/a dashboard- api.mjs:81
DB-013	expectedSummary	sql.query	SELECT	referrals, pending_items, jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:85
DB-014	expectedSummary	sql.query	SELECT	referrals, pending_items, jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:86
DB-015	expectedSummary	sql.query	SELECT	referrals, pending_items, jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:87
DB-016	expectedSummary	sql.query	SELECT	jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:91
DB-017	expectedSummary	sql.query	SELECT	jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:103
DB-018	expectedSummary	sql.query	SELECT	jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:115
DB-019	expectedSummary	sql.query	SELECT	jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:126
DB-020	expectedSummary	sql.query	SELECT	jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:137
DB-021	expectedSummary	sql.query	SELECT	jobs	UI interface/apps/api/scripts/a dashboard- api.mjs:156

ID	Context	Kind	Operation	Tables (detected)	Location
DB-022	expectedSummary	sql.query	SELECT	jobs, pending_items	UI interface/apps/api/scripts/a dashboard-api.mjs:176
DB-023	expectedSummary	sql.query	SELECT	pending_items, jobs	UI interface/apps/api/scripts/a dashboard-api.mjs:195
DB-024	expectedSummary	sql.query	WITH	jobs, weeks, counts	UI interface/apps/api/scripts/a dashboard-api.mjs:214
DB-025	expectedSummary	sql.query	SELECT	jobs	UI interface/apps/api/scripts/a dashboard-api.mjs:236
DB-026	firstLine	sql.query	DYNAMIC/UNKNOWN	UNKNOWN	UI interface/apps/api/scripts/migrations.js:92
DB-027	GET /api/dashboard/summary	query	SELECT	referrals, pending_items, jobs	UI interface/apps/api/src/index.ts:7
DB-028	GET /api/dashboard/summary	query	SELECT	referrals, pending_items, jobs	UI interface/apps/api/src/index.ts:7
DB-029	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-030	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-031	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-032	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-033	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-034	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-035	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-036	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-037	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7
DB-038	GET /api/dashboard/summary	query	SELECT	pending_items	UI interface/apps/api/src/index.ts:7
DB-039	GET /api/dashboard/summary	query	SELECT	jobs	UI interface/apps/api/src/index.ts:7

ID	Context	Kind	Operation	Tables (detected)	(deleted)	Location
DB-040	GET /api/dashboard/summary	query	WITH	jobs, counts	weeks,	UI interface/apps/api/src/index.ts:2
DB-041	GET /api/dashboard/summary	query	SELECT	jobs		UI interface/apps/api/src/index.ts:2
DB-042	GET /api/dashboard/summary	query	SELECT	jobs		UI interface/apps/api/src/index.ts:2
DB-043	GET /api/dashboard/summary	query	SELECT	jobs		UI interface/apps/api/src/index.ts:2
DB-044	GET /api/jobs	query	SELECT	jobs		UI interface/apps/api/src/index.ts:2
DB-045	GET /api/jobs	query	DYNAMIC/UNKNOWN	jobs		UI interface/apps/api/src/index.ts:2
DB-046	GET /api/jobs	query	SELECT	jobs		UI interface/apps/api/src/index.ts:2
DB-047	GET /api/jobs	query	SELECT	jobs		UI interface/apps/api/src/index.ts:2
DB-048	GET /api/jobs	query	INSERT	jobs		UI interface/apps/api/src/index.ts:2
DB-049	GET /api/jobs/trend	query	SELECT	jobs		UI interface/apps/api/src/index.ts:2
DB-050	GET /api/jobs/trend	query	SELECT	referrals		UI interface/apps/api/src/index.ts:2
DB-051	GET /api/jobs/trend	query	SELECT	referrals		UI interface/apps/api/src/index.ts:2
DB-052	GET /api/jobs/trend	query	UPDATE	referrals		UI interface/apps/api/src/index.ts:2
DB-053	GET /api/jobs/trend	query	INSERT	referrals, jobs		UI interface/apps/api/src/index.ts:2
DB-054	GET /api/notes	query	SELECT	daily_notes		UI interface/apps/api/src/index.ts:3
DB-055	GET /api/oa/active	query	WITH	archive, online_assessment_records, jobs, pending_archive	on-line	UI interface/apps/api/src/index.ts:2
DB-056	GET /api/oa/active	query	DELETE	online_assessment_records		UI interface/apps/api/src/index.ts:3
DB-057	GET /api/oa/active	query	INSERT	online_assessment_records		UI interface/apps/api/src/index.ts:3
DB-058	GET /api/pending	query	SELECT	pending_items		UI interface/apps/api/src/index.ts:3
DB-059	GET /api/pending	query	SELECT	pending_items		UI interface/apps/api/src/index.ts:3
DB-060	GET /api/referrals	query	SELECT	referrals		UI interface/apps/api/src/index.ts:3

ID	Context	Kind	Operation	Tables (detected)	Location
DB-061	GET /api/referrals/:id	query	SELECT	referrals	UI interface/apps/api/src/index.ts:5
DB-062	GET /api/referrals/trend	query	WITH	referrals, jobs	UI interface/apps/api/src/index.ts:5
DB-063	GET /api/targets/progress	query	SELECT	jobs	UI interface/apps/api/src/index.ts:5
DB-064	GET /api/targets/progress	query	SELECT	jobs	UI interface/apps/api/src/index.ts:5
DB-065	GET /api/targets/progress	query	SELECT	jobs	UI interface/apps/api/src/index.ts:5
DB-066	main	sql.query	WITH	jobs, candidate_jobs, referrals	UI interface/apps/api/scripts/a referral-sync.js:54
DB-067	main	sql.query	WITH	jobs, candidate_jobs, referrals	UI interface/apps/api/scripts/a referral-sync.js:87
DB-068	main	sql.query	WITH	jobs, candidate_jobs, referrals	UI interface/apps/api/scripts/a referral-sync.js:131
DB-069	main	sql.query	WITH	jobs, candidate_jobs, referrals	UI interface/apps/api/scripts/a referral-sync.js:170
DB-070	main	sql.query	SELECT	dashboard_users	UI interface/apps/api/scripts/s network-demo- friends.js:241
DB-071	main	sql.query	INSERT	dashboard_users, jobs	UI interface/apps/api/scripts/s network-demo- user.js:158
DB-072	main	sql.query	SELECT	dashboard_users, jobs	UI interface/apps/api/scripts/s network-demo- user.js:171
DB-073	main	sql.query	DELETE	jobs	UI interface/apps/api/scripts/s network-demo- user.js:185
DB-074	main	sql.query	SELECT	dashboard_users	UI interface/apps/api/scripts/s users.js:63
DB-075	main	sql.query	INSERT	dashboard_users	UI interface/apps/api/scripts/s users.js:82

ID	Context	Kind	Operation	Tables (detected)	Location
DB-076	main	sql.query	UPDATE	dashboard_users	UI interface/apps/api/scripts/s user-names.js:40
DB-077	main	sql.query	SELECT	dashboard_users, completed	UI interface/apps/api/scripts/s user-names.js:61
DB-078	main	sql.query	UPDATE	dashboard_users, completed	UI interface/apps/api/scripts/s user-names.js:77
DB-079	main	sql.query	WITH	jobs, referrals	UI interface/apps/api/scripts/s referrals-from- jobs.js:49
DB-080	PATCH /api/jobs/:id	query	UPDATE	jobs	UI inter- face/apps/api/src/index.ts:2
DB-081	PATCH /api/notes/:id	query	UPDATE	daily_notes, pending_items	UI inter- face/apps/api/src/index.ts:3
DB-082	PATCH /api/oa/archive/:id	query	DELETE	online_assessment	UI records inter- face/apps/api/src/index.ts:3
DB-083	PATCH /api/oa/archive/:id	query	UPDATE	online_assessment	UI records inter- face/apps/api/src/index.ts:3
DB-084	PATCH /api/pending/:id	query	UPDATE	pending_items	UI inter- face/apps/api/src/index.ts:3
DB-085	PATCH /api/referrals/:id	query	UPDATE	referrals	UI inter- face/apps/api/src/index.ts:3
DB-086	POST /api/friends/:id/block	query	UPDATE	friendships	UI inter- face/apps/api/src/index.ts:3
DB-087	POST /api/friends/:id/reject	query	UPDATE	friendships	UI inter- face/apps/api/src/index.ts:3
DB-088	POST /api/friends/request	query	SELECT	dashboard_users, friendships	UI inter- face/apps/api/src/index.ts:6
DB-089	POST /api/friends/request	query	SELECT	dashboard_users, friendships	UI inter- face/apps/api/src/index.ts:6
DB-090	POST /api/friends/request	query	INSERT	friendships, incoming	UI inter- face/apps/api/src/index.ts:7
DB-091	POST /api/friends/request	query	UPDATE	friendships	UI inter- face/apps/api/src/index.ts:7
DB-092	POST /api/jobs/import/csv	transaction	SELECT	TBD	UI inter- face/apps/api/src/index.ts:2
DB-093	POST /api/notes	query	INSERT	daily_notes	UI inter- face/apps/api/src/index.ts:3
DB-094	POST /api/oa/complete/:jobId	query	SELECT	online_assessment	UI records inter- face/apps/api/src/index.ts:3
DB-095	POST /api/pending	query	INSERT	pending_items	UI inter- face/apps/api/src/index.ts:3

ID	Context	Kind	Operation	Tables (detected)	Location
DB-096	POST /api/referrals	query	INSERT	referrals, jobs	UI interface/apps/api/src/index.ts:3
DB-097	POST /auth/google	query	SELECT	dashboard_users	UI interface/apps/api/src/index.ts:3
DB-098	POST /auth/google	query	INSERT	dashboard_users	UI interface/apps/api/src/index.ts:3
DB-099	POST /auth/google	query	UPDATE	dashboard_users	UI interface/apps/api/src/index.ts:3
DB-100	POST /auth/signup	query	SELECT	dashboard_users	UI interface/apps/api/src/index.ts:2
DB-101	POST /auth/signup	query	INSERT	dashboard_users	UI interface/apps/api/src/index.ts:2
DB-102	query	sql.query	DYNAMIC/UNKNOWN	UNKNOWN	UI interface/apps/api/src/db.ts:17
DB-103	referralStatus	sql.query	INSERT	jobs	UI interface/apps/api/scripts/s network-demo- friends.js:91
DB-104	referralStatus	sql.query	INSERT	jobs	UI interface/apps/api/scripts/s network-demo- user.js:223
DB-105	resolveScopedUserId	sql.query	SELECT	dashboard_users	UI interface/apps/api/scripts/a referral-sync.js:27
DB-106	resolveScopedUserId	sql.query	SELECT	dashboard_users	UI interface/apps/api/scripts/s referrals-from- jobs.js:23
DB-107	revokeSession	query	UPDATE	dashboard_session dash- board_users	UI interface/apps/api/src/auth.ts:1
DB-108	seedJobs	sql.query	DELETE	jobs	UI interface/apps/api/scripts/s network-demo- friends.js:82
DB-109	syncReferralsForUsers	sql.query	WITH	jobs, referrals	UI interface/apps/api/scripts/s network-demo- friends.js:120
DB-110	syncReferralsForUsers	sql.query	WITH	jobs, referrals	UI interface/apps/api/scripts/s network-demo- user.js:47

ID	Context	Kind	Operation	Tables (detected)	Location
DB-111	transaction	sql.query	DYNAMIC/UNKNOWN		UI interface/apps/api/src/db.ts:32
DB-112	upsertUser	sql.query	INSERT	dashboard_users, jobs	UI interface/apps/api/scripts/network-demo-friends.js:65
DB-113	upsertUser	sql.query	SELECT	dashboard_users, jobs	UI interface/apps/api/scripts/network-demo-friends.js:77

5 DB Calls A–Z (Detailed Template)

5.1 DB-001 - authMiddleware

- **Location:** UI interface/apps/api/src/auth.ts:155
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_sessions, dashboard_users
- **Function context:** authMiddleware
- **Code snippet:**

```
const [sessionUser] = await query<{ id: number; email: string; first_name: string | null; last_name: string | null }>(
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.2 DB-002 - createSession

- **Location:** UI interface/apps/api/src/auth.ts:118
- **Call kind:** query
- **Detected operation:** INSERT
- **Detected tables:** dashboard_sessions
- **Function context:** createSession
- **Code snippet:** await query(
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.3 DB-003 - DELETE /api/jobs/:id

- **Location:** UI interface/apps/api/src/index.ts:2955
- **Call kind:** query
- **Detected operation:** DELETE
- **Detected tables:** jobs, archive, online_assessment_records
- **Function context:** getCell
- **Code snippet:** const rows = await query(
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.4 DB-004 - DELETE /api/notes/:id

- Location: UI interface/apps/api/src/index.ts:3777
- Call kind: query
- Detected operation: DELETE
- Detected tables: daily_notes, pending_items
- Function context: offset
- Code snippet: `const rows = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.5 DB-005 - DELETE /api/oa/archive/:id

- Location: UI interface/apps/api/src/index.ts:3489
- Call kind: query
- Detected operation: DELETE
- Detected tables: online_assessment_records, referrals
- Function context: getCell
- Code snippet: `const rows = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.6 DB-006 - DELETE /api/referrals/:id

- Location: UI interface/apps/api/src/index.ts:3673
- Call kind: query
- Detected operation: DELETE
- Detected tables: referrals, daily_notes
- Function context: offset
- Code snippet: `const rows = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.7 DB-007 - ensureAcceptedFriendship

- Location: UI interface/apps/api/scripts/seed-network-demo-friends.js:214
- Call kind: `sql.query`
- Detected operation: INSERT
- Detected tables: friendships, dashboard_users
- Function context: `ensureAcceptedFriendship`
- Code snippet: `await sql.query(`

- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.8 DB-008 - ensureOwnerUser

- **Location:** UI interface/apps/api/src/auth.ts:100
- **Call kind:** query
- **Detected operation:** INSERT
- **Detected tables:** dashboard_users, dashboard_sessions
- **Function context:** ensureOwnerUser
- **Code snippet:** await query(
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.9 DB-009 - ensureOwnerUser

- **Location:** UI interface/apps/api/src/auth.ts:105
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_users, dashboard_sessions
- **Function context:** ensureOwnerUser
- **Code snippet:**

```
const [owner] = await query<{ id: number; email: string; first_name: string | null; last_name: string | null }>(</pre>
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.10 DB-010 - expectedJobsTrend

- **Location:** UI interface/apps/api/scripts/audit-dashboard-api.mjs:273
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** jobs
- **Function context:** expectedJobsTrend
- **Code snippet:**

```
return sql.query(</pre>
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.

- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.11 DB-011 - expectedReferralsTrend

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:302
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `referrals`, `jobs`
- Function context: `expectedReferralsTrend`
- Code snippet: `return sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.12 DB-012 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:81
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `jobs`, `referrals`, `pending_items`
- Function context: `expectedSummary`
- Code snippet: `const [jobs] = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.

- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.13 DB-013 - expectedSummary

- **Location:** UI interface/apps/api/scripts/audit-dashboard-api.mjs:85
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** referrals, pending_items, jobs
- **Function context:** expectedSummary
- **Code snippet:**

```
const [referrals] = await sql.query("SELECT COUNT(*)::int AS c FROM referrals WHERE user_id = $1", [userId]);
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.14 DB-014 - expectedSummary

- **Location:** UI interface/apps/api/scripts/audit-dashboard-api.mjs:86
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** referrals, pending_items, jobs

- **Function context:** `expectedSummary`
- **Code snippet:** `const [pending] = await sql.query("SELECT COUNT(*)::int AS c FROM pending_items WHERE user_id = $1 AND is_done = FALSE", [userId]);`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.15 DB-015 - `expectedSummary`

- **Location:** `UI interface/apps/api/scripts/audit-dashboard-api.mjs:87`
- **Call kind:** `sql.query`
- **Detected operation:** `SELECT`
- **Detected tables:** `referrals`, `pending_items`, `jobs`
- **Function context:** `expectedSummary`
- **Code snippet:** `const [rejected] = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.16 DB-016 - expectedSummary

- **Location:** UI interface/apps/api/scripts/audit-dashboard-api.mjs:91
- **Call kind:** `sql.query`
- **Detected operation:** `SELECT`
- **Detected tables:** `jobs`
- **Function context:** `expectedSummary`
- **Code snippet:** `const [jobsThisMonth] = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.17 DB-017 - expectedSummary

- **Location:** UI interface/apps/api/scripts/audit-dashboard-api.mjs:103
- **Call kind:** `sql.query`
- **Detected operation:** `SELECT`
- **Detected tables:** `jobs`
- **Function context:** `expectedSummary`
- **Code snippet:** `const [jobsThisWeek] = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.18 DB-018 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:115
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `jobs`
- Function context: `expectedSummary`
- Code snippet: `const [jobsToday] = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.19 DB-019 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:126
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `jobs`
- Function context: `expectedSummary`
- Code snippet: `const [jobsWithReferral] = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.20 DB-020 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:137
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `jobs`
- Function context: `expectedSummary`
- Code snippet: `const dailyTrend = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.21 DB-021 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:156
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `jobs`
- Function context: `expectedSummary`
- Code snippet: `const referralDailyTrend = await sql.query(`

- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.22 DB-022 - expectedSummary

- **Location:** UI interface/apps/api/scripts/audit-dashboard-api.mjs:176
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** jobs, pending_items
- **Function context:** expectedSummary
- **Code snippet:** `const rejectedDailyTrend = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.23 DB-023 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:195
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `pending_items`, `jobs`
- Function context: `expectedSummary`
- Code snippet: `const pendingDailyTrend = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.24 DB-024 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:214
- Call kind: `sql.query`
- Detected operation: `WITH`
- Detected tables: `jobs`, `weeks`, `counts`
- Function context: `expectedSummary`
- Code snippet: `const weeklyTrend = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.25 DB-025 - expectedSummary

- Location: UI interface/apps/api/scripts/audit-dashboard-api.mjs:236
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `jobs`
- Function context: `expectedSummary`
- Code snippet: `const monthlyTrend = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.26 DB-026 - firstLine

- Location: UI interface/apps/api/scripts/run-migrations.js:92
- Call kind: `sql.query`
- Detected operation: `DYNAMIC/UNKNOWN`
- Detected tables: `TBD`
- Function context: `firstLine`
- Code snippet: `if (statement) await sql.query(statement + ";", []);`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.27 DB-027 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1399
- Call kind: query
- Detected operation: SELECT
- Detected tables: referrals, pending_items, jobs
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [referralCount] = await query<{ count: string }>(env, "SELECT COUNT(*)::text AS count FROM referrals WHERE user_id = $1", [userId]);
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.28 DB-028 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1400
- Call kind: query
- Detected operation: SELECT
- Detected tables: referrals, pending_items, jobs
- Function context: verifyGoogleIdToken

- Code snippet: `const [pendingCount] = await query<{ count: string }>(</code>`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.29 DB-029 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1405
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [jobsThisMonth] = await query<{ count: string }>(</code>`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.30 DB-030 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1417
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [jobsThisWeek] = await query<{ count: string }>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.31 DB-031 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1429
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [jobsToday] = await query<{ count: string }>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.32 DB-032 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1440
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [jobsWithReferral] = await query<{ count: string }>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.33 DB-033 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1450
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [applicationCount] = await query<{ count: string }>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.34 DB-034 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1456
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [rejectedCount] = await query<{ count: string }>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.35 DB-035 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1462
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const dailyTrend = await query<{ day: string; total: number }>(`

- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.36 DB-036 - GET /api/dashboard/summary

- **Location:** UI interface/apps/api/src/index.ts:1485
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** jobs
- **Function context:** verifyGoogleIdToken
- **Code snippet:**

```
const referralDailyTrend = await query<{ day: string; total: number }>(<
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.37 DB-037 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1509
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet:

```
const rejectedDailyTrend = await query<{ day: string; total: number }>(</pre>
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.38 DB-038 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1533
- Call kind: query
- Detected operation: SELECT
- Detected tables: pending_items
- Function context: verifyGoogleIdToken
- Code snippet:

```
const pendingDailyTrend = await query<{ day: string; total: number }>(</pre>
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.

- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.39 DB-039 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1557
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet:

```
const referralTrendRaw = await query<{ referral_status: string; total: number }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.40 DB-040 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1584
- Call kind: query
- Detected operation: WITH
- Detected tables: jobs, weeks, counts
- Function context: verifyGoogleIdToken
- Code snippet:

```
const weeklyTrend = await query<{ week: string; total: number }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.

- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.41 DB-041 - GET /api/dashboard/summary

- Location: UI interface/apps/api/src/index.ts:1610
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet:

```
const responseStatusTrend = await query<{ response_status: string;
total: number }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.42 DB-042 - GET /api/dashboard/summary

- **Location:** UI interface/apps/api/src/index.ts:1623
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** jobs
- **Function context:** verifyGoogleIdToken
- **Code snippet:**

```
const oaStatusTrend = await query<{ oa_status: string; total: number }>(<
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.43 DB-043 - GET /api/dashboard/summary

- **Location:** UI interface/apps/api/src/index.ts:1636
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** jobs
- **Function context:** verifyGoogleIdToken
- **Code snippet:**

```
const monthlyTrend = await query<{ month: string; total: number }>(<
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.

- **Performance: TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact: TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage: TODO:** Unit/integration tests and missing cases.
- **Migration dependency: TODO:** Schema migration IDs required by this call.

5.44 DB-044 - GET /api/jobs

- **Location:** UI interface/apps/api/src/index.ts:2348
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** jobs
- **Function context:** offset
- **Code snippet:** `const [countRow] = await query<{ total: number }>(`
- **Business purpose: TODO:** Describe why this query exists and expected behavior.
- **Inputs / params: TODO:** List each parameter, type, validation, and defaulting.
- **Output contract: TODO:** Define returned columns, shape, and nullability.
- **Failure modes: TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy: TODO:** Confirm user scoping and auth assumptions.
- **Performance: TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact: TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage: TODO:** Unit/integration tests and missing cases.
- **Migration dependency: TODO:** Schema migration IDs required by this call.

5.45 DB-045 - GET /api/jobs

- **Location:** UI interface/apps/api/src/index.ts:2358
- **Call kind:** query
- **Detected operation:** DYNAMIC/UNKNOWN
- **Detected tables:** TBD
- **Function context:** offset
- **Code snippet:** `const rows = await query(c.env, `${baseSql}${whereClause}${orderLimitOffset}`,
params as unknown[]);`
- **Business purpose: TODO:** Describe why this query exists and expected behavior.

- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.46 DB-046 - GET /api/jobs

- Location: UI interface/apps/api/src/index.ts:2414
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: findDuplicateJobForUser
- Code snippet: `const [existingByLink] = await query<DuplicateJobRecord>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.47 DB-047 - GET /api/jobs

- Location: UI interface/apps/api/src/index.ts:2431
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: findDuplicateJobForUser
- Code snippet: `const [existingByJobId] = await query<DuplicateJobRecord>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.48 DB-048 - GET /api/jobs

- Location: UI interface/apps/api/src/index.ts:2452
- Call kind: query
- Detected operation: INSERT
- Detected tables: jobs
- Function context: createJobRecord
- Code snippet: `const [row] = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.49 DB-049 - GET /api/jobs/trend

- Location: UI interface/apps/api/src/index.ts:1684
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet:

```
const trendData = await query<{ day: string; applied: number; rejected: number }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.50 DB-050 - GET /api/jobs/trend

- Location: UI interface/apps/api/src/index.ts:2014
- Call kind: query
- Detected operation: SELECT
- Detected tables: referrals
- Function context: syncReferralFromJob
- Code snippet:

```
const [byLink] = await query<{ id: number }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.

- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.51 DB-051 - GET /api/jobs/trend

- **Location:** UI interface/apps/api/src/index.ts:2030
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** referrals
- **Function context:** syncReferralFromJob
- **Code snippet:** `const [byCompanyRole] = await query<{ id: number }>(</code>`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.52 DB-052 - GET /api/jobs/trend

- **Location:** UI interface/apps/api/src/index.ts:2051
- **Call kind:** query
- **Detected operation:** UPDATE
- **Detected tables:** referrals
- **Function context:** syncReferralFromJob

- **Code snippet:** `await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.53 DB-053 - GET /api/jobs/trend

- **Location:** UI interface/apps/api/src/index.ts:2084
- **Call kind:** query
- **Detected operation:** INSERT
- **Detected tables:** referrals, jobs
- **Function context:** syncReferralFromJob
- **Code snippet:** `await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.54 DB-054 - GET /api/notes

- **Location:** UI interface/apps/api/src/index.ts:3691
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** daily_notes
- **Function context:** offset
- **Code snippet:** `const rows = await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.55 DB-055 - GET /api/oa/active

- **Location:** UI interface/apps/api/src/index.ts:2970
- **Call kind:** query
- **Detected operation:** WITH
- **Detected tables:** archive, online_assessment_records, jobs, pending_archive
- **Function context:** getCell
- **Code snippet:** `await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.56 DB-056 - GET /api/oa/active

- Location: UI interface/apps/api/src/index.ts:3006
- Call kind: query
- Detected operation: DELETE
- Detected tables: online_assessment_records
- Function context: getCell
- Code snippet: `await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.57 DB-057 - GET /api/oa/active

- Location: UI interface/apps/api/src/index.ts:3017
- Call kind: query
- Detected operation: INSERT
- Detected tables: online_assessment_records
- Function context: getCell
- Code snippet: `await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.58 DB-058 - GET /api/pending

- Location: UI interface/apps/api/src/index.ts:3791
- Call kind: query
- Detected operation: SELECT
- Detected tables: pending_items
- Function context: offset
- Code snippet: rows = await query(
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.59 DB-059 - GET /api/pending

- Location: UI interface/apps/api/src/index.ts:3797
- Call kind: query
- Detected operation: SELECT
- Detected tables: pending_items
- Function context: offset
- Code snippet: rows = await query(

- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.60 DB-060 - GET /api/referrals

- **Location:** UI interface/apps/api/src/index.ts:3520
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** referrals
- **Function context:** offset
- **Code snippet:** `const rows = await query(c.env, sql, [userId, limit, offset]);`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.61 DB-061 - GET /api/referrals/:id

- **Location:** UI interface/apps/api/src/index.ts:3601
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** referrals
- **Function context:** offset
- **Code snippet:**

```
const [row] = await query(c.env, "SELECT * FROM referrals WHERE id = $1 AND user_id = $2 LIMIT 1", [id, userId]);
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.62 DB-062 - GET /api/referrals/trend

- **Location:** UI interface/apps/api/src/index.ts:3560
- **Call kind:** query
- **Detected operation:** WITH
- **Detected tables:** referrals, jobs
- **Function context:** offset
- **Code snippet:**

```
const trendData = await query<{ day: string; requested: number; received: number }>(
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.

- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.63 DB-063 - GET /api/targets/progress

- Location: UI interface/apps/api/src/index.ts:513
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [daily] = await query<{ count: string }>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.64 DB-064 - GET /api/targets/progress

- Location: UI interface/apps/api/src/index.ts:525
- Call kind: query
- Detected operation: SELECT
- Detected tables: jobs
- Function context: verifyGoogleIdToken
- Code snippet: `const [weekly] = await query<{ count: string }>(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.

- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.65 DB-065 - GET /api/targets/progress

- **Location:** UI interface/apps/api/src/index.ts:538
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** jobs
- **Function context:** verifyGoogleIdToken
- **Code snippet:** `const [monthly] = await query<{ count: string }>(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.66 DB-066 - main

- **Location:** UI interface/apps/api/scripts/audit-referral-sync.js:54
- **Call kind:** `sql.query`
- **Detected operation:** WITH
- **Detected tables:** jobs, candidate_jobs, referrals
- **Function context:** main

- Code snippet: `const [missingCountRow] = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.67 DB-067 - main

- Location: `UI interface/apps/api/scripts/audit-referral-sync.js:87`
- Call kind: `sql.query`
- Detected operation: `WITH`
- Detected tables: `jobs, candidate_jobs, referrals`
- Function context: `main`
- Code snippet: `const missingRows = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.68 DB-068 - main

- **Location:** UI interface/apps/api/scripts/audit-referral-sync.js:131
- **Call kind:** sql.query
- **Detected operation:** WITH
- **Detected tables:** jobs, candidate_jobs, referrals
- **Function context:** main
- **Code snippet:** `const [duplicateMatchCountRow] = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.69 DB-069 - main

- **Location:** UI interface/apps/api/scripts/audit-referral-sync.js:170
- **Call kind:** sql.query
- **Detected operation:** WITH
- **Detected tables:** jobs, candidate_jobs, referrals
- **Function context:** main
- **Code snippet:** `const duplicateRows = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.70 DB-070 - main

- Location: UI interface/apps/api/scripts/seed-network-demo-friends.js:241
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `dashboard_users`
- Function context: `main`
- Code snippet: `const [owner] = await sql.query('SELECT id, email FROM dashboard_users WHERE email = $1 LIMIT 1', [ownerEmail]);`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.71 DB-071 - main

- Location: UI interface/apps/api/scripts/seed-network-demo-user.js:158
- Call kind: `sql.query`
- Detected operation: `INSERT`
- Detected tables: `dashboard_users`, `jobs`
- Function context: `main`
- Code snippet: `await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.

- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.72 DB-072 - main

- **Location:** UI interface/apps/api/scripts/seed-network-demo-user.js:171
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_users, jobs
- **Function context:** main
- **Code snippet:** `const [user] = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.73 DB-073 - main

- **Location:** UI interface/apps/api/scripts/seed-network-demo-user.js:185
- **Call kind:** sql.query
- **Detected operation:** DELETE
- **Detected tables:** jobs
- **Function context:** main

- **Code snippet:** `await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.74 DB-074 - main

- **Location:** `UI interface/apps/api/scripts/seed-users.js:63`
- **Call kind:** `sql.query`
- **Detected operation:** `SELECT`
- **Detected tables:** `dashboard_users`
- **Function context:** `main`
- **Code snippet:** `const existing = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.75 DB-075 - main

- **Location:** UI interface/apps/api/scripts/seed-users.js:82
- **Call kind:** sql.query
- **Detected operation:** INSERT
- **Detected tables:** dashboard_users
- **Function context:** main
- **Code snippet:** await sql.query(
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.76 DB-076 - main

- **Location:** UI interface/apps/api/scripts/set-user-names.js:40
- **Call kind:** sql.query
- **Detected operation:** UPDATE
- **Detected tables:** dashboard_users
- **Function context:** main
- **Code snippet:** const result = await sql.query(
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.77 DB-077 - main

- Location: UI interface/apps/api/scripts/set-user-names.js:61
- Call kind: `sql.query`
- Detected operation: `SELECT`
- Detected tables: `dashboard_users`, `completed`
- Function context: `main`
- Code snippet: `const demoRows = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.78 DB-078 - main

- Location: UI interface/apps/api/scripts/set-user-names.js:77
- Call kind: `sql.query`
- Detected operation: `UPDATE`
- Detected tables: `dashboard_users`, `completed`
- Function context: `main`
- Code snippet: `await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.79 DB-079 - main

- Location: UI interface/apps/api/scripts/sync-referrals-from-jobs.js:49
- Call kind: `sql.query`
- Detected operation: `WITH`
- Detected tables: `jobs`, `referrals`
- Function context: `main`
- Code snippet: `const [result] = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.80 DB-080 - PATCH /api/jobs/:id

- Location: UI interface/apps/api/src/index.ts:2904
- Call kind: `query`
- Detected operation: `UPDATE`
- Detected tables: `jobs`
- Function context: `getCell`
- Code snippet: `const [row] = await query(`

- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.81 DB-081 - PATCH /api/notes/:id

- **Location:** UI interface/apps/api/src/index.ts:3765
- **Call kind:** query
- **Detected operation:** UPDATE
- **Detected tables:** daily_notes, pending_items
- **Function context:** offset
- **Code snippet:** `const [row] = await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.82 DB-082 - PATCH /api/oa/archive/:id

- Location: UI interface/apps/api/src/index.ts:3395
- Call kind: query
- Detected operation: DELETE
- Detected tables: online_assessment_records
- Function context: getCell
- Code snippet: `await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.83 DB-083 - PATCH /api/oa/archive/:id

- Location: UI interface/apps/api/src/index.ts:3477
- Call kind: query
- Detected operation: UPDATE
- Detected tables: online_assessment_records
- Function context: getCell
- Code snippet: `const [row] = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.84 DB-084 - PATCH /api/pending/:id

- Location: UI interface/apps/api/src/index.ts:3886
- Call kind: query
- Detected operation: UPDATE
- Detected tables: pending_items
- Function context: offset
- Code snippet: `const [row] = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.85 DB-085 - PATCH /api/referrals/:id

- Location: UI interface/apps/api/src/index.ts:3661
- Call kind: query
- Detected operation: UPDATE
- Detected tables: referrals
- Function context: offset
- Code snippet: `const [row] = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.86 DB-086 - POST /api/friends/:id/block

- Location: UI interface/apps/api/src/index.ts:873
- Call kind: query
- Detected operation: UPDATE
- Detected tables: friendships
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [row] = await query<{ id: number; status: string; blocked_at: string }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.87 DB-087 - POST /api/friends/:id/reject

- Location: UI interface/apps/api/src/index.ts:846
- Call kind: query
- Detected operation: UPDATE
- Detected tables: friendships
- Function context: verifyGoogleIdToken

- **Code snippet:** `const [row] = await query<{ id: number; status: string; rejected_at: string }>(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.88 DB-088 - POST /api/friends/request

- **Location:** UI interface/apps/api/src/index.ts:665
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_users, friendships
- **Function context:** verifyGoogleIdToken
- **Code snippet:** `const [receiver] = await query<{ id: number; email: string }>(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.89 DB-089 - POST /api/friends/request

- Location: UI interface/apps/api/src/index.ts:674
- Call kind: query
- Detected operation: SELECT
- Detected tables: dashboard_users, friendships
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [receiver] = await query<{ id: number; email: string }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.90 DB-090 - POST /api/friends/request

- Location: UI interface/apps/api/src/index.ts:704
- Call kind: query
- Detected operation: INSERT
- Detected tables: friendships, incoming
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [created] = await query<{ id: number; status: string }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.

- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.91 DB-091 - POST /api/friends/request

- Location: UI interface/apps/api/src/index.ts:729
- Call kind: query
- Detected operation: UPDATE
- Detected tables: friendships
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [reopened] = await query<{ id: number; status: string }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.92 DB-092 - POST /api/jobs/import/csv

- Location: UI interface/apps/api/src/index.ts:2789
- Call kind: transaction
- Detected operation: SELECT
- Detected tables: TBD
- Function context: getCell
- Code snippet:

```
await transaction(c.env, statements);
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.

- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.93 DB-093 - POST /api/notes

- Location: UI interface/apps/api/src/index.ts:3717
- Call kind: query
- Detected operation: INSERT
- Detected tables: daily_notes
- Function context: offset
- Code snippet: `const [row] = await query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.94 DB-094 - POST /api/oa/complete/:jobId

- Location: UI interface/apps/api/src/index.ts:3153
- Call kind: query
- Detected operation: SELECT
- Detected tables: online_assessment_records
- Function context: getCell
- Code snippet: `const [existing] = await query<{ id: number }>(`

- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.95 DB-095 - POST /api/pending

- **Location:** UI interface/apps/api/src/index.ts:3819
- **Call kind:** query
- **Detected operation:** INSERT
- **Detected tables:** pending_items
- **Function context:** offset
- **Code snippet:** `const [row] = await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.96 DB-096 - POST /api/referrals

- **Location:** UI interface/apps/api/src/index.ts:3529
- **Call kind:** query
- **Detected operation:** INSERT
- **Detected tables:** referrals, jobs
- **Function context:** offset
- **Code snippet:** `const [row] = await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.97 DB-097 - POST /auth/google

- **Location:** UI interface/apps/api/src/index.ts:345
- **Call kind:** query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_users
- **Function context:** verifyGoogleIdToken
- **Code snippet:** `const [existingUser] = await query<{ id: number; email: string; first_name: string | null; last_name: string | null }>(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.

- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.98 DB-098 - POST /auth/google

- Location: UI interface/apps/api/src/index.ts:364
- Call kind: query
- Detected operation: INSERT
- Detected tables: dashboard_users
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [insertedUser] = await query<{ id: number; email: string; first_name: string | null; last_name: string | null }>({
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.99 DB-099 - POST /auth/google

- Location: UI interface/apps/api/src/index.ts:375
- Call kind: query
- Detected operation: UPDATE
- Detected tables: dashboard_users
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [updatedUser] = await query<{ id: number; email: string; first_name: string | null; last_name: string | null }>({
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.

- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.100 DB-100 - POST /auth/signup

- Location: UI interface/apps/api/src/index.ts:237
- Call kind: query
- Detected operation: SELECT
- Detected tables: dashboard_users
- Function context: verifyGoogleIdToken
- Code snippet:

```
const [existing] = await query<{ id: number; password_hash: string | null; first_name: string | null; last_name: string | null }>(
```
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.101 DB-101 - POST /auth/signup

- **Location:** UI interface/apps/api/src/index.ts:249
- **Call kind:** query
- **Detected operation:** INSERT
- **Detected tables:** dashboard_users
- **Function context:** verifyGoogleIdToken
- **Code snippet:**

```
const [user] = await query<{ id: number; email: string; first_name: string | null; last_name: string | null }>(</pre>
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.102 DB-102 - query

- **Location:** UI interface/apps/api/src/db.ts:17
- **Call kind:** sql.query
- **Detected operation:** DYNAMIC/UNKNOWN
- **Detected tables:** TBD
- **Function context:** query
- **Code snippet:**

```
const rows = await sql.query(text, params);</pre>
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.

- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.103 DB-103 - referralStatus

- Location: UI interface/apps/api/scripts/seed-network-demo-friends.js:91
- Call kind: sql.query
- Detected operation: INSERT
- Detected tables: jobs
- Function context: referralStatus
- Code snippet: await sql.query(
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.104 DB-104 - referralStatus

- Location: UI interface/apps/api/scripts/seed-network-demo-user.js:223
- Call kind: sql.query
- Detected operation: INSERT
- Detected tables: jobs
- Function context: referralStatus
- Code snippet: await sql.query(
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.

- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.105 DB-105 - resolveScopedUserId

- **Location:** UI interface/apps/api/scripts/audit-referral-sync.js:27
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_users
- **Function context:** resolveScopedUserId
- **Code snippet:** `const rows = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.106 DB-106 - resolveScopedUserId

- **Location:** UI interface/apps/api/scripts/sync-referrals-from-jobs.js:23
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_users
- **Function context:** resolveScopedUserId

- **Code snippet:** `const rows = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.107 DB-107 - revokeSession

- **Location:** UI interface/apps/api/src/auth.ts:131
- **Call kind:** query
- **Detected operation:** UPDATE
- **Detected tables:** dashboard_sessions, dashboard_users
- **Function context:** revokeSession
- **Code snippet:** `await query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.108 DB-108 - seedJobs

- **Location:** UI interface/apps/api/scripts/seed-network-demo-friends.js:82
- **Call kind:** sql.query
- **Detected operation:** DELETE
- **Detected tables:** jobs
- **Function context:** seedJobs
- **Code snippet:** `await sql.query('DELETE FROM jobs WHERE user_id = $1 AND source = $2', [userId, DEMO_SOURCE]);`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

5.109 DB-109 - syncReferralsForUser

- **Location:** UI interface/apps/api/scripts/seed-network-demo-friends.js:120
- **Call kind:** sql.query
- **Detected operation:** WITH
- **Detected tables:** jobs, referrals
- **Function context:** syncReferralsForUser
- **Code snippet:** `const [row] = await sql.query(`
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.

- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.110 DB-110 - syncReferralsForUser

- Location: UI interface/apps/api/scripts/seed-network-demo-user.js:47
- Call kind: `sql.query`
- Detected operation: `WITH`
- Detected tables: `jobs`, `referrals`
- Function context: `syncReferralsForUser`
- Code snippet: `const [row] = await sql.query(`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.111 DB-111 - transaction

- Location: UI interface/apps/api/src/db.ts:32
- Call kind: `sql.query`
- Detected operation: `DYNAMIC/UNKNOWN`
- Detected tables: `TBD`
- Function context: `transaction`
- Code snippet: `const queries = statements.map((stmt) => sql.query(stmt.text, stmt.params ?? []));`
- Business purpose: **TODO:** Describe why this query exists and expected behavior.

- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.112 DB-112 - upsertUser

- Location: UI interface/apps/api/scripts/seed-network-demo-friends.js:65
- Call kind: sql.query
- Detected operation: INSERT
- Detected tables: dashboard_users, jobs
- Function context: upsertUser
- Code snippet: await sql.query(
- Business purpose: **TODO:** Describe why this query exists and expected behavior.
- Inputs / params: **TODO:** List each parameter, type, validation, and defaulting.
- Output contract: **TODO:** Define returned columns, shape, and nullability.
- Failure modes: **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- Security / tenancy: **TODO:** Confirm user scoping and auth assumptions.
- Performance: **TODO:** Expected cardinality, index usage, and worst-case latency.
- Sync impact: **TODO:** Which downstream entities/views become stale; refresh rules.
- Test coverage: **TODO:** Unit/integration tests and missing cases.
- Migration dependency: **TODO:** Schema migration IDs required by this call.

5.113 DB-113 - upsertUser


- **Location:** UI interface/apps/api/scripts/seed-network-demo-friends.js:77
- **Call kind:** sql.query
- **Detected operation:** SELECT
- **Detected tables:** dashboard_users, jobs
- **Function context:** upsertUser
- **Code snippet:**

```
const [row] = await sql.query('SELECT id FROM dashboard_users WHERE email = $1 LIMIT 1', [email]);
```
- **Business purpose:** **TODO:** Describe why this query exists and expected behavior.
- **Inputs / params:** **TODO:** List each parameter, type, validation, and defaulting.
- **Output contract:** **TODO:** Define returned columns, shape, and nullability.
- **Failure modes:** **TODO:** DB errors, not-found behavior, conflict behavior, retries.
- **Security / tenancy:** **TODO:** Confirm user scoping and auth assumptions.
- **Performance:** **TODO:** Expected cardinality, index usage, and worst-case latency.
- **Sync impact:** **TODO:** Which downstream entities/views become stale; refresh rules.
- **Test coverage:** **TODO:** Unit/integration tests and missing cases.
- **Migration dependency:** **TODO:** Schema migration IDs required by this call.

6 Cross-Endpoint Sync Flows


6.1 Job Write to Dashboard Read

1. Extension/Web creates or updates a job row.
2. Derived dashboard endpoints (summary, trend, export) read aggregates from jobs, referrals, and pending_items.
3. UI refresh policy decides when derived values re-sync.
4. **TODO:** Document cache invalidation, client polling, and optimistic update behavior.




6.2 Referral Sync

1. Referral rows are created directly via referral endpoints and indirectly via sync scripts.
2. Dashboard and referral trend endpoints consume aggregated counts.
3. **TODO:** Document source-of-truth rule when script and API both touch referral status.



6.3 Friendship State Machine

1. Request creation writes `friendships` with pending state.
2. Accept/reject/block transitions update state and timestamps.
3. Network dashboards read accepted relationships.
4. **TODO:** Confirm lock strategy prevents race updates and double transitions.



7 Release Checklist

- Every DB call subsection has no remaining TODO lines.
- Every write path has idempotency and conflict behavior documented.
- Every aggregate query has index/perf review notes.
- Every sync flow has staleness windows and refresh triggers documented.
- Security review validates user scoping for every call.
- Test coverage exists for all high-risk write and aggregate paths.