

```
<!DOCTYPE html>  
<html lang="fr">  
<head>  
<meta charset="UTF-8">  
<title>Tanya 💕</title>  
  
<style>  
body {  
    margin: 0;  
    overflow: hidden;  
    background: linear-  
gradient(135deg, #ff758c,  
#ff7eb3);  
    font-family: Arial, sans-serif;
```

```
text-align: center;  
color: white;  
}
```

```
h1 {  
margin-top: 100px;  
font-size: 3em;  
}
```

```
.buttons {  
margin-top: 50px;  
}
```

```
button {
```

padding: 15px 30px;

font-size: 20px;

border: none;

border-radius: 30px;

cursor: pointer;

transition: 0.3s;

}

#yes {

background-color: #ff4d6d;

color: white;

}

#no {

background-color: white;

color: #ff4d6d;

position: absolute;

}

.heart {

position: absolute;

font-size: 20px;

pointer-events: none;

animation: fall linear infinite;

}

@keyframes fall {

```
0% { transform:  
translateY(-10vh); }  
  
100% { transform:  
translateY(110vh); }  
  
}
```

```
#secretMessage {  
position: fixed;  
bottom: 20px;  
width: 100%;  
font-size: 18px;  
opacity: 0;  
transition: opacity 2s;  
}  
  
#secretMessage .content {  
background-color: #fff;  
border-radius: 10px;  
padding: 10px;  
width: fit-content;  
margin: auto;  
text-align: center;  
font-size: 16px;  
font-weight: bold;  
color: black;  
}
```

```
/* Explosion animation */

.explosion {
    position: absolute;
    font-size: 25px;
    animation: explode 1s ease-out
    forwards;
    pointer-events: none;
}

@keyframes explode {
    0% { transform: scale(0);
        opacity: 1; }
```

```
100% { transform: scale(3);  
opacity: 0; }  
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<h1>Tanya ❤️⭐<br>Will you be my  
Valentine?</h1>
```

```
<div class="buttons">
```

```
    <button id="yes">Oui 😍  
</button>
```

<button id="no">Non 😊

</button>

</div>

<div id="secretMessage">

My Love ❤️ i just wanted to remind
you how much you mean to me 😊.

Everyday with you feels warmer,
brighter🌟 and a little more
magical✨.

Thank you for the laughs, the late
nights😊 and the quiet moments in
between.

**No matter where life takes us, you
are my favorite place to return to**



**

**

I'm so grateful for you. Always....

**

**

❤️ I LOVE YOU SO MUCH ❤️

</div>

**<audio id="bgMusic" autoplay
loop>**

**<source src="music.mp3"
type="audio/mpeg">**

</audio>

```
<script>

const noBtn =
document.getElementById("no");

const yesBtn =
document.getElementById("yes");

// Bouton NON qui fuit
noBtn.addEventListener("mouseover", () => {
    const x = Math.random() *
(window.innerWidth - 100);

    const y = Math.random() *
(window.innerHeight - 50);

    noBtn.style.left = x + "px";
    noBtn.style.top = y + "px";
});
```

```
noBtn.style.top = y + "px";  
});
```

// Quand elle clique sur OUI

```
yesBtn.addEventListener("click",  
() => {
```

```
document.body.innerHTML = `
```

```
<h1 style="margin-  
top:150px;">JE SAVAIS QUE TU  
ALLAIS DIRE OUI 😍💍</h1>
```

```
<h2>Tanya, you just made me  
the happiest person alive ❤</h2>
```

```
<h3>Our Valentine's story  
starts now ✨</h3>
```

`;

```
document.body.style.background
= "#ff4d6d";
```

```
// Lancer feu d'artifice
setInterval(createExplosion,
200);
});
```

```
// Cœurs qui tombent
function createHeart() {
  const heart =
document.createElement("div");
```

```
heart.classList.add("heart");
```

```
heart.innerHTML = "❤️";
```

```
heart.style.left = Math.random()  
* 100 + "vw";
```

```
heart.style.animationDuration =  
(Math.random() * 3 + 2) + "s";
```

```
document.body.appendChild(hear  
t);
```

```
setTimeout(() => {
```

```
    heart.remove();
```

```
}, 5000);
```

```
}
```

```
setInterval(createHeart, 300);

// Explosion romantique

function createExplosion() {
    const explosion =
document.createElement("div");

explosion.classList.add("explosion");
explosion.innerHTML = "❤️";
explosion.style.left =
Math.random() *
window.innerWidth + "px";
```

```
explosion.style.top =  
Math.random() *  
window.innerHeight + "px";
```

```
document.body.appendChild(expl  
osion);
```

```
setTimeout(() => {  
  
explosion.remove();  
  
}, 1000);  
  
}
```

```
// Message secret après 5  
secondes
```

```
setTimeout(() => {
```

```
document.getElementById("secretMessage").style.opacity = 1;  
}, 5000);
```

```
</script>
```

```
</body>
```

```
</html>
```