


How to Use This Catalog

Each lens in this catalog is labeled with a sequential number (Item Number), shown in the right hand corner of the lens entry. In each index, symbols and lens characteristics are listed along with their relevant lens item numbers. To find a lens in the catalog, locate the item number(s) in one of the indexes below and then simply flip to the section containing the relevant item numbers.

Index by Symbol

Symbol	Item #	Symbol	Item #	Symbol	Item #
*	70, 79, 82, 85-87, 90, 92-94, 96	a□	106	☯	450-454, 459-465
—	172	≡	315, 317	⊖	444
≡	178-179	≡	308	⊖	517
^	40, 52, 54-55, 58, 304	▽	522	⊖	441
⊙	298-301	⊥	105	⊖	315, 331, 336, 340, 344, 347,
⊙	311	⊥	123-124	⊖	424-425
⊙	521	⊥	483-484	⊖	333, 339, 345, 352
○	1-2, 5-8, 10-11, 15, 23-24, 45, 47,	⊥	463	⊖	358
	63-64, 73-74, 76-77, 98-110,	⊥	449-450	⊖	400
	113-118, 120-121, 123-124,	⊥	180	⊖	172, 187, 192
	126-158, 160-219, 222-232,	⊥	411-420	⊖	160, 171, 182, 188-190
	243-256, 261-267, 302-306,	⊥	177	⊖	133, 469-484, 499, 501
	308-314, 318-326, 328-329, 332,	⊥	475, 477	⊖	427, 429-430
	334, 337-338, 342, 346, 348,	⊥	472-473	⊖	312, 431
	350-351, 353-355, 361, 364-399,	⊥	191	⊖	257-260
	401-409, 421-423, 433, 435-437,	⊥	135	⊖	410, 432
	440-444, 446-448, 466-468, 495,	⊥	192	⊖	115, 145-147
	500, 502, 504-517, 519	⊥	193-195	⊖	134
⊙	59	⊥	120	⊖	27
⊙	9, 43, 485	⊥	121, 169-170	⊖	27, 159, 435, 503
⊙	23, 74	⊥	160, 171-172	⊖	20-22, 25-26, 28-35, 60, 65-72,
⊙	330, 341, 360	⊥	161-162, 164-168, 178-180	⊖	75, 78-96
⊙	24, 73, 77, 327, 335, 343, 349	⊥	181-183	⊖	41, 488
⊙	16, 36, 490	⊥	173-175, 177, 184-186	⊖	495
⊙	59	⊥	187	⊖	307, 316
⊙	97	⊥	163	⊖	355-359
⊙	486	⊥	452	⊖	11-14
⊙	233-242, 426, 428	⊥	176	⊖	520
⊙	112, 125, 317, 356-359, 434,	⊥	337	⊖	451
⊙	493-494, 518	⊥	116-117, 151-152, 154	⊖	220-221, 472-474
⊙	61-62	⊥	118, 156-158	⊖	198, 252
⊙	305	⊥	503	⊖	216-217
⊙	37, 39-40, 42, 44, 46, 48-58	⊥	487	⊖	411-413, 415, 426, 437
⊙	140	⊥	524	⊖	364-366
⊙	141	⊥	442	⊖	370-371
⊙	138, 142	⊥	449, 455	⊖	372-373
⊙	144				
⊙	136				
⊙	143				

Symbol	Item #	Symbol	Item #	Symbol	Item #
2N	31	CC	402	ES	46, 207, 209, 461
2S50	367-369	CD	263-264	ESP	228
2S59	374-377	CE	18	ET	214
2S60	378-381	CH	65, 403	EUS	229
2S67	382-385	CHD	220	EV	19, 48, 242
3	243-249, 251, 253-267	CHS	221	EW	49-50
3	20, 360, 386, 445	CHV	40	E <u>W</u>	167, 185
3V60	388-390	C _J	471	EWP	230
3V	32	CL	426	EXC	208
4D	194	CN	217	F	10, 17-19, 39-42, 44, 46, 48, 50-59, 61-62, 195, 255-262, 485, 487-488
5	424-425	CP	16, 66		198, 453
6	47, 113-115, 118, 121, 123-124, 127-128, 130-131, 136-137, 141, 143-147, 154-158, 161-165, 169-170, 173-181, 183, 420, 426-427, 430-431, 479, 517	CS	404	FF	459
		C _U	469	FFC	454
		CU	43, 485	FFO	465
		C _V	470	FFW	168, 186
7	9, 416-419	CV	67	F <u>W</u>	393
15	449	CW	405	G4	252
16	401-409, 455, 496-498, 507-516	CX	427	G	212-213
50	21, 245, 248, 264, 266, 447	D3	132-133	H53	364-390
60	22, 26, 28-34, 43, 65-72, 78-96, 98-106, 391-400, 410-415, 421-423, 432, 436-437, 443, 445-446, 448	D	68, 113-114, 130-131, 202	H60	5, 36-37, 109, 201-202, 259-260, 416, 490
		DS	69	H	315, 317
		DEM	72	h	79
67	75, 116-117, 126, 129, 132-134, 138-139, 142, 150-153	DLS	216-217	I2	78, 255, 356
		DNA	204	I	26
100	85	DSI	70	/	237
200	86	E	108, 222, 233, 460	IB	112
360°	387	e	231	III6	310
400	87	EA	42, 223, 240	IS	474-475
A₃	455	EBA	224, 232	K₊	478
A	36, 125-126, 129, 215, 243-245, 496	EDR	225, 234-236	K	302-303, 306
a	33-34	EH	75	KB	480
A	30	EK	215, 218-219	K_{DRO}	481
ABC	105-106	El	298	K_{DSII}	476-477
AC	38-39	EIP 1	301	Ks	479
AF	216	EIP 5	299	K_U	82
AO+	6	EIP 7	300	L3v	256-261, 430
AO	3	EL	206	L	80-81
AOB	7	ELC	205	LD	410
AOT	8	EM	44	LX	49, 200, 204-208, 210-214, 262, 298-301, 418, 478
AS	246-248, 355, 453	EN	241	M	83
B	21-22, 412, 422	EOH	238	MK	84
B	15, 64	EP	227	MKI	353-354
bA	1	EPC	226	N3	425
BIQ	318	ER	210	N4	424
BPS	196			N8A	
C	45, 220-221, 257-258, 433				
c	361				
CA	401				
CAO2	62				
CAOC	61				

Symbol	Item #	Symbol	Item #	Symbol	Item #
N	394, 482	PX	432, 507	UHV	56
<i>Nb</i>	349-350	Q	499	V	318, 406
<i>NC</i>	343-345, 347, 352	QS	399	VCP	407
NE	148	QU	398	Ve	511
<i>NM</i>	341-342	<i>R</i>	410-411, 414-421, 424-431	VEL	506
no symbol	2, 45, 107-110, 120, 125, 159, 222-232, 476, 483	RD	27	VG	489
NS	149, 326	RNA	211	VI	510
NX	150	ROL	391-399	Vo1	513
O	357, 484	S	28, 63, 107, 114, 129, 131, 159, 183, 239, 359, 420, 438-439, 445, 447, 466, 468, 484	Vo5	514
ODC	500		17-19, 38, 41, 486-489, 491-492	Vm	512
OFF	392	SA	98	Vp	515
ONM	102	SB	99	Vw	516
OOM	103	SC	100, 501	VW	408
OPM	104	SD	101	VX	203
OS	85-87	SE	17	W	244, 247, 249, 251, 253, 336, 344-345, 438, 448 439, 473, 498
p2	88	SH	53	<u>W</u>	166, 184
P2	89	SIG	400	WG	57
P	12, 97, 135, 148-149, 191, 204-211, 214, 219, 326, 362-363, 413, 423, 429	SIN	93	WO	58
<i>p</i>	3-4	SL	446	WR	59
PC	434, 494	SP3	256, 261, 414	<i>WR</i>	139
PE	2	SP	265-266, 309, 339-340	X	11, 13-14, 201, 250
<u>PE</u>	10	SPL	94	X/H	417
PEM	71	SPP	338, 354	XL	491
PF	396	SPU	95	XLG	492
PH	51, 395	SSB	96	X/M	419
PL	90	<i>STY</i>	192	XP	409
PM	320, 363	SW	478	XPV	212
PN	397	T	8, 29, 200, 254, 267	XS	76
PP	353	TLX	324	XSV	213
PRO	4	TTX	467	Y	244, 247, 249, 251, 267, 322, 523
PS	92, 319, 362	U	497	Z	110
PU	91	UH	54		
PW	509	UHC	55		

Index by Lens Name

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
Acclaim OEM PAL #1 and #2**	Walman - Soderberg	517	Ce-Tru Normal Corridor	L.B.I.	307
Accolade	Essilor of America	123	Ce-Tru Polarized	L.B.I.	308
Accolade Freedom	Essilor of America	124	Progressive		
Acuity 9/11/13	PFO Global	355	Ce-Tru Short Corridor	L.B.I.	309
Adage	Younger Optics	521	Ce-Tru Short Corridor	L.B.I.	310
Adaptar	Essilor Canada	111	Photochr		
Adaptar	Essilor of America	125	Ce-Tru SunSensor	L.B.I.	311
Adaptar Digital	Essilor of America	126	Channel 14 Plastic II	Landon Lens	312
Adaptar DS	Essilor Canada	112	Channel 14 Poly II	Landon Lens	313
Adaptar DS (Canada)	Essilor of America	127	Channel 14 Variations Gray	Landon Lens	314
Adaptar DS Short (Canada)	Essilor of America	128	& B		
Adaptar Short Digital	Essilor of America	129	Channel 14 Variations Poly	Landon Lens	315
Advanced HD	US Optical	496	Pho		
AF2	Seiko Optical Products	433	Clarlet Business	Carl Zeiss Vision	15
Amplitude	Hoya Vision Care - Dallas	243	ClassicLife Free XS. M or L	Rodenstock Canada	410
Amplitude BKS	Hoya Vision Care - Dallas	244	CLEARi Absolute-W 12	CLEARi	98
Amplitude iQ	Hoya Vision Care - Dallas	245	CLEARi DED 14	CLEARi	99
Amplitude Mini	Hoya Vision Care - Dallas	246	CLEARi DED 16	CLEARi	100
Amplitude Mini BKS	Hoya Vision Care - Dallas	247	CLEARi DED 19	CLEARi	101
Amplitude Mini iQ	Hoya Vision Care - Dallas	248	CLEARi OFFICE BOOK	CLEARi	102
AO b'Active		1	CLEARi OFFICE COMPUTER	CLEARi	103
AO Easy		2	CLEARi OFFICE ROOM	CLEARi	104
AO Easy	American Optical	9	Compact ULTRA HD	SOLA Optical	485
AO Easy HD	American Optical	10	Computer	Shamir Insight Inc.	459
AO Force 55		3	Constitution HD	FEA Industries, Inc.	220
AO Pro 15		4	Constitution Short HD	FEA Industries, Inc.	221
AO Pro 16		5	Continual Focus Lens (CFL)	Vision Dynamics Lab/Optical Dynamics	499
APEX	Classic Optical Laboratories, Inc.	97	Continuum	Carl Zeiss Vision	16
Array	Hoya Vision Care - Dallas	249	COZE ADL ADVANCED	Robertson Optical Laboratories, Inc.	401
Array 2	Hoya Vision Care - Dallas	250	COZE CASATA	Robertson Optical Laboratories, Inc.	402
Array Wrap	Hoya Vision Care - Dallas	251	COZE HDW	Robertson Optical Laboratories, Inc.	403
Attitude III Fashion 15	Shamir Insight Inc.	449	COZE SOFT	Robertson Optical Laboratories, Inc.	404
Attitude III Fashion 18	Shamir Insight Inc.	450	COZE WRAP	Robertson Optical Laboratories, Inc.	405
Attitude III Sport	Shamir Insight Inc.	451	Crossbows Custom U	Signet Armorlite, Inc.	469
Augen HD Trinity Spacia SF	Augen Optics	11	Crossbows Custom V	Signet Armorlite, Inc.	470
AugenSol HD Trinity 13/17	Augen Optics	12	Crossbows Junior	Signet Armorlite, Inc.	471
Autograph II -Fixed & Var. Des	Shamir Insight Inc.	452	DC mini	Seiko Optical Products	434
Autograph II Attitude	Shamir Insight Inc.	453	Definity	Essilor Canada	113
Autograph II Office	Shamir Insight Inc.	454	Definity	Essilor of America	130
Autograph III Fixed & VAR.	Shamir Insight Inc.	455	Definity Short	Essilor Canada	114
Autograph Intelligence Fixed & VARI.	Shamir Insight Inc.	456	Definity Short	Essilor of America	131
Autograph II+ Fixed & VARI.	Shamir Insight Inc.	457	Definity 3	Essilor of America	132
Autograph Relax	Shamir Insight Inc.	458	Definity 3 Plus	Essilor of America	133
Balance Digital 12	Nikon Optical Canada	327	DirecTek	Signet Armorlite, Inc.	472
Balance Digital 14	Nikon Optical Canada	328	DirecTek Short	Signet Armorlite, Inc.	473
Blue IQ Variable Progressive	Lenscrafters	318	DLS Advanced PAL	Eye Kraft Optical, Inc.	215
Camber Steady Plus Progressive	IOT	272	DLS Anti-Fatigue	Eye Kraft Optical, Inc.	216
Camber Steady Plus Progressive	IOT	273	DLS Camber Near	Eye Kraft Optical, Inc.	217
Distance Vision			DLS PAL	Eye Kraft Optical, Inc.	218
Camber Steady Plus Progressive	IOT	274	DLS Pro PAL	Eye Kraft Optical, Inc.	219
Intermediate Vision			Eagle	FEA Industries, Inc.	222
Camber Steady Plus Progressive Near Vision	IOT	275	Eagle Apprentice	FEA Industries, Inc.	223
			Eagle Balance	FEA Industries, Inc.	224
			Eagle Driver	FEA Industries, Inc.	225

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
Eagle PC	FEA Industries, Inc.	226	Essilor Ideal Advanced Fit	Essilor of America	138
Eagle Precision	FEA Industries, Inc.	227	Essilor Ideal Advanced Wrap	Essilor of America	139
Eagle Sport	FEA Industries, Inc.	228	Essilor Ideal Computer	Essilor of America	140
Eagle Ultra Short	FEA Industries, Inc.	229	Essilor Ideal Driving	Essilor of America	141
Eagle Workplace	FEA Industries, Inc.	230	Essilor Ideal Fit	Essilor of America	142
Eaglet	FEA Industries, Inc.	231	Essilor Ideal Short	Essilor of America	143
Eaglet Balance	FEA Industries, Inc.	232	Essilor Ideal Sport	Essilor of America	144
EasyLux	Dehlawi Optical Industries	105	Essilor Natural	Essilor of America	145
			Essilor Natural / Natural DS	Essilor Canada	115
Elan HD	Carl Zeiss Vision	17	Essilor Natural Digital	Essilor of America	146
Elan HD Short	Carl Zeiss Vision	18	Executive/ ShoreView ES	Shore Lens Company	466
Elan HDV	Carl Zeiss Vision	19	Expert DNA™	Expert Optics	204
Element	Shamir Insight Inc.	460	Expert Elite C™	Expert Optics	205
Element Short	Shamir Insight Inc.	461	Expert Elite™	Expert Optics	206
Endless Anti-fatigue Single Vision 0.50 D	IOT	276	Expert Essential®	Expert Optics	207
			Expert Extreme C™	Expert Optics	208
Endless Anti-fatigue Single Vision 0.75 D	IOT	277	Expert Extreme™	Expert Optics	209
			Expert Relief™ 50 and 75	Expert Optics	210
Endless Anti-fatigue Single Vision 1.00 D	IOT	278	Expert RNA™	Expert Optics	211
			Expert Sport Wrap XPV™	Expert Optics	212
Endless Bifocal	IOT	279	(progressive)		
Endless Drive Progressive	IOT	280	Expert Sport Wrap XSV™ (single vision)	Expert Optics	213
Endless Drive Single Vision	IOT	281			
Endless Office	IOT	282	Expert Tween™ 1.3; 2.0; 4.0	Expert Optics	214
Endless Office 1.3 m	IOT	283	EZ View Mini	SOMO Optical	493
Endless Office 2 m	IOT	284	EZ View Std	SOMO Optical	494
Endless Office 4 m	IOT	285	First PAL	Shamir Insight Inc.	462
Endless Pilot Progressive	IOT	286	Freedom ID	X-CEL Optical	518-520
Endless Single Vision	IOT	287	Futureise	Polycore Optical	362
Endless Sport Progressive	IOT	288	Geo-FORM 11	Rite-Style Optical Company, Inc.	364
Endless Steady Progressive	IOT	289			
Endless Steady Progressive Distance Vision	IOT	290	Geo-FORM 13	Rite-Style Optical Company, Inc.	365
Endless Steady Progressive Intermediate Vision	IOT	291	Geo-FORM 15	Rite-Style Optical Company, Inc.	366
Endless Steady Progressive Near Vision	IOT	292	Geo-FORM AW 10	Rite-Style Optical Company, Inc.	367
EOS	KBco, Inc.	302			
EOS Wrap	KBco, Inc.	303	Geo-FORM AW 12	Rite-Style Optical Company, Inc.	368
epik Day 13/15/17/19/21	GSRx	233			
epik DRV 110/110 N+D4	GSRx	234	Geo-FORM AW 14	Rite-Style Optical Company, Inc.	369
epik DRV 50/50 N+D4	GSRx	235			
epik DRV 80/80 N+D4	GSRx	236	Geo-FORM EZ 13	Rite-Style Optical Company, Inc.	370
epik iBifocal	GSRx	237			
epik Office UltraHD, Book/Room/Desk	GSRx	238	Geo-FORM EZ 15	Rite-Style Optical Company, Inc.	371
epik Standard 14/17	GSRx	239			
epik Variable Active/Active N+D4	GSRx	240	Geo-FORM EZ S 11	Rite-Style Optical Company, Inc.	372
epik Variable Device/Device N+D4	GSRx	241			
epik Variable/Variable N+D4	GSRx	242	Geo-FORM EZ S 13	Rite-Style Optical Company, Inc.	373
Essential Steady Progressive	IOT	293			
Essential Steady Progressive Distance Vision	IOT	294	Golf	Shamir Insight Inc.	463
			Gradal 3	Carl Zeiss Vision	20
Essential Steady Progressive Intermediate Vision	IOT	295	Gradal Brevis 1.5	Carl Zeiss Vision	21
			Gradal Brevis 1.6	Carl Zeiss Vision	22
Essential Steady Progressive Near Vision	IOT	296	Gradal Brevity 1.59	Carl Zeiss Vision	23
			Gradal Brevity 1.67	Carl Zeiss Vision	24
Essilor Anti-Fatigue	Essilor of America	134	Gradal HS (All)	Carl Zeiss Vision	25
Essilor Computer	Essilor of America	135	Gradal Individual	Carl Zeiss Vision	26
Essilor Ideal	Essilor of America	136	Gradal RD	Carl Zeiss Vision	27
Essilor Ideal Advanced	Essilor of America	137	Gradal Shorti	Carl Zeiss Vision	28
			Gradal Top	Carl Zeiss Vision	29
			GT2	Carl Zeiss Vision	30
			GT2 3D	Carl Zeiss Vision	31

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
GT2 3D 3DV	Carl Zeiss Vision	32	Kodak Unique	Signet Armorlite, Inc.	479
GT2 3D Short	Carl Zeiss Vision	33	KODAK Unique DRO	Signet Armorlite, Inc.	480
GT2 Short	Carl Zeiss Vision	34	KODAK Unique DRO HD	Signet Armorlite, Inc.	481
HD Trinity 13/17 SF	Augen Optics	13	Maui Passport Progressive	Maui Jim	321
HD Trinity 8/12 SF	Augen Optics	14	Melibrad Progressive	Melibrad	322
Hoyalux GP	Hoya Vision Care - Dallas	252	Micro	Polycore Optical	363
Hoyalux GPW	Hoya Vision Care - Dallas	253	MOVE	Nikon Optical Canada	329
Hoyalux Tact (EP40 and 60)	Hoya Vision Care - Dallas	254	Move Digital 13	Nikon Optical USA	341
HyperPro	PFO Optima LLC	360	Move Digital 15	Nikon Optical USA	342
ID InStyle	Hoya Vision Care - Dallas	255	MOVE Short	Nikon Optical Canada	330
ID Lifestyle	Hoya Vision Care - Dallas	256	Multigressiv MyView 2 XS,	Rodenstock Canada	421
iD LifeStyle 2 Clarity	Hoya Vision Care - Dallas	257	M, L		
ID LifeStyle 2 Clarity cd	Hoya Vision Care - Dallas	258	Mvp Platinum Plastic II	Landon Lens	316
ID LifeStyle 2 Harmony	Hoya Vision Care - Dallas	259	MyView Ergo 2 Book	Rodenstock Canada	422
ID LifeStyle 2 Harmony cd	Hoya Vision Care - Dallas	260	MyView Ergo 2 PC or Room	Rodenstock Canada	423
ID Lifestyle cd	Hoya Vision Care - Dallas	261	Nalco Progressive	Nassau Lens Company	325
ID Mystyle	Hoya Vision Care - Dallas	262	Natural DS (Canada)	Essilor of America	147
identity home 9/11/13	PFO Global	356	Navigator FBS	Signet Armorlite, Inc.	482
identity play 9/11/13	PFO Global	357	Navigator Precision	Signet Armorlite, Inc.	483
identity pro	PFO Global	358	Navigator Short	Signet Armorlite, Inc.	484
identity smart 9/11/13	PFO Global	359	Nexyma Computer (80)	Rodenstock Canada	424
Illumina	Vision-Ease Lens, Inc.	503	Nexyma Reading (40)	Rodenstock Canada	425
Image	Younger Optics	523	Nikon Eyes Advanced	Essilor of America	148
Image	Younger Optics	522	Nikon Eyes Advanced Short	Essilor of America	149
Impression 2 XS, M, or L	Rodenstock Canada	411	Nikon Eyes Customized	Essilor of America	150
Impression Ergo 2 Book	Rodenstock Canada	412	Nikon Go	Nikon Optical Canada	331
Impression Ergo 2 PC or Room	Rodenstock Canada	413	Nikon Go Digital	Nikon Optical Canada	332
Impression Ergo FreeSign 2	Rodenstock Canada	414	Nikon i	Nikon Optical Canada	333
Impression FreeSign 2	Rodenstock Canada	415	Nikon i Digital	Nikon Optical Canada	334
Impression Hyperop	Rodenstock Canada	416	Nikon Online	Nikon Optical Canada	335
Impression Hyperop XS	Rodenstock Canada	417	Nikon Online	Nikon Optical USA	343
Impression Myop	Rodenstock Canada	418	Nikon W	Nikon Optical Canada	336
Impression Myop XS	Rodenstock Canada	419	Nikon W	Nikon Optical USA	344
Impression Sport 2	Rodenstock Canada	420	Nikon W Short	Nikon Optical USA	345
inMotion	IOT	297	Novel	Vision-Ease Lens, Inc.	504
Intellego 3	Interstate Optical	268	Novella Short Corridor	Vision-Ease Lens, Inc.	505
Intellego 3 14	Interstate Optical	269	Outlook	Vision-Ease Lens, Inc.	506
Intellego 3 16	Interstate Optical	270	Ovation	Essilor Canada	116
Intellego 3 18	Interstate Optical	271	Ovation	Essilor of America	151
IOT Endless	IOT	298	Ovation ADS	Essilor Canada	117
IOT Endless Plus 0.50D	IOT	299	Ovation ADS (Canada)	Essilor of America	152
IOT Endless Plus 0.75D	IOT	300	Ovation ADS Short	Essilor of America	153
IOT Endless Plus 1.00D	IOT	301	(Canada)		
iRx Pro	KBco, Inc.	304	Ovation Digital	Essilor of America	154
iRx Short	KBco, Inc.	305	Ovation DS (Canada)	Essilor of America	155
Kodak Precise	Signet Armorlite, Inc.	474	Overture	Sutherlin Optical, Inc.	495
KODAK Precise PB	Signet Armorlite, Inc.	475	Paradigm Progressive	Vision Dynamics Lab/Optical	500
Kodak Precise Short	Signet Armorlite, Inc.	476		Dynamics	
KODAK Precise Short PB	Signet Armorlite, Inc.	477	Paradigm Short Corridor	Vision Dynamics Lab/Optical	501
KODAK SoftWear	Signet Armorlite, Inc.	478		Dynamics	
			PCWide	Seiko Optical Products	435
			Percepta	SOLA Optical	486
			Perfas Premier II	Seiko Optical Products	436
			Perfas Prominent	Seiko Optical Products	437

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
Persona	Riverside Opticalab Ltd.	391	SmallFit / SmallFit DS	Essilor Canada	118
Persona Office	Riverside Opticalab Ltd.	392	SmallFit Digital	Essilor of America	157
Persona G4	Riverside Opticalab Ltd.	393	Smallfit DS (Canada)	Essilor of America	158
Persona Novice	Riverside Opticalab Ltd.	394	SOLA HDV	SOLA Optical	487
Persona Phd	Riverside Opticalab Ltd.	395	SOLAMAX	Carl Zeiss Vision	36
Persona Phd Distance	Riverside Opticalab Ltd.	396	SOLAOne HD	SOLA Optical	488
Persona Phd Near	Riverside Opticalab Ltd.	397	Spectrum	Shamir Insight Inc.	464
Persona Quattro	Riverside Opticalab Ltd.	398	Stealth 15	Vision Warehouse	502
Persona Quattro Sport	Riverside Opticalab Ltd.	399	Succeed	Seiko Optical Products	440
Polar-Ray Progressive	Melibrad	323-324	Succeed WS	Seiko Optical Products	441
PolySensus	MacLens Optical	319	Summit cd	Hoya Vision Care - Dallas	263
Presio Digital i Short	Nikon Optical USA	346	Summit cd iQ	Hoya Vision Care - Dallas	264
Presio i	Nikon Optical USA	347	Summit ecp	Hoya Vision Care - Dallas	265
Presio i Digital	Nikon Optical USA	348	Summit ecp iQ	Hoya Vision Care - Dallas	266
Presio i Digital 12	Nikon Optical USA	349	Super No-Line	Essilor Canada	119
Presio i Digital 14	Nikon Optical USA	350	Super No-Line	Essilor of America	159
Presio i Digital Short	Nikon Optical USA	351	Supercede	Seiko Optical Products	442
Presio i Short	Nikon Optical USA	352	Supercede II	Seiko Optical Products	443
Presio Power 12/13/14	Nikon Optical Canada	337	Supercede WS	Seiko Optical Products	444
Presio Power 12/13/14	Nikon Optical USA	353	Superior	Seiko Optical Products	445
Privo Advance	Dehlawi Optical Industries	106	Supernal	Seiko Optical Products	446
Pro-Freedom	Excelite, Inc.	196	Surmount	Seiko Optical Products	447
Pro-Freedom Plus	Excelite, Inc.	197	Surmount Ws	Seiko Optical Products	448
Pro-Freedom Solace	Excelite, Inc.	198	Synchrony	Carl Zeiss Vision	37
Pro-Freedom Sports	Excelite, Inc.	199	synchrony Access	Carl Zeiss Vision	38
Proceed II Short	Seiko Optical Products	438	synchrony Access HD (075, 125, 175)	Carl Zeiss Vision	39
Proceed III Super Short	Seiko Optical Products	439	synchrony Curves HDC	Carl Zeiss Vision	40
Progressiv ClassicLife	Rodenstock Canada	426	synchrony Easy Adapt	Carl Zeiss Vision	41
Progressiv ClassicLife XS	Rodenstock Canada	427	synchrony Easy Adapt HD	Carl Zeiss Vision	42
Progressiv Life 2	Rodenstock Canada	428	synchrony Easy M	Carl Zeiss Vision	43
Progressiv Life 2 XS	Rodenstock Canada	429	synchrony Easy M HD	Carl Zeiss Vision	44
Progressiv Purelife	Rodenstock Canada	430	synchrony Easy S	Carl Zeiss Vision	45
Progressiv Purelife XS	Rodenstock Canada	431	synchrony Easy S HD	Carl Zeiss Vision	46
ProgressivPureLife Free XS,M,L	Rodenstock Canada	432	synchrony Easy View	Carl Zeiss Vision	47
Promult	MacLens Optical	320	synchrony Easy View HD	Carl Zeiss Vision	48
Proprius DS	Nexus Vision Group	326	synchrony Easy Wear	Carl Zeiss Vision	49
Punktal Gradal HS	Carl Zeiss Vision	35	synchrony Easy Wear HD	Carl Zeiss Vision	50
PureSite Easy Fit	Diversified Ophthalmics, Inc.	107	synchrony Performance HD (13, 15, 17, 19)	Carl Zeiss Vision	51
PureSite Enhanced	Diversified Ophthalmics, Inc.	108	synchrony Performance HDV	Carl Zeiss Vision	52
PureSite Premier	Diversified Ophthalmics, Inc.	109	synchrony Starter HD	Carl Zeiss Vision	53
PureSite Ultima	Diversified Ophthalmics, Inc.	110	synchrony Ultra HD (13, 15, 17, 19, 21)	Carl Zeiss Vision	54
Resolution Response	PFO Optima LLC	361	synchrony Ultra HDC	Carl Zeiss Vision	55
SeeMax Power 12/13/14	Nikon Optical Canada	338	synchrony Ultra HDV	Carl Zeiss Vision	56
SeeMax Power 12/13/14	Nikon Optical USA	354	synchrony Work & Go HD	Carl Zeiss Vision	57
SeeMaxProgressive 12	Nikon Optical Canada	339	synchrony Work & Office HD	Carl Zeiss Vision	58
SeeMaxProgressive 14	Nikon Optical Canada	340	synchrony Work & Read HD	Carl Zeiss Vision	59
ShoreView / Shoreview Mini	Shore Lens Company	467	TACT 40 BKS and TACT 60 BKS	Hoya Vision Care - Dallas	267
Shoreview Mini ES	Shore Lens Company	468	TR1-Far AW 14	Rite-Style Optical Company, Inc.	374
Signature HD	Riverside Opticalab Ltd.	400	TR1-Far AW 16	Rite-Style Optical Company, Inc.	375
Smallfit	Essilor of America	156	TR1-Far AW 18	Rite-Style Optical Company, Inc.	376

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
TR1-Far AW 20	Rite-Style Optical Company, Inc.	377	Varilux Physio Enhanced	Essilor of America	176
TR2-Basic 14	Rite-Style Optical Company, Inc.	378	Varilux Physio Enhanced Azio eyecode	Essilor of America	177
TR2-Basic 16	Rite-Style Optical Company, Inc.	379	Varilux Physio Enhanced	Essilor of America	178
TR2-Basic 18	Rite-Style Optical Company, Inc.	380	Varilux Physio Enhanced Fit	Essilor of America	179
TR2-Basic 20	Rite-Style Optical Company, Inc.	381	Varilux Physio Enhanced India	Essilor of America	180
TR3-Demand AW 14	Rite-Style Optical Company, Inc.	382	Varilux Physio Short	Essilor of America	181
TR3-Demand AW 16	Rite-Style Optical Company, Inc.	383	Varilux Physio Short 360°	Essilor of America	182
TR3-Demand AW 18	Rite-Style Optical Company, Inc.	384	Varilux Physio Short DRx	Essilor of America	183
TR3-Demand AW 20	Rite-Style Optical Company, Inc.	385	Varilux Physio W3+	Essilor of America	184
TR4-Highway AW	Rite-Style Optical Company, Inc.	386	Varilux Physio W3+ eyecode	Essilor of America	185
TR5-Zone 13	Rite-Style Optical Company, Inc.	387	Varilux Physio W3+ Fit	Essilor of America	186
TR8-Active AW 15	Rite-Style Optical Company, Inc.	388	Varilux S 4D	Essilor of America	187
TR8-Active AW 17	Rite-Style Optical Company, Inc.	389	Varilux S Design	Essilor of America	188
TR8-Active AW 19	Rite-Style Optical Company, Inc.	390	Varilux S Design Short	Essilor of America	189
TruVision		6	Varilux S Fit	Essilor of America	190
TruVision Omni		7	Varilux Sport	Essilor Canada	122
TruVision Technica		8	Varilux Sport	Essilor of America	191
Ultimate HD	US Optical	497	Varilux Stylistic	Essilor of America	192
Umbramatic SR Gradal HS	Carl Zeiss Vision	60	Varilux X	Essilor of America	193
UNITY PLx	VSP	507	Varilux X 4D	Essilor of America	194
UNITY PLxtra	VSP	508	Varilux X Fit	Essilor of America	195
Unity PLxtreme	VSP	509	VIP	Carl Zeiss Vision	63
Unity Via	VSP	510	VIP Gold	SOLA Optical	489
Unity Via Elite	VSP	511	Vista	Robertson Optical Laboratories, Inc.	406
Unity Via Mobile	VSP	512	VISTA CP	Robertson Optical Laboratories, Inc.	407
Unity Via OfficePro 10ft	VSP	513	VISTA WS	Robertson Optical Laboratories, Inc.	408
Unity Via OfficePro 5ft	VSP	514	Visuality	SOLA Optical	490
Unity Via Plus	VSP	515	WorkSpace	Shamir Insight Inc.	465
Unity Via Wrap	VSP	516	Wrap HD	US Optical	498
Universa HD Office (075, 125, 175)	Carl Zeiss Vision	61	X-Pro Discovery	Excelite, Inc.	200
Universa2 HD	Carl Zeiss Vision	62	X-Pro Discovery Plus	Excelite, Inc.	201
Variations	Landon Lens	317	X-Pro Discovery Xtra	Excelite, Inc.	202
Varilux Ipseo IV	Essilor of America	160	X-Pro Maxima Plus	Excelite, Inc.	203
Varilux Comfort	Essilor of America	161	XL	SOLA Optical	491
Varilux Comfort / Comfort DSx	Essilor Canada	120	XL Gold	SOLA Optical	492
Varilux Comfort Drx	Essilor of America	162	XP HD	Robertson Optical Laboratories, Inc.	409
Varilux Comfort Enhanced	Essilor of America	163	Xplore	KBco, Inc.	306
Varilux Comfort Short	Essilor of America	164	Zeal Digital Progressive	Zeal Optics	524
Varilux Comfort Short DRx	Essilor of America	165	ZEISS Business	Carl Zeiss Vision	64
Varilux Comfort W3+	Essilor of America	166	ZEISS Choice (13, 15, 17, 19)	Carl Zeiss Vision	65
Varilux Comfort W3+ eyecode	Essilor of America	167	ZEISS Choice Plus (13, 15, 17, 19, 21)	Carl Zeiss Vision	66
Varilux Comfort W3+ Fit	Essilor of America	168	ZEISS Choice Plus V	Carl Zeiss Vision	67
Varilux Ellipse	Essilor of America	169	ZEISS Digital Lens	Carl Zeiss Vision	68
Varilux Ellipse / Ellipse 360	Essilor Canada	121	ZEISS DriveSafe	Carl Zeiss Vision	69
Varilux Ellipse 360°	Essilor of America	170	ZEISS DriveSafe Individual	Carl Zeiss Vision	70
Varilux Ipseo IV	Essilor of America	171	ZEISS EnergizeMe (14, 16, 18)	Carl Zeiss Vision	71
Varilux Ipseo IV eyecode	Essilor of America	172	ZEISS EnergizeMe Digital	Carl Zeiss Vision	72
Varilux Physio	Essilor of America	173	ZEISS Experience	Carl Zeiss Vision	73-74
Varilux Physio 360°	Essilor of America	174	ZEISS Experience HD2	Carl Zeiss Vision	75
Varilux Physio DRx	Essilor of America	175	ZEISS Experience Short	Carl Zeiss Vision	76-77

Lens Name	Company Name	Item #	Lens Name	Company Name	Item #
ZEISS Individual	Carl Zeiss Vision	78	ZEISS Plus 2 Short Sport	Carl Zeiss Vision	88
ZEISS Individual 2	Carl Zeiss Vision	79	ZEISS Plus 2 Sport	Carl Zeiss Vision	89
ZEISS Light D (14, 18)	Carl Zeiss Vision	80	ZEISS Precision Plus	Carl Zeiss Vision	90
ZEISS Light H (14, 16, 18)	Carl Zeiss Vision	81	ZEISS Precision Pure (13, 15, 17, 19, 21)	Carl Zeiss Vision	91
ZEISS Light V	Carl Zeiss Vision	82	ZEISS Precision Superb	Carl Zeiss Vision	92
ZEISS MyoKids Pro	Carl Zeiss Vision	83	ZEISS SmartLife Individual	Carl Zeiss Vision	93
ZEISS MyoKids Pro Individual	Carl Zeiss Vision	84	ZEISS SmartLife Plus	Carl Zeiss Vision	94
ZEISS Officelens Book	Carl Zeiss Vision	85	ZEISS SmartLife Pure (S, M, L)	Carl Zeiss Vision	95
ZEISS Officelens Desk	Carl Zeiss Vision	86	ZEISS SmartLife Superb	Carl Zeiss Vision	96
ZEISS Officelens Room	Carl Zeiss Vision	87			

Extended ADD Range Index

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.50	Acuity 9/11/13	355	to 0.50	Persona Phd Near	397	to 0.75	Advanced HD	496
	CLEARi Absolute-W 12	98		Persona Quattro	398		Amplitude	243
	CLEARi DED 14	99		Persona Quattro Sport	399		Amplitude BKS	244
	CLEARi DED 16	100		Privo Advance	106		Amplitude iQ	245
	CLEARi DED 19	101		Proceed II Short	438		Amplitude Mini	246
	CLEARi OFFICE BOOK	102		Proceed III Super Short	439		Amplitude Mini BKS	247
	CLEARi OFFICE COMPUTER	103		Signature HD	400		Amplitude Mini iQ	248
	CLEARi OFFICE ROOM	104		Smallfit DS (Canada)	158		AO Easy	2
	COZE ADL ADVANCED	401		Succeed	440		AO Easy HD	10
	COZE CASATA	402		Succeed WS	441		AO Force 55	3
	COZE HDW	403		Summit ecp	265		Array	249
	COZE SOFT	404		Summit ecp iQ	266		Array 2	250
	COZE WRAP	405		Supercede	442		Array Wrap	251
	DLS Anti-Fatigue	216		Supercede II	443		Attitude III Fashion 15	449
	DLS Camber Near	217		Supercede WS	444		Attitude III Fashion 18	450
	Eagle	222		Superior	445		Attitude III Sport	451
	Eagle Apprentice	223		Supernal	446		Augen HD Trinity Spacia SF	11
	Eagle Balance	224		Surmount	447		Autograph II -Fixed & Var. Des	452
	Eagle Driver	225		Surmount Ws	448		Autograph II Attitude	453
	Eagle Precision	227		synchrony Starter HD	53		Autograph II Office	454
	Eagle Sport	228		TR1-Far AW 14	374		Autograph III Fixed & VAR.	455
	Eagle Ultra Short	229		TR1-Far AW 16	375		Autograph Intelligence Fixed & VARI.	456
	Eagle Workplace	230		TR1-Far AW 18	376		Autograph II+ Fixed & VARI.	457
	Eaglet	231		TR1-Far AW 20	377		Balance Digital 12	327
	Eaglet Balance	232		TR2-Basic 14	378		Balance Digital 14	328
	EasyLux	105		TR2-Basic 16	379		Ce-Tru Normal Corridor	307
	epik DRV 110/110 N+D4	234		TR2-Basic 18	380		ClassicLife Free XS. M or L	410
	epik DRV 50/50 N+D4	235		TR2-Basic 20	381		Compact ULTRA HD	485
	epik DRV 80/80 N+D4	236		TR3-Demand AW 14	382		Computer	459
	Expert Elite™	206		TR3-Demand AW 16	383		Constitution HD	220
	Expert Essential®	207		TR3-Demand AW 18	384		Constitution Short HD	221
	Expert Extreme™	209		TR3-Demand AW 20	385		Crossbows Custom U	469
	Expert Relief™ 50 and 75	210		TR4-Highway AW	386		Crossbows Custom V	470
	Expert Tween™ 1.3; 2.0; 4.0	214		TR5-Zone 13	387		Crossbows Junior	471
	Geo-FORM 11	364		TR8-Active AW 15	388		DirecTek	472
	Geo-FORM 13	365		TR8-Active AW 17	389		DirecTek Short	473
	Geo-FORM 15	366		TR8-Active AW 19	390		DLS Advanced PAL	215
	Geo-FORM AW 10	367		Unity Via	510		DLS PAL	218
	Geo-FORM AW 12	368		Unity Via Elite	511		DLS Pro PAL	219
	Geo-FORM AW 14	369		Unity Via Mobile	512		Elan HD	17
	Geo-FORM AW 14	369		Unity Via Plus	515		Elan HD Short	18
	Geo-FORM EZ 13	370		Unity Via Wrap	516		Elan HDV	19
	Geo-FORM EZ 15	371		Vista	406		Element	460
	Geo-FORM EZ S 11	372		VISTA CP	407		Element Short	461
	Geo-FORM EZ S 13	373		VISTA WS	408		epik Day 13/15/17/19/21	233
	identity home 9/11/13	356		XP HD	409		epik iBifocal	237
	identity play 9/11/13	357	to 0.75	Accolade	123		epik Standard 14/17	239
	identity smart 9/11/13	359		Accolade Freedom	124		epik Variable Active/Active N+D4	240
	Perfas Premier II	436		Adage	521		epik Variable Device/Device N+D4	241
	Perfas Prominent	437		Adaptar	125		epik Variable/Variable N+D4	242
	Persona	391		Adaptar Digital	126		Essilor Ideal	136
	Persona Office	392		Adaptar DS	112		Essilor Ideal Advanced	137
	Persona G4	393		Adaptar DS (Canada)	127		Essilor Ideal Advanced Fit	138
	Persona Novice	394		Adaptar DS Short (Canada)	128		Essilor Ideal Advanced Wrap	139
	Persona Phd	395		Adaptar Short Digital	129		Essilor Ideal Computer	140
	Persona Phd Distance	396						

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.75	Essilor Ideal Driving	141	to	Move Digital 15	342	to	SmallFit / SmallFit DS	118
	Essilor Ideal Fit	142	0.75			0.75		
	Essilor Ideal Short	143		MOVE Short	330		SmallFit Digital	157
	Essilor Ideal Sport	144		Multigressiv MyView 2 XS, M, L	421		SOLA HDV	487
	Essilor Natural	145		MyView Ergo 2 Book	422		SOLAOne HD	488
	Essilor Natural / Natural DS	115		MyView Ergo 2 PC or Room	423		Spectrum	464
	Essilor Natural Digital	146		Natural DS (Canada)	147		Summit cd	263
	Executive/ ShoreView ES	466		Navigator FBS	482		Summit cd iQ	264
	Expert DNA™	204		Nikon Eyes Advanced	148		Super No-Line	159
	Expert Elite C™	205		Nikon Eyes Advanced Short	149		synchrony Access HD (075, 125, 175)	39
	Expert Extreme C™	208		Nikon Eyes Customized	150		synchrony Curves HDC	40
	Expert RNA™	211		Nikon Go	331		synchrony Easy Adapt HD	42
	First PAL	462		Nikon Go Digital	332		synchrony Easy M	43
	Golf	463		Nikon i	333		synchrony Easy M HD	44
	Gradal Individual	26		Nikon i Digital	334		synchrony Easy S	45
	Gradal Shorti	28		Nikon W	336		synchrony Easy S HD	46
	Gradal Top	29		Nikon W	344		synchrony Easy View	47
	GT2	30		Nikon W Short	345		synchrony Easy View HD	48
	GT2 3D	31		Novel	504		synchrony Easy Wear HD	50
	GT2 3D Short	33		Outlook	506		synchrony Performance HD (13, 15, 17, 19)	51
	GT2 Short	34		Ovation	116		synchrony Performance HDV	52
	Hoyalux GP	252		Ovation	151		synchrony Ultra HD (13, 15, 17, 19, 21)	54
	Hoyalux GPW	253		Ovation ADS	117		synchrony Ultra HDC	55
	HyperPro	360		Ovation ADS (Canada)	152		synchrony Ultra HDV	56
	ID InStyle	255		Ovation ADS Short (Canada)	153		synchrony Work & Go HD	57
	ID Lifestyle	256		Ovation Digital	154		synchrony Work & Office HD	58
	iD LifeStyle 2 Clarity	257		Ovation DS (Canada)	155		synchrony Work & Read HD	59
	ID LifeStyle 2 Clarity cd	258		Percepta	486		TACT 40 BKS and TACT 60 BKS	267
	ID LifeStyle 2 Harmony	259		Presio Digital i Short	346		Ultimate HD	497
	ID LifeStyle 2 Harmony cd	260		Presio i	347		Umbramatic SR Gradal HS	60
	ID Lifestyle cd	261		Presio i Digital	348		UNITY PLx	507
	ID Mystyle	262		Presio i Digital 12	349		UNITY PLxtra	508
	identity pro	358		Presio i Digital 14	350		Unity PLxtreme	509
	Illumina	503		Presio i Digital Short	351		Universa HD Office (075, 125, 175)	61
	Impression 2 XS, M, or L	411		Presio i Short	352		Universa2 HD	62
	Impression Ergo 2 Book	412		Presio Power 12/13/14	337		Varilux Ipseo IV	160
	Impression Ergo 2 PC or Room	413		Presio Power 12/13/14	353		Varilux Comfort	161
	Impression Ergo FreeSign 2	414		Pro-Freedom Solace	198		Varilux Comfort Drx	162
	Impression FreeSign 2	415		Progressiv ClassicLife	426		Varilux Comfort Enhanced	163
	Impression Hyperop	416		Progressiv ClassicLife XS	427		Varilux Comfort Short	164
	Impression Hyperop XS	417		Progressiv Life 2	428		Varilux Comfort Short DRx	165
	Impression Myop	418		Progressiv Life 2 XS	429		Varilux Comfort W3+	166
	Impression Myop XS	419		Progressiv Purelife	430		Varilux Comfort W3+ eyecode	167
	Intellego 3	268		Progressiv Purelife XS	431		Varilux Comfort W3+ Fit	168
	Intellego 3 14	269		ProgressivPureLife Free	432		Varilux Ellipse	169
	Intellego 3 16	270		XS,M,L			Varilux Ellipse / Ellipse 360	121
	Intellego 3 18	271		Proprius DS	326		Varilux Ellipse 360°	170
	KODAK Precise PB	475		PureSite Easy Fit	107		Varilux Ipseo IV	171
	KODAK Precise Short PB	477		PureSite Enhanced	108		Varilux Ipseo IV eyecode	172
	KODAK SoftWear	478		PureSite Premier	109		Varilux Physio	173
	Kodak Unique	479		PureSite Ultima	110		Varilux Physio 360°	174
	KODAK Unique DRO	480		SeeMax Power 12/13/14	338		Varilux Physio DRx	175
	KODAK Unique DRO HD	481		SeeMax Power 12/13/14	354		Varilux Physio Enhanced	176
	MOVE	329		SeeMaxProgressive 12	339		Varilux Physio Enhanced Azio	177
	Move Digital 13	341		SeeMaxProgressive 14	340		Varilux Physio Enhanced eyecode	178
				Shoreview Mini ES	468		Varilux Physio Enhanced Fit	179
				Smallfit	156			

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 0.75	Varilux Physio Enhanced India	180	to 3.50	Adaptar DS	112	to 3.50	Endless Office 2 m	284
	Varilux Physio Short	181		Adaptar DS (Canada)	127		Endless Office 4 m	285
	Varilux Physio Short 360°	182		Adaptar DS Short (Canada)	128		epik Day 13/15/17/19/21	233
	Varilux Physio Short DRx	183		Advanced HD	496		epik iBifocal	237
	Varilux Physio W3+	184		Amplitude	243		epik Office UltraHD,	238
	Varilux Physio W3+ eyecode	185		Amplitude BKS	244		Book/Room/Desk	
	Varilux Physio W3+ Fit	186		Amplitude iQ	245		epik Standard 14/17	239
	Varilux S 4D	187		Amplitude Mini	246		epik Variable Active/Active	240
	Varilux S Design	188		Amplitude Mini BKS	247		N+D4	
	Varilux S Design Short	189		Amplitude Mini iQ	248		epik Variable Device/Device	241
	Varilux S Fit	190		AO b'Active	1		N+D4	
	Varilux Sport	122		AO Easy	2		epik Variable/Variable N+D4	242
	Varilux Sport	191		AO Easy HD	10		Essilor Ideal	136
	Varilux Stylistic	192		AO Force 55	3		Essilor Ideal Advanced	137
	Varilux X	193		APEX	97		Essilor Ideal Advanced Fit	138
	Varilux X 4D	194		Array	249		Essilor Ideal Computer	140
	Varilux X Fit	195		Array 2	250		Essilor Ideal Driving	141
	VIP	63		Array Wrap	251		Essilor Ideal Fit	142
	VIP Gold	489		Attitude III Fashion 15	449		Essilor Ideal Sport	144
	Visuality	490		Attitude III Fashion 18	450		Essilor Natural	145
	WorkSpace	465		Attitude III Sport	451		Essilor Natural / Natural DS	115
	Wrap HD	498		Augen HD Trinity Spacia SF	11		Essilor Natural Digital	146
	XL	491		Autograph II Attitude	453		Executive/ ShoreView ES	466
	XL Gold	492		Autograph II Office	454		Expert DNA™	204
	ZEISS Choice (13, 15, 17, 19)	65		Autograph Intelligence Fixed & VARI.	456		Expert Elite C™	205
	ZEISS Choice Plus (13, 15, 17, 19, 21)	66		Autograph II+ Fixed & VARI.	457		Expert Extreme C™	208
	ZEISS Choice Plus V	67		Ce-Tru Normal Corridor	307		Expert RNA™	211
	ZEISS Digital Lens	68		CLEARi Absolute-W 12	98		Expert Tween™ 1.3; 2.0; 4.0	214
	ZEISS DriveSafe	69		CLEARi DED 14	99		First PAL	462
	ZEISS DriveSafe Individual	70		CLEARi DED 16	100		Futureise	362
	ZEISS EnergizeMe (14, 16, 18)	71		CLEARi DED 19	101		Geo-FORM 11	364
	ZEISS EnergizeMe Digital	72		CLEARi OFFICE BOOK	102		Geo-FORM 13	365
	ZEISS Experience HD2	75		CLEARi OFFICE COMPUTER	103		Geo-FORM 15	366
	ZEISS Individual	78		CLEARi OFFICE ROOM	104		Geo-FORM AW 10	367
	ZEISS Individual 2	79		Compact ULTRA HD	485		Geo-FORM AW 12	368
	ZEISS Light D (14, 18)	80		Constitution HD	220		Geo-FORM AW 14	369
	ZEISS Light H (14, 16, 18)	81		Constitution Short HD	221		Geo-FORM EZ 13	370
	ZEISS Light V	82		COZE HDW	403		Geo-FORM EZ 15	371
	ZEISS Officelens Book	85		COZE SOFT	404		Geo-FORM EZ S 11	372
	ZEISS Officelens Desk	86		COZE WRAP	405		Geo-FORM EZ S 13	373
	ZEISS Officelens Room	87		Crossbows Custom U	469		Golf	463
	ZEISS Plus 2 Short Sport	88		Crossbows Custom V	470		Gradal Individual	26
	ZEISS Plus 2 Sport	89		Crossbows Junior	471		Gradal Shorti	28
	ZEISS Precision Plus	90		DirecTek	472		Gradal Top	29
	ZEISS Precision Pure (13, 15, 17, 19, 21)	91		DirecTek Short	473		GT2	30
	ZEISS Precision Superb	92		DLS Advanced PAL	215		GT2 3D	31
	ZEISS SmartLife Individual	93		DLS PAL	218		GT2 3D 3DV	32
	ZEISS SmartLife Plus	94		DLS Pro PAL	219		GT2 3D Short	33
	ZEISS SmartLife Pure (S, M, L)	95		Elan HD	17		GT2 Short	34
	ZEISS SmartLife Superb	96		Elan HD Short	18		Hoyalux GP	252
to 3.50	Accolade	123		Elan HDV	19		Hoyalux GPW	253
	Accolade Freedom	124		Element	460		HyperPro	360
	Acuity 9/11/13	355		Element Short	461		ID InStyle	255
	Adage	521		Endless Office	282		ID Lifestyle	256
	Adaptar	125		Endless Office 1.3 m	283		iD LifeStyle 2 Clarity	257
							ID LifeStyle 2 Clarity cd	258
							ID LifeStyle 2 Harmony	259
							ID LifeStyle 2 Harmony cd	260

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to	ID Lifestyle cd	261	to	Presio i Digital Short	351	to	synchrony Ultra HDV	56
3.50			3.50			3.50		
	ID Mystyle	262		Presio i Short	352		synchrony Work & Go HD	57
	Illumina	503		Presio Power 12/13/14	337		synchrony Work & Office HD	58
	Impression 2 XS, M, or L	411		Presio Power 12/13/14	353		synchrony Work & Read HD	59
	Impression Ergo 2 Book	412		Pro-Freedom	196		TACT 40 BKS and TACT 60 BKS	267
	Impression Ergo 2 PC or Room	413		Pro-Freedom Plus	197		Ultimate HD	497
	Impression Ergo FreeSign 2	414		Pro-Freedom Solace	198		Umbramatic SR Gradal HS	60
	Impression FreeSign 2	415		Pro-Freedom Sports	199		UNITY PLx	507
	Intellego 3	268		Proceed II Short	438		UNITY PLxtra	508
	Intellego 3 14	269		Proceed III Super Short	439		Unity PLxtreme	509
	Intellego 3 16	270		Progressiv Life 2	428		Unity Via OfficePro 10ft	513
	Intellego 3 18	271		Progressiv Purelife	430		Unity Via OfficePro 5ft	514
	iRx Pro	304		ProgressivPureLife Free XS,M,L	432		Universa HD Office (075, 125, 175)	61
	KODAK Precise PB	475		Promult	320		Universa2 HD	62
	KODAK Precise Short PB	477		Proprius DS	326		Varilux Ipseo IV	160
	KODAK SoftWear	478		PureSite Easy Fit	107		Varilux Comfort	161
	Kodak Unique	479		PureSite Enhanced	108		Varilux Comfort Drx	162
	KODAK Unique DRO	480		PureSite Premier	109		Varilux Comfort Enhanced	163
	KODAK Unique DRO HD	481		PureSite Ultima	110		Varilux Ipseo IV	171
	Micro	363		SeeMax Power 12/13/14	338		Varilux Ipseo IV eyecode	172
	MOVE	329		SeeMax Power 12/13/14	354		Varilux Physio Enhanced	176
	Move Digital 13	341		SeeMaxProgressive 12	339		Varilux Sport	122
	Move Digital 15	342		SeeMaxProgressive 14	340		Varilux Sport	191
	MOVE Short	330		Smallfit DS (Canada)	158		Varilux Stylistic	192
	Multigressiv MyView 2 XS, M, L	421		SOLA HDV	487		VIP	63
	Mvp Platinum Plastic II	316		SOLAOne HD	488		VIP Gold	489
	MyView Ergo 2 Book	422		Spectrum	464		Vista	406
	MyView Ergo 2 PC or Room	423		Succeed	440		VISTA CP	407
	Natural DS (Canada)	147		Succeed WS	441		VISTA WS	408
	Navigator FBS	482		Summit cd	263		Visuality	490
	Nikon Eyes Advanced	148		Summit cd iQ	264		WorkSpace	465
	Nikon Eyes Customized	150		Super No-Line	159		Wrap HD	498
	Nikon Go	331		Supercede	442		X-Pro Discovery	200
	Nikon Go Digital	332		Supercede II	443		X-Pro Discovery Plus	201
	Nikon i	333		Supercede WS	444		X-Pro Discovery Xtra	202
	Nikon i Digital	334		Supernal	446		XL	491
	Nikon W	336		Surmount	447		XL Gold	492
	Nikon W	344		Surmount Ws	448		ZEISS Choice (13, 15, 17, 19)	65
	Nikon W Short	345		Synchrony	37		ZEISS Choice Plus (13, 15, 17, 19, 21)	66
	Novel	504		synchrony Access HD (075, 125, 175)	39		ZEISS Choice Plus V	67
	Novella Short Corridor	505		synchrony Curves HDC	40		ZEISS Digital Lens	68
	Outlook	506		synchrony Easy Adapt	41		ZEISS DriveSafe	69
	Ovation	116		synchrony Easy Adapt HD	42		ZEISS DriveSafe Individual	70
	Ovation	151		synchrony Easy M	43		ZEISS EnergizeMe (14, 16, 18)	71
	Ovation ADS	117		synchrony Easy M HD	44		ZEISS EnergizeMe Digital	72
	Ovation ADS (Canada)	152		synchrony Easy S	45		ZEISS Experience HD2	75
	Ovation Digital	154		synchrony Easy S HD	46		ZEISS Individual 2	79
	Ovation DS (Canada)	155		synchrony Easy View	47		ZEISS Light D (14, 18)	80
	Percepta	486		synchrony Easy View HD	48		ZEISS Light H (14, 16, 18)	81
	Perfas Premier II	436		synchrony Easy Wear	49		ZEISS Light V	82
	Perfas Prominent	437		synchrony Easy Wear HD	50		ZEISS Officelens Book	85
	PolySensus	319		synchrony Performance HD (13, 15, 17, 19)	51		ZEISS Officelens Desk	86
	Presio Digital i Short	346		synchrony Performance HDV	52		ZEISS Officelens Room	87
	Presio i	347		synchrony Ultra HD (13, 15, 17, 19, 21)	54		ZEISS Plus 2 Short Sport	88
	Presio i Digital	348		synchrony Ultra HDC	55		ZEISS Plus 2 Sport	89

ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #	ADD Range	Lens Name	Item #
to 3.50	ZEISS Precision Plus	90	to 4.00	Varilux Physio 360°	174	to 4.50	Eaglet Balance	232
	ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Varilux Physio DRx	175		Endless Drive Progressive	280
	ZEISS Precision Superb	92		Varilux Physio Enhanced Azio	177		Endless Steady Progressive	289
	ZEISS SmartLife Individual	93		Varilux Physio Enhanced eyecode	178		Endless Steady Progressive Distance Vision	290
	ZEISS SmartLife Plus	94		Varilux Physio Enhanced Fit	179		Endless Steady Progressive Intermediate Vision	291
	ZEISS SmartLife Pure (S, M, L)	95		Varilux Physio Enhanced India	180		Endless Steady Progressive Near Vision	292
	ZEISS SmartLife Superb	96		Varilux Physio W3+	184		Expert Elite™	206
to 4.00	Autograph II -Fixed & Var. Des	452		Varilux Physio W3+ eyecode	185		Expert Essential®	207
	Autograph III Fixed & VAR.	455		Varilux Physio W3+ Fit	186		Expert Extreme™	209
	Balance Digital 12	327		Varilux S 4D	187		Persona Quattro	398
	Balance Digital 14	328		Varilux S Design	188		Persona Quattro Sport	399
	Definity 3	132		Varilux S Design Short	189		TR1-Far AW 14	374
	Definity 3 Plus	133		Varilux S Fit	190		TR1-Far AW 16	375
	EasyLux	105		Varilux X	193		TR1-Far AW 18	376
	Essential Steady Progressive	293		Varilux X 4D	194		TR1-Far AW 20	377
	identity home 9/11/13	356	to 4.50	Varilux X Fit	195		TR2-Basic 14	378
	identity play 9/11/13	357		XP HD	409		TR2-Basic 16	379
	identity smart 9/11/13	359		Camber Steady Plus Progressive	272		TR2-Basic 18	380
	Persona	391		Camber Steady Plus Progressive Distance Vision	273		TR2-Basic 20	381
	Persona G4	393		Camber Steady Plus Progressive Intermediate Vision	274		TR3-Demand AW 14	382
	Persona Phd	395		Camber Steady Plus Progressive Near Vision	275		TR3-Demand AW 16	383
	Persona Phd Distance	396		COZE ADL ADVANCED	401		TR3-Demand AW 18	384
	Persona Phd Near	397		COZE CASATA	402		TR3-Demand AW 20	385
	Presio i Digital 12	349		DLS Camber Near	217		TR4-Highway AW	386
	Presio i Digital 14	350		Eagle	222		TR5-Zone 13	387
	Privo Advance	106		Eagle Apprentice	223		TR8-Active AW 15	388
	Signature HD	400		Eagle Balance	224		TR8-Active AW 17	389
	Summit ecp	265		Eagle Driver	225		TR8-Active AW 19	390
	Summit ecp iQ	266		Eagle PC	226		Unity Via	510
	Superior	445		Eagle Precision	227		Unity Via Elite	511
	Varilux Comfort W3+	166		Eagle Sport	228		Unity Via Mobile	512
	Varilux Comfort W3+ eyecode	167		Eagle Ultra Short	229		Unity Via Plus	515
	Varilux Comfort W3+ Fit	168		Eagle Workplace	230		Unity Via Wrap	516
	Varilux Physio	173		Eaglet	231			

Index of Companies

Company Name	Item #	Company Name	Item #
American Optical	9	Nikon Optical Canada	327
Augen Optics	11	Nikon Optical USA	341
Carl Zeiss Vision	15	PFO Global	355
Classic Optical Laboratories, Inc.	97	PFO Optima LLC	360
CLEARi	98	Polycore Optical	362
Dehlawi Optical Industries	105	Rite-Style Optical Company, Inc.	364
Diversified Ophthalmics, Inc.	107	Riverside Opticalab Ltd.	391
Essilor Canada	111	Robertson Optical Laboratories, Inc.	401
Essilor of America	123	Rodenstock Canada	410
Excelite, Inc.	196	Seiko Optical Products	433
Expert Optics	204	Shamir Insight Inc.	449
Eye Kraft Optical, Inc.	215	Shore Lens Company	466
FEA Industries, Inc.	220	Signet Armorlite, Inc.	469
GSRx	233	SOLA Optical	485
Hoya Vision Care - Dallas	243	SOMO Optical	493
Interstate Optical	268	Sutherlin Optical, Inc.	495
IOT	272	US Optical	496
KBco, Inc.	302	Vision Dynamics Lab/Optical Dynamics	499
L.B.I.	307	Vision Warehouse	502
Landon Lens	312	Vision-Ease Lens, Inc.	503
Lenscrafters	318	VSP	507
MacLens Optical	319	Walman - Soderberg	517
Maui Jim	321	X-CEL Optical	518
Melibrad	322	Younger Optics	521
Nassau Lens Company	325	Zeal Optics	524
Nexus Vision Group	326		

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
10mm	Eagle Ultra Short	229	13mm	synchrony Performance HDV	52	14mm	Endless Office 4 m	285
11mm	AO Easy	9		synchrony Ultra HD (13, 15,	54		Endless Steady Progressive	289
	Autograph II -Fixed & Var. Des	452		17, 19, 21)			Endless Steady Progressive	290
	Autograph III Fixed & VAR.	455		synchrony Ultra HDC	55		Distance Vision	
	Autograph Intelligence Fixed & VARI.	456		synchrony Ultra HDV	56		Endless Steady Progressive	291
	Autograph II+ Fixed & VARI.	457		Universa2 HD	62		Intermediate Vision	
	Blue IQ Variable Progressive	318		Varilux Ellipse 360°	170		Endless Steady Progressive	292
12mm	Unity Via	510		ZEISS Choice (13, 15, 17, 19)	65		Near Vision	
	Unity Via Elite	511		ZEISS Choice Plus (13, 15, 17,	66		epik Office UltraHD,	238
	Unity Via Mobile	512		19, 21)			Book/Room/Desk	
	Unity Via Plus	515		ZEISS Choice Plus V	67		epik Standard 14/17	239
	Unity Via Wrap	516		ZEISS Digital Lens	68		Essilor Steady Progressive	293
13mm	Adage	521		ZEISS DriveSafe	69		Essilor Steady Progressive	294
	Autograph III Fixed & VAR.	455		ZEISS DriveSafe Individual	70		Distance Vision	
	Autograph Intelligence Fixed & VARI.	456		ZEISS Experience HD2	75		Essilor Steady Progressive	295
	Autograph II+ Fixed & VARI.	457		ZEISS Experience Short	76,77		Intermediate Vision	
	Compact ULTRA HD	485		ZEISS Individual	78		Essilor Steady Progressive	296
	Crossbows Custom U	469		ZEISS Individual 2	79		Near Vision	
	Crossbows Custom V	470		ZEISS Light V	82		Essilor Ideal Fit	142
	Crossbows Junior	471		ZEISS Officelens Book	85		Essilor Ideal Short	143
	DLS Advanced PAL	215		ZEISS Officelens Desk	86		Essilor Natural Digital	146
	DLS PAL	218		ZEISS Officelens Room	87		Expert Elite C™	205
	DLS Pro PAL	219		ZEISS Precision Plus	90		Expert Elite™	206
	Elan HD Short	18		ZEISS Precision Pure (13, 15,	91		Expert Essential®	207
	Elan HDV	19		17, 19, 21)			Expert Extreme C™	208
	epik Day 13/15/17/19/21	233		ZEISS Precision Superb	92		Expert Extreme™	209
	Essilor Anti-Fatigue	134		ZEISS SmartLife Individual	93		Expert RNA™	211
	Essilor Ideal Computer	140		ZEISS SmartLife Plus	94		Expert Tween™ 1.3; 2.0; 4.0	214
	Expert DNA™	204	13.5mm	ZEISS SmartLife Superb	96		Geo-FORM AW 10	367
	Expert RNA™	211	14mm	DirecTek Short	473		ID InStyle	255
	GT2 3D 3DV	32		Adaptar Short Digital	129		ID LifeStyle 2 Clarity cd	258
	GT2 3D Short	33		Advanced HD	496		ID LifeStyle 2 Harmony cd	260
	GT2 Short	34		Amplitude Mini	246		ID Lifestyle cd	261
	Impression FreeSign 2	415		Amplitude Mini BKS	247		Impression 2 XS, M, or L	411
	Intellego 3	268		Amplitude Mini iQ	248		Impression Ergo 2 Book	412
	Intellego 3 14	269		APEX	97		Impression Ergo FreeSign 2	414
	Intellego 3 16	270		Camber Steady Plus	272		Impression Hyperop XS	417
	Intellego 3 18	271		Progressive			Impression Myop XS	419
	Kodak Precise Short	476		Camber Steady Plus	273		iRx Short	305
	KODAK Precise Short PB	477		Progressive Distance Vision			Multigressiv MyView 2 XS, M, L	421
	Kodak Unique	479		Camber Steady Plus	274		MyView Ergo 2 Book	422
	KODAK Unique DRO	480		Progressive Intermediate			Navigator Short	484
	KODAK Unique DRO HD	481		Vision			Nikon Eyes Advanced Short	149
	Nexyma Reading (40)	425		Camber Steady Plus	275		Novella Short Corridor	505
	Persona G4	393		Progressive Near Vision			Perfas Premier II	436
	Persona Novice	394		Channel 14 Plastic II	312		Perfas Prominent	437
	Persona Phd	395		Channel 14 Poly II	313		Progressiv ClassicLife XS	427
	Persona Phd Distance	396		Channel 14 Variations Poly	315		Progressiv Life 2 XS	429
	Persona Phd Near	397		Pho			Progressiv Purelife XS	431
	Persona Quattro	398		ClassicLife Free XS. M or L	410		ProgressivPureLife Free XS,M,L	432
	SOLA HDV	487		CLEARi Absolute-W 12	98		PureSite Enhanced	108
	synchrony Curves HDC	40		Computer	459		PureSite Premier	109
	synchrony Easy M	43		DLS Anti-Fatigue	216		PureSite Ultima	110
	synchrony Easy S HD	46		DLS Camber Near	217		Signature HD	400
	synchrony Performance HD	51		Eagle	222		Smallfit	156
	(13, 15, 17, 19)			Eagle Balance	224		SmallFit Digital	157
				Eagle PC	226		Spectrum	464
				Eagle Precision	227		Summit cd	263
				Eaglet	231			

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	
14mm	Surmount	447	15mm	Camber Steady Plus	274	15mm	TR8-Active AW 15	388	
	Surmount Ws	448		Progressive Intermediate			Universa HD Office (075, 125, 175)	61	
	synchrony Starter HD	53		Vision			ZEISS Choice (13, 15, 17, 19)	65	
	TR1-Far AW 14	374		Camber Steady Plus	275		ZEISS Precision Pure (13, 15, 17, 19, 21)	91	
	TR2-Basic 14	378		Progressive Near Vision					
	TR3-Demand AW 14	382		Constitution Short HD	221		16mm	Acuity 9/11/13	355
	Ultimate HD	497		Continuum	16			Autograph II Office	454
	Unity PLxtreme	509		Definity Short	114,131			Autograph Relax	458
	Unity Via OfficePro 10ft	513		Definity 3	132			Camber Steady Plus	272
	Unity Via OfficePro 5ft	514		Definity 3 Plus	133			Progressive	
	Varilux Ipseo IV	160		Endless Steady Progressive	289			Camber Steady Plus	273
	Varilux Comfort Enhanced	163		Endless Steady Progressive	290			Progressive Distance Vision	
	Varilux Comfort Short	164		Distance Vision				Camber Steady Plus	274
	Varilux Comfort Short DRx	165		Endless Steady Progressive	291			Progressive Intermediate	
	Varilux Comfort W3+	166		Intermediate Vision				Vision	
	Varilux Comfort W3+ eyecode	167		Endless Steady Progressive	292			Camber Steady Plus	275
	Varilux Comfort W3+ Fit	168		Near Vision				Progressive Near Vision	
	Varilux Ellipse	169		epik Variable Active/Active	240			Ce-Tru Short Corridor	309
	Varilux Ellipse / Ellipse 360	121		N+D4				Ce-Tru Short Corridor	310
	Varilux Ipseo IV	171		epik Variable Device/Device	241			Photochr	
	Varilux Ipseo IV eyecode	172		N+D4				Channel 14 Variations Gray & B	314
	Varilux Physio Enhanced	176		epik Variable/Variable N+D4	242			Clarlet Business	15
	Varilux Physio Enhanced Azio	177		Essential Steady Progressive	293			CLEARi DED 14	99
	Varilux Physio Enhanced	178		Essential Steady Progressive	294			Eagle Apprentice	223
	eyecode			Distance Vision				Eagle Sport	228
	Varilux Physio Enhanced Fit	179		Essential Steady Progressive	295			Element Short	461
	Varilux Physio Enhanced India	180		Intermediate Vision				Endless Anti-fatigue Single	276
	Varilux Physio Short	181		Essential Steady Progressive	296			Vision 0.50 D	
	Varilux Physio Short 360°	182		Near Vision				Endless Anti-fatigue Single	277
	Varilux Physio Short DRx	183		Essilor Computer	135			Vision 0.75 D	
	Varilux Physio W3+	184		Expert DNA™	204			Endless Anti-fatigue Single	278
	Varilux Physio W3+ eyecode	185		Expert Elite C™	205			Vision 1.00 D	
	Varilux Physio W3+ Fit	186		Expert Elite™	206			Endless Drive Progressive	280
	Varilux S 4D	187		Expert Essential®	207			Endless Pilot Progressive	286
	Varilux S Design Short	189		Expert Extreme C™	208			Endless Sport Progressive	288
	Varilux S Fit	190		Expert Extreme™	209			Endless Steady Progressive	289
	WorkSpace	465		Expert RNA™	211			Endless Steady Progressive	290
	Wrap HD	498		First PAL	462			Distance Vision	
	ZEISS EnergizeMe (14, 16, 18)	71		Geo-FORM EZ S 11	372			Endless Steady Progressive	291
	ZEISS EnergizeMe Digital	72		Gradal Brevis 1.5	21			Intermediate Vision	
	ZEISS Light D (14, 18)	80		Gradal Brevis 1.6	22			Endless Steady Progressive	292
	ZEISS Light H (14, 16, 18)	81		Gradal Shorti	28			Near Vision	
	ZEISS MyoKids Pro	83		ID Mystyle	262			Essential Steady Progressive	293
	ZEISS MyoKids Pro Individual	84		identity pro	358			Essential Steady Progressive	294
	ZEISS Plus 2 Short Sport	88		Nikon Eyes Customized	150			Distance Vision	
ZEISS SmartLife Pure (S, M, L)	95	Nikon Online	335,343	Essential Steady Progressive	295				
15mm	Accolade Freedom	124	Nikon W Short	345	Intermediate Vision				
	Adaptar DS Short (Canada)	128	Ovation ADS Short (Canada)	153	Essential Steady Progressive	296			
	Attitude III Fashion 15	449	PCWide	435	Near Vision				
	Autograph II Attitude	453	Persona Office	392	Expert Elite C™	205			
	Autograph III Fixed & VAR.	455	Persona Quattro Sport	399	Expert Elite™	206			
	Autograph Intelligence Fixed & VARI.	456	Presio i Digital 12	349	Expert Essential®	207			
	Autograph II+ Fixed & VARI.	457	Pro-Freedom	196	Expert Extreme C™	208			
	Balance Digital 12	327	Pro-Freedom Plus	197	Expert Extreme™	209			
	Camber Steady Plus	272	Pro-Freedom Sports	199	Expert RNA™	211			
	Progressive		PureSite Easy Fit	107	Expert Sport Wrap XPV™	212			
	Camber Steady Plus	273	SeeMaxProgressive 12	339	(progressive)				
	Progressive Distance Vision		ShoreView / Shoreview Mini	467	EZ View Mini	493			
			Shoreview Mini ES	468	Geo-FORM 11	364			
			SmallFit / SmallFit DS	118	Geo-FORM AW 12	368			
			Smallfit DS (Canada)	158	Gradal Brevity 1.59	23			
			Succeed WS	441	Gradal Brevity 1.67	24			
			synchrony Access	38	identity home 9/11/13	356			
			synchrony Access HD (075, 125, 175)	39	identity play 9/11/13	357			

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
	synchrony Easy M HD	44		identity smart 9/11/13	359
	synchrony Easy S	45		inMotion	297
				IOT Endless Plus 0.50D	299
				IOT Endless Plus 0.75D	300
				IOT Endless Plus 1.00D	301
				Micro	363
				Move Digital 13	341
				MOVE Short	330

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
16mm	Nikon i	333	17mm	Freedom ID	518,519,520	18mm	Autograph II+ Fixed & VARI.	457
	Nikon i Digital	334		Geo-FORM EZ 13	370		Camber Steady Plus	272
	Novel	504		Geo-FORM EZ S 13	373		Progressive	
	Paradigm Short Corridor	501		GT2	30		Camber Steady Plus	273
	Polar-Ray Progressive	324		GT2 3D	31		Progressive Distance Vision	
	PolySensus	319		HD Trinity 13/17 SF	13		Camber Steady Plus	274
	Presio Digital i Short	346		HyperPro	360		Progressive Intermediate Vision	
	Presio i Digital Short	351		Illumina	503		Camber Steady Plus	275
	Presio i Short	352		Kodak Precise	474		Progressive Near Vision	
	Proceed III Super Short	439		KODAK Precise PB	475		CLEARi DED 16	100
	Proprius DS	326		KODAK SoftWear	478		CLEARi OFFICE COMPUTER	103
	Spectrum	464		Nikon Eyes Advanced	148		CLEARi OFFICE ROOM	104
	synchrony Work & Office HD	58		Nikon W	336,344		Continual Focus Lens (CFL)	499
	synchrony Work & Read HD	59		Ovation	116,151		Definity	113,130
	TR1-Far AW 16	375		Ovation ADS	117		Eagle Driver	225
	TR2-Basic 16	379		Ovation ADS (Canada)	152		Eagle Workplace	230
	TR3-Demand AW 16	383		Ovation Digital	154		Endless Anti-fatigue Single Vision 0.50 D	276
	ZEISS Business	64		Overture	495		Endless Anti-fatigue Single Vision 0.75 D	277
	ZEISS EnergizeMe (14, 16, 18)	71		Presio i Digital 14	350		Endless Anti-fatigue Single Vision 1.00 D	278
	ZEISS Experience	73,74		Pro-Freedom Solace	198		Endless Drive Progressive	280
	ZEISS Light H (14, 16, 18)	81		SeeMaxProgressive 14	340		Endless Office	282
	ZEISS SmartLife Pure (S, M, L)	95		SOLAMAX	36		Endless Office 1.3 m	283
16.5mm	DirecTek	472		Succeed	440		Endless Office 2 m	284
17mm	Accolade	123		Synchrony	37		Endless Office 4 m	285
	AF2	433		synchrony Easy View	47		Endless Pilot Progressive	286
	AugenSol HD Trinity 13/17	12		synchrony Easy View HD	48		Endless Sport Progressive	288
	Balance Digital 14	328		synchrony Work & Go	57		Endless Steady Progressive	289
	Camber Steady Plus	272		HD			Endless Steady Progressive Distance Vision	290
	Progressive			TR8-Active AW 17	389		Endless Steady Progressive Intermediate Vision	291
	Camber Steady Plus	273		Varilux Comfort	161		Endless Steady Progressive Near Vision	292
	Progressive Distance Vision			Varilux Comfort Drx	162		Essential Steady Progressive	293
	Camber Steady Plus	274		Varilux Physio	173		Essential Steady Progressive Distance Vision	294
	Progressive Intermediate Vision			Varilux Physio 360°	174		Essential Steady Progressive Intermediate Vision	295
	Camber Steady Plus	275		Varilux Physio DRx	175		Essential Steady Progressive Near Vision	296
	Progressive Near Vision			Varilux S Design	188		Essilor Ideal Driving	141
	CLEARi OFFICE BOOK	102		Varilux X	193		Essilor Ideal Sport	144
	Constitution HD	220		Varilux X 4D	194		Essilor Natural	145
	Elan HD	17		Varilux X Fit	195		Essilor Natural / Natural DS	115
	Endless Steady Progressive	289		Xplore	306		Executive/ ShoreView ES	466
	Endless Steady Progressive Distance Vision	290		ZEISS Choice (13, 15, 17, 19)	65		Expert Elite C™	205
	Endless Steady Progressive Intermediate Vision	291		ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Expert Elite™	206
	Endless Steady Progressive Near Vision	292	18mm	Adaptar	125		Expert Essential®	207
	EOS	302		Adaptar Digital	126		Expert Extreme C™	208
	EOS Wrap	303		Adaptar DS	112		Expert Extreme™	209
	Essential Steady Progressive	293		Adaptar DS (Canada)	127		Expert Relief™ 50 and 75	210
	Essential Steady Progressive Distance Vision	294		AO b'Active	1		Expert RNA™	211
	Essential Steady Progressive Intermediate Vision	295		AO Easy	2		Expert Sport Wrap XPV™ (progressive)	212
	Essential Steady Progressive Near Vision	296		AO Easy HD	10		Expert Tween™ 1.3; 2.0; 4.0	214
	Essilor Ideal	136		AO Force 55	3		Futureise	362
	Essilor Ideal Advanced	137		AO Pro 15	4		Geo-FORM 13	365
	Essilor Ideal Advanced Fit	138		AO Pro 16	5		Geo-FORM AW 14	369
	Essilor Ideal Advanced Wrap	139		Attitude III Fashion 18	450		Golf	463
	Expert DNA™	204		Attitude III Sport	451		Gradal Individual	26
	Expert Elite C™	205		Autograph II Attitude	453		Gradal Top	29
	Expert Elite™	206		Autograph III Fixed & VAR.	455			
	Expert Essential®	207		Autograph Intelligence	456			
	Expert Extreme C™	208		Fixed & VARI.				
	Expert Extreme™	209						


Min Height	Lens Name	Item #
	Expert RNA™	211

Min Height	Lens Name	Item #
	Hoyalux GP	252
	Hoyalux GPW	253
	Hoyalux Tact (EP40 and 60)	254
	ID Lifestyle	256
	iD LifeStyle 2 Clarity	257

Min Height	Lens Name	Item #	Min Height	Lens Name	Item #	Min Height	Lens Name	Item #
18mm	ID LifeStyle 2 Harmony	259	18mm	TruVision Technica	8	20mm	TR1-Far AW 20	377
	Image	523		Variations	317		TR2-Basic 20	381
	Image	522		Varilux Comfort / Comfort	120		TR3-Demand AW 20	385
	Impression Ergo 2 PC or Room	413		DSx			X-Pro Discovery	200
	Impression Hyperop	416		Varilux Sport	122,191		X-Pro Discovery Plus	201
	Impression Myop	418		Varilux Stylistic	192	21mm	CLEARi DED 19	101
	Impression Sport 2	420		VIP	63		Gradal RD	27
	inMotion	297		VIP Gold	489		Super No-Line	159
	IOT Endless Plus 0.50D	299		Visuality	490		ZEISS Precision Pure (13, 15, 17, 19, 21)	91
	IOT Endless Plus 0.75D	300		X-Pro Discovery Xtra	202	22mm	Augen HD Trinity Spacia SF	11
	IOT Endless Plus 1.00D	301		X-Pro Maxima Plus	203		Ce-Tru Normal Corridor	307
	iRx Pro	304		XL	491		Ce-Tru Polarized	308
	Melibrad Progressive	322		XL Gold	492		Progressive	
	MOVE	329		Zeal Digital Progressive	524		Ce-Tru SunSensor	311
	Move Digital 15	342		ZEISS EnergizeMe (14, 16, 18)	71		Gradal HS (All)	25
	Mvp Platinum Plastic II	316		ZEISS Light D (14, 18)	80		Polar-Ray Progressive	323
	MyView Ergo 2 PC or Room	423		ZEISS Light H (14, 16, 18)	81		Punktal Gradal HS	35
	Natural DS (Canada)	147		ZEISS Plus 2 Sport	89		TruVision	6
	Navigator FBS	482		ZEISS SmartLife Pure (S, M, L)	95		TruVision Omni	7
	Nikon Go	331	19mm	Amplitude	243		Umbramatic SR Gradal HS	60
	Nikon Go Digital	332		Amplitude BKS	244	Several	Acclaim OEM PAL #1 and #2**	517
	Outlook	506		Amplitude iQ	245		Array	249
	Ovation DS (Canada)	155		DC mini	434		Array 2	250
	Percepta	486		Element	460		Array Wrap	251
	Presio i	347		Expert DNA™	204		COZE ADL ADVANCED	401
	Presio i Digital	348		Expert Elite C™	205		COZE CASATA	402
	Proceed II Short	438		Expert Elite™	206		COZE HDW	403
	Progressiv ClassicLife	426		Expert Essential®	207		COZE SOFT	404
	Progressiv Life 2	428		Expert Extreme C™	208		COZE WRAP	405
	Progressiv Purlife	430		Expert Extreme™	209		EasyLux	105
	Promult	320		Geo-FORM EZ 15	371		Expert Elite™	206
	Resolution Response	361		Nalco Progressive	325		Expert Essential®	207
	SOLAOne HD	488		Spectrum	464		Expert Extreme™	209
	Stealth 15	502		TR8-Active AW 19	390		Expert RNA™	211
	Summit ecp	265		ZEISS Choice (13, 15, 17, 19)	65		Maui Passport Progressive	321
	Summit ecp iQ	266		ZEISS Precision Pure (13, 15, 17, 19, 21)	91		Persona	391
	synchrony Easy Adapt	41	20mm	Expert Elite C™	205		Presio Power 12/13/14	337,353
	synchrony Easy Adapt HD	42		Expert Elite™	206		Privo Advance	106
	synchrony Easy Wear	49		Expert Essential®	207		SeeMax Power 12/13/14	338,354
	synchrony Easy Wear HD	50		Expert Extreme C™	208		Supercede	442
	TACT 40 BKS and TACT 60 BKS	267		Expert Extreme™	209		UNITY PLx	507
	TR1-Far AW 18	376		EZ View Std	494		UNITY PLxtra	508
	TR2-Basic 18	380		Geo-FORM 15	366		Vista	406
	TR3-Demand AW 18	384		Gradal 3	20		VISTA CP	407
	TR4-Highway AW	386		Navigator Precision	483		VISTA WS	408
	TR5-Zone 13	387		Nexyma Computer (80)	424		XP HD	409
				Paradigm Progressive	500			

AO b'Active

1



This lens was discontinued in 2010



Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

AO Easy

2



This lens was discontinued in 2017



no symbol

P

Materials:

Plastic (CR39 and 1.50)

Polycarbonate



bA

Filters:

Photochromic

Polarized

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

AO Force 55

3



This lens was discontinued in 2009



Materials:

Plastic Mid-Index (1.52 - 1.58)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

AO Pro 15

4



This lens was discontinued in 2009



Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

AO Pro 16

5



This lens was discontinued in 2009



H

Materials:

Plastic High Index (1.60)

PAL Design on Front side

Fitting cross location: 2mm above 180 line


Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

TruVision
6




This lens was discontinued in 2009

M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

TruVision Omni
7




This lens was discontinued in 2009

M

Materials:
Plastic (CR39 and 1.50)
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

TruVision Technica
8




This lens was discontinued in 2009

M

Materials:
Plastic (CR39 and 1.50)

PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

American Optical | AO Easy
9



This lens was discontinued in 2017

M

7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
11mm
Available as: Clear; Photochromic;
Available in: US and Canada

American Optical | AO Easy HD
10



This lens was discontinued in 2017

M

H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Augen Optics | Augen HD Trinity Spacia SF

11




Materials:
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Augen Optics | AugenSol HD Trinity 13/17

12



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Augen Optics | HD Trinity 13/17 SF

13




Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex

no symbol
no symbol

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Augen Optics | HD Trinity 8/12 SF

14




Materials:
Plastic (CR39 and 1.50)
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
12
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Clarlet Business

15



This lens was discontinued in 2010



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Continuum

16



This lens was discontinued in 2023



Materials:
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | Elan HD

17



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | Elan HD Short

18



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | Elan HDV

19



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | Gradal 3

20



This lens was discontinued in 2009



Materials:
Plastic (CR39 and 1.50)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevis 1.5

21



This lens was discontinued in 2010

M
50

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevis 1.6

22



This lens was discontinued in 2010

M
60

Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Gradal Brevity 1.59

23



This lens was discontinued in 2009

M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Gradal Brevity 1.67

24



This lens was discontinued in 2009

M

Materials:
Plastic High Index (1.66 - 1.67)

PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Gradal HS (All)

25



This lens was discontinued in 2005

M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | Gradal Individual

26



This lens was discontinued in 2010

M

60

66

Materials:

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal RD

27



This lens was discontinued in 2016

M

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height: 21mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal Shorti

28



This lens was discontinued in 2010

M

60

Materials:

Plastic High Index (1.60)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height: 15mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | Gradal Top

29



This lens was discontinued in 2013

M

50

58

60

66

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | GT2

30



This lens was discontinued in 2013

M

50

59

60

67

60

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Glass High Index (> 1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | GT2 3D

31



This lens was discontinued in 2016

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 3D 3DV

32



This lens was discontinued in 2016

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 3D Short

33



This lens was discontinued in 2016

M	Materials:
50	Plastic (CR39 and 1.50)
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | GT2 Short

34



This lens was discontinued in 2016

M	Materials:
50	Plastic (CR39 and 1.50)
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Punktal Gradal HS

35



This lens was discontinued in 2005



Materials:
Glass High Index (> 1.60)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | SOLAMAX

36



This lens was discontinued in 2023




H
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Synchrony

37



This lens was discontinued in 2023



H
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Access

38



This lens was discontinued in 2023




AC
ACP

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | synchrony Access HD (075, 125, 175)

39



This lens was discontinued in 2023



H
T
P
F
M
J

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Curves HDC

40



This lens was discontinued in 2022

M
H
T
P
F

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Adapt

41



This lens was discontinued in 2023

M
H
P
F
M

Materials:
Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Adapt HD

42



This lens was discontinued in 2023

M
H
T
P
F
M
J

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy M

43



This lens was discontinued in 2023

M
C
P
60
67

Materials:
Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy M HD

44



This lens was discontinued in 2023

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy S

45



This lens was discontinued in 2023

M
no symbol
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy S HD

46



This lens was discontinued in 2023

M
H
T
P
F
M
J

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy View

47



This lens was discontinued in 2023

M
C
P
6
F

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Filters:
Photochromic

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy View HD

48



This lens was discontinued in 2023

M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Wear

49



This lens was discontinued in 2023

M	Materials:
H	Plastic (CR39 and 1.50)
P	Polycarbonate
M	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Easy Wear HD

50



This lens was discontinued in 2023

M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Performance HD (13, 15, 17, 19)

51




This lens was discontinued in 2023

M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Performance HDV

52




M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Starter HD

53




This lens was discontinued in 2022

M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HD (13, 15, 17, 19, 21)

54




M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HDC

55



M	Materials:
H	Plastic (CR39 and 1.50)
T	Trivex
P	Polycarbonate
F	Plastic High Index (1.60)
M	Plastic High Index (1.66 - 1.67)
J	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Ultra HDV

56



This lens was discontinued in 2022

M
H
T
P
F
M

J

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Work & Go HD

57



This lens was discontinued in 2023

M
H
T
P
F
M

J

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Work & ice HD

58

This lens was discontinued in 2023

M
H
T
P
F
M

J

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | synchrony Work & Read HD

59



This lens was discontinued in 2023

M
H
T
P
F
M

J

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate


Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | Umbramatic SR Gradal HS

60



This lens was discontinued in 2005

M

Materials:
Glass (1.523)

PAL Design on Front side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | Universa HD ice (075, 125, 175)

61

M

H

T

P

F


M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: Canada Only

Carl Zeiss Vision | Universa2 HD

62



M

H

T

P

F


M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | VIP

63



This lens was discontinued in 2023

M

S

Materials:
Glass (1.523)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Carl Zeiss Vision | ZEISS Business

64



This lens was discontinued in 2019

M

Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | ZEISS Choice (13, 15, 17, 19)

65



M

50
53
59
60
67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
13mm
15mm
17mm
19mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Carl Zeiss Vision | ZEISS Choice Plus (13, 15, 17, 19, 21)

66



This lens was discontinued in 2016

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Choice Plus V

67



This lens was discontinued in 2016

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Digital Lens

68



This lens has been replaced by ZEISS SmartLife Digital

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS DriveSafe

69



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS DriveSafe Individual

70



M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS EnergizeMe (14, 16, 18)

71



This lens was discontinued in 2021

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

16mm

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS EnergizeMe Digital

72



This lens was discontinued in 2021

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Experience

73




Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience

74




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience HD2

75



59
67

Materials:
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Experience Short

76




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Experience Short

77



Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US Only

Carl Zeiss Vision | ZEISS Individual

78



This lens was discontinued in 2016

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Individual 2

79



This lens has been replaced by ZEISS SmartLife Individual

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Light D (14, 18)

80



This lens has been replaced by ZEISS Light Dx (14, 18)

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm


18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Light H (14, 16, 18)

81



This lens has been replaced by ZEISS Light Hx (14, 16, 18)

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

14mm

16mm

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Light V

82



This lens has been replaced by ZEISS Light Vx

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS MyoKids Pro

83



M	Materials:
50	Plastic (CR39 and 1.50)
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: Canada Only

Carl Zeiss Vision | ZEISS MyoKids Pro Individual

84



M	Materials:
50	Plastic (CR39 and 1.50)
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: Canada Only

Carl Zeiss Vision | ZEISS icelens Book

85

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear
Available in: US and Canada

Carl Zeiss Vision | ZEISS icelens Desk

86

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | ZEISS icelens Room

87

M

50

53

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear

Available in: US and Canada

Carl Zeiss Vision | ZEISS Plus 2 Short Sport

88



This lens was discontinued in 2019

M

50

53

59

60

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:


14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Plus 2 Sport

89



This lens was discontinued in 2019

M

50

53

59

60

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 6mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Plus

90



This lens has been replaced by ZEISS SmartLife Plus

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Pure (13, 15, 17, 19, 21)

91



This lens has been replaced by ZEISS SmartLife Pure (S, M, L)

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
15mm
17mm
19mm
21mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS Precision Superb

92



This lens has been replaced by ZEISS SmartLife Superb

M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Individual

93




M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Plus

94



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Pure (S, M, L)

95



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 14mm
16mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Carl Zeiss Vision | ZEISS SmartLife Superb

96



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 6mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Classic Optical Laboratories, Inc. | APEX

97



M	Materials:
P	Plastic (CR39 and 1.50)
T	Trivex
C	Polycarbonate

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi Absolute-W 12

98



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 14

99



This lens was discontinued in

M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 16

100



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi DED 19

101



M

50
53
59
60
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 21mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

CLEARi | CLEARi OFFICE BOOK

102



M

50

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

CLEARi | CLEARi OFFICE COMPUTER

103



M

50

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

CLEARi | CLEARi OFFICE ROOM

104



M

50

59

60

67

74

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

Dehlawi Optical Industries | EasyLux

105



M

50

53

56

58

60

67

74

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M	Materials:
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
no symbol	Plastic Mid-Index (1.52 - 1.58)
no symbol	Trivex
no symbol	Polycarbonate
no symbol	Plastic High Index (1.60)
no symbol	Plastic High Index (1.66 - 1.67)
no symbol	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
no symbol	Plastic Mid-Index (1.52 - 1.58)
no symbol	Trivex
no symbol	Polycarbonate
no symbol	Plastic High Index (1.60)
no symbol	Plastic High Index (1.66 - 1.67)
no symbol	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Premier109



- M
- no symbol
- no symbol
- no symbol
- no symbol
- no symbol
- no symbol
- Materials:
- Plastic (CR39 and 1.50)
- Plastic Mid-Index (1.52 - 1.58)
- Trivex
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)
- Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Diversified Ophthalmics, Inc. | PureSite Ultima110



- M
- no symbol
- no symbol
- no symbol
- no symbol
- no symbol
- no symbol
- Materials:
- Plastic (CR39 and 1.50)
- Plastic Mid-Index (1.52 - 1.58)
- Trivex
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor Canada | Adaptar111



This lens was discontinued in 2010

- M
- Materials:
- Plastic High Index (1.60)

Fitting cross location:
Rec. minimum fitting height:
Available as: Clear
Available in:

Essilor Canada | Adaptar DS112



- M
- III
- III P
- III 6
- III 67
- Materials:
- Plastic (CR39 and 1.50)
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: Canada Only

Essilor Canada | Definity

113




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor Canada | Definity Short

114



M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor Canada | Essilor Natural / Natural DS

115




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor Canada | Ovation

116




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor Canada

Ovation ADS

117



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor Canada

SmallFit / SmallFit DS

118



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor Canada

Super No-Line

119



This lens was discontinued in 2010


M	Materials:
	Plastic (CR39 and 1.50)

Fitting cross location:
Rec. minimum fitting height:
Available as: Clear
Available in:

Essilor Canada

Varilux Comfort / Comfort DSx

120




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
no symbol	Glass High Index (> 1.60)
8	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor Canada

Varilux Ellipse / Ellipse 360

121



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor Canada | Varilux Sport

122



Materials:
Polycarbonate

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear Polarized
Available in: US and Canada

Essilor of America | Accolade

123



*
P
6
67
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Accolade Freedom

124



no symbol
*
P
6
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Adaptar

125



no symbol
P

Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor of America | Adaptar Digital

126



no symbol
*
P
67


Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Adaptar DS (Canada)

127



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America

Adaptar DS Short (Canada)

128



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America

Adaptar Short Digital

129



M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Definity

130




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Definity Short

131




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Definity 3

132




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Definity 3 Plus

133



M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Essilor Anti-Fatigue

134




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as: Clear
Available in: US and Canada

Essilor of America

Essilor Computer

135



M
P

Materials:
Polycarbonate

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US Only

Essilor of America

Essilor Ideal

136



M

no symbol

*

P

6

67


Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Essilor Ideal Advanced

137



M

no symbol

*

P

6

67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Essilor Ideal Advanced Fit

138



M

no symbol

*

P

60

67

74


Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Essilor Ideal Advanced Wrap

139




<div>M</div>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Essilor Ideal Computer

140



<div>M</div>	Materials:
*	Plastic (CR39 and 1.50)
P	Trivex
6	Polycarbonate
67	Plastic High Index (1.60)
74	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Essilor Ideal Driving

141



<div>M</div>	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Essilor Ideal Fit

142




<div>M</div>	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Nikon Eyes Advanced

148



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America

Nikon Eyes Advanced Short

149



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America

Nikon Eyes Customized

150




Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America

Ovation

151




Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Ovation ADS (Canada)

152



Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America

Ovation ADS Short (Canada)

153



M

no symbol

67

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 15mm

Available as: Clear; Photochromic;

Available in: Canada Only

Essilor of America

Ovation Digital

154



M

no symbol

*

P

6

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 17mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America

Ovation DS (Canada)

155



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm


Available as: Clear; Photochromic; Polarized

Available in: Canada Only

Essilor of America

Smallfit

156



M

no symbol

P

6

67

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Essilor of America

SmallFit Digital

157



M

no symbol

*

P

6

67

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Essilor of America | Smallfit DS (Canada)

158




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Essilor of America | Super No-Line

159



M	Materials:
no symbol	Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 21mm
Available as: Clear
Available in: US Only

Essilor of America | Varilux Ipseo IV

160




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America | Varilux Comfort

161




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America | Varilux Comfort Drx

162




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Comfort Enhanced

163



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Varilux Comfort Short

164




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Varilux Comfort Short DRx

165




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Comfort W3+

166




M	Materials:
*	Plastic (CR39 and 1.50)
P	Trivex
6	Polycarbonate
π	Plastic High Index (1.60)
74	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Comfort W3+ eyecode

167




M	Materials: Plastic (CR39 and 1.50) Trivex
*	
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Comfort W3+ Fit

168




M	Materials: Plastic (CR39 and 1.50) Trivex
*	
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Ellipse

169




M	Materials: Plastic (CR39 and 1.50)
no symbol	Polycarbonate
P	Plastic High Index (1.60)
6	Plastic High Index (1.66 - 1.67)
π	

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Ellipse 360°

170



M	Materials: Plastic (CR39 and 1.50)
no symbol	Polycarbonate
P	Plastic High Index (1.60)
6	Plastic High Index (1.66 - 1.67)
π	Plastic Ultra High Index (> 1.67)
74	

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Ipseo IV

171



M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor of America

Varilux Ipseo IV eyecode

172




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Varilux Physio

173




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Physio 360°

174




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America | Varilux Physio DRx

175




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Physio Enhanced

176




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Physio Enhanced Azio

177



M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America | Varilux Physio Enhanced eyecode

178




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Varilux Physio Enhanced Fit

179




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Varilux Physio Enhanced India

180




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Varilux Physio Short

181




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
Π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US Only

Essilor of America

Varilux Physio Short 360°

182




M	Materials:
P	Polycarbonate
Π	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Essilor of America

Varilux Physio Short DRx

183




M	Materials:
no symbol	Plastic (CR39 and 1.50)
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Essilor of America

Varilux Physio W3+

184




M	Materials:
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Physio W3+ eyecode

185




M	Materials:
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Physio W3+ Fit

186



M	Materials:
*	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux S 4D

187



M	Materials:
*	Plastic (CR39 and 1.50)
P	Trivex
π	Polycarbonate
74	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux S Design

188




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux S Design Short

189




M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux S Fit

190



M	Materials:
no symbol	Plastic (CR39 and 1.50)
*	Trivex
P	Polycarbonate
π	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux Sport

191



M
P

Materials:
Polycarbonate

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Polarized
Available in: US and Canada

Essilor of America

Varilux Stylistic

192



M
*
P
 π
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux X

193



M
*
P
 π
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: ; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux X 4D

194



M
*
P
 π
74

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: ; Photochromic; Polarized
Available in: US and Canada

Essilor of America

Varilux X Fit

195



M

*

P

π

74

Materials:
Plastic (CR39 and 1.50)
Trivex

Polycarbonate


Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: ; Photochromic; Polarized
Available in: US and Canada

Excelite, Inc.

Pro-Freedom

196



M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 15mm
Available as: Clear
Available in: US and Canada

Excelite, Inc.

Pro-Freedom Plus

197



M


Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear
Available in: US and Canada

Excelite, Inc.

Pro-Freedom Solace

198



M

1

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Excelite, Inc.

Pro-Freedom Sports

199




M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear
Available in: US Only

Excelite, Inc. | X-Pro Discovery

200



M

G

V

M

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Excelite, Inc. | X-Pro Discovery Plus

201



M

C

H

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


20mm

Available as: Clear; Photochromic;

Available in: US and Canada

Excelite, Inc. | X-Pro Discovery Xtra

202



M

V

H

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic;

Available in: US and Canada

Excelite, Inc. | X-Pro Maxima Plus

203



M

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada




M	
B50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
PRT	Trivex
TPT	Trivex
B53	Trivex
H53	Trivex
T53	Trivex
PTX	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
BLY	Polycarbonate
ZPY	Polycarbonate
B60	Plastic High Index (1.60)
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
15mm
17mm
19mm
P Digitally balanced design for an economically conscious patient with 4 fitting heights. Also available with Blue Blocking filter.
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	
P	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
H53	Trivex
T53	Trivex
PLP	Polycarbonate
TPP	Polycarbonate
PLY	Polycarbonate
TPY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
19mm
20mm
P Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B50	Plastic (CR39 and 1.50)
PRT	Trivex
TPT	Trivex
H53	Trivex
B53	Trivex
T53	Trivex
PTX	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
ZPY	Polycarbonate
BLY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
B74	Plastic Ultra High Index (> 1.67)
H70	Plastic Ultra High Index (> 1.67)
T70	Plastic Ultra High Index (> 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
19mm
20mm
Several
P Digitally Personalized and Optimized with Position of Wear (actual or average) for Everyday Use. Also available with Blue Blocking filter.
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M

P

TRN

PRY

TPR

B50

PRT

TPT

H53

B53

T53

PTX

PLY

TPY

PLP

TPP

ZPY

BLY

HTR

H60

T60

P60

B60

H67

B67

T67

P67

B74

H70

T70

H74

T74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

15mm

16mm

17mm

18mm

19mm

20mm

Several

[P] Digitally Balanced Design for Everyday Use. Also available with Blue Blocking filter.

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



M	Materials:
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
H53	Trivex
T53	Trivex
PLP	Polycarbonate
TPP	Polycarbonate
PLY	Polycarbonate
TPY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
19mm
20mm
P Advanced two-sided digitally well-balanced design that is customized and optimized using Position of Wear values (actual or standard)
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B50	Plastic (CR39 and 1.50)
PRT	Trivex
TPT	Trivex
H53	Trivex
B53	Trivex
T53	Trivex
PTX	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
ZPY	Polycarbonate
BLY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
B74	Plastic Ultra High Index (> 1.67)
H70	Plastic Ultra High Index (> 1.67)
T70	Plastic Ultra High Index (> 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
19mm
20mm
Several
P Design Highlighting Distance Vision for More Active Patients. Individually compensated and optimized using Position of Wear Measurements (actual or average). Also available with Blue Blocking filter.
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B50	Plastic (CR39 and 1.50)
PRT	Trivex
TPT	Trivex
H53	Trivex
B53	Trivex
T53	Trivex
PTX	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
ZPY	Polycarbonate
BLY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
B74	Plastic Ultra High Index (> 1.67)
H70	Plastic Ultra High Index (> 1.67)
T70	Plastic Ultra High Index (> 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
P Designs are +0.50 and +0.75 adds.
Relieves visual fatigue symptoms for wearers ages 18 to 45. Also available with Blue Blocking filter.
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	
B50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
PRT	Trivex
TPT	Trivex
B53	Trivex
H53	Trivex
T53	Trivex
PTX	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
BLY	Polycarbonate
ZPY	Polycarbonate
B60	Plastic High Index (1.60)
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
14mm
15mm
16mm
17mm
18mm
Several
P Digitally customized and optimized for any frame and fine-tuned compensation with Position of Wear values (standard or actual). Also available with Blue Blocking filter.
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




M	Materials:
H53	Trivex
T53	Trivex
PRT	Trivex
TPT	Trivex
TPP	Polycarbonate
ZPY	Polycarbonate
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
18mm
P Progressive specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).
Available as: Clear; Photochromic; Polarized
Available in: US Only



M	Materials:
H53	Trivex
T53	Trivex
PRT	Trivex
PRT	Trivex
TPT	Trivex
PLP	Polycarbonate
TPP	Polycarbonate
ZPY	Polycarbonate
PLY	Polycarbonate
TPY	Polycarbonate
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)

PAL Design on Back side
Fitting cross location: None
Rec. minimum fitting height:
P SV F.H. within 5 mm of O.C. Single Vision specifically designed for Wrap Frames. Individually compensated and optimized using Position of Wear values (actual or average).
Available as: Clear; Photochromic; Polarized
Available in: US Only



M	Materials:
P	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
B50	Plastic (CR39 and 1.50)
PRT	Trivex
TPT	Trivex
H53	Trivex
B53	Trivex
T53	Trivex
PTX	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
ZPY	Polycarbonate
BLY	Polycarbonate
HTR	Plastic High Index (1.60)
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
B60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
B67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
B74	Plastic Ultra High Index (> 1.67)
H70	Plastic Ultra High Index (> 1.67)
T70	Plastic Ultra High Index (> 1.67)
H74	Plastic Ultra High Index (> 1.67)
T74	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
P Digitally design for reducing eye fatigue during extended computer/task specific working conditions. Also available with Blue Blocking filter.
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Eye Kraft Optical, Inc. | DLS Advanced PAL

215



This lens was discontinued in 2020



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Eye Kraft Optical, Inc. | DLS Anti-Fatigue

216



1.50

1.53

1.58

1.60

1.66

1.74

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Manufacturer Tech Specs: [Click Here](#)

Eye Kraft Optical, Inc. | DLS Camber Near

217



1.50

1.53

1.58

1.60

1.66

1.74

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Manufacturer Tech Specs: [Click Here](#)

Eye Kraft Optical, Inc. | DLS PAL

218



This lens was discontinued in 2020



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Eye Kraft Optical, Inc. | DLS Pro PAL

219



This lens was discontinued in 2020



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

FEA Industries, Inc. | Constitution HD

220




M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
P	Polycarbonate
L	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

FEA Industries, Inc. | Constitution Short HD

221



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
P	Polycarbonate
L	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

FEA Industries, Inc. | Eagle

222



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
L	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass Mid-Index (> 1.53)
7	Glass High Index (> 1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
7	Plastic Ultra High Index (> 1.67)
⊥	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass Mid-Index (> 1.53)
7	Glass High Index (> 1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 10mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass Mid-Index (> 1.53)
7	Glass High Index (> 1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 8mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




[M]	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



[M]	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
6	Plastic High Index (1.60)
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic High Index (1.66 - 1.67)
no symbol	Glass (1.523)
6	Glass High Index (> 1.60)
7	Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




[M]	Materials:
	Plastic (CR39 and 1.50)
	Trivex
	Polycarbonate
	Plastic High Index (1.60)
	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm 
Available as: Clear; Photochromic; Polarized
Available in: US Only

GSRx | epik DRV 110/110 N+D4

234




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as: Clear; Photochromic; Polarized
Available in: US Only
N+D4 variant will have "+" instead of diamond

GSRx | epik DRV 50/50 N+D4

235




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as: Clear; Photochromic; Polarized
Available in: US Only
N+D4 variant will have "+" instead of diamond

GSRx | epik DRV 80/80 N+D4

236




Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as: Clear; Photochromic; Polarized
Available in: US Only
N+D4 variant will have "+" instead of diamond

GSRx | epik iBifocal

237





Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Available as: Clear; Photochromic; Polarized
Available in: US Only



GSRx | epik ice UltraHD, Book/Room/Desk

238

	<div>M</div>	<p>Materials:</p> <p>Plastic (CR39 and 1.50)</p> <p>Trivex</p> <p>Polycarbonate</p> <p>Plastic High Index (1.60)</p> <p>Plastic High Index (1.66 - 1.67)</p>	<p>Custom Progressive Design</p> <p>PAL Design on Front side</p> <p>Fitting cross location: 4mm above 180 line</p> <p>Rec. minimum fitting height:</p> <p>14mm </p> <p>Available as: Clear; Photochromic;</p> <p>Available in: US Only</p> <p>Distance Symbols: OR : Room, OD : Desk, OB : Book</p>
--	--------------	---	---



GSRx | epik Standard 14/17

239

	<div>M</div>	<p>Materials:</p> <p>Plastic (CR39 and 1.50)</p> <p>Trivex</p> <p>Polycarbonate</p> <p>Plastic High Index (1.60)</p> <p>Plastic High Index (1.66 - 1.67)</p> <p>Plastic Ultra High Index (> 1.67)</p>	<p>Custom Progressive Design</p> <p>PAL Design on Front side</p> <p>Fitting cross location: 4mm above 180 line</p> <p>Rec. minimum fitting height:</p> <p>14mm </p> <p>Available as: Clear; Photochromic; Polarized</p> <p>Available in: US Only</p>
--	--------------	---	---



GSRx | epik Variable Active/Active N+D4


240

	<div>M</div>	<p>Materials:</p> <p>Plastic (CR39 and 1.50)</p> <p>Trivex</p> <p>Polycarbonate</p> <p>Plastic High Index (1.60)</p> <p>Plastic High Index (1.66 - 1.67)</p> <p>Plastic Ultra High Index (> 1.67)</p>	<p>Custom Progressive Design</p> <p>PAL Design on Front side</p> <p>Fitting cross location: 4mm above 180 line</p> <p>Rec. minimum fitting height:</p> <p>15mm </p> <p>Available as: Clear; Photochromic; Polarized</p> <p>Available in: US Only</p> <p>N+D4 variant will have "+" instead of diamond</p>
--	--------------	---	--

GSRx | epik Variable Device/Device N+D4


241


	<div>M</div>	<p>Materials:</p> <p>Plastic (CR39 and 1.50)</p> <p>Trivex</p> <p>Polycarbonate</p> <p>Plastic High Index (1.60)</p> <p>Plastic High Index (1.66 - 1.67)</p> <p>Plastic Ultra High Index (> 1.67)</p>	<p>Custom Progressive Design</p> <p>PAL Design on Front side</p> <p>Fitting cross location: 4mm above 180 line</p> <p>Rec. minimum fitting height:</p> <p>15mm </p> <p>Available as: Clear; Photochromic; Polarized</p> <p>Available in: US Only</p> <p>N+D4 variant will have "+" instead of diamond</p>
--	--------------	---	--



M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm 
Available as: Clear; Photochromic; Polarized
Available in: US Only
N+D4 variant will have "+" instead of diamond



This lens has been replaced by Amplitude BKS.

M

1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic;
Available in: US Only



M

1
X
P
3
5
7

Materials:
Plastic (CR39 and 1.50)

Trivex


Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



This lens has been replaced by Amplitude BKS.

M

1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic;
Available in: US Only

Hoya Vision Care - Dallas

Amplitude Mini

246



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas

Amplitude Mini BKS

247



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas

Amplitude Mini iQ

248



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas

Array

249



This lens has been replaced by Amplitude Mini BKS.

M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: Several


Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas

Array 2

250



M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Glass Ultra High Index (> 1.70)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

*

Available as:

Available in: US Only

Hoya Vision Care - Dallas

Array Wrap

251



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

Several

Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas

Hoyalux GP

252



This lens has been replaced by Hoya GP Wide.

M

1

Materials:

Plastic (CR39 and 1.50)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Hoya Vision Care - Dallas

Hoyalux GPW

253



This lens has been replaced by Hoya GP Wide.

M

1

X

3

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US Only

Hoya Vision Care - Dallas

Hoyalux Tact (EP40 and 60)

254



This lens has been replaced by Tact 40/60 BKS.

M

1

3

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear

Available in: US Only

Hoya Vision Care - Dallas

ID InStyle

255



This lens has been replaced by Amplitude HD3.

M

X

3

5

4

Materials:

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas

ID Lifestyle

256



This lens has been replaced by iD LifeStyle 3.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm


Available as: Clear; Photochromic; Polarized

Available in: US Only

Hoya Vision Care - Dallas

iD LifeStyle 2 Clarity

257



M

1

X

P

3

5

7

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm


Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care - Dallas

ID LifeStyle 2 Clarity cd

258



M	Materials:
1	Plastic (CR39 and 1.50)
X	Trivex
P	Polycarbonate
3	Plastic High Index (1.60)
5	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Hoya Vision Care - Dallas

ID LifeStyle 2 Harmony

259



M	Materials:
1	Plastic (CR39 and 1.50)
X	Trivex
P	Polycarbonate
3	Plastic High Index (1.60)
5	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Hoya Vision Care - Dallas

ID LifeStyle 2 Harmony cd

260



M	Materials:
1	Plastic (CR39 and 1.50)
X	Trivex
P	Polycarbonate
3	Plastic High Index (1.60)
5	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Hoya Vision Care - Dallas

ID Lifestyle cd

261



This lens has been replaced by Amplitude Mini HD3.


M	Materials:
1	Plastic (CR39 and 1.50)
X	Trivex
P	Polycarbonate
3	Plastic High Index (1.60)
5	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front and Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Hoya Vision Care - Dallas

ID Mystyle

262



This lens has been replaced by iD MyStyle 2.

M

1

X

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front and Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

Available as: Clear; Photochromic;

Available in: US and Canada

Hoya Vision Care - Dallas

Summit cd

263



This lens has been replaced by Summit cd BKS.

M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas

Summit cd iQ

264



This lens has been replaced by Summit cd BKS.

M

1

X

P

3

5

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic;

Available in: US Only

Hoya Vision Care - Dallas

Summit ecp

265



This lens has been replaced by Summit ecp BKS.

M

1

X

P

3

5

4

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Hoya Vision Care - Dallas | Summit ecp iQ266



This lens has been replaced by Summit ecp BKS.

M
1
X
P
3
5

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Hoya Vision Care - Dallas | TACT 40 BKS and TACT 60 BKS267



M
1
X
P
3
5
7

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Interstate Optical | Intellego 3268



M

Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as:
Available in: US and Canada

Interstate Optical | Intellego 3 14269



M

Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as:
Available in: US and Canada

Interstate Optical | Intellego 3 16270




M

Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as:
Available in: US and Canada

Interstate Optical | Intellego 3 18

271




Materials:

PAL Design on Front side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive

272




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive | Distance Vision

273




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive | Intermediate Vision

274




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Camber Steady Plus Progressive | Near Vision

275



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Anti-fatigue Single Vision | 0.50 D276



Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Anti-fatigue Single Vision | 0.75 D277



Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada


IOT | Endless Anti-fatigue Single Vision | 1.00 D278



Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada


IOT | Endless Bifocal279



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as:
Available in: US and Canada


IOT | Endless Drive Progressive280



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Drive Single Vision281



Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as:
Available in: US and Canada

IOT | Endless ice

282

M

Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless ice | 1.3 m

283

M

Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless ice | 2 m

284

M

Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless ice | 4 m

285

M

Materials:

Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Pilot Progressive

286



M

Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Single Vision

287



M

Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as:
Available in: US and Canada


IOT | Endless Sport Progressive288



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Steady Progressive289



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Steady Progressive | Distance Vision290



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada


IOT | Endless Steady Progressive | Intermediate Vision291



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Endless Steady Progressive | Near Vision292



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Essential Steady Progressive

293



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Essential Steady Progressive | Distance Vision

294




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Essential Steady Progressive | Intermediate Vision

295




Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | Essential Steady Progressive | Near Vision

296



Materials:

Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
15mm
16mm
17mm
18mm
Available as:
Available in: US and Canada

IOT | inMotion

297




Materials:

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless

298




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 0.50D

299




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 0.75D

300




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

IOT | IOT Endless Plus 1.00D

301




Materials:

Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
18mm
Available as:
Available in: US and Canada

KBco, Inc. | EOS

302




Materials:

Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | EOS Wrap

303



Materials:

Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | iRx Pro

304



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

KBco, Inc. | iRx Short

305



M

Materials:
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear Polarized
Available in: US and Canada

KBco, Inc. | Xplore

306



M

P

F



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Filters:
Polarized

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Polarized
Available in: US and Canada

L.B.I. | Ce-Tru Normal Corridor

307



M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 22mm
Available as: Clear
Available in: US and Canada

L.B.I. | Ce-Tru Polarized Progressive

308




M

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 22mm
Available as: Polarized
Available in: US Only

L.B.I. | Ce-Tru Short Corridor

309



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

L.B.I. | Ce-Tru Short Corridor Photochr

310



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

L.B.I. | Ce-Tru SunSensor

311




Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
22mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Plastic II

312




Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Landon Lens | Channel 14 Poly II

313




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Variations Gray & B

314



Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic;
Available in: US and Canada

Landon Lens | Channel 14 Variations Poly Pho

315




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 14mm
Available as: ; Photochromic;
Available in: US and Canada

Landon Lens | Mvp Platinum Plastic II

316



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear
Available in: US and Canada

Landon Lens | Variations

317




Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: ; Photochromic;
Available in: US and Canada

Lenscrafters | Blue IQ Variable Progressive

318




Materials:

Near Variable Focus
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 11mm
Available as:
Available in: US Only

MacLens Optical | PolySensus

319




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada

MacLens Optical | Promult

320



Materials:
Plastic (CR39 and 1.50)
Glass (1.523)
Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Maui Jim | Maui Passport Progressive

321




Materials:
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Polarized
Available in: US and Canada

Melibrad | Melibrad Progressive

322




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Polarized
Available in: US and Canada

Melibrad | Polar-Ray Progressive

323




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
22mm
Available as: ; Photochromic;
Available in: US and Canada

Melibrad | Polar-Ray Progressive

324




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Polarized
Available in: US and Canada

Nassau Lens Company | Nalco Progressive

325



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
19mm
Available as: Clear; Photochromic;
Available in: US Only

Nexus Vision Group | Proprius DS

326



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US Only

Nikon Optical Canada | Balance Digital 12

327



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | Balance Digital 14

328



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | MOVE

329




Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | MOVE Short

330



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical Canada | Nikon Go

331



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon Go Digital

332



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon i

333



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon i Digital334



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: Canada Only

Nikon Optical Canada | Nikon Online335



Materials:
Plastic (CR39 and 1.50)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Nikon Optical Canada | Nikon W336



Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear
Available in: US and Canada

Nikon Optical Canada | Presio Power 12/13/14337



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada

Nikon Optical Canada | SeeMax Power 12/13/14338



Materials:
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada


Nikon Optical Canada | SeeMaxProgressive 12339



Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: Canada Only


Nikon Optical Canada | SeeMaxProgressive 14340



Materials:
Plastic High Index (1.60)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic;
Available in: Canada Only

Nikon Optical USA | Move Digital 13341



Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only


Nikon Optical USA | Move Digital 15342



Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Nikon Online343



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Near Variable Focus
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear
Available in: US and Canada

Nikon Optical USA | Nikon W

344



<div>M</div>	Materials:
PC	Plastic (CR39 and 1.50)
NC	Plastic High Index (1.60)
NC	Plastic High Index (1.66 - 1.67)
N5	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear
Available in: US and Canada

Nikon Optical USA | Nikon W Short

345



<div>M</div>	Materials:
PC	Plastic (CR39 and 1.50)
NC	Plastic High Index (1.60)
NC	Plastic High Index (1.66 - 1.67)
N5	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US Only

Nikon Optical USA | Presio Digital i Short

346




<div>M</div>	Materials:
	Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US Only

Nikon Optical USA | Presio i

347



<div>M</div>	Materials:
PC	Plastic (CR39 and 1.50)
NC	Plastic High Index (1.60)
NC	Plastic High Index (1.66 - 1.67)
N5	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US Only

Nikon Optical USA | Presio i Digital

348



<div>M</div>	Materials:
	Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US Only

Nikon Optical USA | Presio i Digital 12

349




- M
- Nb
- NB
- Nb
- NB
- N5B
- Materials:
- Plastic (CR39 and 1.50)
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)
- Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Presio i Digital 14

350




- M
- Nb
- NB
- Nb
- NB
- N5B
- Materials:
- Plastic (CR39 and 1.50)
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)
- Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Presio i Digital Short

351



- M
- Materials:
- Plastic High Index (1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Nikon Optical USA | Presio i Short

352



- M
- ΠC
- NC
- NC
- N5
- Materials:
- Plastic (CR39 and 1.50)
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)
- Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic;
Available in: US Only

Nikon Optical USA | Presio Power 12/13/14

353



M	Materials:
N1	Plastic (CR39 and 1.50)
N3	Plastic High Index (1.60)
N4	Plastic High Index (1.66 - 1.67)
N5	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada

Nikon Optical USA | SeeMax Power 12/13/14

354



M	Materials:
N3	Plastic High Index (1.60)
N4	Plastic High Index (1.66 - 1.67)
N5	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic;
Available in: US and Canada

PFO Global | Acuity 9/11/13

355



M	Materials:
○	Plastic (CR39 and 1.50)
◇	Polycarbonate
△	Plastic High Index (1.60)
□	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

PFO Global | identity home 9/11/13

356



M	Materials:
○	Plastic (CR39 and 1.50)
◇	Polycarbonate
△	Plastic High Index (1.60)
□	Plastic High Index (1.66 - 1.67)
◑	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

PFO Global | identity play 9/11/13

357



Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

PFO Global | identity pro

358



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 15mm
Available as: Clear
Available in: US and Canada

PFO Global | identity smart 9/11/13

359




Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

PFO Optima LLC | HyperPro

360



Materials:
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear
Available in: US and Canada

PFO Optima LLC | Resolution Response

361



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 5mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Polycore Optical | Futureise

362



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada


Polycore Optical | Micro

363



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic;
Available in: US and Canada



M	
P	
PRY	
TPR	
TRN	
F50	
T53	
H53	
PRT	
PLP	
PLY	
TPP	
TPY	
H60	
P60	
T60	
H67	
P67	
T67	
H74	

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	
P	
PRY	
TPR	
TRN	
F50	
T53	
H53	
PRT	
PLP	
PLY	
TPP	
TPY	
H60	
P60	
T60	
H67	
P67	
T67	
H74	

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



<div>M</div>	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
H53	Trivex
PRT	Trivex
T53	Trivex
PLP	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	
PRY	
TPR	
TRN	
F50	
T53	
H53	
PRT	
PLP	
PLY	
TPP	
TPY	
H60	
P60	
T60	
H67	
P67	
T67	
H74	

Materials:	
Plastic (CR39 and 1.50)	
Plastic (CR39 and 1.50)	
Plastic (CR39 and 1.50)	
Plastic (CR39 and 1.50)	
Plastic (CR39 and 1.50)	
Trivex	
Trivex	
Trivex	
Polycarbonate	
Polycarbonate	
Polycarbonate	
Polycarbonate	
Plastic High Index (1.60)	
Plastic High Index (1.60)	
Plastic High Index (1.60)	
Plastic High Index (1.66 - 1.67)	
Plastic High Index (1.66 - 1.67)	
Plastic High Index (1.66 - 1.67)	
Plastic Ultra High Index (> 1.67)	

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
19mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	
PRY	
TPR	
TRN	
F50	
T53	
H53	
PRT	
PLP	
PLY	
TPP	
TPY	
H60	
P60	
T60	
H67	
P67	
T67	
H74	

Materials:	Standard Progressive
Plastic (CR39 and 1.50)	PAL Design on Back side
Plastic (CR39 and 1.50)	Fitting cross location: 4mm above 180 line
Plastic (CR39 and 1.50)	Rec. minimum fitting height:
Plastic (CR39 and 1.50)	16mm
Trivex	Available as: Clear; Photochromic; Polarized
Trivex	Available in: US and Canada
Trivex	
Polycarbonate	
Polycarbonate	
Polycarbonate	
Polycarbonate	
Plastic High Index (1.60)	
Plastic High Index (1.60)	
Plastic High Index (1.60)	
Plastic High Index (1.66 - 1.67)	
Plastic High Index (1.66 - 1.67)	
Plastic High Index (1.66 - 1.67)	
Plastic Ultra High Index (> 1.67)	



M	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M

P

PRY

TPR

TRN

F50

PRT

H53

T53

PLP

PLY

TPP

TPY

H60

P60

T60

H67

P67

T67

H74

Materials:

Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 20mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
P	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
TRN	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLP	Polycarbonate
PLY	Polycarbonate
TPP	Polycarbonate
TPY	Polycarbonate
H60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
H67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
T53	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
PRT	Trivex
H53	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 20mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Near Variable Focus

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



TRN
PRY
TPR
F50
P
T53
H53
PRT
PLY
TPY
PLP
TPP
H60
T60
P60
T67
P67
H67
H74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



<div>M</div>	
TRN	Plastic (CR39 and 1.50)
PRY	Plastic (CR39 and 1.50)
TPR	Plastic (CR39 and 1.50)
F50	Plastic (CR39 and 1.50)
P	Plastic (CR39 and 1.50)
T53	Trivex
H53	Trivex
PRT	Trivex
PLY	Polycarbonate
TPY	Polycarbonate
PLP	Polycarbonate
TPP	Polycarbonate
H60	Plastic High Index (1.60)
T60	Plastic High Index (1.60)
P60	Plastic High Index (1.60)
T67	Plastic High Index (1.66 - 1.67)
P67	Plastic High Index (1.66 - 1.67)
H67	Plastic High Index (1.66 - 1.67)
H74	Plastic Ultra High Index (> 1.67)

Materials:

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



TRN
PRY
TPR
F50
P
T53
H53
PRT
PLY
TPY
PLP
TPP
H60
T60
P60
T67
P67
H67
H74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




50
56
53
58
60
67
74

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: Several
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Persona ice

392



M	Materials:
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Persona G4

393




M	Materials:
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Persona Novice

394




M	Materials:
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic;
Available in: Canada Only

Riverside Opticalab Ltd. | Persona Phd

395




M	
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Persona Phd Distance

396




M	
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Persona Phd Near

397



M	
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Persona Quattro

398



M	
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Persona Quattro Sport

399



M	
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

Riverside Opticalab Ltd. | Signature HD

400



M	
50	Plastic (CR39 and 1.50)
56	Plastic Mid-Index (1.52 - 1.58)
53	Trivex
58	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only


Robertson Optical Laboratories, Inc. | COZE ADL ADVANCED 401



M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only


Robertson Optical Laboratories, Inc. | COZE CASATA 402



M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only


Robertson Optical Laboratories, Inc. | COZE HDW 403



M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

Robertson Optical Laboratories, Inc. | COZE SOFT 404



M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

Robertson Optical Laboratories, Inc. | COZE WRAP

405




M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

Robertson Optical Laboratories, Inc. | Vista

406



M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

Robertson Optical Laboratories, Inc. | VISTA CP

407



M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

Robertson Optical Laboratories, Inc. | VISTA WS

408




M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

Robertson Optical Laboratories, Inc. | XP HD

409



M	Materials:
50	Plastic (CR39 and 1.50)
54	Trivex
58	Polycarbonate
16	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: Several
Available as: Clear; Photochromic; Polarized
Available in: US Only

Rodenstock Canada | ClassicLife Free XS. M or L

410



M	Materials:
50	Plastic (CR39 and 1.50)
54	Plastic Mid-Index (1.52 - 1.58)
60	Plastic High Index (1.60)
67	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression 2 XS, M, or L

411



M	Materials:
5	Plastic (CR39 and 1.50)
54	Plastic Mid-Index (1.52 - 1.58)
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)
60	Glass High Index (> 1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Ergo 2 Book

412



M	Materials:
60	Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Impression Ergo 2 PC or Room

413



M


60

Materials:
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Impression Ergo FreeSign 2

414



M


60

Materials:
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Front and Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Impression FreeSign 2

415



M

60

67


74

Materials:
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Hyperop

416



M


7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Hyperop XS

417



M


7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Myop

418



M

7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Myop XS

419



M


7

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Impression Sport 2

420



M

54

6

Materials:
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Multigressiv MyView 2 XS, M, L

421



M

50

54

60

67

74

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Rodenstock Canada | MyView Ergo 2 Book

422



M

50

60

Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | MyView Ergo 2 PC or Room

423



M

50

60

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height: 18mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Nexyma Computer (80)

424



M

5

Materials:

Plastic (CR39 and 1.50)

Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line


Rec. minimum fitting height: 20mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Nexyma Reading (40)

425



M

5

Materials:

Plastic (CR39 and 1.50)

Near Variable Focus

PAL Design on Front side

Fitting cross location: 4mm above 180 line


Rec. minimum fitting height: 13mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Progressiv ClassicLife

426



M

5

6

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Progressiv ClassicLife XS

427



M

5

6

Materials:

Plastic (CR39 and 1.50)

Plastic High Index (1.60)

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 14mm

Available as: Clear

Available in: US and Canada

Rodenstock Canada | Progressiv Life 2

428



M

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv Life 2 XS

429



M

P

Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear
Available in: US and Canada

Rodenstock Canada | Progressiv Purelife

430



M

5

Materials:
Plastic (CR39 and 1.50)

5

Plastic Mid-Index (1.52 - 1.58)

6

Plastic High Index (1.60)

7

Plastic High Index (1.66 - 1.67)

6

Glass High Index (> 1.60)

8

Glass Ultra High Index (> 1.70)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | Progressiv Purelife XS

431



M

5

Materials:
Plastic (CR39 and 1.50)

5

Plastic Mid-Index (1.52 - 1.58)

6

Plastic High Index (1.60)

7

Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Rodenstock Canada | ProgressivPureLife Free XS,M,L

432



M	Materials:
50	Plastic (CR39 and 1.50)
54	Plastic Mid-Index (1.52 - 1.58)
1.53	Trivex
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Seiko Optical Products | AF2

433



M	Materials:
A	Plastic (CR39 and 1.50)
C	Plastic High Index (1.60)
S	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 3mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear
Available in: US and Canada

Seiko Optical Products | DC mini

434



M	Materials:
	Polycarbonate

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear
Available in: US Only

Seiko Optical Products | PCWide

435




M	Materials:
□	Plastic (CR39 and 1.50)
▭	Trivex
▽	Polycarbonate
□	Plastic High Index (1.60)
△	Plastic High Index (1.66 - 1.67)
□	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic;
Available in: US Only

Seiko Optical Products

Perfas Premier II

436



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products

Perfas Prominent

437



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products

Proceed II Short

438



M	Materials:
	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US Only

Seiko Optical Products

Proceed III Super Short

439



M	Materials:
	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front and Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic;
Available in: US Only

Seiko Optical Products

Succeed

440



M	Materials:
	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 17mm
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Succeed WS

441




M

Materials:
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 15mm
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Supercede

442



M

Materials:
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: Several
Available as: Clear
Available in: US and Canada

Seiko Optical Products | Supercede II

443



M

- 50
- 53
- 59
- 60
- 67
- 74
- Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products | Supercede WS

444



M

Materials:
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic;
Available in: US and Canada

Seiko Optical Products | Superior

445




M

- 50
- 53
- 59
- 60
- 67
- 74
- Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 12
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Seiko Optical Products | Supernal

446




M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Seiko Optical Products | Surmount

447



M	Materials:
50	Plastic (CR39 and 1.50)
59	Polycarbonate
	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only


Seiko Optical Products | Surmount Ws

448



M	Materials:
50	Plastic (CR39 and 1.50)
53	Trivex
59	Polycarbonate
60	Plastic High Index (1.60)
67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M


15
TR
X5
PZ
56
VX
TX
TTX
XX

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Trivex
Trivex
Trivex
Trivex

PC
PT
PX
PV
PD
PZ6
16
T6
X6
67
T67
X67
PZ67

Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
15mm
Available as:
Available in: US Only



M

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Attitude III Sport

451



Materials:

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Shamir Insight Inc. | Autograph II -Fixed & Var. Des

452



Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

11mm

Available as: Clear

Available in: US Only

Shamir Insight Inc. | Autograph II Attitude

453



Materials:

Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

15mm

18mm

Available as: Clear; Photochromic; Polarized

Available in: US Only

Shamir Insight Inc. | Autograph II ice

454



Materials:

Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus

PAL Design on Back side

Fitting cross location: On 180 line

Rec. minimum fitting height:


16mm

Available as: Clear

Available in: US Only

Shamir Insight Inc. | Autograph III Fixed & VAR.

455



M

PZ
TR
X5
15
56
TX
PC
16
74

Materials:

Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph Intelligence Fixed & VARI.

456



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Shamir Insight Inc. | Autograph II+ Fixed & VARI.

457



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
11mm
13mm
15mm
18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Autograph Relax

458



M

Materials:

Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Computer

459



Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Element

460



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Element Short

461



Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | First PAL

462



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Golf

463




Materials:
Trivex
Polycarbonate
Plastic High Index (1.60)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | Spectrum

464



Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
16mm
19mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shamir Insight Inc. | WorkSpace

465



Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate
Plastic High Index (1.60)

Near Variable Focus
PAL Design on Back side
Fitting cross location: On 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

Shore Lens Company | Executive/ ShoreView ES

466



S

π

S



Materials:
Plastic (CR39 and 1.50)

Polycarbonate

Plastic High Index (1.60)

Filters:
Photochromic

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Shore Lens Company | ShoreView / Shoreview Mini

467



TTX

TTX

TV

Materials:
Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
15mm
Available as: Clear; Photochromic;
Available in: US and Canada

Shore Lens Company | Shoreview Mini ES

468




- M
- S
- S
- S
- S
- F
-
- Materials:
- Plastic (CR39 and 1.50)
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)
- Filters:
- Photochromic

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 15mm
Available as: Clear; Photochromic;
Available in: US Only

Signet Armorlite, Inc. | Crossbows Custom U

469




- M
- I
-
- P
-
- L
- Materials:
- Plastic (CR39 and 1.50)
- Plastic Mid-Index (1.52 - 1.58)
- Trivex
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Crossbows Custom V

470




- M
- I
-
- P
-
- L
- Materials:
- Plastic (CR39 and 1.50)
- Plastic Mid-Index (1.52 - 1.58)
- Trivex
- Polycarbonate
- Plastic High Index (1.60)
- Plastic High Index (1.66 - 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Crossbows Junior

471




- M
- I
- P
- L
- Materials:
- Plastic (CR39 and 1.50)
- Plastic Mid-Index (1.52 - 1.58)
- Polycarbonate
- Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 16.5mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




M	Materials:
no symbol	Plastic (CR39 and 1.50)
I	Plastic Mid-Index (1.52 - 1.58)
Δ	Trivex
P	Polycarbonate
⊥	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13.5mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada



M	Materials:
P	Plastic (CR39 and 1.50)
⊥	Polycarbonate
	Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada




M	Materials:
I	Plastic (CR39 and 1.50)
Δ	Plastic Mid-Index (1.52 - 1.58)
P	Trivex
◇	Polycarbonate
⊥	Plastic High Index (1.60)
	Plastic High Index (1.66 - 1.67)
7	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Kodak Precise Short

476



M

no symbol

P

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic;

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Precise Short PB

477



M

I

Δ

P

◇

⊥

7

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK SoftWear

478



M

M

I

P

⊥

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

Plastic High Index (1.66 - 1.67)

Near Variable Focus

PAL Design on Back side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear

Available in: US and Canada

Signet Armorlite, Inc. | Kodak Unique

479



M

no symbol

I

Δ

P

6

⊥

7

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:


13mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Signet Armorlite, Inc. | KODAK Unique DRO

480




M	Materials:
I	Plastic (CR39 and 1.50)
Δ	Plastic Mid-Index (1.52 - 1.58)
P	Trivex
◇	Polycarbonate
⊥	Plastic High Index (1.60)
7	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | KODAK Unique DRO HD

481




M	Materials:
I	Plastic (CR39 and 1.50)
Δ	Plastic Mid-Index (1.52 - 1.58)
P	Trivex
◇	Polycarbonate
⊥	Plastic High Index (1.60)
7	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Navigator FBS

482



M	Materials:
I	Plastic (CR39 and 1.50)
Δ	Plastic Mid-Index (1.52 - 1.58)
P	Trivex
⊥	Polycarbonate
7	Plastic High Index (1.66 - 1.67)
	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Navigator Precision

483




M	Materials:
no symbol	Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 20mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Signet Armorlite, Inc. | Navigator Short

484



M
O

Materials:
Plastic (CR39 and 1.50)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic;
Available in: US and Canada

SOLA Optical | Compact ULTRA HD

485



This lens was discontinued in 2016

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

SOLA Optical | Percepta

486



This lens was discontinued in 2010

M
H
S
P
6

Materials:
Plastic (CR39 and 1.50)
Plastic Mid-Index (1.52 - 1.58)
Polycarbonate
Plastic High Index (1.60)
Glass High Index (> 1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

SOLA Optical | SOLA HDV

487



This lens was discontinued in 2016

M
H
T
P
F
M

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: Canada Only

SOLA Optical | SOLAOne HD

488



This lens was discontinued in 2016

M

H

T

P

F

M

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Standard Progressive

PAL Design on Back side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

SOLA Optical | VIP Gold

489



This lens was discontinued in 2012

M

Materials:

Plastic Mid-Index (1.52 - 1.58)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic;

Available in: US and Canada

SOLA Optical | Visuality

490



This lens was discontinued in 2009

M

H

S

P

Materials:

Plastic (CR39 and 1.50)

Plastic Mid-Index (1.52 - 1.58)

Polycarbonate

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic;

Available in: US and Canada

SOLA Optical | XL

491



This lens was discontinued in 2010

M

Materials:

Plastic (CR39 and 1.50)

Polycarbonate

Glass (1.523)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic;

Available in: US and Canada

SOLA Optical | XL Gold

492



This lens was discontinued in 2010

M

Materials:

Plastic Mid-Index (1.52 - 1.58)

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line


Rec. minimum fitting height: 18mm

Available as: Clear; Photochromic;

Available in: US and Canada

SOMO Optical | EZ View Mini

493




Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
16mm
Available as: Clear
Available in: US and Canada

SOMO Optical | EZ View Std

494



Materials:
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
20mm
Available as: Clear
Available in: US and Canada

Sutherlin Optical, Inc. | Overture

495



*
P
6
67

Materials:
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Advanced HD

496




15
TR
TX
PC
16
67
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Ultimate HD

497



M


15
TR
TX
PC
16
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

US Optical | Wrap HD

498



M


15
TR
TX
PC
16
74

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Polycarbonate
Plastic High Index (1.60)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Vision Dynamics Lab/Optical Dynamics | Continual Focus Lens (CFL)

499




M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Vision Dynamics Lab/Optical Dynamics | Paradigm Progressive 500



M

Materials:
Plastic Mid-Index (1.52 - 1.58)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 20mm
Available as: Clear; Photochromic;
Available in: US and Canada

Vision Dynamics Lab/Optical Dynamics | Paradigm Short Corridor



M

Materials:

Plastic Mid-Index (1.52 - 1.58)

501

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic;

Available in: US and Canada

Vision Warehouse | Stealth 15



M

Materials:

Trivex

502

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

18mm

Available as: Clear

Available in: US and Canada

Vision-Ease Lens, Inc. | Illumina



M

This lens was discontinued in 2016

Materials:

Plastic (CR39 and 1.50)
Polycarbonate

503

Standard Progressive

PAL Design on Front side

Fitting cross location: 4mm above 180 line

Rec. minimum fitting height:

17mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Vision-Ease Lens, Inc. | Novel



M

Materials:

Polycarbonate

504

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

16mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada

Vision-Ease Lens, Inc. | Novella Short Corridor



M

Materials:

Plastic (CR39 and 1.50)
Polycarbonate

505

Standard Progressive

PAL Design on Front side

Fitting cross location: 2mm above 180 line

Rec. minimum fitting height:

14mm

Available as: Clear; Photochromic; Polarized

Available in: US and Canada



Materials:
Plastic (CR39 and 1.50)
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
18mm
Available as:
Available in: US and Canada



15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
TX	Trivex
TTX	Trivex
XX	Trivex
	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
X67	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only



M	
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
TX	Trivex
TTX	Trivex
XX	Trivex
	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
X67	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Standard Progressive
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
Several
Available as: Clear; Photochromic; Polarized
Available in: US Only




M	Materials:
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
TX	Trivex
TTX	Trivex
XX	Trivex
	Trivex
	Polycarbonate
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
X67	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M	Materials:
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
TX	Trivex
TTX	Trivex
XX	Trivex
	Trivex
	Polycarbonate
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
X67	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)


Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
12mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M	
15	
TR	
PZ	
X5	
Dw	
TX	
TTX	
XX	
PC	
PPZ	
PX	
PD	
16	
T6	
PZ6	
X6	
X67	
67	
T67	
PZ67	
74	

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
12mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M	
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
TX	Trivex
TTX	Trivex
XX	Trivex
	Trivex
	Polycarbonate
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
X67	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height: 12mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

M	
15	Plastic (CR39 and 1.50)
TR	Plastic (CR39 and 1.50)
PZ	Plastic (CR39 and 1.50)
X5	Plastic (CR39 and 1.50)
Dw	Plastic (CR39 and 1.50)
TX	Trivex
TTX	Trivex
XX	Trivex
	Trivex
PC	Polycarbonate
PPZ	Polycarbonate
PX	Polycarbonate
PD	Polycarbonate
16	Plastic High Index (1.60)
T6	Plastic High Index (1.60)
PZ6	Plastic High Index (1.60)
X6	Plastic High Index (1.60)
X67	Plastic High Index (1.66 - 1.67)
67	Plastic High Index (1.66 - 1.67)
T67	Plastic High Index (1.66 - 1.67)
PZ67	Plastic High Index (1.66 - 1.67)
74	Plastic Ultra High Index (> 1.67)

Near Variable Focus
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 14mm
Available as: Clear; Photochromic; Polarized
Available in: US Only

M		
15	Materials:	Near Variable Focus
TR	Plastic (CR39 and 1.50)	PAL Design on Back side
PZ	Plastic (CR39 and 1.50)	Fitting cross location: 2mm above 180 line
X5	Plastic (CR39 and 1.50)	Rec. minimum fitting height:
Dw	Plastic (CR39 and 1.50)	14mm
TX	Trivex	Available as: Clear; Photochromic; Polarized
TTX	Trivex	Available in: US Only
XX	Trivex	
	Trivex	
PC	Polycarbonate	
PPZ	Polycarbonate	
PX	Polycarbonate	
PD	Polycarbonate	
16	Plastic High Index (1.60)	
T6	Plastic High Index (1.60)	
PZ6	Plastic High Index (1.60)	
X6	Plastic High Index (1.60)	
X67	Plastic High Index (1.66 - 1.67)	
67	Plastic High Index (1.66 - 1.67)	
T67	Plastic High Index (1.66 - 1.67)	
PZ67	Plastic High Index (1.66 - 1.67)	
74	Plastic Ultra High Index (> 1.67)	



M	
15	
TR	
PZ	
X5	
Dw	
TX	
TTX	
XX	
PC	
PPZ	
PX	
PD	
16	
T6	
PZ6	
X6	
X67	
67	
T67	
PZ67	
74	

Materials:
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Plastic (CR39 and 1.50)
Trivex
Trivex
Trivex
Trivex
Trivex
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Polycarbonate
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.60)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic High Index (1.66 - 1.67)
Plastic Ultra High Index (> 1.67)

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
12mm
Available as: Clear; Photochromic; Polarized
Available in: US Only



M

15

TR

PZ

X5

Dw

TX

TTX

XX

PC

PPZ

PX

PD

16

T6

PZ6

X6

X67

67

T67

PZ67

74

Materials:

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Plastic (CR39 and 1.50)

Trivex

Trivex

Trivex

Trivex

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)

Custom Progressive Design**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

12mm

Available as: Clear; Photochromic; Polarized**Available in:** US Only

M

no symbol

TX

P

6

67

74

Materials:

Plastic (CR39 and 1.50)

Trivex

Polycarbonate

Plastic High Index (1.60)

Plastic High Index (1.66 - 1.67)

Plastic Ultra High Index (> 1.67)


Near Variable Focus**PAL Design on Back side****Fitting cross location:** 4mm above 180 line**Rec. minimum fitting height:**

Several

Available as: Clear; Photochromic; Polarized**Available in:** US Only

X-CEL Optical | Freedom ID

518



Materials:
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

X-CEL Optical | Freedom ID

519



Materials:
Plastic (CR39 and 1.50)
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

X-CEL Optical | Freedom ID

520




Materials:
Glass (1.523)
Glass High Index (> 1.60)

Standard Progressive
PAL Design on Front side
Fitting cross location: 4mm above 180 line
Rec. minimum fitting height:
17mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Adage

521




Materials:
Trivex
Polycarbonate

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
13mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Younger Optics | Image

522



Materials:
Trivex

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height:
18mm
Available as: Clear; Photochromic;
Available in: US and Canada

Younger Optics | Image

523



HI

Materials:
Plastic (CR39 and 1.50)
Polycarbonate
Plastic High Index (1.66 - 1.67)

Standard Progressive
PAL Design on Front side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Clear; Photochromic; Polarized
Available in: US and Canada

Zeal Optics | Zeal Digital Progressive

524



Materials:
Polycarbonate

Custom Progressive Design
PAL Design on Back side
Fitting cross location: 2mm above 180 line
Rec. minimum fitting height: 18mm
Available as: Polarized
Available in: US and Canada