

Bob's Pizza Emporium

Software Test Plan

11/25/25

Joshua Swanson, Kelly Byrne, Alison Michailof, Noah Allen, Caelyn Ruiz

Version 2.0

The Quintessentials

Table of Contents

1. Introduction.....	3
1.1 Purpose.....	3
1.2 Scope.....	3
1.3 Definitions, Acronyms, and Abbreviations.....	3
1.4 Document References.....	4
1.5 System Overview.....	5
2. Requirements to Be Tested.....	5
2.1 Items to Be Tested.....	5
2.2 References for Test Items.....	5
3. Testing Approach.....	5
3.1 White Box Testing.....	6
3.2 Black Box Testing.....	6
4. Test Process.....	6
4.1 Unit Testing.....	6
4.2 Integration Testing.....	7
5. Reporting and Corrective Action.....	7
5.1 Defect Documentation.....	7
5.2 Corrective Action.....	8
5.3 Approval of Correction.....	8
6. Test Environment.....	9
6.1 Hardware Environment.....	9
6.2 Software Environment.....	9
6.3 Test Data.....	9
7. Test Procedures.....	10
8. Miscellaneous.....	29

Revision History

Date	Version	Description	Author(s)
11/13/2025	1.0	Initial Version	Joshua Swanson, Kelly Byrne, Alison Michailof, Noah Allen, Caelyn Ruiz
11/25/2025	2.0	Expanded on Hardware Requirements and updated testing procedures	Joshua Swanson, Kelly Byrne, Alison Michailof, Noah Allen, Caelyn Ruiz

--	--	--	--

1. Introduction

1.1 Purpose

The purpose of this Software Test Plan (STP) is to outline the objectives, scope, and overall approach for testing Bob's Pizza Emporium application. This plan ensures that all functional and non-functional requirements defined in the Software Requirements Specification (SRS) are verified and validated through organized testing. It provides a framework for testers to ensure that the software operates as intended and meets the customers' expectations. The STP will serve as a guide for the testing team through preparation, execution, documentation, and defect resolution to ensure delivery of a quality product that matches the descriptions provided in the Software Development Plan (SDP) and the Software Design Description (SDD).

1.2 Scope

This test plan covers the full Bob's Pizza Emporium system, including the login process, menu, ordering functions, administrative controls, and data storage. Testing this application will confirm proper authentication, accurate order calculations (including subtotal, tax, and total), and performance under normal conditions. Both the functional and interface testing will be performed to verify GUI responsiveness, database interactions, and configuration persistence. Non-functional testing will evaluate usability, performance, and system reliability. The testing will be across Windows 10 and 11 environments.

1.3 Definitions, Acronyms, and Abbreviations

Acronym	Meaning
CPU	Central Processing Unit
GB	Gigabyte
GUI	Graphical User Interface
MHz	Megahertz

PIN	Personal Identification Number
RAM	Random Access Memory
RTM	Requirements Traceability Matrix
SDD	Software Design Description
SDP	Software Development Plan
SFF	Small Form Factor
SRS	Software Requirements Specification
STP	Software Test Plan

1.4 Document References

Document Title	Version	Date	Author(s)
Software Design Description	2.0	11/11/2025	Joshua Swanson, Noah Allen, Alison Michailof, Kelly Byrne, Caelyn Ruiz
Software Development Plan	2.0	10/21/2025	Joshua Swanson, Noah Allen, Alison Michailof, Kelly Byrne, Caelyn Ruiz
Software Requirements Specification	2.0	10/28/2025	Joshua Swanson, Noah Allen, Alison Michailof, Kelly Byrne, Caelyn Ruiz
Traceability Matrix	2.0	10/30/2025	Joshua Swanson, Noah Allen, Alison Michailof, Kelly Byrne, Caelyn Ruiz

1.5 System Overview

Bob's Pizza Emporium is a Windows-based application designed for pizza sales. The system allows employees to log in with a secure 4-digit PIN, manage and submit customer orders, and calculate order totals with applicable taxes. Administrative users have elevated privileges to update menu items, adjust tax rates, manage user accounts, and review order data. The application integrates a graphical user interface (GUI) with a SQLite database backend to maintain menu configurations, user data, and transaction history. This will be compatible with Windows 10 and 11 operating systems.

2. Requirements to Be Tested

2.1 Items to Be Tested

All items that are to be tested will be referred to from the System Requirement Specification.

2.2 References for Test Items

All test items trace back to their requirements through the Traceability Matrix and associated SRS sections (R1-R20). Each test case will include the requirement ID, test author, test purpose, test procedure, and measure of success. Testing will ensure that each requirement is fully validated and that the Software Design (identified in the SDD) supports all functional flows.

3. Testing Approach

Testing will occur in multiple stages, progressing from individual components to the fully integrated system. Each stage is designed to detect defects early, confirm functionality, and validate system behavior from the user's perspective.

3.1 White Box Testing

White box testing will be performed during unit testing and focuses on the internal structure of the code. This will examine the internal logic, decision paths, loops, and data flows within each module. This will include:

- Verifying all logical branches in the login authentication process.
- Testing calculation functions for subtotal, tax, and total.
- Checking input validation conditions for PINs and menu selections.
- Verifying internal database query handling and error responses.

This will ensure that every code path functions correctly before modules are integrated.

3.2 Black Box Testing

Black box testing will be used during integration and system testing. This focuses on external behavior without viewing internal code. This will include:

- Testing valid and invalid login attempts.
- Verifying correct menu display, user navigation, and button functionality.
- Testing adding items to an order, editing orders, and finalizing purchase.
- Confirming administrative functions such as price updates and user account changes.
- Verifying correct system response to invalid inputs and error conditions.

This will ensure that the system behaves correctly from the user's perspective and meets the functional requirements in the SRS.

4. Test Process

4.1 Unit Testing

Unit testing will verify that individual functions, classes, and modules behave as expected and are handled adequately for both valid and invalid input. Unit testing activities for this plan will include:

- Testing authentication logic (PIN validation, login failure handling).
- Verifying mathematical calculations, including subtotal, tax, and total cost.
- Testing database operations for user accounts, menu items, and orders.
- Evaluating error handling and input validation within isolated modules.

4.2 Integration Testing

Integration testing will be conducted once two or more modules responsible for interacting with each other pass unit testing. Integration testing activities for this plan will include:

- Confirm that the system modules communicate and exchange data correctly.
- Ensure that GUI selections correctly populate data in the SQLite database.
- Validate that admin updates propagate to the menu and price modules.
- Verify that the internal data flow aligns with the design specified in the SDD's data flow diagrams.

4.3 Validation Testing

Validation testing will ensure that the system satisfies the functional and non-functional requirements defined in the SRS. Validation testing activities for this plan will include:

- Executing test cases mapped to the requirement IDs R1-R20 in the Traceability Matrix.
- Running scenario-based tests representing real employee and administrator tasks.
- Verifying performance and usability metrics for GUI responsiveness.
- Ensuring configuration data (price tax rates, and orders) persists across program restarts.

4.4 System Testing

System testing evaluates the integrated application, making sure it downloads, starts, and runs without issue. System testing activities for this plan will include:

- Ensure the entire system functions as a cohesive product.
- Validate GUI navigation, order workflow, admin controls, and reporting data.
- Verify installation and system startup on Windows 10 and 11 as specified in the SRS.
- Validate the robustness, system stability, and error recovery capabilities.

All activities will take place in Schafer Room 160 or 165.

5. Reporting and Corrective Action

5.1 Defect Documentation

During any test case that fails or produces an unexpected behavior, a defect report will be filed. Each defect report includes:

- Defect ID
- Description of the issue
- Steps to reproduce
- Expected vs. actual behavior
- Severity level (Critical, Major, Minor)

- Assigned programmer
- Date reported

These logs will be stored in a shared file directory accessible to all team members. To access the log, first, you will need to log in to a Google account. Next, open the shared team Google Drive. After that, locate the file directory named “Defects list”. Lastly, open the file directory and locate the log you are correcting.

5.2 Corrective Action

Once a defect is documented and filed:

1. The defect will be assigned to an available programmer(preferably one who worked on the issue section of code).
2. The programmer will fix the defect and notify the testers.
3. Testers will perform re-testing to verify that the issue has been resolved.
4. If the fix introduces new issues, additional defect reports will be created.
5. Corrections will continue until all critical and major defects are resolved.

Corrective actions will follow the project’s established error-handling process, as described in the Software Development Plan, ensuring that fixes are properly reviewed, documented, and resolved so that other system components are not affected.

5.3 Approval of Correction

Before we move on to the next stage:

- All defect reports must be reviewed by the Project Manager or testers.
- Testers must confirm that all fixes pass re-testing.
- The project manager must approve that corrective actions are complete.

After all these steps are verified, the system will be ready to move to the next phase of testing.

6. Test Environment

6.1 Hardware Environment

Testing will occur in a computer lab, located in room 160, Schafer Hall. Windows 10 or 11 Operating systems will be required. Functioning monitors, keyboards, and a mouse are needed to conduct testing. Computers located in the testing environment run an Intel(R) Core(TM) i7-14700, 2100 MHz, 20 core(s) CPU, 16.0 GB of RAM, and is an Optiplex SFF Plus 7020. All testing devices should have equivalent or better specifications. Software Developers Computer specs will also use an Intel(R) Core(TM) i7-14700, 2100 MHz, 20 core(s) CPU, 16.0 GB of RAM with a brand-specific Graphics card.

6.2 Software Environment

The following software components will be installed and configured for testing:

- Bob's Pizza Emporium Executable
- Windows 10 or 11, as specified in the SRS
- SQLite Database, used for storing user, order, and menu data.

6.3 Test Data

The test environment will include a prepared set of controlled test data to ensure consistent, reliable results. This data will consist of:

- User accounts (at least one admin with multiple employees)
- Menu items with predefined prices
- Toppings list
- Sample orders used for validating calculations
- Tax rate configurations

6.4 System Configuration

The software will be installed using the official installation package described in the SRS. The system configuration will include:

- Proper installation of the executable
- Establishing read/write access to the SQLite database
- Ensuring persistent data is saved correctly between sessions

Before testing begins, a system check will verify that all components load and run as intended without any errors.

7. Test Procedures

Test #	Author	Date	Revision	Test Purpose	Test Procedures	Measure of Success
PRG-001	Alison Michailof	11/10/2025	2.0	This test is intended to confirm whether the software opens.	1. Locate the application icon “Bob’s Pizza Emporium.” 2. Double click on it to start the application.	The program should open and display the login screen with the text “Bob’s Pizza Emporium”.
LOG-001	Alison Michailof	11/10/2025	2.0	This test is intended to confirm that a user can log in to the application using a given pin.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center of the screen.	Examine output. The program should load the home screen, which displays the text “Home” at the top of the window.
LOG-002	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user can log out of the software.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center of the screen. 4. Click the “logout” text on the top left corner.	Examine output. The program should return the user to the log in page.

LOG-003	Alison Michailof	11/13/2025	2.0	This test is intended to confirm whether the user's name is displayed correctly.	1. Start the program normally. 2. Enter the pin "1234" into the text field that says "enter pin". 3. Click "log in" button in the center	Examine output. The program should load the "Home" screen and the user's name "tester" should be displayed in the top right corner.
LOG-004	Alison Michailof	11/24/2025	1.0	This test is intended to confirm whether the program displays an error message when using an invalid pin.	1. Start the program normally. 2. Enter the pin "xxxx" into the text field that says "enter pin". 3. Click "log in" button in the center	Examine output. A popup window should display the message "Login details invalid" with an x for the user to click out of.
ORD-001	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the "add pizza" menu loads.	1. Start the program normally. 2. Enter the pin "1234" into the text field that says "enter pin". 3. Click "log in" button in the center 4. Click "add a pizza" button.	Examine output. The program should load the "Add Pizza" menu, with that text displayed at the top of the window.
TOPP-001	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user may add pepperoni toppings to their pizza.	1. Start the program normally. 2. Enter the pin "1234" into the text field that says "enter	Examine output. Pepperoni should be listed under "Current Pizza".

					pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding pepperoni.	
TOPP-002	Alison Michailof	11/13/2025	2.0	This test is intended to confirm whether the user may remove pepperoni toppings from their pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding pepperoni. 6. Click the “-” symbol for removing pepperoni.	Examine output. Pepperoni should be removed from the toppings list under “current pizza”. The topping list should be empty.
TOPP-003	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user may add mushroom toppings to their pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza”	Examine output. Mushroom should be listed under “Current Pizza”.

					button. 5. Click the “+” symbol for adding mushroom.	
TOPP-004	Alison Michailof	11/13/2025	2.0	This test is intended to confirm whether the user may remove mushroom toppings from their pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding mushroom. 6. Click the “-” symbol for removing mushroom.	Examine output. Mushroom should be removed from under “current pizza” and no toppings should be listed.
TOPP-005	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user may add sausage toppings to their pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding sausage.	Examine output. Sausage should be listed under “Current Pizza”.

TOPP-006	Alison Michailof	11/13/2025	2.0	This test is intended to confirm whether the user may remove sausage toppings from pizza.	1. Start the program normally. 2. Enter the pin "1234" into the text field that says "enter pin". 3. Click "log in" button in the center 4. Click "add a pizza" button. 5. Click the "+" symbol for adding sausage. 6. Click the "-" symbol for removing sausage.	Examine output. Sausage should be removed from under "current pizza" and no toppings should be listed.
TOPP-007	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user may add bacon toppings to their pizza.	1. Start the program normally. 2. Enter the pin "1234" into the text field that says "enter pin". 3. Click "log in" button in the center 4. Click "add a pizza" button. 5. Click the "+" symbol for adding bacon.	Examine output. Bacon should be listed under "Current Pizza".
TOPP-008	Alison Michailof	11/13/2025	2.0	This test is intended to confirm whether the user may remove bacon	1. Start the program normally. 2. Enter the pin "1234" into the text	Examine output. Bacon should be removed from under "current pizza" and no toppings should

				toppings from pizza.	field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding bacon. 6. Click the “-” symbol for removing bacon.	be listed.
TOPP-009	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user may add onion toppings to their pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding onion.	Examine output. Onion should be listed under “Current Pizza”.
TOPP-010	Alison Michailof	11/13/2025	2.0	This test is intended to confirm whether the user may remove onion toppings from pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center	Examine output. Onion should be removed from under “current pizza” and no toppings should be listed.

					4. Click “add a pizza” button. 5. Click the “+” symbol for adding onion. 6. Click the “-” symbol for removing onion.	
TOPP-011	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user may add pineapple toppings to their pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding pineapple.	Examine output. Pineapple should be listed under “Current Pizza”.
TOPP-012	Alison Michailof	11/13/2025	2.0	This test is intended to confirm whether the user may remove pineapple toppings from pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “+” symbol for adding	Examine output. Pineapple should be removed from under “current pizza” and no toppings should be listed.

					pineapple. 6. Click the “-” symbol for removing pineapple.	
SIZE-001	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user can choose a small pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the small pizza icon.	Examine output. Small pizza size should show as selected.
SIZE-002	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user can choose a medium pizza.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the medium pizza icon.	Examine output. Medium pizza size should show as selected.
SIZE-003	Alison Michailof	11/13/2025	1.0	This test is intended to confirm whether the user can choose a large	1. Start the program normally. 2. Enter the pin “1234” into the text	Examine output. Large pizza size should show as selected.

				pizza.	field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the large pizza icon.	
USER-001	Alison Michailof	11/24/2025	1.0	This test is intended to confirm whether a user who is not an admin does not see the “manage users” button.	1. Start the program normally. 2. Enter the pin “4321” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. Check for a button that says “manage users”.	Examine output. No button that says “manage users” should exist.
USER-002	Alison Michailof	11/24/2025	1.0	This test is intended to confirm whether a user who is an admin can see the “manage users” button.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. Check for a button that says “manage users”.	Examine output. A button that says “manage users” should be visible.
USER-003	Alison Michailof	11/24/2025	1.0	This test is intended to confirm	1. Start the program normally.	Examine output. A popup message should appear that

				whether an admin user can add a new staff user to the system.	2. Enter the pin "1234" into the text field that says "enter pin". 3. Click "log in" button in the center. 4. Click on the button that says "user accounts". 5. Click the "add a user" button. 6. Input username "staff test user". 7. Input pin "0000". 8. Select "staff" from the role options. 9. Click "submit".	says "user added". The user "staff test user" should now be listed on the "user accounts" page. The user's username, pin, and role should all be displayed correctly.
USER-004	Alison Michailof	11/24/2025	1.0	This test is intended to confirm whether an admin user may remove a user from the system.	1. Start the program normally. 2. Enter the pin "1234" into the text field that says "enter pin". 3. Click "log in" button in the center. 4. Click on the button that says "user accounts". 5. Click the "add a user" button.	Examine output. A pop up message saying "user removed" should be displayed. User "staff test user" should no longer be listed as a user on the "user accounts page".

					6. Input username "staff test user". 7. Input pin "0000". 8. Select "staff" from the role options. 9. Click "submit". 10. Click the "remove a user" button. 11. Select user named "staff test user". 12. Click "submit".	
USER-004	Alison Michailof	11/24/2025	1.0	This test is intended to confirm whether a user's permissions may be changed.	1. Start the program normally. 2. Enter the pin "1234" into the text field that says "enter pin". 3. Click "log in" button in the center. 4. Click on the button that says "user accounts". 5. Click the "add a user" button. 6. Input username "staff test user". 7. Input pin "0000". 8. Select "staff" from	Examine output. The user "staff test user" should now have the role admin in the role column.

					the role options. 9. Click “submit”. 10. Return to “manage users” page. 11. Click the button “edit users”. 12. Select user “staff test user”. 13. Navigate to the role column. 14. Select “admin” from the drop down. 15. Click submit.	
COST-001	Alison Michailof	11/24/2025	1.0	This test is intended to confirm whether an admin can access the modify prices menu.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button.	Examine output. The user should now see the “configure prices” page with the text “configure prices” displayed at the top.
COST-002	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “small pizza”.	1. Start the program normally. 2. Enter the pin “1234” into the text field that	Examine output. A popup should display that says “prices changed successfully”. The text field next to “small pizza”

					says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “small pizza”. 6. Change value to “5.00”. 7. Click “submit”.	should display the value “5.00”.
COST-003	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “medium pizza”.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “medium pizza”. 6. Change value to “7.00”. 7. Click “submit”.	Examine output. A popup should display that says “prices changed successfully”. The text field next to “medium pizza” should display the value “7.00”.

COST-004	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “large pizza”.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “medium pizza”. 6. Change value to “9.00”. 7. Click “submit”.	Examine output. A popup should display that says “prices changed successfully”. The text field next to “medium pizza” should display the value “9.00”.
COST-005	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “pepperoni” topping.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to	Examine output. A popup should display that says “prices changed successfully”. The text field next to “pepperoni” should display the value “1.00”.

					“pepperoni”. 6. Change value to “1.00”. 7. Click “submit”.	
COST-006	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “mushroom” topping.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “mushroom”. 6. Change value to “1.00”. 7. Click “submit”.	Examine output. A popup should display that says “prices changed successfully”. The text field next to “mushroom” should display the value “1.00”.
COST-007	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “sausage” topping.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the	Examine output. A popup should display that says “prices changed successfully”. The text field next to “sausage” should display the value “1.00”.

					“configure prices” button. 5. Click on the text field next to “sausage”. 6. Change value to “1.00”. 7. Click “submit”.	
COST-008	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “bacon” topping.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “bacon”. 6. Change value to “2.00”. 7. Click “submit”.	Examine output. A popup should display that says “prices changed successfully”. The text field next to “bacon” should display the value “2.00”.
COST-009	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “onion” topping.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”.	Examine output. A popup should display that says “prices changed successfully”. The text field next to “onion” should display the value “1.00”.

					3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “onion”. 6. Change value to “1.00”. 7. Click “submit”.	
COST-010	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price of a “pineapple” topping.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “pineapple”. 6. Change value to “5.00”. 7. Click “submit”.	Examine output. A popup should display that says “prices changed successfully”. The text field next to “pineapple” should display the value “5.00”.
COST-011	Alison Michailof	11/24/2025	1.0	Test whether an admin can set the price	1. Start the program normally.	Examine output. A popup should display that says

				of a “drink” item.	2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “drink”. 6. Change value to “6.00”. 7. Click “submit”.	“prices changed successfully”. The text field next to “drink” should display the value “6.00”.
COST-005	Alison Michailof	11/24/2025	1.0	Test whether an admin can configure the tax rate.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center. 4. On the “home” page, click the “configure prices” button. 5. Click on the text field next to “tax rate”. 6. Change value to “0.05”.	Examine output. A popup should display that says “prices changed successfully”. The text field next to “tax rate” should display the value “0.05”.

					7. Click “submit”.	
ORD-001	Alison Michailof	11/24/2025	1.0	This test is intended to confirm whether the order total is displayed correctly.	1. Start the program normally. 2. Enter the pin “1234” into the text field that says “enter pin”. 3. Click “log in” button in the center 4. Click “add a pizza” button. 5. Click the “medium pizza” icon. 6. Click the “+” next to each topping. 7. Click the “back arrow” button to return to the “Home” window. 8. Click the “checkout” button.	Examine output. The “Checkout” page should display an itemized list of each item with the price next to it. It should list the total without tax, the tax amount, and then the final total at the bottom. A button should be present that says “confirm order”. The prices should be the same as what was configured in the configure prices menu and should be as follows: Medium pizza = 7.00 Pepperoni topping = 1.00 Mushroom topping = 1.00 Sausage topping = 1.00 Bacon topping = 2.00 Onion topping = 1.00 Pineapple topping = 5.00 Total = \$18 Tax = \$0.90 Total = \$18.90

8. Miscellaneous

There are no miscellaneous items at this time.