

Advanced Pro 2D Indie Game Library for Delphi

Table of Contents

| Topaz Game Library | 1 |
|--|----|
| Classes | 12 |
| TActor Class | 12 |
| Fields | 12 |
| TActor.FActorList Field | 13 |
| TActor.FAttributes Field | 13 |
| TActor.FCanCollide Field | 13 |
| TActor.FChildren Field | 13 |
| TActor.FNext Field | 13 |
| TActor.FOwner Field | 14 |
| TActor.FPrev Field | 14 |
| TActor.FTerminated Field | 14 |
| Methods | 14 |
| TActor.AttributesAreSet Method | 15 |
| TActor.Collide Method | 15 |
| TActor.Create Constructor | 15 |
| TActor.Destroy Destructor | 15 |
| TActor.GetAttribute Method | 15 |
| TActor.GetAttributes Method | 16 |
| TActor.OnCollide Method | 16 |
| TActor.OnMessage Method | 16 |
| TActor.OnRender Method | 16 |
| TActor.OnUpdate Method | 16 |
| TActor.OnVisit Method | 17 |
| TActor.Overlap Method (Single, Single, Single, Single) | 17 |
| TActor.Overlap Method (TActor) | 17 |
| TActor.SetAttribute Method | 17 |
| TActor.SetAttributes Method | 18 |
| Properties | 18 |
| TActor.ActorList Property | 18 |
| TActor.Attribute Property | 18 |
| TActor.Attributes Property | 18 |
| TActor.CanCollide Property | 19 |
| TActor.Children Property | 19 |
| TActor.Next Property | 19 |
| TActor.Owner Property | 19 |
| TActor.Prev Property | 19 |
| TActor.Terminated Property | 20 |

| TBaseInterface Class | 20 |
|--|----|
| Methods | 20 |
| TBaseInterface.Create Constructor | 20 |
| TBaseInterface.Destroy Destructor | 20 |
| TBaseObject Class | 21 |
| Methods | 21 |
| TBaseObject.Create Constructor | 21 |
| TBaseObject.Destroy Destructor | 21 |
| TCustomGame Class | 21 |
| Methods | 22 |
| TCustomGame.Create Constructor | 23 |
| TCustomGame.Destroy Destructor | 23 |
| TCustomGame.GetGameClass Method | 23 |
| TCustomGame.GetSettings Method | 23 |
| TCustomGame.GetTerminated Method | 23 |
| TCustomGame.OnAfterRenderScene Method | 24 |
| TCustomGame.OnBeforeRenderScene Method | 24 |
| TCustomGame.OnBuildArchiveProgress Method | 24 |
| TCustomGame.OnClearWindow Method | 24 |
| TCustomGame.OnCmdConsoleState Method | 24 |
| TCustomGame.OnDisposeActor Method | 25 |
| TCustomGame.OnDone Method | 25 |
| TCustomGame.OnFixedUpdate Method | 25 |
| TCustomGame.OnGetSettings Method | 25 |
| TCustomGame.OnHighscoreAction Method | 25 |
| TCustomGame.OnInAppPurchase Method | 26 |
| TCustomGame.OnInit Method | 26 |
| TCustomGame.OnLuaState Method | 26 |
| TCustomGame.OnPathEditorAction Method | 26 |
| TCustomGame.OnPathEditorTest Method | 27 |
| TCustomGame.OnPhysicsDrawBodyShapes Method | 27 |
| TCustomGame.OnPhysicsUpdateBody Method | 27 |
| TCustomGame.OnPostShowWindow Method | 27 |
| TCustomGame.OnPreShowWindow Method | 27 |
| TCustomGame.OnProcessIMGUI Method | 28 |
| TCustomGame.OnReady Method | 28 |
| TCustomGame.OnRender Method | 28 |
| TCustomGame.OnRenderHUD Method | 28 |
| TCustomGame.OnRun Method | 28 |
| TCustomGame.OnScreenshot Method | 29 |
| TCustomGame.OnSendMail Method | 29 |
| TCustomGame.OnSetupStartupDialog Method | 29 |

| TCustomGame.OnShowWindow Method | 29 |
|--|----|
| TCustomGame.OnShutdown Method | 29 |
| TCustomGame.OnSocialPost Method | 30 |
| TCustomGame.OnSpeechWord Method | 30 |
| TCustomGame.OnStartup Method | 30 |
| TCustomGame.OnStartupDialogMore Method | 30 |
| TCustomGame.OnStartupDialogRun Method | 30 |
| TCustomGame.OnUpdate Method | 31 |
| TCustomGame.OnVideoState Method | 31 |
| TCustomGame.SetTerminated Method | 31 |
| TEntityActor Class | 31 |
| Fields | 31 |
| TEntityActor.FEntity Field | 32 |
| Methods | 32 |
| TEntityActor.Collide Method | 32 |
| TEntityActor.Create Constructor | 32 |
| TEntityActor.Destroy Destructor | 32 |
| TEntityActor.Init Method | 33 |
| TEntityActor.OnRender Method | 33 |
| TEntityActor.Overlap Method (Single, Single, Single, Single) | 33 |
| TEntityActor.Overlap Method (TActor) | 33 |
| Properties | 34 |
| TEntityActor.Entity Property | 34 |
| TGame Class | 34 |
| Records | 34 |
| TGame.THud Record | 34 |
| Fields | 35 |
| TGame.FArchive Field | 35 |
| TGame.FConfigFile Field | 35 |
| TGame.FFont Field | 35 |
| TGame.FHud Field | 35 |
| TGame.FInputMap Field | 36 |
| TGame.FMouseDelta Field | 36 |
| TGame.FMousePos Field | 36 |
| TGame.FMousePressure Field | 36 |
| TGame.FScene Field | 36 |
| TGame.FSettings Field | 37 |
| TGame.FSprite Field | 37 |
| TGame.FStartupDialog Field | 37 |
| TGame.FTerminated Field | 37 |
| Methods | 37 |
| TGame.Archive Method | 39 |

| TGame.ConfigFile Method | 39 |
|--------------------------------------|----|
| TGame.Create Constructor | 39 |
| TGame.Destroy Destructor | 39 |
| TGame.Font Method | 39 |
| TGame.GetGameClass Method | 40 |
| TGame.GetMouseDelta Method | 40 |
| TGame.GetMousePos Method | 40 |
| TGame.GetMousePressure Method | 40 |
| TGame.GetSettings Method | 40 |
| TGame.GetTerminated Method | 41 |
| TGame.HudText Method | 41 |
| TGame.HudTextItem Method | 41 |
| TGame.InputMap Method | 41 |
| TGame.OnAfterRenderScene Method | 41 |
| TGame.OnBeforeRenderScene Method | 42 |
| TGame.OnBuildArchiveProgress Method | 42 |
| TGame.OnClearWindow Method | 42 |
| TGame.OnCmdConsoleState Method | 42 |
| TGame.OnDisposeActor Method | 42 |
| TGame.OnDone Method | 43 |
| TGame.OnFixedUpdate Method | 43 |
| TGame.OnGetSettings Method | 43 |
| TGame.OnHighscoreAction Method | 43 |
| TGame.OnInAppPurchase Method | 43 |
| TGame.OnInit Method | 44 |
| TGame.OnLuaState Method | 44 |
| TGame.OnPathEditorAction Method | 44 |
| TGame.OnPathEditorTest Method | 44 |
| TGame.OnPhysicsDrawBodyShapes Method | 44 |
| TGame.OnPhysicsUpdateBody Method | 45 |
| TGame.OnPostShowWindow Method | 45 |
| TGame.OnPreShowWindow Method | 45 |
| TGame.OnProcessIMGUI Method | 45 |
| TGame.OnReady Method | 45 |
| TGame.OnRender Method | 46 |
| TGame.OnRenderHUD Method | 46 |
| TGame.OnRun Method | 46 |
| TGame.OnScreenshot Method | 46 |
| TGame.OnSendMail Method | 46 |
| TGame.OnSetupStartupDialog Method | 47 |
| TGame.OnShowWindow Method | 47 |
| TGame.OnShutdown Method | 47 |

| | TGame.OnSocialPost Method | 47 |
|--------|---|----|
| | TGame.OnSpeechWord Method | 47 |
| | TGame.OnStartup Method | 48 |
| | TGame.OnStartupDialogMore Method | 48 |
| | TGame.OnStartupDialogRun Method | 48 |
| | TGame.OnUpdate Method | 48 |
| | TGame.OnVideoState Method | 48 |
| | TGame.ResetHudPos Method | 49 |
| | TGame.Scene Method | 49 |
| | TGame.SetHudLineSpace Method | 49 |
| | TGame.SetHudPos Method | 49 |
| | TGame.SetHudTextItemPadWidth Method | 49 |
| | TGame.SetTerminated Method | 50 |
| | TGame.Sprite Method | 50 |
| | TGame.StartupDialog Method | 50 |
| THighs | core Record | 50 |
| Fiel | ds | 51 |
| • | THighscore.Duration Field | 51 |
| | THighscore.Level Field | 51 |
| | THighscore.Location Field | 51 |
| • | THighscore.Name Field | 51 |
| | THighscore.Score Field | 52 |
| | THighscore.Skill Field | 52 |
| Оре | erators | 52 |
| | THighscore.Equal Operator | 52 |
| TLuaVa | alue Record | 52 |
| Fiel | ds | 53 |
| • | TLuaValue.AsBoolean Field | 53 |
| • | TLuaValue.AsInteger Field | 53 |
| • | TLuaValue.AsNumber Field | 53 |
| • | TLuaValue.AsPointer Field | 53 |
| • | TLuaValue.AsString Field | 54 |
| | TLuaValue.AsTable Field | 54 |
| • | TLuaValue.AsType Field | 54 |
| Оре | erators | 54 |
| • | TLuaValue.Implicit Operator (Boolean) | 54 |
| • | TLuaValue.Implicit Operator (Double) | 55 |
| • | TLuaValue.Implicit Operator (Integer) | 55 |
| | TLuaValue.Implicit Operator (PChar) | 55 |
| | TLuaValue.Implicit Operator (Pointer) | 55 |
| | TLuaValue.Implicit Operator (TLuaTable) | 55 |
| • | TLuaValue.Implicit Operator (TLuaValue) | 56 |

| TRectangle Record | 56 |
|---|----|
| Fields | 56 |
| TRectangle.Height Field | 56 |
| TRectangle.Width Field | 57 |
| TRectangle.X Field | 57 |
| TRectangle.Y Field | 57 |
| Methods | 57 |
| TRectangle. Assign Method (Single, Single, Single, Single) | 57 |
| TRectangle.Assign Method (TRectangle) | 58 |
| TRectangle.Clear Method | 58 |
| TRectangle.Create Constructor | 58 |
| TRectangle.Intersect Method | 58 |
| TVector Record | 58 |
| Fields | 59 |
| TVector.W Field | 59 |
| TVector.X Field | 59 |
| TVector.Y Field | 59 |
| TVector.Z Field | 59 |
| Methods | 60 |
| TVector.Add Method | 60 |
| TVector.Angle Method | 60 |
| TVector.Assign Method (Single, Single) | 61 |
| TVector.Assign Method (Single, Single, Single) | 61 |
| TVector.Assign Method (Single, Single, Single, Single) | 61 |
| TVector.Assign Method (TVector) | 61 |
| TVector.Clear Method | 62 |
| TVector.Create Constructor (Single, Single) | 62 |
| TVector.Create Constructor (Single, Single, Single) | 62 |
| TVector.Create Constructor (Single, Single, Single, Single) | 62 |
| TVector.Distance Method | 63 |
| TVector.Divide Method | 63 |
| TVector.DivideBy Method | 63 |
| TVector.DotProduct Method | 63 |
| TVector.Magnitude Method | 63 |
| TVector.MagnitudeSquared Method | 64 |
| TVector.MagnitudeTruncate Method | 64 |
| TVector.Multiply Method | 64 |
| TVector.Negate Method | 64 |
| TVector.Normalize Method | 64 |
| TVector.Project Method | 65 |
| TVector.Scale Method | 65 |
| TVector.Subtract Method | 65 |

| TVector.Thrust Method | 65 |
|--|----|
| TVector.Vec2 Method | 65 |
| Interfaces | 66 |
| IActorList Interface | 67 |
| Methods | 67 |
| IActorList.Add Method | 67 |
| IActorList.CheckCollision Method | 68 |
| IActorList.Clean Method | 68 |
| IActorList.Clear Method | 68 |
| IActorList.ForEach Method | 68 |
| IActorList.GetCount Method | 68 |
| IActorList.Remove Method | 69 |
| IActorList.Render Method | 69 |
| IActorList.SendMessage Method | 69 |
| IActorList.Update Method | 69 |
| IActorScene Interface | 70 |
| Methods | 70 |
| IActorScene.Alloc Method | 70 |
| IActorScene.Clean Method | 70 |
| IActorScene.Clear Method | 71 |
| IActorScene.ClearAll Method | 71 |
| IActorScene.Dealloc Method | 71 |
| IActorScene.GetCount Method | 71 |
| IActorScene.GetList Method | 71 |
| IActorScene.Render Method | 72 |
| IActorScene.SendMessage Method | 72 |
| IActorScene.Update Method | 72 |
| IArchive Interface | 72 |
| Methods | 73 |
| IArchive.Build Method | 73 |
| IArchive.Close Method | 73 |
| IArchive.ExtractFile Method | 73 |
| IArchive.ExtractFiles Method | 73 |
| IArchive.ExtractFileToBuffer Method | 74 |
| IArchive.FileExist Method | 74 |
| IArchive.IsValid Method | 74 |
| IArchive.Open Method (THandle, WideString) | 74 |
| IArchive.Open Method (WideString) | 75 |
| IArchive.Opened Method | 75 |
| IAsync Interface | 75 |
| Methods | 75 |
| IAsync.Busy Method | 75 |

| IAsync.Enter Method | 76 |
|--|----|
| IAsync.Leave Method | 76 |
| IAsync.Process Method | 76 |
| IAsync.Run Method | 76 |
| IAudio Interface | 76 |
| Methods | 77 |
| IAudio.Close Method | 78 |
| IAudio.GetChannelAttenuation Method | 78 |
| IAudio.GetChannelLoop Method | 78 |
| IAudio.GetChannelMinDistance Method | 78 |
| IAudio.GetChannelPitch Method | 79 |
| IAudio.GetChannelPosition Method | 79 |
| IAudio.GetChannelRelativeToListener Method | 79 |
| IAudio.GetChannelReserved Method | 79 |
| IAudio.GetChannelStatus Method | 80 |
| IAudio.GetChannelVolume Method | 80 |
| IAudio.GetListenerGlobalVolume Method | 80 |
| IAudio.GetListenerPosition Method | 80 |
| IAudio.GetMusicLoop Method | 80 |
| IAudio.GetMusicStatus Method | 81 |
| IAudio.GetMusicVolume Method | 81 |
| IAudio.LoadMusic Method | 81 |
| IAudio.LoadSound Method | 81 |
| IAudio.Open Method | 81 |
| IAudio.Pause Method | 82 |
| IAudio.PauseAllMusic Method | 82 |
| IAudio.PauseChannel Method | 82 |
| IAudio.PauseMusic Method | 82 |
| IAudio.PlayMusic Method (IArchive, WideString, Single, Boolean, Integer) | 82 |
| IAudio.PlayMusic Method (Integer, Single, Boolean) | 83 |
| IAudio.PlaySound Method | 83 |
| IAudio.Reset Method | 83 |
| IAudio.SetChannelAttenuation Method | 83 |
| IAudio.SetChannelLoop Method | 84 |
| IAudio.SetChannelMinDistance Method | 84 |
| IAudio.SetChannelPitch Method | 84 |
| IAudio.SetChannelPosition Method | 84 |
| IAudio.SetChannelRelativeToListener Method | 85 |
| IAudio.SetChannelReserved Method | 85 |
| IAudio.SetChannelVolume Method | 85 |
| IAudio.SetListenerGlobalVolume Method | 85 |
| IAudio.SetListenerPosition Method | 85 |

| IAudio.SetMusicLoop Method | 86 |
|------------------------------------|----|
| IAudio.SetMusicOffset Method | 86 |
| IAudio.SetMusicVolume Method | 86 |
| IAudio.StopAllChannels Method | 86 |
| IAudio.StopChannel Method | 86 |
| IAudio.StopMusic Method | 87 |
| IAudio.UnloadAllMusic Method | 87 |
| IAudio.UnloadMusic Method | 87 |
| IAudio.UnloadSound Method | 87 |
| IBaseInterface Interface | 88 |
| IBuffer Interface | 88 |
| Methods | 88 |
| IBuffer.Allocate Method | 89 |
| IBuffer.Eof Method | 89 |
| IBuffer.GetPosition Method | 89 |
| IBuffer.LoadFromFile Method | 89 |
| IBuffer.LoadFromResource Method | 89 |
| IBuffer.Memory Method | 90 |
| IBuffer.Read Method | 90 |
| IBuffer.ReadString Method | 90 |
| IBuffer.Release Method | 90 |
| IBuffer.SaveToFile Method | 90 |
| IBuffer.SetPosition Method | 91 |
| IBuffer.Size Method | 91 |
| IBuffer.Write Method | 91 |
| ICamera Interface | 91 |
| Methods | 91 |
| ICamera.Activate Method | 92 |
| ICamera.Clear Method | 92 |
| ICamera.GetPos Method | 92 |
| ICamera.GetRotation Method | 92 |
| ICamera.GetScale Method | 93 |
| ICamera.GetScreenToWorldPos Method | 93 |
| ICamera.GetSize Method | 93 |
| ICamera.GetWorldToScreenPos Method | 93 |
| ICamera.Init Method | 93 |
| ICamera.SetPos Method | 94 |
| ICamera.SetRotation Method | 94 |
| ICamera.SetScale Method | 94 |
| ICamera.SetSize Method | 94 |
| ICmdConsole Interface | 95 |
| Methods | 95 |

| ICmdConsole.AddCommand Method | 95 |
|---|-----|
| ICmdConsole.AddTextLine Method | 96 |
| ICmdConsole.ClearCommands Method | 96 |
| ICmdConsole.Close Method | 96 |
| ICmdConsole.Enable Method | 96 |
| ICmdConsole.GetActive Method | 96 |
| ICmdConsole.LoadFont Method | 97 |
| ICmdConsole.Open Method | 97 |
| ICmdConsole.ParamCount Method | 97 |
| ICmdConsole.ParamStr Method | 97 |
| ICmdConsole.Render Method | 97 |
| ICmdConsole.SetSlideSpeed Method | 98 |
| ICmdConsole.SetToggleKey Method | 98 |
| ICmdConsole.Toggle Method | 98 |
| ICmdConsole.Update Method | 98 |
| ICmdLine Interface | 98 |
| Methods | 99 |
| ICmdLine.AddAParam Method | 99 |
| ICmdLine.AddParams Method | 99 |
| ICmdLine.ClearParams Method | 99 |
| ICmdLine.GetParam Method | 100 |
| ICmdLine.GetParamValue Method (WideString, TSysCharSet, Char, WideString) | 100 |
| ICmdLine.GetParamValue Method (WideString, WideString) | 100 |
| ICmdLine.ParamCount Method | 100 |
| ICmdLine.ParamStr Method | 100 |
| ICmdLine.Reset Method | 101 |
| IColor Interface | 101 |
| Methods | 101 |
| IColor.Equal Method | 101 |
| IColor.Fade Method | 102 |
| IColor.FromByte Method | 102 |
| IColor.FromFloat Method | 102 |
| IColor.FromName Method | 102 |
| IConfigFile Interface | 103 |
| Methods | 103 |
| IConfigFile.Close Method | 103 |
| IConfigFile.GetSectionValue Method (Integer, Boolean) | 104 |
| IConfigFile.GetSectionValue Method (Integer, Integer) | 104 |
| IConfigFile.GetSectionValue Method (Integer, WideString) | 104 |
| IConfigFile.GetSectionValues Method | 104 |
| IConfigFile.GetValue Method (WideString, WideString, Boolean) | 104 |
| IConfigFile.GetValue Method (WideString, WideString, Integer) | 105 |

| | IConfigFile.GetValue Method (WideString, WideString, Pointer, Cardinal) | 105 |
|-----|---|-----|
| | IConfigFile.GetValue Method (WideString, WideString, WideString) | 105 |
| | IConfigFile.Open Method | 105 |
| | IConfigFile.Opened Method | 106 |
| | IConfigFile.RemoveKey Method | 106 |
| | IConfigFile.RemoveSection Method | 106 |
| | IConfigFile.SetValue Method (WideString, WideString, Boolean) | 106 |
| | IConfigFile.SetValue Method (WideString, WideString, Integer) | 106 |
| | IConfigFile.SetValue Method (WideString, WideString, Pointer, Cardinal) | 107 |
| | IConfigFile.SetValue Method (WideString, WideString, WideString) | 107 |
| | IConfigFile.Update Method | 107 |
| IC | onsole Interface | 107 |
| | Methods | 108 |
| | IConsole.AtStartup Method | 108 |
| | IConsole.IsPresent Method | 108 |
| | IConsole.Pause Method | 108 |
| | IConsole.Print Method (WideString) | 109 |
| | IConsole.Print Method (WideString, array of const) | 109 |
| | IConsole.PrintLn Method () | 109 |
| | IConsole.PrintLn Method (WideString) | 109 |
| | IConsole.PrintLn Method (WideString, array of const) | 109 |
| | IConsole.WaitForInput Method | 110 |
| IDa | atabase Interface | 110 |
| | Methods | 110 |
| | IDatabase.AddSQLText Method | 111 |
| | IDatabase.Bof Method | 111 |
| | IDatabase.ClearSQLText Method | 111 |
| | IDatabase.Close Method | 111 |
| | IDatabase.Connected Method | 112 |
| | IDatabase.Delete Method | 112 |
| | IDatabase.Eof Method | 112 |
| | IDatabase.Execute Method | 112 |
| | IDatabase.ExecuteSQL Method | 112 |
| | IDatabase.FieldCount Method | 112 |
| | IDatabase.First Method | 113 |
| | IDatabase.GetField Method | 113 |
| | IDatabase.GetLastError Method | 113 |
| | IDatabase.GetMacro Method | 113 |
| | IDatabase.GetParam Method | 113 |
| | IDatabase.GetSQLText Method | 114 |
| | IDatabase.Last Method | 114 |
| | IDatabase.Next Method | 114 |

| IDatabase.Open Method | 114 |
|--------------------------------------|-----|
| IDatabase.Prior Method | 114 |
| IDatabase.RecordCount Method | 115 |
| IDatabase.RecordNo Method | 115 |
| IDatabase.SetField Method | 115 |
| IDatabase.SetMacro Method | 115 |
| IDatabase.SetParam Method | 115 |
| IDatabase.SetSQLText Method | 116 |
| IDatabase.SetupMySQL Method | 116 |
| IDatabase.SetupSQLite Method | 116 |
| IDialogs Interface | 116 |
| Methods | 117 |
| IDialogs.ContactUs Method | 117 |
| IDialogs.DirOpen Method | 117 |
| IDialogs.Feedback Method | 117 |
| IDialogs.FileOpen Method | 118 |
| IDialogs.FileSave Method | 118 |
| IDialogs.MessageBox Method | 118 |
| IEntity Interface | 118 |
| Methods | 119 |
| IEntity.CollidePolyPoint Method | 120 |
| IEntity.CollidePolyPointPoint Method | 120 |
| IEntity.GetAngle Method | 120 |
| IEntity.GetAngleOffset Method | 121 |
| IEntity.GetColor Method | 121 |
| IEntity.GetDir Method | 121 |
| IEntity.GetFirstFrame Method | 121 |
| IEntity.GetFlipMode Method | 121 |
| IEntity.GetFrame Method | 121 |
| IEntity.GetFrameFPS Method | 122 |
| IEntity.GetGroup Method | 122 |
| IEntity.GetHeight Method | 122 |
| IEntity.GetLastFrame Method | 122 |
| IEntity.GetLoopFrame Method | 122 |
| IEntity.GetPos Method | 123 |
| IEntity.GetRadius Method | 123 |
| IEntity.GetRenderPolyPoint Method | 123 |
| IEntity.GetScale Method | 123 |
| IEntity.GetShrinkFactor Method | 123 |
| IEntity.GetSprite Method | 123 |
| IEntity.GetWidth Method | 124 |
| IEntity.Init Method | 124 |

| IEntity.IsFullyVisible Method | 124 |
|--|-----|
| IEntity.IsVisible Method | 124 |
| IEntity.NextFrame Method | 125 |
| IEntity.Overlap Method (IEntity) | 125 |
| IEntity.Overlap Method (Single, Single, Single, Single) | 125 |
| IEntity.PrevFrame Method | 125 |
| IEntity.Render Method | 125 |
| IEntity.RenderAt Method | 126 |
| IEntity.RotateAbs Method | 126 |
| IEntity.RotateRel Method | 126 |
| IEntity.RotateToAngle Method | 126 |
| IEntity.RotateToPos Method | 126 |
| IEntity.RotateToPosAt Method | 127 |
| IEntity.SetAngleOffset Method | 127 |
| IEntity.SetColor Method | 127 |
| IEntity.SetFlipMode Method | 127 |
| IEntity.SetFrame Method | 128 |
| IEntity.SetFrameFPS Method | 128 |
| IEntity.SetFrameRange Method | 128 |
| IEntity.SetLoopFrame Method | 128 |
| IEntity.SetPosAbs Method | 128 |
| IEntity.SetPosRel Method | 129 |
| IEntity.SetRenderPolyPoint Method | 129 |
| IEntity.SetScaleAbs Method | 129 |
| IEntity.SetScaleRel Method | 129 |
| IEntity.SetShrinkFactor Method | 130 |
| IEntity.Thrust Method | 130 |
| IEntity.ThrustAngle Method | 130 |
| IEntity.ThrustToPos Method | 130 |
| IEntity.TracePolyPoint Method | 131 |
| IFont Interface | 131 |
| Methods | 131 |
| IFont.GetLineHeight Method | 131 |
| IFont.GetTextWidth Method | 132 |
| IFont.Load Method | 132 |
| IFont.LoadBuiltIn Method | 132 |
| IFont.LoadDefault Method | 132 |
| IFont.PrintText Method (Single, Single, Single, TColor, THAlign, WideString, array of const) | 132 |
| IFont.PrintText Method (Single, Single, TColor, Single, WideString, array of const) | 133 |
| IFont.PrintText Method (Single, Single, TColor, THAlign, WideString, array of const) | 133 |
| IFont.Unload Method | 133 |
| IGUI Interface | 133 |

| Constants | 134 |
|--|-----|
| IGUI.aAlign Constant | 134 |
| IGUI.aTitle Constant | 134 |
| Methods | 134 |
| IGUI.& Method | 135 |
| IGUI.Button Method | 135 |
| IGUI.Checkbox Method | 135 |
| IGUI.Clear Method | 135 |
| IGUI.Close Method | 136 |
| IGUI.Combobox Method | 136 |
| IGUI.Edit Method | 136 |
| IGUI.InputBegin Method | 136 |
| IGUI.InputEnd Method | 136 |
| IGUI.LayoutRowBegin Method | 137 |
| IGUI.LayoutRowDynamic Method | 137 |
| IGUI.LayoutRowEnd Method | 137 |
| IGUI.LayoutRowPush Method | 137 |
| IGUI.LayoutRowStatic Method | 138 |
| IGUI.Open Method | 138 |
| IGUI.Option Method | 138 |
| IGUI.Progress Method | 138 |
| IGUI.Render Method | 138 |
| IGUI.SetStyle Method | 139 |
| IGUI.Slider Method | 139 |
| IGUI.Value Method (WideString, Double, Double, Double, Double, Single) | 139 |
| IGUI.Value Method (WideString, Integer, Integer, Integer, Integer, Single) | 139 |
| IGUI.WindowBegin Method | 140 |
| IGUI.WindowEnd Method | 140 |
| IHighscores Interface | 140 |
| Methods | 140 |
| IHighscores.Busy Method | 141 |
| IHighscores.Clear Method | 141 |
| IHighscores.ClearResults Method | 141 |
| IHighscores.GetLastError Method | 141 |
| IHighscores.GetResult Method | 141 |
| IHighscores.GetResultCount Method | 142 |
| IHighscores.List Method | 142 |
| IHighscores.Post Method (THighscore) | 142 |
| IHighscores.Post Method (WideString, Integer, Cardinal, Integer, Cardinal, WideString) | 142 |
| IHighscores.Remove Method | 143 |
| IHighscores.Setup Method | 143 |
| IInAppPurchase Interface | 143 |

| Methods | 143 |
|---|-----|
| IInAppPurchase.Busy Method | 144 |
| IInAppPurchase.Buy Method | 144 |
| IInAppPurchase.GetAmount Method | 144 |
| IInAppPurchase.GetCurrency Method | 144 |
| IInAppPurchase.GetDescription Method | 144 |
| IInAppPurchase.GetId Method | 145 |
| IInAppPurchase.GetLastError Method | 145 |
| IInAppPurchase.GetStatus Method | 145 |
| Ilnput Interface | 145 |
| Methods | 145 |
| IInput.Clear Method | 146 |
| IInput.GetMouseInfo Method | 146 |
| IInput.JoystickDown Method | 146 |
| IInput.JoystickPosition Method | 147 |
| IInput.JoystickPressed Method | 147 |
| IInput.JoystickReleased Method | 147 |
| IInput.KeyCode Method | 147 |
| IInput.KeyCodeRepeat Method | 147 |
| IInput.KeyDown Method | 148 |
| IInput.KeyPressed Method | 148 |
| IInput.KeyReleased Method | 148 |
| IInput.MouseDown Method | 148 |
| IInput.MousePressed Method | 148 |
| IInput.MouseReleased Method | 149 |
| IInput.MouseSetPos Method | 149 |
| IInput.Update Method | 149 |
| IInputMap Interface | 149 |
| Methods | 150 |
| IInputMap.Add Method | 150 |
| IInputMap.Clear Method | 150 |
| IInputMap.Down Method | 150 |
| IInputMap.Load Method | 150 |
| IInputMap.Pressed Method | 151 |
| IInputMap.Released Method | 151 |
| IInputMap.Remove Method (WideString) | 151 |
| IInputMap.Remove Method (WideString, TInputDevice, Integer) | 151 |
| IInputMap.Save Method | 152 |
| ILog Interface | 152 |
| Methods | 152 |
| ILog.Add Method | 152 |
| ILog.Close Method | 152 |

| ILog.Fatal Method | 153 |
|--|-----|
| ILog.Open Method | 153 |
| ILog.Opened Method | 153 |
| ILua Interface | 153 |
| Methods | 154 |
| ILua.Call Method (Integer) | 154 |
| ILua.Call Method (WideString, array of TLuaValue) | 154 |
| ILua.CollectGarbage Method | 155 |
| ILua.CompileToFile Method | 155 |
| ILua.GetGCMemoryUsed Method | 155 |
| ILua.GetGCStepSize Method | 155 |
| ILua.GetVariable Method | 155 |
| ILua.LoadBuffer Method | 156 |
| ILua.LoadFile Method | 156 |
| ILua.LoadString Method | 156 |
| ILua.PrepCall Method | 156 |
| ILua.RegisterRoutine Method (WideString, Pointer, Pointer) | 157 |
| ILua.RegisterRoutine Method (WideString, TLuaFunction) | 157 |
| ILua.RegisterRoutines Method (TClass) | 157 |
| ILua.RegisterRoutines Method (TObject) | 157 |
| ILua.RegisterRoutines Method (WideString, TClass, WideString) | 157 |
| ILua.RegisterRoutines Method (WideString, TObject, WideString) | 158 |
| ILua.Reset Method | 158 |
| ILua.RoutineExist Method | 158 |
| ILua.Run Method | 158 |
| ILua.SetGCStepSize Method | 158 |
| ILua.SetVariable Method | 159 |
| ILua.VariableExist Method | 159 |
| ILuaContext Interface | 159 |
| Methods | 159 |
| ILuaContext.ArgCount Method | 160 |
| ILuaContext.ClearStack Method | 160 |
| ILuaContext.GetStackType Method | 160 |
| ILuaContext.GetTableFieldValue Method | 160 |
| ILuaContext.GetTableIndexValue Method | 161 |
| ILuaContext.GetValue Method | 161 |
| ILuaContext.PopStack Method | 161 |
| ILuaContext.PushCount Method | 161 |
| ILuaContext.PushValue Method | 161 |
| ILuaContext.SetTableFieldValue Method | 162 |
| ILuaContext.SetTableIndexValue Method | 162 |
| IMail Interface | 162 |

| Methods | 162 |
|---|-----|
| IMail.Busy Method | 163 |
| IMail.GetLastError Method | 163 |
| IMail.Send Method | 163 |
| IMail.Setup Method | 163 |
| IMath Interface | 164 |
| Methods | 164 |
| IMath.AngleCos Method | 165 |
| IMath.AngleDifference Method | 165 |
| IMath.AngleRotatePos Method | 165 |
| IMath.AngleSin Method | 165 |
| IMath.CircleInRectangle Method | 165 |
| IMath.CirclesOverlap Method | 166 |
| IMath.ClipValueFloat Method | 166 |
| IMath.ClipValueInt Method | 166 |
| IMath.EasePosition Method | 166 |
| IMath.EaseValue Method | 167 |
| IMath.GetRandomSeed Method | 167 |
| IMath.Lerp Method | 167 |
| IMath.LineIntersection Method | 167 |
| IMath.PointInCircle Method | 168 |
| IMath.PointInRectangle Method | 168 |
| IMath.PointInTriangle Method | 168 |
| IMath.RadiusOverlap Method | 168 |
| IMath.RandomBool Method | 169 |
| IMath.RandomRange Method (Integer, Integer) | 169 |
| IMath.RandomRange Method (Single, Single) | 169 |
| IMath.Rectangle Method | 169 |
| IMath.RectangleIntersection Method | 170 |
| IMath.RectanglesOverlap Method | 170 |
| IMath.SameSignFloat Method | 170 |
| IMath.SameSignInt Method | 170 |
| IMath.SameValueExt Method | 171 |
| IMath.SameValueFloat Method | 171 |
| IMath.SetRandomSeed Method | 171 |
| IMath.SmoothMove Method | 171 |
| IMath.Vector Method | 171 |
| IPathEditor Interface | 172 |
| Methods | 172 |
| IPathEditor.AddPath Method | 172 |
| IPathEditor.AddPoint Method | 173 |
| IPathEditor.Clear Method | 173 |

| IPathEditor.ClearPath Method | 173 |
|---|-----|
| IPathEditor.GetInfo Method | 173 |
| IPathEditor.GetPathCount Method | 173 |
| IPathEditor.GetPoint Method | 174 |
| IPathEditor.GetPointCount Method | 174 |
| IPathEditor.Load Method | 174 |
| IPathEditor.RemovePath Method | 174 |
| IPathEditor.Reset Method | 175 |
| IPathEditor.Save Method | 175 |
| IPathEditor.SetIcon Method | 175 |
| IPathEditor.SetInfo Method | 175 |
| IPathEditor.Show Method | 175 |
| IPathEditorPath Interface | 176 |
| Methods | 176 |
| IPathEditorPath.GetLookAheadPos Method | 176 |
| IPathEditorPath.GetPos Method (Integer, Single, Single) | 176 |
| IPathEditorPath.GetPos Method (Integer, TVector) | 177 |
| IPathEditorPath.Init Method | 177 |
| IPathEditorPath.Reset Method | 177 |
| IPathEditorPath.Update Method | 177 |
| IPhysics Interface | 178 |
| Methods | 178 |
| IPhysics.AddForce Method | 178 |
| IPhysics.AddTorque Method | 179 |
| IPhysics.Clear Method | 179 |
| IPhysics.Close Method | 179 |
| IPhysics.CreateCircleBody Method | 179 |
| IPhysics.CreateRectangleBody Method | 180 |
| IPhysics.DestroyBody Method | 180 |
| IPhysics.DrawBodyShapes Method | 180 |
| IPhysics.GetBodyCount Method | 180 |
| IPhysics.GetBodyData Method | 180 |
| IPhysics.GetBodyPosition Method | 181 |
| IPhysics.GetBodyRotation Method | 181 |
| IPhysics.GetBodyType Method | 181 |
| IPhysics.GetEnabled Method | 181 |
| IPhysics.GetFirstBody Method | 181 |
| IPhysics.GetNextBody Method | 182 |
| IPhysics.GetUserData Method | 182 |
| IPhysics.Open Method | 182 |
| IPhysics.Reset Method | 182 |
| IPhysics.SetBodyRotation Method | 182 |

| IPhysics.SetGravity Method | 183 |
|-----------------------------------|-----|
| IPhysics.SetUserData Method | 183 |
| IPhysics.Update Method | 183 |
| IPhysics.UpdateBodies Method | 183 |
| IPolygon Interface | 184 |
| Methods | 184 |
| IPolygon.AddLocalPoint Method | 184 |
| IPolygon.CopyFrom Method | 184 |
| IPolygon.GetLocalPoint Method | 185 |
| IPolygon.GetPointCount Method | 185 |
| IPolygon.GetSegmentVisible Method | 185 |
| IPolygon.GetWorldPoint Method | 185 |
| IPolygon.Load Method | 185 |
| IPolygon.Render Method | 186 |
| IPolygon.Save Method | 186 |
| IPolygon.SetSegmentVisible Method | 186 |
| IPolygon.Transform Method | 186 |
| IRenderTarget Interface | 187 |
| Methods | 187 |
| IRenderTarget.GetActive Method | 187 |
| IRenderTarget.GetAngle Method | 187 |
| IRenderTarget.GetPosition Method | 188 |
| IRenderTarget.GetRegion Method | 188 |
| IRenderTarget.GetSize Method | 188 |
| IRenderTarget.Init Method | 188 |
| IRenderTarget.SetActive Method | 189 |
| IRenderTarget.SetAngle Method | 189 |
| IRenderTarget.SetPosition Method | 189 |
| IRenderTarget.SetRegion Method | 189 |
| IRenderTarget.Show Method | 189 |
| IScreenshake Interface | 190 |
| Methods | 190 |
| IScreenshake.Active Method | 190 |
| IScreenshake.Clear Method | 190 |
| IScreenshake.Process Method | 190 |
| IScreenshake.Start Method | 191 |
| IScreenshot Interface | 191 |
| Methods | 191 |
| IScreenshot.Init Method | 191 |
| IScreenshot.Process Method | 192 |
| IScreenshot.Take Method | 192 |
| IShader Interface | 192 |

| Methods | 192 |
|---|-----|
| IShader.Build Method | 193 |
| IShader.Enable Method | 193 |
| IShader.Load Method (IArchive, TShaderType, WideString) | 193 |
| IShader.Load Method (TShaderType, WideString) | 193 |
| IShader.Log Method | 193 |
| IShader.SetBoolUniform Method | 194 |
| IShader.SetFloatUniform Method (WideString, Integer, System.PSingle, Integer) | 194 |
| IShader.SetFloatUniform Method (WideString, Single) | 194 |
| IShader.SetIntUniform Method (WideString, Integer) | 194 |
| IShader.SetIntUniform Method (WideString, Integer, PInteger, Integer) | 195 |
| IShader.SetTextureUniform Method | 195 |
| IShader.SetVec2Uniform Method (WideString, Single, Single) | 195 |
| IShader.SetVec2Uniform Method (WideString, TVector) | 195 |
| ISocial Interface | 196 |
| Methods | 196 |
| ISocial.Busy Method | 196 |
| ISocial.Post Method | 196 |
| ISocial.SaveAccounts Method | 196 |
| ISocial.Setup Method | 197 |
| ISpeech Interface | 197 |
| Methods | 197 |
| ISpeech.Active Method | 198 |
| ISpeech.ChangeVoice Method | 198 |
| ISpeech.Clear Method | 198 |
| ISpeech.GetRate Method | 198 |
| ISpeech.GetVoice Method | 198 |
| ISpeech.GetVoiceAttribute Method | 199 |
| ISpeech.GetVoiceCount Method | 199 |
| ISpeech.GetVolume Method | 199 |
| ISpeech.Pause Method | 199 |
| ISpeech.Reset Method | 199 |
| ISpeech.Resume Method | 199 |
| ISpeech.Say Method | 200 |
| ISpeech.SetRate Method | 200 |
| ISpeech.SetVolume Method | 200 |
| ISpeech.SubstituteWord Method | 200 |
| ISplashscreen Interface | 201 |
| Methods | 201 |
| ISplashscreen.Clear Method | 201 |
| ISplashscreen.DrawText Method | 201 |
| ISplashscreen.DrawTexture Method | 202 |

| ISplashscreen.GetClearColor Method | 202 |
|--|-----|
| ISplashscreen.GetOption Method | 202 |
| ISplashscreen.LoadFont Method (Cardinal) | 202 |
| ISplashscreen.LoadFont Method (IArchive, Cardinal, WideString) | 203 |
| ISplashscreen.LoadTexture Method | 203 |
| ISplashscreen.SetClearColor Method | 203 |
| ISplashscreen.SetDefaults Method | 203 |
| ISplashscreen.SetOption Method | 203 |
| ISplashscreen.Show Method | 204 |
| ISprite Interface | 204 |
| Methods | 204 |
| ISprite.AddGroup Method | 205 |
| ISprite.AddImageFromGrid Method | 205 |
| ISprite.AddImageFromRect Method | 205 |
| ISprite.Clear Method | 205 |
| ISprite.DrawImage Method | 205 |
| ISprite.GetGroupCount Method | 206 |
| ISprite.GetImageCount Method | 206 |
| ISprite.GetImageHeight Method | 206 |
| ISprite.GetImageRect Method | 206 |
| ISprite.GetImageTexture Method | 207 |
| ISprite.GetImageWidth Method | 207 |
| ISprite.GroupPolyPointCollide Method | 207 |
| ISprite.GroupPolyPointCollidePoint Method | 208 |
| ISprite.GroupPolyPointTrace Method | 208 |
| ISprite.LoadPage Method | 208 |
| IStarfield Interface | 208 |
| Methods | 209 |
| IStarfield.GetVirtualPos Method | 209 |
| IStarfield.Init Method | 209 |
| IStarfield.Render Method | 209 |
| IStarfield.SetVirtualPos Method | 210 |
| IStarfield.SetXSpeed Method | 210 |
| IStarfield.SetYSpeed Method | 210 |
| IStarfield.SetZSpeed Method | 210 |
| IStarfield.Update Method | 211 |
| IStartupDialog Interface | 211 |
| Methods | 211 |
| IStartupDialog.Hide Method | 211 |
| IStartupDialog.SetCaption Method | 212 |
| IStartupDialog.SetIcon Method | 212 |
| IStartupDialog.SetLicense Method | 212 |

| | IStartupDialog.SetLicenseText Method | 212 |
|--------|---|-----|
| | IStartupDialog.SetLogo Method | 212 |
| | IStartupDialog.SetLogoClickUrl Method | 213 |
| | IStartupDialog.SetReadme Method | 213 |
| | IStartupDialog.SetReadmeText Method | 213 |
| | IStartupDialog.SetReleaseInfo Method | 213 |
| | IStartupDialog.SetWordWrap Method | 214 |
| | IStartupDialog.Show Method | 214 |
| ITextu | ire Interface | 214 |
| М | ethods | 214 |
| | ITexture.Allocate Method | 215 |
| | ITexture.Draw Method (Single, Single, PRectangle, PVector, PVector, Single, TColor, Boolean, Boolean) | 215 |
| | ITexture.Draw Method (Single, Single, Single, Single, TColor, THAlign, TVAlign, Boolean, Boolean) | 215 |
| | ITexture.DrawTiled Method | 215 |
| | ITexture.GetPixel Method | 216 |
| | ITexture.Height Method | 216 |
| | ITexture.Load Method | 216 |
| | ITexture.Lock Method | 216 |
| | ITexture.Release Method | 217 |
| | ITexture.SetPixel Method | 217 |
| | ITexture.Unlock Method | 217 |
| | ITexture.Width Method | 217 |
| ITime | r Interface | 217 |
| Me | ethods | 218 |
| | ITimer.FrameElapsed Method | 218 |
| | ITimer.FrameSpeed Method | 218 |
| | ITimer.GetDeltaTime Method | 218 |
| | ITimer.GetFixedUpdateSpeed Method | 219 |
| | ITimer.GetFrameRate Method | 219 |
| | ITimer.GetUpdateSpeed Method | 219 |
| | ITimer.Reset Method | 219 |
| | ITimer.SetFixedUpdateSpeed Method | 219 |
| | ITimer.SetUpdateSpeed Method | 220 |
| | ITimer.Update Method | 220 |
| ITopa | z Interface | 220 |
| Me | ethods | 220 |
| | ITopaz.Async Method | 221 |
| | ITopaz.Audio Method | 221 |
| | ITopaz.CmdConsole Method | 221 |
| | ITopaz.CmdLine Method | 222 |
| | ITopaz.Color Method | 222 |

| ITopaz.Console Method | 222 |
|-------------------------------------|-----|
| ITopaz.Dialogs Method | 222 |
| ITopaz.Game Method | 222 |
| ITopaz.GameLoop Method | 222 |
| ITopaz.Get Method | 223 |
| ITopaz.GetVersionStr Method | 223 |
| ITopaz.GUI Method | 223 |
| ITopaz.Input Method | 223 |
| ITopaz.Log Method | 223 |
| ITopaz.Lua Method | 224 |
| ITopaz.Math Method | 224 |
| ITopaz.PathEditor Method | 224 |
| ITopaz.Physics Method | 224 |
| ITopaz.Release Method | 224 |
| ITopaz.RunGame Method | 225 |
| ITopaz.Screenshake Method | 225 |
| ITopaz.Screenshot Method | 225 |
| ITopaz.Speech Method | 225 |
| ITopaz.Splashscreen Method | 225 |
| ITopaz.Timer Method | 225 |
| ITopaz.UserPath Method | 226 |
| ITopaz.Util Method | 226 |
| ITopaz.Video Method | 226 |
| ITopaz.Window Method | 226 |
| ITreeMenu Interface | 226 |
| Methods | 227 |
| ITreeMenu.AddItem Method | 227 |
| ITreeMenu.BoldItem Method | 227 |
| ITreeMenu.BoldItemId Method | 228 |
| ITreeMenu.Clear Method | 228 |
| ITreeMenu.First Method | 228 |
| ITreeMenu.GetCount Method | 228 |
| ITreeMenu.GetLastSelectedId Method | 228 |
| ITreeMenu.GetSelectableCount Method | 229 |
| ITreeMenu.InsertItem Method | 229 |
| ITreeMenu.Selltem Method | 229 |
| ITreeMenu.SetStatus Method | 229 |
| ITreeMenu.SetTitle Method | 229 |
| ITreeMenu.Show Method | 230 |
| ITreeMenu.Sort Method | 230 |
| IUserPath Interface | 230 |
| Methods | 230 |

| IUserPath.CreateDirs Method | 231 |
|---------------------------------------|-----|
| IUserPath.GetAppId Method | 231 |
| IUserPath.GetAppIdPath Method | 231 |
| IUserPath.GetConfigFilename Method | 231 |
| IUserPath.GetLogFilename Method | 231 |
| IUserPath.GetOrgName Method | 232 |
| IUserPath.GetPath Method () | 232 |
| IUserPath.GetPath Method (WideString) | 232 |
| IUserPath.GotoPath Method | 232 |
| IUserPath.Reset Method | 232 |
| IUserPath.SetAppId Method | 233 |
| IUserPath.SetOrgName Method | 233 |
| IUtil Interface | 233 |
| Methods | 233 |
| IUtil.DirExist Method | 234 |
| IUtil.FileCount Method | 234 |
| IUtil.FileExist Method | 234 |
| IUtil.Format Method | 234 |
| IUtil.GetAppBasedPath Method | 235 |
| IUtil.GetAppName Method | 235 |
| IUtil.GetAppPath Method | 235 |
| IUtil.GetCPUCount Method | 235 |
| IUtil.GetDiskFreeSpace Method | 235 |
| IUtil.GetFilename Method | 236 |
| IUtil.GetMemoryFree Method | 236 |
| IUtil.GetOSVersion Method | 236 |
| IUtil.GetTime Method | 236 |
| IUtil.GetVideoCardName Method | 236 |
| IUtil.GotoURL Method | 237 |
| IUtil.PadRight Method | 237 |
| IUtil.ReadAllText Method | 237 |
| IUtil.RemoveQuotes Method | 237 |
| IVideo Interface | 238 |
| Methods | 238 |
| IVideo.Draw Method | 238 |
| IVideo.GetFilename Method | 238 |
| IVideo.GetLooping Method | 239 |
| IVideo.GetPause Method | 239 |
| IVideo.GetPlaying Method | 239 |
| IVideo.GetSize Method | 239 |
| IVideo.Load Method | 239 |
| IVideo.Play Method | 240 |

| IVideo.Rewind Method | 240 |
|--|-----|
| IVideo.Seek Method | 240 |
| IVideo.SetLoping Method | 240 |
| IVideo.SetPause Method | 240 |
| IVideo.SetPlaying Method | 241 |
| IVideo.Unload Method | 241 |
| IVirtualFile Interface | 241 |
| Methods | 241 |
| IVirtualFile.Delete Method | 242 |
| IVirtualFile.GetFilename Method | 242 |
| IVirtualFile.GetSize Method | 242 |
| IVirtualFile.GetVirtualFilename Method | 242 |
| IVirtualFile.Make Method | 242 |
| IVirtualFile.Save Method | 243 |
| IWindow Interface | 243 |
| Methods | 243 |
| IWindow.Clear Method | 244 |
| IWindow.Close Method | 244 |
| IWindow.Dpi Method | 244 |
| IWindow.DrawCircle Method | 244 |
| IWindow.DrawFilledCircle Method | 245 |
| IWindow.DrawFilledPolygon Method | 245 |
| IWindow.DrawFilledRectangle Method | 245 |
| IWindow.DrawFilledTriangle Method | 245 |
| IWindow.DrawLine Method | 246 |
| IWindow.DrawPolygon Method | 246 |
| IWindow.DrawRectangle Method | 246 |
| IWindow.DrawTriangle Method | 247 |
| IWindow.GetBlendColor Method | 247 |
| IWindow.GetBlender Method | 247 |
| IWindow.GetTitle Method | 247 |
| IWindow.GetViewportSize Method | 247 |
| IWindow.Height Method | 248 |
| IWindow.Open Method | 248 |
| IWindow.Opened Method | 248 |
| IWindow.ResetTransform Method | 248 |
| IWindow.RestoreDefaultBlendMode Method | 248 |
| IWindow.Save Method | 249 |
| IWindow.Scale Method | 249 |
| IWindow.SetBlendColor Method | 249 |
| IWindow.SetBlender Method | 249 |
| IWindow.SetBlendMode Method | 249 |

| IWindow.SetBlendModeColor Method | 250 |
|-----------------------------------|-----|
| IWindow.SetPos Method | 250 |
| IWindow.SetRenderTarget Method | 250 |
| IWindow.SetTitle Method | 250 |
| IWindow.SetTransformPos Method | 251 |
| IWindow.Show Method | 251 |
| IWindow.Width Method | 251 |
| Structs, Records, Enums | 251 |
| TActorMessage Record | 252 |
| TAudioStatus Enumeration | 252 |
| TBlendMode Enumeration | 253 |
| TBlendModeColor Enumeration | 253 |
| TCmdConsoleState Enumeration | 253 |
| TColor Record | 254 |
| TEaseType Enumeration | 254 |
| TGameClass Enumeration | 254 |
| TGameSettings Record | 255 |
| THAlign Enumeration | 255 |
| THighscoreAction Enumeration | 256 |
| TInputDevice Enumeration | 256 |
| TLineIntersection Enumeration | 256 |
| TLuaState Enumeration | 256 |
| TLuaTable Enumeration | 257 |
| TLuaType Enumeration | 257 |
| TLuaValueType Enumeration | 257 |
| TMessageBox Enumeration | 258 |
| TMessageBoxResult Enumeration | 258 |
| TPathEditorAction Enumeration | 258 |
| TPhysicsBodyData Record | 258 |
| TPhysicsBodyShape Enumeration | 259 |
| TPhysicsBodyType Enumeration | 259 |
| TPhysicsShapeType Enumeration | 259 |
| TPointi Record | 260 |
| TRange Record | 260 |
| TSeek Enumeration | 260 |
| TShaderType Enumeration | 260 |
| TSpeechVoiceAttribute Enumeration | 261 |
| TSplashscreenOption Enumeration | 261 |
| TStartupDialogState Enumeration | 261 |
| TTextureData Record | 262 |
| TVAlign Enumeration | 262 |
| TVideoState Enumeration | 262 |

| Types | 262 |
|--------------------------------|-----|
| PActorMessage Type | 263 |
| PColor Type | 263 |
| PGameSettings Type | 263 |
| PPhysicsBodyData Type | 264 |
| PPointi Type | 264 |
| PRange Type | 264 |
| PRectangle Type | 264 |
| PTextureData Type | 265 |
| PVector Type | 265 |
| TActorAttributeSet Type | 265 |
| TActorSceneEvent Type | 265 |
| TAsyncProc Type | 265 |
| TBaseInterfaceClass Type | 266 |
| TCmdConsoleActionEvent Type | 266 |
| TCustomGameClass Type | 266 |
| TLuaFunction Type | 266 |
| TPhysicsBody Type | 267 |
| TStringArray Type | 267 |
| TSysCharSet Type | 267 |
| Variables | 267 |
| Topaz Variable | 267 |
| Constants | 268 |
| ALICEBLUE Constant | 276 |
| ANTIQUEWHITE Constant | 276 |
| AQUA Constant | 277 |
| AQUAMARINE Constant | 277 |
| AUDIO_BUFFER_COUNT Constant | 277 |
| AUDIO_CHANNEL_COUNT Constant | 277 |
| AUDIO_DYNAMIC_CHANNEL Constant | 278 |
| AUDIO_INVALID_INDEX Constant | 278 |
| AZURE Constant | 278 |
| BEIGE Constant | 278 |
| BISQUE Constant | 278 |
| BLACK Constant | 279 |
| BLANCHEDALMOND Constant | 279 |
| BLANK Constant | 279 |
| BLEND_ADD Constant | 279 |
| BLEND_ALPHA Constant | 280 |
| BLEND_CONST_COLOR Constant | 280 |
| BLEND_DEST_COLOR Constant | 280 |

| BLEND_DEST_MINUS_SRC Constant | 280 |
|------------------------------------|-----|
| BLEND_INVERSE_ALPHA Constant | 280 |
| BLEND_INVERSE_CONST_COLOR Constant | 281 |
| BLEND_INVERSE_DEST_COLOR Constant | 281 |
| BLEND_INVERSE_SRC_COLOR Constant | 281 |
| BLEND_ONE Constant | 281 |
| BLEND_SRC_COLOR Constant | 282 |
| BLEND_SRC_MINUS_DEST Constant | 282 |
| BLEND_ZERO Constant | 282 |
| BLUE Constant | 282 |
| BLUEVIOLET Constant | 282 |
| BROWN Constant | 283 |
| BURLYWOOD Constant | 283 |
| CADETBLUE Constant | 283 |
| CFG_EXT Constant | 283 |
| CHARTREUSE Constant | 284 |
| CHOCOLATE Constant | 284 |
| COLORKEY Constant | 284 |
| CORAL Constant | 284 |
| CORNFLOWERBLUE Constant | 284 |
| CORNSILK Constant | 285 |
| CR Constant | 285 |
| CRIMSON Constant | 285 |
| CRLF Constant | 285 |
| CYAN Constant | 286 |
| DARKBLUE Constant | 286 |
| DARKCYAN Constant | 286 |
| DARKGOLDENROD Constant | 286 |
| DARKGRAY Constant | 286 |
| DARKGREEN Constant | 287 |
| DARKGREY Constant | 287 |
| DARKKHAKI Constant | 287 |
| DARKMAGENTA Constant | 287 |
| DARKOLIVEGREEN Constant | 288 |
| DARKORANGE Constant | 288 |
| DARKORCHID Constant | 288 |
| DARKRED Constant | 288 |
| DARKSALMON Constant | 288 |
| DARKSEAGREEN Constant | 289 |
| DARKSLATEBLUE Constant | 289 |
| DARKSLATEBROWN Constant | 289 |
| DARKSLATEGRAY Constant | 289 |

| DARKSLATEGREY Constant | 290 |
|--------------------------------------|-----|
| DARKTURQUOISE Constant | 290 |
| DARKVIOLET Constant | 290 |
| DATABASE_DEFAULT_MYSQL_PORT Constant | 290 |
| DEEPPINK Constant | 290 |
| DEEPSKYBLUE Constant | 291 |
| DEG2RAD Constant | 291 |
| DIMGRAY Constant | 291 |
| DIMGREY Constant | 291 |
| DIMWHITE Constant | 292 |
| DODGERBLUE Constant | 292 |
| EPSILON Constant | 292 |
| FALSE_TRUE_STR Constant | 292 |
| FIREBRICK Constant | 292 |
| FLORALWHITE Constant | 293 |
| FORESTGREEN Constant | 293 |
| FUCHSIA Constant | 293 |
| GAINSBORO Constant | 293 |
| GHOSTWHITE Constant | 294 |
| GOLD Constant | 294 |
| GOLDENROD Constant | 294 |
| GRAY Constant | 294 |
| GREEN Constant | 294 |
| GREENYELLOW Constant | 295 |
| GREY Constant | 295 |
| GUI_DYNAMIC Constant | 295 |
| GUI_EDIT_FILTER_ASCII Constant | 295 |
| GUI_EDIT_FILTER_BINARY Constant | 296 |
| GUI_EDIT_FILTER_DECIMAL Constant | 296 |
| GUI_EDIT_FILTER_DEFAULT Constant | 296 |
| GUI_EDIT_FILTER_FLOAT Constant | 296 |
| GUI_EDIT_FILTER_HEX Constant | 296 |
| GUI_EDIT_FILTER_OCT Constant | 297 |
| GUI_STATIC Constant | 297 |
| GUI_TEXT_CENTERED Constant | 297 |
| GUI_TEXT_LEFT Constant | 297 |
| GUI_TEXT_RIGHT Constant | 298 |
| GUI_THEME_BLUE Constant | 298 |
| GUI_THEME_DARK Constant | 298 |
| GUI_THEME_DEFAULT Constant | 298 |
| GUI_THEME_RED Constant | 298 |
| GUI_THEME_WHITE Constant | 299 |

| GUI_WINDOW_BACKGROUND Constant | 299 |
|--------------------------------------|-----|
| GUI_WINDOW_BORDER Constant | 299 |
| GUI_WINDOW_CLOSABLE Constant | 299 |
| GUI_WINDOW_DEFAULT Constant | 300 |
| GUI_WINDOW_MINIMIZABLE Constant | 300 |
| GUI_WINDOW_MOVABLE Constant | 300 |
| GUI_WINDOW_NO_INPUT Constant | 300 |
| GUI_WINDOW_NO_SCROLLBAR Constant | 300 |
| GUI_WINDOW_SCALABLE Constant | 301 |
| GUI_WINDOW_SCALE_LEFT Constant | 301 |
| GUI_WINDOW_SCROLL_AUTO_HIDE Constant | 301 |
| GUI_WINDOW_TITLE Constant | 301 |
| HONEYDEW Constant | 302 |
| HOTPINK Constant | 302 |
| INDIANRED Constant | 302 |
| INDIGO Constant | 302 |
| INI_EXT Constant | 302 |
| IVORY Constant | 303 |
| JOY_AXES_X Constant | 303 |
| JOY_AXES_Y Constant | 303 |
| JOY_AXES_Z Constant | 303 |
| JOY_BTN_A Constant | 304 |
| JOY_BTN_B Constant | 304 |
| JOY_BTN_BACK Constant | 304 |
| JOY_BTN_DDPAD Constant | 304 |
| JOY_BTN_LB Constant | 304 |
| JOY_BTN_LDPAD Constant | 305 |
| JOY_BTN_LT Constant | 305 |
| JOY_BTN_RB Constant | 305 |
| JOY_BTN_RDPAD Constant | 305 |
| JOY_BTN_RT Constant | 306 |
| JOY_BTN_START Constant | 306 |
| JOY_BTN_UDPAD Constant | 306 |
| JOY_BTN_X Constant | 306 |
| JOY_BTN_Y Constant | 306 |
| JOY_STICK_LS Constant | 307 |
| JOY_STICK_LT Constant | 307 |
| JOY_STICK_RS Constant | 307 |
| JOY_STICK_RT Constant | 307 |
| KEYMOD_ACCENT1 Constant | 308 |
| KEYMOD_ACCENT2 Constant | 308 |
| KEYMOD_ACCENT3 Constant | 308 |

| KEYMOD_ACCENT4 Constant | 308 |
|--------------------------|-----|
| KEYMOD_ALT Constant | 308 |
| KEYMOD_CAPSLOCK Constant | 309 |
| KEYMOD_COMMAND Constant | 309 |
| KEYMOD_CTRL Constant | 309 |
| KEYMOD_INALTSEQ Constant | 309 |
| KEYMOD_LWIN Constant | 310 |
| KEYMOD_MENU Constant | 310 |
| KEYMOD_NUMLOCK Constant | 310 |
| KEYMOD_RWIN Constant | 310 |
| KEYMOD_SCROLOCK Constant | 310 |
| KEYMOD_SHIFT Constant | 311 |
| KEY_0 Constant | 311 |
| KEY_1 Constant | 311 |
| KEY_2 Constant | 311 |
| KEY_3 Constant | 312 |
| KEY_4 Constant | 312 |
| KEY_5 Constant | 312 |
| KEY_6 Constant | 312 |
| KEY_7 Constant | 312 |
| KEY_8 Constant | 313 |
| KEY_9 Constant | 313 |
| KEY_A Constant | 313 |
| KEY_ABNT_C1 Constant | 313 |
| KEY_ALT Constant | 314 |
| KEY_ALTGR Constant | 314 |
| KEY_AT Constant | 314 |
| KEY_B Constant | 314 |
| KEY_BACK Constant | 314 |
| KEY_BACKQUOTE Constant | 315 |
| KEY_BACKSLASH Constant | 315 |
| KEY_BACKSLASH2 Constant | 315 |
| KEY_BACKSPACE Constant | 315 |
| KEY_BUTTON_A Constant | 316 |
| KEY_BUTTON_B Constant | 316 |
| KEY_BUTTON_L1 Constant | 316 |
| KEY_BUTTON_L2 Constant | 316 |
| KEY_BUTTON_R1 Constant | 316 |
| KEY_BUTTON_R2 Constant | 317 |
| KEY_BUTTON_X Constant | 317 |
| KEY_BUTTON_Y Constant | 317 |
| KEY_C Constant | 317 |

| KEY_CAPSLOCK Constant | 318 |
|--------------------------|-----|
| KEY_CIRCUMFLEX Constant | 318 |
| KEY_CLOSEBRACE Constant | 318 |
| KEY_COLON2 Constant | 318 |
| KEY_COMMA Constant | 318 |
| KEY_COMMAND Constant | 319 |
| KEY_CONVERT Constant | 319 |
| KEY_D Constant | 319 |
| KEY_DELETE Constant | 319 |
| KEY_DOWN Constant | 320 |
| KEY_DPAD_CENTER Constant | 320 |
| KEY_DPAD_DOWN Constant | 320 |
| KEY_DPAD_LEFT Constant | 320 |
| KEY_DPAD_RIGHT Constant | 320 |
| KEY_DPAD_UP Constant | 321 |
| KEY_E Constant | 321 |
| KEY_END Constant | 321 |
| KEY_ENTER Constant | 321 |
| KEY_EQUALS Constant | 322 |
| KEY_ESCAPE Constant | 322 |
| KEY_F Constant | 322 |
| KEY_F1 Constant | 322 |
| KEY_F10 Constant | 322 |
| KEY_F11 Constant | 323 |
| KEY_F12 Constant | 323 |
| KEY_F2 Constant | 323 |
| KEY_F3 Constant | 323 |
| KEY_F4 Constant | 324 |
| KEY_F5 Constant | 324 |
| KEY_F6 Constant | 324 |
| KEY_F7 Constant | 324 |
| KEY_F8 Constant | 324 |
| KEY_F9 Constant | 325 |
| KEY_FULLSTOP Constant | 325 |
| KEY_G Constant | 325 |
| KEY_H Constant | 325 |
| KEY_HOME Constant | 326 |
| KEY_I Constant | 326 |
| KEY_INSERT Constant | 326 |
| KEY_J Constant | 326 |
| KEY_K Constant | 326 |
| KEY_KANA Constant | 327 |

| KEY_KANJI Constant | 327 |
|---------------------------|-----|
| KEY_L Constant | 327 |
| KEY_LCTRL Constant | 327 |
| KEY_LEFT Constant | 328 |
| KEY_LSHIFT Constant | 328 |
| KEY_LWIN Constant | 328 |
| KEY_M Constant | 328 |
| KEY_MAX Constant | 328 |
| KEY_MENU Constant | 329 |
| KEY_MINUS Constant | 329 |
| KEY_MODIFIERS Constant | 329 |
| KEY_N Constant | 329 |
| KEY_NOCONVERT Constant | 330 |
| KEY_NUMLOCK Constant | 330 |
| KEY_O Constant | 330 |
| KEY_OPENBRACE Constant | 330 |
| KEY_P Constant | 330 |
| KEY_PAD_0 Constant | 331 |
| KEY_PAD_1 Constant | 331 |
| KEY_PAD_2 Constant | 331 |
| KEY_PAD_3 Constant | 331 |
| KEY_PAD_4 Constant | 332 |
| KEY_PAD_5 Constant | 332 |
| KEY_PAD_6 Constant | 332 |
| KEY_PAD_7 Constant | 332 |
| KEY_PAD_8 Constant | 332 |
| KEY_PAD_9 Constant | 333 |
| KEY_PAD_ASTERISK Constant | 333 |
| KEY_PAD_DELETE Constant | 333 |
| KEY_PAD_ENTER Constant | 333 |
| KEY_PAD_EQUALS Constant | 334 |
| KEY_PAD_MINUS Constant | 334 |
| KEY_PAD_PLUS Constant | 334 |
| KEY_PAD_SLASH Constant | 334 |
| KEY_PAUSE Constant | 334 |
| KEY_PGDN Constant | 335 |
| KEY_PGUP Constant | 335 |
| KEY_PRINTSCREEN Constant | 335 |
| KEY_Q Constant | 335 |
| KEY_QUOTE Constant | 336 |
| KEY_R Constant | 336 |
| KEY_RCTRL Constant | 336 |

| KEY_RIGHT Constant | 336 |
|-------------------------------|-----|
| KEY_RSHIFT Constant | 336 |
| KEY_RWIN Constant | 337 |
| KEY_S Constant | 337 |
| KEY_SCROLLLOCK Constant | 337 |
| KEY_SEARCH Constant | 337 |
| KEY_SELECT Constant | 338 |
| KEY_SEMICOLON Constant | 338 |
| KEY_SEMICOLON2 Constant | 338 |
| KEY_SLASH Constant | 338 |
| KEY_SPACE Constant | 338 |
| KEY_START Constant | 339 |
| KEY_T Constant | 339 |
| KEY_TAB Constant | 339 |
| KEY_THUMBL Constant | 339 |
| KEY_THUMBR Constant | 340 |
| KEY_TILDE Constant | 340 |
| KEY_U Constant | 340 |
| KEY_UNKNOWN Constant | 340 |
| KEY_UP Constant | 340 |
| KEY_V Constant | 341 |
| KEY_VOLUME_DOWN Constant | 341 |
| KEY_VOLUME_UP Constant | 341 |
| KEY_W Constant | 341 |
| KEY_X Constant | 342 |
| KEY_Y Constant | 342 |
| KEY_YEN Constant | 342 |
| KEY_Z Constant | 342 |
| KHAKI Constant | 342 |
| LAVENDER Constant | 343 |
| LAVENDERBLUSH Constant | 343 |
| LAWNGREEN Constant | 343 |
| LEMONCHIFFON Constant | 343 |
| LF Constant | 344 |
| LIGHTBLUE Constant | 344 |
| LIGHTCORAL Constant | 344 |
| LIGHTCYAN Constant | 344 |
| LIGHTGOLDENRODYELLOW Constant | 344 |
| LIGHTGRAY Constant | 345 |
| LIGHTGREEN Constant | 345 |
| LIGHTGREY Constant | 345 |
| LIGHTPINK Constant | 345 |

| LIGHTSALMON Constant | 346 |
|------------------------------|-----|
| LIGHTSEAGREEN Constant | 346 |
| LIGHTSKYBLUE Constant | 346 |
| LIGHTSLATEGRAY Constant | 346 |
| LIGHTSLATEGREY Constant | 346 |
| LIGHTSTEELBLUE Constant | 347 |
| LIGHTYELLOW Constant | 347 |
| LIME Constant | 347 |
| LIMEGREEN Constant | 347 |
| LINEN Constant | 348 |
| LOG_EXT Constant | 348 |
| LUAC_EXT Constant | 348 |
| LUA_EXT Constant | 348 |
| MAGENTA Constant | 348 |
| MAIL_PORT_SMTP Constant | 349 |
| MAIL_PORT_SMTPS Constant | 349 |
| MAIL_PORT_SMTPS_ALT Constant | 349 |
| MAROON Constant | 349 |
| MAX_AXES Constant | 350 |
| MAX_BUTTONS Constant | 350 |
| MAX_STICKS Constant | 350 |
| MEDIUMAQUAMARINE Constant | 350 |
| MEDIUMBLUE Constant | 350 |
| MEDIUMORCHID Constant | 351 |
| MEDIUMPURPLE Constant | 351 |
| MEDIUMSEAGREEN Constant | 351 |
| MEDIUMSLATEBLUE Constant | 351 |
| MEDIUMSPRINGGREEN Constant | 352 |
| MEDIUMTURQUOISE Constant | 352 |
| MEDIUMVIOLETRED Constant | 352 |
| MIDNIGHTBLUE Constant | 352 |
| MINTCREAM Constant | 352 |
| MISTYROSE Constant | 353 |
| MOCCASIN Constant | 353 |
| MOUSE_BUTTON_LEFT Constant | 353 |
| MOUSE_BUTTON_MIDDLE Constant | 353 |
| MOUSE_BUTTON_RIGHT Constant | 354 |
| NAN Constant | 354 |
| NAVAJOWHITE Constant | 354 |
| NAVY Constant | 354 |
| OLDLACE Constant | 354 |
| OLIVE Constant | 355 |

| OLIVEDRAB Constant | 355 |
|------------------------|-----|
| ORANGE Constant | 355 |
| ORANGERED Constant | 355 |
| ORCHID Constant | 356 |
| OVERLAY1 Constant | 356 |
| OVERLAY2 Constant | 356 |
| PALEGOLDENROD Constant | 356 |
| PALEGREEN Constant | 356 |
| PALETURQUOISE Constant | 357 |
| PALEVIOLETRED Constant | 357 |
| PAPAYAWHIP Constant | 357 |
| PEACHPUFF Constant | 357 |
| PERU Constant | 358 |
| PINK Constant | 358 |
| PLUM Constant | 358 |
| PNG_EXT Constant | 358 |
| POWDERBLUE Constant | 358 |
| PURPLE Constant | 359 |
| RAD2DEG Constant | 359 |
| REBECCAPURPLE Constant | 359 |
| RED Constant | 359 |
| RED2 Constant | 360 |
| ROSYBROWN Constant | 360 |
| ROYALBLUE Constant | 360 |
| SADDLEBROWN Constant | 360 |
| SALMON Constant | 360 |
| SANDYBROWN Constant | 361 |
| SEAGREEN Constant | 361 |
| SEASHELL Constant | 361 |
| SIENNA Constant | 361 |
| SILVER Constant | 362 |
| SKYBLUE Constant | 362 |
| SLATEBLUE Constant | 362 |
| SLATEGRAY Constant | 362 |
| SLATEGREY Constant | 362 |
| SNOW Constant | 363 |
| SPRINGGREEN Constant | 363 |
| SQLITE_EXT Constant | 363 |
| STEELBLUE Constant | 363 |
| TAN Constant | 364 |
| TEAL Constant | 364 |
| THISTLE Constant | 364 |

Topaz Game Library

| Index | а |
|------------------------|-----|
| TopazGameLib.pas | 367 |
| Files | 367 |
| YELLOWGREEN Constant | 366 |
| YELLOW Constant | 366 |
| WHITESMOKE Constant | 366 |
| WHITE2 Constant | 366 |
| WHITE Constant | 366 |
| WHEAT Constant | 365 |
| VIOLET Constant | 365 |
| TURQUOISE Constant | 365 |
| TREEMENU_QUIT Constant | 365 |
| TREEMENU_NONE Constant | 364 |
| TOMATO Constant | 364 |

1 Symbol Reference

Classes

| ₹ \$ | TActor (see page 12) | This is class TActor. |
|----------------|-------------------------------|-------------------------------|
| ₹ \$ | TBaseInterface (see page 20) | This is class TBaseInterface. |
| 1 2 | TBaseObject (see page 21) | This is class TBaseObject. |
| 4 \$ | TCustomGame (see page 21) | This is class TCustomGame. |
| 4\$ | TEntityActor (see page 31) | This is class TEntityActor. |
| 4 \$ | TGame (see page 34) | This is class TGame. |
| * | THighscore (see page 50) | This is class THighscore. |
| * | TLuaValue (see page 52) | This is class TLuaValue. |
| \$ | TRectangle (see page 56) | This is class TRectangle. |
| % | TVector (see page 58) | This is class TVector. |

Constants

| ALICEBLUE (see page 276) | This is constant ALICEBLUE. |
|---|--|
| ANTIQUEWHITE (see page 276) | This is constant ANTIQUEWHITE. |
| AQUA (see page 277) | This is constant AQUA. |
| AQUAMARINE (see page 277) | This is constant AQUAMARINE. |
| AUDIO_BUFFER_COUNT (see page 277) | This is constant AQOAMARTINE. This is constant AUDIO_BUFFER_COUNT. |
| AUDIO_CHANNEL_COUNT (see page 277) | This is constant AUDIO_CHANNEL_COUNT. |
| AUDIO_DYNAMIC_CHANNEL (see page 278) | This is constant AUDIO_DYNAMIC_CHANNEL. |
| AUDIO_INVALID_INDEX (see page 278) | This is constant AUDIO_DINVALID_INDEX. |
| AZURE (see page 278) | This is constant AODIO_INVALID_INDEX. This is constant AZURE. |
| BEIGE (see page 278) | This is constant AZONE. This is constant BEIGE. |
| BISQUE (see page 278) | This is constant BISQUE. |
| BLACK (see page 279) | This is constant BLACK. |
| BLANCHEDALMOND (see page 279) | This is constant BLANCHEDALMOND. |
| BLANK (see page 279) | This is constant BLANK. |
| BLEND_ADD (see page 279) | This is constant BLANK. This is constant BLEND_ADD. |
| BLEND_ALPHA (see page 280) | This is constant BLEND_ADD. This is constant BLEND_ALPHA. |
| BLEND_CONST_COLOR (see page 280) | This is constant BLEND_ALITIA. This is constant BLEND_CONST_COLOR. |
| BLEND_DEST_COLOR (see page 280) | This is constant BLEND_CONGT_COLOR. |
| BLEND_DEST_MINUS_SRC (see page 280) | This is constant BLEND_DEST_MINUS_SRC. |
| BLEND_INVERSE_ALPHA (see page 280) | This is constant BLEND_INVERSE_ALPHA. |
| BLEND_INVERSE_CONST_COLOR (see page | This is constant BLEND_INVERSE_ACT TIA. This is constant BLEND INVERSE CONST_COLOR. |
| 281) | THIS IS CONSTAINED LEND_INVERSE_CONST_COLOR. |
| BLEND_INVERSE_DEST_COLOR (see page | This is constant BLEND_INVERSE_DEST_COLOR. |
| 281) | |
| BLEND_INVERSE_SRC_COLOR (see page 281) | This is constant BLEND_INVERSE_SRC_COLOR. |
| BLEND_ONE (see page 281) | This is constant BLEND_ONE. |
| BLEND_SRC_COLOR (see page 282) | This is constant BLEND_ONE. This is constant BLEND_SRC_COLOR. |
| BLEND_SRC_MINUS_DEST (see page 282) | This is constant BLEND_SRC_MINUS_DEST. |
| BLEND_ZERO (see page 282) | This is constant BLEND_SRG_WINOS_BLST. This is constant BLEND ZERO. |
| BLUE (see page 282) | This is constant BLUE. |
| DLOL (See page 202) | וווס וס נטווסנמות שבטב. |

| BROWN (see page 283) BROWN (see page 283) This is constant BURLYWOOD. BURLYWOOD (see page 283) This is constant CADETBLUE. CADETBLUE (see page 283) This is constant CADETBLUE. CFG_EXT (see page 284) This is constant CADETBLUE. CHARTREUSE (see page 284) This is constant CHARTREUSE. CHOCOLATE (see page 284) This is constant CHOCOLATE. COLORKEY (see page 284) This is constant CHOCOLATE. CORAL (see page 284) CORNIL (see page 284) This is constant COLORKEY. CORNIL (see page 285) This is constant CORNIL. CORNIL (see page 285) This is constant CORNIL. CORNIL (see page 285) This is constant CORNIL. CORNIL (see page 285) This is constant CR. CRIMISON (see page 286) This is constant CR. CRIMISON (see page 286) This is constant DARROUN. CREF (see page 287) This is constant DARROUN. CREF (see page 288) This is constant DARROUN. CREF (see page 287) This is constant DARROUN. CREF (see page 287) This is constant DARROUN. CREF (see page 288) This is constant DARROUN. CREF (see page 289) This is con | BLUEVIOLET (see page 282) | This is constant BLUEVIOLET. |
|--|---|---|
| BURLWOOD (see page 283) This is constant BURLYWOOD. CADETBULE (see page 283) This is constant CADETBULE. CFG_EXT (see page 284) This is constant CFG_EXT. CHARTREUSE (see page 284) This is constant CFG_EXT. CHARTREUSE (see page 284) This is constant CHARTREUSE. CHOCOLATE (see page 284) This is constant CHARTREUSE. CHOCOLATE (see page 284) This is constant COLORKEY. CORAL_(see page 284) This is constant COLORKEY. CORAL_(see page 284) This is constant CORAL. CORNFILM (see page 285) This is constant CORNFLOWERBLUE. CR (see page 285) This is constant CR. CR (see page 285) This is constant CRIMSON. CRIMSON (see page 285) This is constant CRIMSON. CRLF (see page 286) This is constant CRLF. CYAN (see page 286) This is constant CRLF. CYAN (see page 286) This is constant CARLF. DARKCYAN (see page 286) This is constant DARKGRUE. DARKCYAN (see page 286) This is constant DARKGRUE. DARKCYAN (see page 287) This is constant DARKGRUE. DARKGREY (see page 287) This is constant DARKGREN. DARKGREY (see page 287) This is constant DARKGREN. DARKMAGENTA (see page 288) This is constant DARKGREN. DARKMAGENTA (see page 288) This is constant DARKGREN. DARKMAGENTA (see page 288) This is constant DARKGREN. DARKCOLIVEGREEN (see page 288) This is constant DARKGREN. DARKCOCHID (see page 288) This is constant DARKGREN. DARKCOCHID (see page 288) This is constant DARKGREN. DARKSCALMON (see page 289) This is constant DARKGREN. DARKSLALED (see page 289) This is constant DARKSLALED (see page 289) This is constant DARKSLALED (see page 289) This is constant DAR | | |
| CADETBLUE (see page 283) This is constant CADETBLUE. CFG_EXT (see page 283) This is constant CFG_EXT. CHARTREUSE (see page 284) This is constant CHARTREUSE. CHOCOLATE (see page 284) This is constant CHARTREUSE. CHOCOLATE (see page 284) This is constant COLORKEY. CORNEY (see page 284) This is constant COLORKEY. CORNEL (see page 284) This is constant CORNEL. CORNEL (see page 285) This is constant CORNEL. CRIMSON (see page 285) This is constant CR. CRIMSON (see page 285) This is constant CR. CRIMSON (see page 285) This is constant CR. CRIMSON. CRIL (see page 285) This is constant CARNEL. CYAN (see page 286) This is constant CYAN. DARKGALUE (see page 286) This is constant DARKBLUE. DARKCYAN (see page 286) This is constant DARKGUA. DARKGALUE (see page 286) This is constant DARKGUA. DARKGANY (see page 286) This is constant DARKGANY. DARKGRAY (see page 287) This is constant DARKGREN. DARKGREY (see page 287) This is constant DARKGREN. DARKAKI (see page 287) This is constant DARKGREN. DARKAKI (see page 287) This is constant DARKGREN. DARKAKI (see page 288) This is constant DARKGREN. DARKACHIN (see page 288) This is constant DARKOLIVEGREEN. DARKACHIN (see page 288) This is constant DARKOLIVEGREEN. DARKOLIVEGREEN (see page 288) This is constant DARKOLIVEGREEN. DARKOLIVEGREEN (see page 288) This is constant DARKOLIVEGREEN. DARKOLIVEGREEN (see page 288) This is constant DARKOLIVEGREEN. DARKACHIO (see page 288) This is constant DARKOLIVEGREEN. DARKSALATEOLIVE (see page 289) This is constant DARKSALAMON. DARKSALATEOLIVE (see page 289) This is constant DARKSALAMON. DARKSALATEOLIVE (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 289) | | |
| CFG_EXT (see page 283) This is constant CFG_EXT. CHARTREUSE (see page 284) This is constant CHARTREUSE. CHOCOLATE (see page 284) This is constant CHOCOLATE. COLORKEY (see page 284) This is constant COLORKEY. CORAL (see page 284) This is constant CORAL. CORNELOWERBLUE (see page 285) This is constant CORNILOWERBLUE. CORNSILK (see page 285) This is constant CORNILOWERBLUE. CR (see page 285) This is constant CR. CRIMISON (see page 285) This is constant CRIMSON. CRIF (see page 285) This is constant CRIMSON. CRIF (see page 285) This is constant CRIMSON. CRIF (see page 286) This is constant CARR. CYAN. DARKGLUE (see page 286) This is constant DARKGLUE. DARKGLUE (see page 286) This is constant DARKGLUE. DARKGLUE (see page 286) This is constant DARKGLUE. DARKGRAY (see page 286) This is constant DARKGLUE. DARKGRAY (see page 287) This is constant DARKGRAY. DARKGREEN (see page 287) This is constant DARKGRAY. DARKGREEN (see page 287) This is constant DARKGREEN. DARKGREEN (see page 287) This is constant DARKGREEN. DARKGRAY (see page 287) This is constant DARKGREEN. DARKGRAY (see page 288) This is constant DARKGREEN. DARKGREEN (see page 288) This is constant DARKGLUEGREEN. DARKGRAY (see page 288) This is constant DARKORCHID. DARKGRAY (see page 289) This is constant DARKORCHID. DARKGRAY (see page 289) This is constant DARKGLUEGREEN. DARKGRAY (see page 289) This is constant DARKGLUEGREEN. DARKGLUEGREEN (see page 289) This is constant DARKSLATEGREY. DARKGLUEGREEN (see page 289) This is constant DARKSLATEGREY. DARKGLUEGREEN (see page 289) This is constant DARKSLATEGREY. DARKGLUEGREY (see page 289) This is constant DARKSLATEGREY. DARKGLUEGREY (see page 289) This is constant DARKSLATEGREY. DARKGLUEGREY (see page 289) This is constant DARKS | | |
| CHARTREUSE (see page 284) CHOCOLATE (see page 284) This is constant CHARTREUSE. CHOCOLATE (see page 284) This is constant CHOCOLATE. COLORKEY (see page 284) This is constant COLORKEY. CORAL (see page 284) This is constant COLORNEY. CORNIL (see page 284) This is constant CORNIL (see page 285) This is constant CORNIL (see page 285) This is constant CORNIL (see page 285) CR (see page 285) This is constant CR. CRIMSON (see page 285) This is constant CR. CRIMSON (see page 286) This is constant CR. CRIMSON (see page 286) This is constant CR. CRIMSON (see page 286) This is constant CYAN. DARKGHUE (see page 286) This is constant DARKBLUE. DARKGHUE (see page 286) This is constant DARKGHUE. DARKGAN (see page 286) This is constant DARKGHUE. DARKGRAY (see page 287) This is constant DARKGREN. DARKGRAY (see page 287) This is constant DARKGREN. DARKGREY (see page 287) This is constant DARKGREN. DARKGREY (see page 287) This is constant DARKGREN. DARKGARY (see page 287) This is constant DARKGREN. DARKGREY (see page 288) This is constant DARKGREN. DARKOCANGER (see page 288) This is constant DARKGREN. DARKOCANGER (see page 288) This is constant DARKOLIVEGREEN. DARKOCANGER (see page 288) This is constant DARKORANGE. DARKOCANGER (see page 288) This is constant DARKORANGE. DARKOCANGER (see page 288) This is constant DARKORANGE. DARKGREN (see page 288) This is constant DARKORANGE. DARKGREN (see page 289) This is constant DARKSALMON. DARKEE (see page 289) This is constant DARKSALMON. DARKSELTEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBLUE (see page 289) This is constant DARKSLATEGRAY. DARKSLATEBLUE (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 289) This is constant D | , , , , , , , , , , , , , , , , , , , | |
| CHOCOLATE (see page 284) COLORKEY (see page 284) This is constant COLORKEY. CORAL (see page 284) This is constant CORAL. This is constant CORAL. CORNFLOWERBLUE (see page 284) This is constant CORNEL. CORNSILK (see page 285) This is constant CORNSILK. CR (see page 285) This is constant CORNSILK. CR (see page 285) This is constant CRIMSON. CRLF (see page 285) This is constant CRIMSON. CRLF (see page 286) This is constant CRIMSON. CRLF (see page 286) This is constant CRLF. CYAN (see page 286) This is constant CAN. DARKBLUE (see page 286) This is constant CAN. DARKBLUE (see page 286) This is constant DARKBLUE. DARKCYAN (see page 286) This is constant DARKGUDENROD. DARKGRENCO (see page 286) This is constant DARKGUDENROD. DARKGREEN (see page 287) This is constant DARKGREEN. DARKGREEN (see page 287) This is constant DARKGREY. DARKKHAKI (see page 287) This is constant DARKGREY. DARKKHAKI (see page 287) This is constant DARKGREY. DARKCHORECREN (see page 288) This is constant DARKORENTA. DARKORCHID (see page 288) This is constant DARKORCHID. DARKCRCHID (see page 288) This is constant DARKORCHID. DARKCRCHID (see page 288) This is constant DARKORCHID. DARKCRCHID (see page 288) This is constant DARKORCHID. DARKCRCHID (see page 289) This is constant DARKCRED. DARKSALMON (see page 289) This is constant DARKSALMON. DARKSALELUE (see page 289) This is constant DARKSALMON. DARKSALATEGRAY (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 289) This is consta | | _ |
| COLORKEY (see page 284) CORAL (see page 284) This is constant CORAL. CORNELOWERBLUE (see page 285) This is constant CORAL. CORNSLIK (see page 285) This is constant CORNELOWERBLUE. CORNSLIK (see page 285) This is constant CORNSLIK. CR (see page 285) This is constant CR. CRIMSON (see page 285) This is constant CRIF. CYAN (see page 286) This is constant CYAN. DARKBLUE (see page 286) This is constant CYAN. DARKBLUE (see page 286) This is constant DARKBLUE. DARKCYAN (see page 286) This is constant DARKCYAN. DARKGLUE (see page 286) This is constant DARKGULE. DARKCYAN (see page 286) This is constant DARKGULE. DARKGLUE (see page 286) This is constant DARKGULE. DARKGLUE (see page 287) This is constant DARKGREY. DARKGREY (see page 287) This is constant DARKGREY. DARKGREY (see page 287) This is constant DARKGREY. DARKGREY (see page 287) This is constant DARKGREY. DARKMAGENTA (see page 287) This is constant DARKGREY. DARKMAGENTA (see page 288) This is constant DARKMAGENTA. DARKOLVEGREEN (see page 288) This is constant DARKMAGENTA. DARKOLVEGREEN (see page 288) This is constant DARKORCHID. DARKARDG (see page 288) This is constant DARKORCHID. DARKARD (see page 288) This is constant DARKORCHID. DARKSALMON (see page 288) This is constant DARKSEAGREEN. DARKSALMON (see page 289) This is constant DARKSEAGREEN. DARKSALMON (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBROWN. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATERGRY (see page 290) This is constant DARKSLATEBROWN. DARKSLATERGRY (see page 291) This is constant DARKSLATEBROWN. DARKSLATEGREY (see page 291) This is constant DARKSLATEGROWN. DARKSLATEGREY (see page 291) This is constant DARKGREY. | | |
| CORAL (see page 284) CORNICOMERBLUE (see page 284) This is constant CORNELOWERBLUE. CORNICOMERBLUE (see page 285) This is constant CRNSILK. CR (see page 285) This is constant CRIMSON. CRLF (see page 285) This is constant CRIMSON. CRLF (see page 286) This is constant CRLF. CYAN (see page 286) This is constant CRLF. CYAN (see page 286) This is constant DARKBLUE. DARKGRUE (see page 286) This is constant DARKBLUE. DARKGRAY (see page 286) This is constant DARKGLUE. DARKGRAY (see page 287) This is constant DARKGRAY. DARKGREEN (see page 287) DARKGREEN (see page 287) DARKGREEN (see page 287) DARKGREEN (see page 288) This is constant DARKOREN. DARKORCHIO (see page 288) This is constant DARKORANGE. DARKARE (see page 289) This is constant DARKSALMON. DARKSALATEBLUE (see page 289) This is constant DARKSALMON. DARKSALATEGROWN (see page 289) This is constant DARKSALTEGROWN. DARKSALATEGROWN (see page 289) This is constant DARKSLATEGROWN. DARKSALATEGROWN (see page 289) This is constant DARKSLATEGROWN. DARKSALATEGROWN (see page 289) This is constant DARKSLATEGROWN. DARKSLATEGROWN (see page 289) This is constant DARKSLATEGROW | | |
| CORNFLOWERBLUE (see page 284) CORNSILK (see page 285) This is constant CORNSILK. CR (see page 285) This is constant CR. CRIMSON (see page 285) This is constant CRLF. CRIMSON (see page 286) This is constant CRLF. CYAN (see page 286) This is constant CRLF. CYAN (see page 286) This is constant DARKBLUE. DARKCHUE (see page 286) This is constant DARKBLUE. DARKCYAN (see page 286) This is constant DARKGLUE. DARKCYAN (see page 286) This is constant DARKCYAN. DARKGREEN (see page 287) This is constant DARKGRAY. DARKGREEN (see page 287) This is constant DARKGREN. DARKGREY (see page 287) This is constant DARKGREY. DARKCHUE (see page 287) This is constant DARKGREY. DARKCHUE (see page 287) This is constant DARKGREY. DARKCHUE (see page 288) This is constant DARKCHAK. DARKCHUE (see page 288) This is constant DARKCREEN. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKCHOLVEGREEN (see page 288) This is constant DARKCRANC. DARKSEAGREEN (see page 289) This is constant DARKCRED. DARKSEAGREEN (see page 289) This is constant DARKSLAMCEN. DARKSEAGREEN (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEGROWN (see page 289) This is constant DARKSLATEBLUE. DARKSLATEGROWN (see page 289) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 291) This is constant DARKUULE. This is constant DARKUULE. This is constant DARKUULE. Th | | |
| CORNSILK (see page 285) This is constant CR. CR (see page 285) This is constant CR. CRIMSON (see page 285) This is constant CRIMSON, CRLF (see page 286) This is constant CRLF. CYAN (see page 286) This is constant DARKBLUE. DARKGLUE (see page 286) DARKGOLDENROD (see page 286) DARKGRAY (see page 286) This is constant DARKGULE. DARKGRAY (see page 286) This is constant DARKGULE. DARKGRAY (see page 286) This is constant DARKGULE. DARKGRAY (see page 287) This is constant DARKGREEN. DARKGREY (see page 287) DARKGREY (see page 287) This is constant DARKGREEN. DARKGREY (see page 287) This is constant DARKGREEN. DARKGREY (see page 287) This is constant DARKGREEN. DARKGREY (see page 288) This is constant DARKMAGNE. DARKORANGE (see page 288) This is constant DARKORANGE. DARKORCHID (see page 288) This is constant DARKORANGE. DARKORCHID (see page 288) This is constant DARKRED. DARKSALMON (see page 288) This is constant DARKRED. DARKSEAGREEN (see page 289) This is constant DARKSALMON. DARKSEAGREEN (see page 289) This is constant DARKSEAGREEN. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBLUE. DARKSLATEGRAY (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGREY. DARKWOLLEY (see page 290) Thi | | |
| CR (see page 285) This is constant CR. CRIMSON (see page 285) This is constant CRIMSON. CRLF (see page 286) This is constant CRLF. CYAN (see page 286) This is constant CRLF. CYAN (see page 286) This is constant DARKBLUE. DARKGYAN (see page 286) This is constant DARKGYAN. DARKGUDENROD (see page 286) This is constant DARKGOLDENROD. DARKGRAY (see page 287) This is constant DARKGRAY. DARKGREEN (see page 287) This is constant DARKGREEN. DARKGREY (see page 287) This is constant DARKGREY. DARKGREY (see page 287) This is constant DARKGREY. DARKMAGENTA (see page 287) This is constant DARKGREY. DARKMAGENTA (see page 288) This is constant DARKGREY. DARKMAGENTA (see page 288) This is constant DARKGREEN. DARKOLIVEGREEN (see page 288) This is constant DARKOLIVEGREEN. DARKORANGE (see page 288) This is constant DARKOLIVEGREEN. DARKAGENIO (see page 288) This is constant DARKORCHID. DARKRED (see page 288) This is constant DARKORCHID. DARKSEALMON (see page 288) This is constant DARKORCHID. DARKSEALMON (see page 289) This is constant DARKSALMON. DARKSEALTEGREN (see page 289) This is constant DARKSALMON. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBLUE. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGREY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATE | () (| |
| CRIMSON (see page 285) CRIF (see page 286) This is constant CRLF. CYAN (see page 286) This is constant CYAN. DARKBULE (see page 286) This is constant DARKBULE. DARKCYAN (see page 286) This is constant DARKBULE. DARKCYAN (see page 288) This is constant DARKGUAN. DARKGOLDENROD (see page 286) This is constant DARKGOLDENROD. DARKGREY (see page 287) DARKGREEN (see page 287) This is constant DARKGRAY. DARKGREY (see page 287) DARKGREY (see page 287) DARKGREY (see page 287) This is constant DARKGREY. DARKMAKI (see page 287) This is constant DARKMAGENTA. DARKMAGENTA (see page 287) This is constant DARKMAGENTA. DARKOLIVEGREEN (see page 288) This is constant DARKMAGENTA. DARKORANGE (see page 288) This is constant DARKMAGENTA. DARKORANGE (see page 288) This is constant DARKMAGENTO. DARKRED (see page 288) This is constant DARKMAGENTO. DARKSALMON (see page 288) This is constant DARKSALMON. DARKSALMON (see page 289) This is constant DARKSALMON. DARKSALMON (see page 289) This is constant DARKSALMON. DARKSALTEBLUE (see page 289) This is constant DARKSLATEBRUE. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290 | | |
| CRLF (see page 285) CYAN (see page 286) This is constant CRLF. This is constant CYAN. DARKBLUE (see page 286) DARKCYAN (see page 286) DARKCYAN (see page 286) This is constant DARKCYAN. DARKGOLDENROD (see page 286) This is constant DARKGOLDENROD. DARKGRAY (see page 286) This is constant DARKGRAY. DARKGREN (see page 287) DARKGREEN (see page 287) DARKGREEN (see page 287) DARKGREY (see page 287) DARKGREEN (see page 288) This is constant DARKGREN. DARKOLIVEGREEN (see page 288) This is constant DARKORANGE. DARKOROHID (see page 288) This is constant DARKORANGE. DARKORED (see page 288) This is constant DARKORANGE. DARKSLATEBLUE (see page 289) This is constant DARKSLAMON. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEROWN. DARKSLATEGRAY (see page 290) This is constant DARKSLATERORY. DARKSLATEGREY (see page 290) This is constant DARKSLATERORY. DARKSLATEGREY (see page 290) This is constant DARKSLATERORY. DARKSLATEGRAY (see page 290) This is constant DARKSLATERORY. DARKSLATEGRAY (see page 290) This is constant DARKSLATERORY. DARKSLATEGRAY (see page 290) This is constant DARKSLATERORY. DARKSLATEGRAY (see page 290) This is constant DARKSLATERORY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY. DARKSLATEGRAY. THIS IS CONSTANT DARKSLATEGRAY. DARKSLATEGRAY. DARKSLATEGRAY. THIS IS CONSTANT DARKSLATEGRAY. THIS IS CONSTANT DARKSLATEGRAY. THIS IS CONSTANT DARKSLATEGRAY. THIS IS CONSTANT | | |
| CYAN (see page 286) This is constant CYAN. DARKBLUE (see page 286) This is constant DARKBLUE. DARKOYAN (see page 286) This is constant DARKGUEN. DARKGOLDENROD (see page 286) This is constant DARKGOLDENROD. DARKGRAY (see page 287) This is constant DARKGRAY. DARKGREEN (see page 287) This is constant DARKGEEN. DARKGREY (see page 287) This is constant DARKGREY. DARKGREY (see page 287) This is constant DARKGREY. DARKMAGENTA (see page 287) This is constant DARKMAGENTA. DARKOLIVEGREEN (see page 288) This is constant DARKOLIVEGREEN. DARKORANGE (see page 288) This is constant DARKORANGE. DARKORCHID (see page 288) This is constant DARKORANGE. DARKORCHID (see page 288) This is constant DARKORANGE. DARKSALMON (see page 289) This is constant DARKSALMON. DARKSEAGREEN (see page 289) This is constant DARKSALMON. DARKSEAGREEN (see page 289) This is constant DARKSALMON. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROW. DARKSLATEGREY (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DEEPPINK (see page 290) This is constant DARKSLATEGREY. DEEPPINK (see pag | | |
| DARKCYAN (see page 286) This is constant DARKCYAN. DARKGOLDENROD (see page 286) This is constant DARKGOLDENROD. DARKGRAY (see page 286) This is constant DARKGOLDENROD. DARKGRAY (see page 287) This is constant DARKGREN. DARKGREEN (see page 287) This is constant DARKGREN. DARKGREY (see page 287) This is constant DARKGREY. DARKGREY (see page 287) This is constant DARKGREY. DARKMAKI (see page 287) This is constant DARKGREY. DARKMAGENTA (see page 288) This is constant DARKMAGENTA. DARKOLIVEGREEN (see page 288) This is constant DARKORANGE. DARKOROHID (see page 288) This is constant DARKORANGE. DARKOROHID (see page 288) This is constant DARKORANGE. DARKSEAGREEN (see page 289) This is constant DARKSEAGREEN. DARKSEAGREEN (see page 289) This is constant DARKSEAGREEN. DARKSEAGREEN (see page 289) This is constant DARKSEAGREEN. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGREY (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSLATEGREY (see page | · · · · · · · · · · · · · · · · · · · | |
| DARKCYAN (see page 286) This is constant DARKCYAN. DARKGOLDENROD (see page 286) This is constant DARKGOLDENROD. DARKGRAY (see page 287) This is constant DARKGRAY. DARKGREN (see page 287) This is constant DARKGREN. DARKGREY (see page 287) This is constant DARKGREY. DARKKHAKI (see page 287) This is constant DARKGREY. DARKKHAKI (see page 287) This is constant DARKKHAKI. DARKOLIVEGREEN (see page 288) This is constant DARKORNGE. DARKORANGE (see page 288) This is constant DARKORNGE. DARKORANGE (see page 288) This is constant DARKORNGE. DARKORCHID (see page 288) This is constant DARKORNGE. DARKORCHID (see page 288) This is constant DARKORNOB. DARKSALMON (see page 288) This is constant DARKORLID. DARKSALMON (see page 289) This is constant DARKSED. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKTURQUOISE (see page 290) This is constant DARKSLATEGRAY. DARKVIOLET (see page 290) This is constant DARKSLATEGREY. DARKVIOLET (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DEEPPINK (see page 291) This is constant DARKSLATEGRAY. DEEPPINK (see page 291) This is constant DEEPPINK. DEEPPINK (see page 291) This is constant DEEPPINK. DEEPPINK (see page 291) This is constant DEEPRINK. DEEPPINK (see page 291) This is constant DEEPRINK. DEEPPINK (see page 291) This is constant DEEPRINK. DEEPRING (see page 291) This is constant DEEPRINC. DEEPRING (see page 291) This is constant DEEPRINC. DEEPRING (see page 291) This is constant DEEPRINC. DEEPRING (see page 292) This is constant DIMGREY. DIMMHITE (see page 292) This is constant DOGERBLUE. EPSILON (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 292) This is constant FIREBRICK. | - | |
| DARKGOLDENROD (see page 286) This is constant DARKGOLDENROD. DARKGRAY (see page 287) This is constant DARKGRAY. DARKGREEN (see page 287) This is constant DARKGREEN. DARKGREY (see page 287) This is constant DARKGREY. DARKKHAKI (see page 287) This is constant DARKGREY. DARKKHAKI (see page 287) This is constant DARKGREY. DARKMAGENTA (see page 288) This is constant DARKOLIVEGREEN. DARKOLIVEGREEN (see page 288) This is constant DARKOLIVEGREEN. DARKORANGE (see page 288) This is constant DARKORCHID. DARKORCHID (see page 288) This is constant DARKORCHID. DARKAED (see page 288) This is constant DARKORCHID. DARKSALMON (see page 289) This is constant DARKSALMON. DARKSALATEBLUE (see page 289) This is constant DARKSALMON. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEGRAY (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKVIOLET (see page 290) This is constant DARKSLATEGRAY. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DARKSLATEGRAY. DEEPPINK (see page 290) This is constant DARKSLATEGRAY. DEEPPINK (see page 291) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPRAULT_MYSQL_PORT. DEEPSKYBLUE (see page 291) This is constant DEEPRAULT_MYSQL_PORT. DIMGRAY (see page 291) This is constant DEEPRAULT_MYSQL_PORT. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEEPSKYBLUE (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMGREY (see page 292) This is constant DIMGREY. DIMGREY (see page 292) This is constant DOGERBLUE. EPSILON (see page 292) This is constant DOGERBLUE. EPSILON (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 292) This is constant FIREBRICK. | | 11.000000000000000000000000000000000000 |
| DARKGRAY (see page 286) DARKGREEN (see page 287) DARKGREEN (see page 287) DARKGREY (see page 287) DARKAHAKI (see page 287) DARKAHAKI (see page 287) DARKAHAKI (see page 288) DARKAGENTA (see page 288) DARKAGENTA (see page 288) DARKORANGE (see page 288) DARKORANGE (see page 288) DARKORANGE (see page 288) DARKORAHID (see page 288) DARKORCHID (see page 288) DARKORCHID (see page 288) DARKORCHID (see page 288) DARKAGENTA (see page 288) DARKAGE (see page 288) DARKAGE (see page 288) DARKAGE (see page 288) DARKSEALMON (see page 289) DARKSLATEBLUE (see page 289) DARKSLATEBLUE (see page 289) DARKSLATEGRAY (see page 289) DARKSLATEGRAY (see page 289) DARKSLATEGREY (see page 290) DARKSLATEGREY (see page 290) DARKAUTURQUOISE (see page 290) DARKAGENET (see page 290) DARASABASE DEFAULT MYSQL PORT (see page 291) DEEPPINK (see page 291) DEGERAD (see page 291) DINGRAY (see page 291) This is constant DEPSKYBLUE DEGERAD (see page 291) This is constant DIMGRAY. DIMGRAY (see page 291) This is constant DEGERAD. This is constant DEGERAD. DIMGRAY (see page 291) This is constant DEGERAD. This is constant DEGERAD. This is constant DEGERAD. DIMGRAY (see page 291) This is constant DEGERBLUE. DOGGERBLUE (see page 292) This is constant DIMGRAY. DIMWHITE (see page 291) This is constant DIMGRAY. DIMWHITE (see page 292) This is constant DIMGRAY. DIMWHITE (see page 292) This is constant DOGGERBLUE. EPSILON (see page 292) This is constant DOGGERBLUE. EPSILON (see page 292) This is constant DOGGERBLUE. EPSILON (see page 292) This is constant TALSE TRUE_STR. FIREBRICK (see page 293) This is constant FLORALWHITE. | | |
| DARKGREEN (see page 287) DARKGREY (see page 287) DARKKHAKI (see page 288) DARKOLIVEGREEN (see page 288) DARKOLIVEGREEN (see page 288) DARKORANGE (see page 288) DARKORCHID (see page 288) DARKORCHID (see page 288) DARKORCHID (see page 288) DARKSALMON (see page 288) DARKSALMON (see page 289) DARKSALMON (see page 289) DARKSALMON (see page 289) DARKSALATEBLUE (see page 289) DARKSLATEBROWN (see page 289) DARKSLATEGREY (see page 289) DARKSLATEGREY (see page 289) DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKSUOLET (see page 290) This is constant DARKSLATEGREY. DARKSUOLET (see page 290) This is constant DARKSLATEGREY. DARKSUOLET (see page 291) This is constant DARKSLATEGREY. This is constant DARKSUDET. DARKSUOLET (see page 291) This is constant DARKSUDET. DEEPSIKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DOBGERBLUE. EPSILON (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FLORALWHITE. | | |
| DARKGREY (see page 287) DARKMAGENTA (see page 287) DARKMAGENTA (see page 288) DARKOLIVEGREEN (see page 288) DARKORANGE (see page 288) DARKORANGE (see page 288) DARKORCHID (see page 288) DARKORCHID (see page 288) This is constant DARKORCHID. DARKOLIVEGREEN. DARKORCHID (see page 288) This is constant DARKORCHID. DARKORCHID (see page 288) This is constant DARKORCHID. DARKSALMON (see page 288) This is constant DARKSALMON. DARKSALMON (see page 289) This is constant DARKSALMON. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DARKVIOLET. DEEPSKYBLUE (see page 291) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPPINK. DEGGRAD (see page 291) This is constant DIMGRAY. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FIREBRICK. | | |
| DARKKHAKI (see page 287) DARKMAGENTA (see page 288) DARKOLIVEGREEN (see page 288) DARKORANGE (see page 288) DARKORANGE (see page 288) DARKORCHID (see page 288) DARKORCHID (see page 288) DARKORCHID (see page 288) This is constant DARKORCHID. DARKRED (see page 288) This is constant DARKORCHID. DARKRED (see page 288) This is constant DARKSALMON. DARKSEAGREEN (see page 289) This is constant DARKSALMON. DARKSEAGREEN (see page 289) This is constant DARKSLATEBRUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DARKVIOLET. DEEPPINK (see page 291) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEGCRAD (see page 291) This is constant DIMGRAY. DIMGRAY (see page 292) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMMREY. DIMWHITE (see page 292) This is constant DOGERBLUE. PSILON (see page 292) This is constant FIREBRICK. FIREBRICK (see page 293) This is constant FIREBRICK. This is constant FIREBRICK. | | |
| DARKMAGENTA (see page 287) DARKOLIVEGREEN (see page 288) DARKORANGE (see page 288) This is constant DARKOLIVEGREEN. DARKORCHID (see page 288) This is constant DARKOCHID. DARKADROR (see page 288) This is constant DARKORCHID. DARKADROR (see page 288) This is constant DARKORCHID. DARKALMON (see page 288) This is constant DARKSED. DARKSALMON (see page 289) This is constant DARKSEAGREEN. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKVIOLET. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DARKSLATEGREY. This is constant DARKVIOLET. DEEPPINK (see page 291) This is constant DARKVIOLET. DEEPSKYBLUE (see page 291) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEGQRAD (see page 291) This is constant DEEPSKYBLUE. DEGRAD (see page 291) This is constant DIMGRAY. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FIND ARKONCHID. | · · · · · · · · · · · · · · · · · · · | |
| DARKOLIVEGREEN (see page 288) DARKORANGE (see page 288) DARKORCHID (see page 288) This is constant DARKORCHID. DARKRED (see page 288) This is constant DARKORCHID. DARKSALMON (see page 289) This is constant DARKSEAGREEN. DARKSEAGREEN (see page 289) This is constant DARKSEAGREEN. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) DEEPPINK (see page 291) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DIMGRAY. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DOGERBLUE. EPSILON (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FIREBRICK. | , | |
| DARKORANGE (see page 288) DARKORCHID (see page 288) This is constant DARKORCHID. DARKRED (see page 288) This is constant DARKGED. DARKSALMON (see page 288) This is constant DARKSEAGREEN. DARKSEAGREEN (see page 289) This is constant DARKSEAGREEN. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKSUOISE. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DEEPPINK. DEEPPINK (see page 291) This is constant DEEPPINK. DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DOGERBLUE. DOGERBLUE (see page 292) This is constant DOGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FLESETRUE_STR. FIREBRICK (see page 293) This is constant FLEBRICK. | , , , , | |
| DARKORCHID (see page 288) DARKRED (see page 288) This is constant DARKRED. DARKSALMON (see page 289) This is constant DARKSALMON. DARKSEAGREEN (see page 289) This is constant DARKSEAGREEN. DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBLUE. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGRAY (see page 290) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKVIOLET. DARABASE DEFAULT_MYSQL_PORT (see page 290) This is constant DARKVIOLET. DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMGREY (see page 292) This is constant DIMGREY. DODGERBLUE (see page 292) This is constant DOGERBLUE. EPSILON (see page 292) This is constant PALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FLORALWHITE. | | |
| DARKRED (see page 288) DARKSALMON (see page 289) DARKSEAGREEN (see page 289) DARKSLATEBLUE (see page 289) DARKSLATEBROWN (see page 289) DARKSLATEBROWN (see page 289) DARKSLATEGRAY (see page 289) DARKSLATEGRAY (see page 289) DARKSLATEGREY (see page 290) DARKSLATEGREY (see page 290) DARKURQUOISE (see page 290) DARKVIOLET (see page 290) DARKVIOLET (see page 290) DEEPPINK (see page 290) DEEPPINK (see page 291) DEEPSKYBLUE (see page 291) DIMGRAY (see page 291) DIMGRAY (see page 291) DIMGRAY (see page 291) DIMGREY (see page 291) DIMGREY (see page 292) This is constant DARKSLATEGREY. DATABASE DEFAULT MYSQL PORT (see page 291) DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) DIMGRAY (see page 291) DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DDDGERBLUE. DODGERBLUE (see page 292) This is constant DDDGERBLUE. PSILON (see page 292) This is constant FALSE TRUE STR. FIREBRICK (see page 293) This is constant FLORALWHITE. | | |
| DARKSALMON (see page 289) DARKSEAGREEN (see page 289) DARKSLATEBLUE (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKSLATEGREY. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DARKVIOLET. DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FLORALWHITE. | | |
| DARKSEAGREEN (see page 289) DARKSLATEBLUE (see page 289) DARKSLATEBROWN (see page 289) This is constant DARKSLATEBLUE. DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKTURQUOISE. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DATABASE_DEFAULT_MYSQL_PORT. DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DIMGRAY. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | | |
| DARKSLATEBLUE (see page 289) DARKSLATEBROWN (see page 289) This is constant DARKSLATEBROWN. DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKTURQUOISE. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DATABASE_DEFAULT_MYSQL_PORT. DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DIMGRAY. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FLORALWHITE. | | |
| DARKSLATEBROWN (see page 289) DARKSLATEGRAY (see page 289) This is constant DARKSLATEGRAY. DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKTURQUOISE. DARKVIOLET (see page 290) DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | , , , | This is constant DARKSLATEBLUE. |
| DARKSLATEGRAY (see page 289) DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKTURQUOISE. DARKVIOLET (see page 290) DATABASE_DEFAULT_MYSQL_PORT (see page 290) DEEPPINK (see page 290) This is constant DATABASE_DEFAULT_MYSQL_PORT. DEEPSKYBLUE (see page 291) DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGRAY. DIMWHITE (see page 292) This is constant DDGERBLUE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FLORALWHITE. | | This is constant DARKSLATEBROWN. |
| DARKSLATEGREY (see page 290) This is constant DARKSLATEGREY. DARKTURQUOISE (see page 290) This is constant DARKTURQUOISE. DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) This is constant DATABASE_DEFAULT_MYSQL_PORT. DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DODGERBLUE. DODGERBLUE (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FLORALWHITE. | ` , | |
| DARKTURQUOISE (see page 290) DARKVIOLET (see page 290) This is constant DARKVIOLET. DATABASE_DEFAULT_MYSQL_PORT (see page 290) DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) DEG2RAD (see page 291) DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DDDGERBLUE. DODGERBLUE (see page 292) This is constant DIMGREY. This is constant DIMCREY. This is constant FIREBLUE. This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | , , , , | This is constant DARKSLATEGREY. |
| DARKVIOLET (see page 290) DARKVIOLET (see page 290) This is constant DARKVIOLET. This is constant DATABASE_DEFAULT_MYSQL_PORT. page 290) DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DIMGRAY. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | | This is constant DARKTURQUOISE. |
| DATABASE_DEFAULT_MYSQL_PORT (see page 290) DEEPPINK (see page 290) This is constant DEEPPINK. DEEPSKYBLUE (see page 291) DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 291) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | , , , , | |
| DEEPSKYBLUE (see page 291) This is constant DEEPSKYBLUE. DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 293) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | DATABASE_DEFAULT_MYSQL_PORT (see | |
| DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | | This is constant DEEPPINK. |
| DEG2RAD (see page 291) This is constant DEG2RAD. DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | | This is constant DEEPSKYBLUE. |
| DIMGRAY (see page 291) This is constant DIMGRAY. DIMGREY (see page 292) This is constant DIMGREY. DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | | This is constant DEG2RAD. |
| DIMWHITE (see page 292) This is constant DIMWHITE. DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | | This is constant DIMGRAY. |
| DODGERBLUE (see page 292) This is constant DODGERBLUE. EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | DIMGREY (see page 291) | This is constant DIMGREY. |
| EPSILON (see page 292) This is constant EPSILON. FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | DIMWHITE (see page 292) | This is constant DIMWHITE. |
| FALSE_TRUE_STR (see page 292) This is constant FALSE_TRUE_STR. FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | DODGERBLUE (see page 292) | This is constant DODGERBLUE. |
| FIREBRICK (see page 292) This is constant FIREBRICK. FLORALWHITE (see page 293) This is constant FLORALWHITE. | EPSILON (see page 292) | This is constant EPSILON. |
| FLORALWHITE (see page 293) This is constant FLORALWHITE. | FALSE_TRUE_STR (see page 292) | This is constant FALSE_TRUE_STR. |
| | FIREBRICK (see page 292) | This is constant FIREBRICK. |
| FORESTGREEN (see page 293) This is constant FORESTGREEN. | FLORALWHITE (see page 293) | This is constant FLORALWHITE. |
| | FORESTGREEN (see page 293) | This is constant FORESTGREEN. |

| FUCHSIA (see page 293) | This is constant FUCHSIA. |
|---|--|
| GAINSBORO (see page 293) | This is constant GOINSBORO. |
| GHOSTWHITE (see page 294) | This is constant GANGBOKO. This is constant GHOSTWHITE. |
| GOLD (see page 294) | This is constant GOLD. |
| GOLDENROD (see page 294) | This is constant GOLDENROD. |
| , , , | This is constant GRAY. |
| GRAY (see page 294) | |
| GREEN (see page 294) | This is constant CREEN. |
| GREENYELLOW (see page 295) | This is constant CRENYELLOW. |
| GREY (see page 295) | This is constant GREY. |
| GUI_DYNAMIC (see page 295) | This is constant GUI_DYNAMIC. |
| GUI_EDIT_FILTER_ASCII (see page 295) | This is constant GUI_EDIT_FILTER_ASCII. |
| GUI_EDIT_FILTER_BINARY (see page 296) | This is constant GUI_EDIT_FILTER_BINARY. |
| GUI_EDIT_FILTER_DECIMAL (see page 296) | This is constant GUI_EDIT_FILTER_DECIMAL. |
| GUI_EDIT_FILTER_DEFAULT (see page 296) | This is constant GUI_EDIT_FILTER_DEFAULT. |
| GUI_EDIT_FILTER_FLOAT (see page 296) | This is constant GUI_EDIT_FILTER_FLOAT. |
| GUI_EDIT_FILTER_HEX (see page 296) | This is constant GUI_EDIT_FILTER_HEX. |
| GUI_EDIT_FILTER_OCT (see page 297) | This is constant GUI_EDIT_FILTER_OCT. |
| GUI_STATIC (see page 297) | This is constant GUI_STATIC. |
| GUI_TEXT_CENTERED (see page 297) | This is constant GUI_TEXT_CENTERED. |
| GUI_TEXT_LEFT (see page 297) | This is constant GUI_TEXT_LEFT. |
| GUI_TEXT_RIGHT (see page 298) | This is constant GUI_TEXT_RIGHT. |
| GUI_THEME_BLUE (see page 298) | This is constant GUI_THEME_BLUE. |
| GUI_THEME_DARK (see page 298) | This is constant GUI_THEME_DARK. |
| GUI_THEME_DEFAULT (see page 298) | This is constant GUI_THEME_DEFAULT. |
| GUI_THEME_RED (see page 298) | This is constant GUI_THEME_RED. |
| GUI_THEME_WHITE (see page 299) | This is constant GUI_THEME_WHITE. |
| GUI_WINDOW_BACKGROUND (see page 299) | This is constant GUI_WINDOW_BACKGROUND. |
| GUI_WINDOW_BORDER (see page 299) | This is constant GUI_WINDOW_BORDER. |
| GUI_WINDOW_CLOSABLE (see page 299) | This is constant GUI_WINDOW_CLOSABLE. |
| GUI_WINDOW_DEFAULT (see page 300) | This is constant GUI_WINDOW_DEFAULT. |
| GUI_WINDOW_MINIMIZABLE (see page 300) | This is constant GUI_WINDOW_MINIMIZABLE. |
| GUI_WINDOW_MOVABLE (see page 300) | This is constant GUI_WINDOW_MOVABLE. |
| GUI_WINDOW_NO_INPUT (see page 300) | This is constant GUI_WINDOW_NO_INPUT. |
| GUI_WINDOW_NO_SCROLLBAR (see page 300) | This is constant GUI_WINDOW_NO_SCROLLBAR. |
| GUI_WINDOW_SCALABLE (see page 301) | This is constant GUI_WINDOW_SCALABLE. |
| GUI_WINDOW_SCALE_LEFT (see page 301) | This is constant GUI_WINDOW_SCALE_LEFT. |
| GUI_WINDOW_SCROLL_AUTO_HIDE (see page 301) | This is constant GUI_WINDOW_SCROLL_AUTO_HIDE. |
| GUI_WINDOW_TITLE (see page 301) | This is constant GUI_WINDOW_TITLE. |
| HONEYDEW (see page 302) | This is constant HONEYDEW. |
| HOTPINK (see page 302) | This is constant HOTPINK. |
| INDIANRED (see page 302) | This is constant INDIANRED. |
| INDIGO (see page 302) | This is constant INDIGO. |
| INI_EXT (see page 302) | This is constant INI_EXT. |
| IVORY (see page 303) | This is constant IVORY. |
| JOY_AXES_X (see page 303) | This is constant JOY_AXES_X. |
| JOY_AXES_Y (see page 303) | This is constant JOY_AXES_Y. |
| JOY_AXES_Z (see page 303) | This is constant JOY_AXES_Z. |
| \ - \ \ / | 7—T |

| IOV DTN A (| This is a constant to |
|---|-----------------------------------|
| JOY_BTN_A (see page 304) | This is constant JOY_BTN_A. |
| JOY_BTN_B (see page 304) | This is constant JOY_BTN_B. |
| JOY_BTN_BACK (see page 304) | This is constant JOY_BTN_BACK. |
| JOY_BTN_DDPAD (see page 304) | This is constant JOY_BTN_DDPAD. |
| JOY_BTN_LB (see page 304) | This is constant JOY_BTN_LB. |
| JOY_BTN_LDPAD (see page 305) | This is constant JOY_BTN_LDPAD. |
| JOY_BTN_LT (see page 305) | This is constant JOY_BTN_LT. |
| JOY_BTN_RB (see page 305) | This is constant JOY_BTN_RB. |
| JOY_BTN_RDPAD (see page 305) | This is constant JOY_BTN_RDPAD. |
| JOY_BTN_RT (see page 306) | This is constant JOY_BTN_RT. |
| JOY_BTN_START (see page 306) | This is constant JOY_BTN_START. |
| JOY_BTN_UDPAD (see page 306) | This is constant JOY_BTN_UDPAD. |
| JOY_BTN_X (see page 306) | This is constant JOY_BTN_X. |
| JOY_BTN_Y (see page 306) | This is constant JOY_BTN_Y. |
| JOY_STICK_LS (see page 307) | This is constant JOY_STICK_LS. |
| JOY_STICK_LT (see page 307) | This is constant JOY_STICK_LT. |
| JOY_STICK_RS (see page 307) | This is constant JOY_STICK_RS. |
| JOY_STICK_RT (see page 307) | This is constant JOY_STICK_RT. |
| KEYMOD_ACCENT1 (see page 308) | This is constant KEYMOD_ACCENT1. |
| KEYMOD_ACCENT2 (see page 308) | This is constant KEYMOD_ACCENT2. |
| KEYMOD_ACCENT3 (see page 308) | This is constant KEYMOD_ACCENT3. |
| KEYMOD_ACCENT4 (see page 308) | This is constant KEYMOD_ACCENT4. |
| KEYMOD_ALT (see page 308) | This is constant KEYMOD_ALT. |
| KEYMOD_CAPSLOCK (see page 309) | This is constant KEYMOD_CAPSLOCK. |
| KEYMOD_COMMAND (see page 309) | This is constant KEYMOD_COMMAND. |
| KEYMOD_CTRL (see page 309) | This is constant KEYMOD_CTRL. |
| KEYMOD_INALTSEQ (see page 309) | This is constant KEYMOD_INALTSEQ. |
| KEYMOD_LWIN (see page 310) | This is constant KEYMOD_LWIN. |
| KEYMOD_MENU (see page 310) | This is constant KEYMOD_MENU. |
| KEYMOD_NUMLOCK (see page 310) | This is constant KEYMOD_NUMLOCK. |
| KEYMOD_RWIN (see page 310) | This is constant KEYMOD_RWIN. |
| KEYMOD_SCROLOCK (see page 310) | This is constant KEYMOD_SCROLOCK. |
| KEYMOD_SHIFT (see page 311) | This is constant KEYMOD_SHIFT. |
| KEY_0 (see page 311) | This is constant KEY_0. |
| KEY_1 (see page 311) | This is constant KEY_1. |
| KEY_2 (see page 311) | This is constant KEY_2. |
| KEY_3 (see page 312) | This is constant KEY_3. |
| KEY_4 (see page 312) | This is constant KEY_4. |
| KEY_5 (see page 312) | This is constant KEY_5. |
| KEY_6 (see page 312) | This is constant KEY_6. |
| KEY_7 (see page 312) | This is constant KEY_7. |
| KEY_8 (see page 313) | This is constant KEY_8. |
| KEY_9 (see page 313) | This is constant KEY_9. |
| KEY_A (see page 313) | This is constant KEY_A. |
| KEY_ABNT_C1 (see page 313) | This is constant KEY_ABNT_C1. |
| | |
| KEY_ALT (see page 314) KEY_ALTGR (see page 314) | This is constant KEY_ALT. |
| | This is constant KEY_ALTGR. |
| KEY_AT (see page 314) | This is constant KEY_AT. |
| KEY_B (see page 314) | This is constant KEY_B. |

| KEY_BACK (see page 314) | This is constant KEY_BACK. |
|---------------------------------|-----------------------------------|
| KEY_BACKQUOTE (see page 315) | This is constant KEY_BACKQUOTE. |
| KEY_BACKSLASH (see page 315) | This is constant KEY_BACKSLASH. |
| KEY_BACKSLASH2 (see page 315) | This is constant KEY BACKSLASH2. |
| KEY_BACKSPACE (see page 315) | This is constant KEY_BACKSPACE. |
| KEY_BUTTON_A (see page 316) | This is constant KEY_BUTTON_A. |
| KEY_BUTTON_B (see page 316) | This is constant KEY_BUTTON_B. |
| KEY_BUTTON_L1 (see page 316) | This is constant KEY_BUTTON_L1. |
| KEY_BUTTON_L2 (see page 316) | This is constant KEY_BUTTON_L2. |
| KEY_BUTTON_R1 (see page 316) | This is constant KEY_BUTTON_R1. |
| KEY_BUTTON_R2 (see page 317) | This is constant KEY_BUTTON_R2. |
| KEY_BUTTON_X (see page 317) | This is constant KEY_BUTTON_X. |
| KEY_BUTTON_Y (see page 317) | This is constant KEY_BUTTON_Y. |
| KEY_C (see page 317) | This is constant KEY_C. |
| KEY_CAPSLOCK (see page 318) | This is constant KEY_CAPSLOCK. |
| KEY_CIRCUMFLEX (see page 318) | This is constant KEY_CIRCUMFLEX. |
| KEY_CLOSEBRACE (see page 318) | This is constant KEY_CLOSEBRACE. |
| KEY_COLON2 (see page 318) | This is constant KEY_COLON2. |
| KEY_COMMA (see page 318) | This is constant KEY_COMMA. |
| KEY_COMMAND (see page 319) | This is constant KEY COMMAND. |
| KEY_CONVERT (see page 319) | This is constant KEY_CONVERT. |
| KEY_D (see page 319) | This is constant KEY_D. |
| KEY_DELETE (see page 319) | This is constant KEY_DELETE. |
| KEY_DOWN (see page 320) | This is constant KEY_DOWN. |
| KEY_DPAD_CENTER (see page 320) | This is constant KEY_DPAD_CENTER. |
| KEY_DPAD_DOWN (see page 320) | This is constant KEY_DPAD_DOWN. |
| KEY_DPAD_LEFT (see page 320) | This is constant KEY_DPAD_LEFT. |
| KEY_DPAD_RIGHT (see page 320) | This is constant KEY_DPAD_RIGHT. |
| KEY_DPAD_UP (see page 321) | This is constant KEY_DPAD_UP. |
| KEY_E (see page 321) | This is constant KEY_E. |
| KEY_END (see page 321) | This is constant KEY_END. |
| KEY_ENTER (see page 321) | This is constant KEY_ENTER. |
| KEY_EQUALS (see page 322) | This is constant KEY_EQUALS. |
| KEY_ESCAPE (see page 322) | This is constant KEY_ESCAPE. |
| KEY_F (see page 322) | This is constant KEY_F. |
| KEY_F1 (see page 322) | This is constant KEY_F1. |
| KEY_F10 (see page 322) | This is constant KEY_F10. |
| KEY_F11 (see page 323) | This is constant KEY_F11. |
| KEY_F12 (see page 323) | This is constant KEY_F12. |
| KEY_F2 (see page 323) | This is constant KEY_F2. |
| KEY_F3 (see page 323) | This is constant KEY_F3. |
| KEY_F4 (see page 324) | This is constant KEY_F4. |
| KEY_F5 (see page 324) | This is constant KEY_F5. |
| KEY_F6 (see page 324) | This is constant KEY_F6. |
| KEY_F7 (see page 324) | This is constant KEY_F7. |
| KEY_F8 (see page 324) | This is constant KEY_F8. |
| KEY_F9 (see page 325) | This is constant KEY_F9. |
| KEY_FULLSTOP (see page 325) | This is constant KEY_FULLSTOP. |
| KEY_G (see page 325) | This is constant KEY_G. |
| | |

| KEY_H (see page 325) | This is constant KEY_H. |
|----------------------------------|------------------------------------|
| KEY_HOME (see page 326) | This is constant KEY_HOME. |
| KEY_I (see page 326) | This is constant KEY_I. |
| KEY_INSERT (see page 326) | This is constant KEY_INSERT. |
| KEY_J (see page 326) | This is constant KEY_J. |
| KEY_K (see page 326) | This is constant KEY_K. |
| | This is constant KEY_KANA. |
| KEY_KANA (see page 327) | This is constant KEY_KANJI. |
| KEY L (see page 327) | _ |
| KEY_L (see page 327) | This is constant KEY_L. |
| KEY_LCTRL (see page 327) | This is constant KEY_LCTRL. |
| KEY_LEFT (see page 328) | This is constant KEY_LEFT. |
| KEY_LSHIFT (see page 328) | This is constant KEY_LSHIFT. |
| KEY_LWIN (see page 328) | This is constant KEY_LWIN. |
| KEY_M (see page 328) | This is constant KEY_M. |
| KEY_MAX (see page 328) | This is constant KEY_MAX. |
| KEY_MENU (see page 329) | This is constant KEY_MENU. |
| KEY_MINUS (see page 329) | This is constant KEY_MINUS. |
| KEY_MODIFIERS (see page 329) | This is constant KEY_MODIFIERS. |
| KEY_N (see page 329) | This is constant KEY_N. |
| KEY_NOCONVERT (see page 330) | This is constant KEY_NOCONVERT. |
| KEY_NUMLOCK (see page 330) | This is constant KEY_NUMLOCK. |
| KEY_O (see page 330) | This is constant KEY_O. |
| KEY_OPENBRACE (see page 330) | This is constant KEY_OPENBRACE. |
| KEY_P (see page 330) | This is constant KEY_P. |
| KEY_PAD_0 (see page 331) | This is constant KEY_PAD_0. |
| KEY_PAD_1 (see page 331) | This is constant KEY_PAD_1. |
| KEY_PAD_2 (see page 331) | This is constant KEY_PAD_2. |
| KEY_PAD_3 (see page 331) | This is constant KEY_PAD_3. |
| KEY_PAD_4 (see page 332) | This is constant KEY_PAD_4. |
| KEY_PAD_5 (see page 332) | This is constant KEY_PAD_5. |
| KEY_PAD_6 (see page 332) | This is constant KEY_PAD_6. |
| KEY_PAD_7 (see page 332) | This is constant KEY_PAD_7. |
| KEY_PAD_8 (see page 332) | This is constant KEY_PAD_8. |
| KEY_PAD_9 (see page 333) | This is constant KEY_PAD_9. |
| KEY_PAD_ASTERISK (see page 333) | This is constant KEY_PAD_ASTERISK. |
| KEY_PAD_DELETE (see page 333) | This is constant KEY_PAD_DELETE. |
| KEY_PAD_ENTER (see page 333) | This is constant KEY_PAD_ENTER. |
| KEY_PAD_EQUALS (see page 334) | This is constant KEY_PAD_EQUALS. |
| KEY_PAD_MINUS (see page 334) | This is constant KEY_PAD_MINUS. |
| KEY_PAD_PLUS (see page 334) | This is constant KEY_PAD_PLUS. |
| KEY_PAD_SLASH (see page 334) | This is constant KEY_PAD_SLASH. |
| KEY_PAUSE (see page 334) | This is constant KEY_PAUSE. |
| KEY_PGDN (see page 335) | This is constant KEY_PGDN. |
| KEY_PGUP (see page 335) | This is constant KEY_PGUP. |
| KEY_PRINTSCREEN (see page 335) | This is constant KEY_PRINTSCREEN. |
| KEY_Q (see page 335) | This is constant KEY_Q. |
| KEY_QUOTE (see page 336) | This is constant KEY_QUOTE. |
| KEY_R (see page 336) | This is constant KEY_R. |
| KEY_RCTRL (see page 336) | This is constant KEY_RCTRL. |

| KEY_RIGHT (see page 336) | This is constant KEY_RIGHT. |
|--------------------------------------|--|
| KEY_RSHIFT (see page 336) | This is constant KEY_RSHIFT. |
| KEY_RWIN (see page 337) | This is constant KEY_RWIN. |
| KEY_S (see page 337) | This is constant KEY_S. |
| KEY_SCROLLLOCK (see page 337) | This is constant KEY_SCROLLLOCK. |
| KEY_SEARCH (see page 337) | This is constant KEY_SEARCH. |
| KEY_SELECT (see page 338) | This is constant KEY_SELECT. |
| KEY_SEMICOLON (see page 338) | This is constant KEY_SEMICOLON. |
| KEY_SEMICOLON2 (see page 338) | This is constant KEY_SEMICOLON2. |
| KEY_SLASH (see page 338) | This is constant KEY_SLASH. |
| KEY_SPACE (see page 338) | This is constant KEY_SPACE. |
| KEY_START (see page 339) | This is constant KEY_START. |
| KEY_T (see page 339) | This is constant KEY_T. |
| KEY_TAB (see page 339) | This is constant KEY_TAB. |
| KEY_THUMBL (see page 339) | This is constant KEY THUMBL. |
| KEY_THUMBR (see page 340) | This is constant KEY_THUMBR. |
| KEY_TILDE (see page 340) | This is constant KEY_TILDE. |
| KEY_U (see page 340) | This is constant KEY_U. |
| KEY_UNKNOWN (see page 340) | This is constant KEY_UNKNOWN. |
| KEY_UP (see page 340) | This is constant KEY_UP. |
| | |
| KEY_V() LIME_POWN (see page 341) | This is constant KEY_V. |
| KEY_VOLUME_DOWN (see page 341) | This is constant KEY_VOLUME_DOWN. |
| KEY_VOLUME_UP (see page 341) | This is constant KEY_VOLUME_UP. |
| KEY_W (see page 341) | This is constant KEY_W. |
| KEY_X (see page 342) | This is constant KEY_X. |
| KEY_Y (see page 342) | This is constant KEY_Y. |
| KEY_YEN (see page 342) | This is constant KEY_YEN. |
| KEY_Z (see page 342) | This is constant KEY_Z. |
| KHAKI (see page 342) | This is constant KHAKI. |
| LAVENDER (see page 343) | This is constant LAVENDER. |
| LAVENDERBLUSH (see page 343) | This is constant LAWNOREEN. |
| LAWNGREEN (see page 343) | This is constant LAWNGREEN. |
| LEMONCHIFFON (see page 343) | This is constant LEMONCHIFFON. |
| LF (see page 344) | This is constant LF. |
| LIGHTBLUE (see page 344) | This is constant LIGHTBLUE. |
| LIGHTCORAL (see page 344) | This is constant LIGHTCORAL. |
| LIGHTCYAN (see page 344) | This is constant LIGHTCYAN. |
| LIGHTGOLDENRODYELLOW (see page 344) | This is constant LIGHTGOLDENRODYELLOW. |
| LIGHTGRAY (see page 345) | This is constant LIGHTGRAY. |
| LIGHTGREEN (see page 345) | This is constant LIGHTGREEN. |
| LIGHTGREY (see page 345) | This is constant LIGHTGREY. |
| LIGHTPINK (see page 345) | This is constant LIGHTPINK. |
| LIGHTSALMON (see page 346) | This is constant LIGHTSALMON. |
| LIGHTSEAGREEN (see page 346) | This is constant LIGHTSEAGREEN. |
| LIGHTSKYBLUE (see page 346) | This is constant LIGHTSKYBLUE. |
| LIGHTSLATEGRAY (see page 346) | This is constant LIGHTSLATEGRAY. |
| LIGHTSLATEGREY (see page 346) | This is constant LIGHTSLATEGREY. |
| LIGHTSTEELBLUE (see page 347) | This is constant LIGHTSTEELBLUE. |
| LIGHTYELLOW (see page 347) | This is constant LIGHTYELLOW. |

| LIME (coo page 247) | This is constant LIME |
|-------------------------------------|---------------------------------------|
| LIME (see page 347) | This is constant LIME. |
| LIMEGREEN (see page 347) | This is constant LIMEGREEN. |
| LINEN (see page 348) | This is constant LINEN. |
| LOG_EXT (see page 348) | This is constant LOG_EXT. |
| LUAC_EXT (see page 348) | This is constant LUAC_EXT. |
| LUA_EXT (see page 348) | This is constant LUA_EXT. |
| MAGENTA (see page 348) | This is constant MAGENTA. |
| MAIL_PORT_SMTP (see page 349) | default non-ssl |
| MAIL_PORT_SMTPS (see page 349) | default ssl |
| MAIL_PORT_SMTPS_ALT (see page 349) | alt ssl |
| MAROON (see page 349) | This is constant MAROON. |
| MAX_AXES (see page 350) | This is constant MAX_AXES. |
| MAX_BUTTONS (see page 350) | This is constant MAX_BUTTONS. |
| MAX_STICKS (see page 350) | This is constant MAX_STICKS. |
| MEDIUMAQUAMARINE (see page 350) | This is constant MEDIUMAQUAMARINE. |
| MEDIUMBLUE (see page 350) | This is constant MEDIUMBLUE. |
| MEDIUMORCHID (see page 351) | This is constant MEDIUMORCHID. |
| MEDIUMPURPLE (see page 351) | This is constant MEDIUMPURPLE. |
| MEDIUMSEAGREEN (see page 351) | This is constant MEDIUMSEAGREEN. |
| MEDIUMSLATEBLUE (see page 351) | This is constant MEDIUMSLATEBLUE. |
| MEDIUMSPRINGGREEN (see page 352) | This is constant MEDIUMSPRINGGREEN. |
| MEDIUMTURQUOISE (see page 352) | This is constant MEDIUMTURQUOISE. |
| MEDIUMVIOLETRED (see page 352) | This is constant MEDIUMVIOLETRED. |
| MIDNIGHTBLUE (see page 352) | This is constant MIDNIGHTBLUE. |
| MINTCREAM (see page 352) | This is constant MINTCREAM. |
| MISTYROSE (see page 353) | This is constant MISTYROSE. |
| MOCCASIN (see page 353) | This is constant MOCCASIN. |
| MOUSE_BUTTON_LEFT (see page 353) | This is constant MOUSE_BUTTON_LEFT. |
| MOUSE_BUTTON_MIDDLE (see page 353) | This is constant MOUSE_BUTTON_MIDDLE. |
| MOUSE_BUTTON_RIGHT (see page 354) | This is constant MOUSE_BUTTON_RIGHT. |
| NAN (see page 354) | This is constant NAN. |
| NAVAJOWHITE (see page 354) | This is constant NAVAJOWHITE. |
| NAVY (see page 354) | This is constant NAVY. |
| OLDLACE (see page 354) | This is constant OLDLACE. |
| OLIVE (see page 355) | This is constant OLIVE. |
| OLIVEDRAB (see page 355) | This is constant OLIVEDRAB. |
| ORANGE (see page 355) | This is constant ORANGE. |
| ORANGERED (see page 355) | This is constant ORANGERED. |
| ORCHID (see page 356) | This is constant ORCHID. |
| OVERLAY1 (see page 356) | This is constant OVERLAY1. |
| OVERLAY2 (see page 356) | This is constant OVERLAY2. |
| PALEGOLDENROD (see page 356) | This is constant PALEGOLDENROD. |
| PALEGREEN (see page 356) | This is constant PALEGREEN. |
| PALETURQUOISE (see page 357) | This is constant PALETURQUOISE. |
| PALEVIOLETRED (see page 357) | This is constant PALEVIOLETRED. |
| PAPAYAWHIP (see page 357) | This is constant PAPAYAWHIP. |
| PEACHPUFF (see page 357) | This is constant PEACHPUFF. |
| PERU (see page 358) | This is constant PERU. |
| PINK (see page 358) | This is constant PINK. |
| I HALL (See hade 200) | THIS IS CONSTANT I HAIX. |

| PLUM (see page 358) | This is constant PLUM. |
|-------------------------------|---------------------------------|
| PNG_EXT (see page 358) | This is constant PNG_EXT. |
| POWDERBLUE (see page 358) | This is constant POWDERBLUE. |
| PURPLE (see page 359) | This is constant PURPLE. |
| RAD2DEG (see page 359) | This is constant RAD2DEG. |
| REBECCAPURPLE (see page 359) | This is constant REBECCAPURPLE. |
| RED (see page 359) | This is constant RED. |
| RED2 (see page 360) | This is constant RED2. |
| ROSYBROWN (see page 360) | This is constant ROSYBROWN. |
| ROYALBLUE (see page 360) | This is constant ROYALBLUE. |
| SADDLEBROWN (see page 360) | This is constant SADDLEBROWN. |
| SALMON (see page 360) | This is constant SALMON. |
| SANDYBROWN (see page 361) | This is constant SANDYBROWN. |
| SEAGREEN (see page 361) | This is constant SEAGREEN. |
| SEASHELL (see page 361) | This is constant SEASHELL. |
| SIENNA (see page 361) | This is constant SIENNA. |
| SILVER (see page 362) | This is constant SILVER. |
| SKYBLUE (see page 362) | This is constant SKYBLUE. |
| SLATEBLUE (see page 362) | This is constant SLATEBLUE. |
| SLATEGRAY (see page 362) | This is constant SLATEGRAY. |
| SLATEGREY (see page 362) | This is constant SLATEGREY. |
| SNOW (see page 363) | This is constant SNOW. |
| SPRINGGREEN (see page 363) | This is constant SPRINGGREEN. |
| SQLITE_EXT (see page 363) | This is constant SQLITE_EXT. |
| STEELBLUE (see page 363) | This is constant STEELBLUE. |
| TAN (see page 364) | This is constant TAN. |
| TEAL (see page 364) | This is constant TEAL. |
| THISTLE (see page 364) | This is constant THISTLE. |
| TOMATO (see page 364) | This is constant TOMATO. |
| TREEMENU_NONE (see page 364) | This is constant TREEMENU_NONE. |
| TREEMENU_QUIT (see page 365) | This is constant TREEMENU_QUIT. |
| TURQUOISE (see page 365) | This is constant TURQUOISE. |
| VIOLET (see page 365) | This is constant VIOLET. |
| WHEAT (see page 365) | This is constant WHEAT. |
| WHITE (see page 366) | This is constant WHITE. |
| WHITE2 (see page 366) | This is constant WHITE2. |
| WHITESMOKE (see page 366) | This is constant WHITESMOKE. |
| YELLOW (see page 366) | This is constant YELLOW. |
| YELLOWGREEN (see page 366) | This is constant YELLOWGREEN. |

Files

| TopazGameLib.pas (see page 367) | This is file TopazGameLib.pas. |
|----------------------------------|--------------------------------|

Interfaces

| ~ ○ | IActorList (see page 67) | This is class IActorList. |
|------------|-------------------------------|-------------------------------|
| ⊶0 | IActorScene (see page 70) | This is class IActorScene. |
| ⊶0 | IArchive (see page 72) | This is class IArchive. |
| ·-O | IAsync (see page 75) | This is class IAsync. |
| ·-O | IAudio (see page 76) | This is class IAudio. |
| ~ ○ | IBaseInterface (see page 88) | This is class IBaseInterface. |

| ~ | IBuffer (see page 88) | This is class IBuffer. |
|------------|---------------------------------|--------------------------------|
| -0 | ICamera (see page 91) | This is class ICamera. |
| -0 | ICmdConsole (see page 95) | This is class ICmdConsole. |
| -0 | ICmdLine (see page 98) | This is class ICmdLine. |
| ~ | IColor (see page 101) | This is class IColor. |
| -0 | IConfigFile (see page 103) | This is class IConfigFile. |
| - | IConsole (see page 107) | This is class IConsole. |
| - | IDatabase (see page 110) | This is class IDatabase. |
| -0 | IDialogs (see page 116) | This is class IDialogs. |
| -0 | IEntity (see page 118) | This is class IEntity. |
| -0 | IFont (see page 131) | This is class IFont. |
| • | IGUI (see page 133) | This is class IGUI. |
| • | IHighscores (see page 140) | This is class IHighscores. |
| ~ | IInAppPurchase (see page 143) | This is class IInAppPurchase. |
| -0 | Ilnput (see page 145) | This is class IInput. |
| -0 | IInputMap (see page 149) | This is class IInputMap. |
| ~ | ILog (see page 152) | This is class ILog. |
| 0 | ILua (see page 153) | This is class ILua. |
| 0 | ILuaContext (see page 159) | This is class ILuaContext. |
| 0 | IMail (see page 162) | This is class IMail. |
| 0 | IMath (see page 164) | This is class IMath. |
| 0 | IPathEditor (see page 172) | This is class IPathEditor. |
| • | IPathEditorPath (see page 176) | This is class IPathEditorPath. |
| 0 | IPhysics (see page 178) | This is class IPhysics. |
| • | IPolygon (see page 184) | This is class IPolygon. |
| 0 | IRenderTarget (see page 187) | This is class IRenderTarget. |
| 0 | IScreenshake (see page 190) | This is class IScreenshake. |
| • | IScreenshot (see page 191) | This is class IScreenshot. |
| -0 | IShader (see page 192) | This is class IShader. |
| -0 | ISocial (see page 196) | This is class ISocial. |
| -0 | ISpeech (see page 197) | This is class ISpeech. |
| -0 | ISplashscreen (see page 201) | This is class ISplashscreen. |
| -0 | ISprite (see page 204) | This is class ISprite. |
| -0 | IStarfield (see page 208) | This is class IStarfield. |
| • | IStartupDialog (see page 211) | This is class IStartupDialog. |
| ~ | ITexture (see page 214) | This is class lTexture. |
| - ○ | ITimer (see page 217) | This is class ITimer. |
| -0 | ITopaz (see page 220) | This is class ITopaz. |
| ~0 | ITreeMenu (see page 226) | This is class ITreeMenu. |
| ~ | IUserPath (see page 230) | This is class IUserPath. |
| ~ | IUtil (see page 233) | This is class IUtil. |
| -0 | IVideo (see page 238) | This is class IVideo. |
| ~ | IVirtualFile (see page 241) | This is class IVirtualFile. |
| | 1. Titudii iio (000 pago 271) | The is slade ivirtual no. |

Structs, Records, Enums

| * | TActorMessage (see page 252) | This is record TActorMessage. |
|----------|-------------------------------|-------------------------------|
| a | TAudioStatus (see page 252) | This is record TAudioStatus. |
| a | TBlendMode (see page 253) | This is record TBlendMode. |

| = | TBlendModeColor (see page 253) | This is record TBlendModeColor. |
|-----------|---------------------------------------|---------------------------------------|
| a | TCmdConsoleState (see page 253) | This is record TCmdConsoleState. |
| % | TColor (see page 254) | This is record TColor. |
| a | TEaseType (see page 254) | This is record TEaseType. |
| a | TGameClass (see page 254) | This is record TGameClass. |
| \$ | TGameSettings (see page 255) | This is record TGameSettings. |
| a | THAlign (see page 255) | This is record THAlign. |
| a | THighscoreAction (see page 256) | This is record THighscoreAction. |
| a | TInputDevice (see page 256) | This is record TInputDevice. |
| a | TLineIntersection (see page 256) | This is record TLineIntersection. |
| = | TLuaState (see page 256) | This is record TLuaState. |
| a | TLuaTable (see page 257) | This is record TLuaTable. |
| = | TLuaType (see page 257) | This is record TLuaType. |
| a | TLuaValueType (see page 257) | This is record TLuaValueType. |
| a | TMessageBox (see page 258) | This is record TMessageBox. |
| _ | TMessageBoxResult (see page 258) | This is record TMessageBoxResult. |
| a | TPathEditorAction (see page 258) | This is record TPathEditorAction. |
| % | TPhysicsBodyData (see page 258) | This is record TPhysicsBodyData. |
| 3 | TPhysicsBodyShape (see page 259) | This is record TPhysicsBodyShape. |
| a | TPhysicsBodyType (see page 259) | This is record TPhysicsBodyType. |
| 3 | TPhysicsShapeType (see page 259) | This is record TPhysicsShapeType. |
| \$ | TPointi (see page 260) | This is record TPointi. |
| \$ | TRange (see page 260) | This is record TRange. |
| = | TSeek (see page 260) | This is record TSeek. |
| a | TShaderType (see page 260) | This is record TShaderType. |
| a | TSpeechVoiceAttribute (see page 261) | This is record TSpeechVoiceAttribute. |
| a | TSplashscreenOption (see page 261) | This is record TSplashscreenOption. |
| | TStartupDialogState (see page 261) | This is record TStartupDialogState. |
| % | TTextureData (see page 262) | This is record TTextureData. |
| a | TVAlign (see page 262) | This is record TVAlign. |
| a | TVideoState (see page 262) | This is record TVideoState. |

Types

| PActorMessage (see page 263) | This is type PActorMessage. |
|------------------------------------|----------------------------------|
| PColor (see page 263) | This is type PColor. |
| PGameSettings (see page 263) | This is type PGameSettings. |
| PPhysicsBodyData (see page 264) | This is type PPhysicsBodyData. |
| PPointi (see page 264) | This is type PPointi. |
| PRange (see page 264) | This is type PRange. |
| PRectangle (see page 264) | This is type PRectangle. |
| PTextureData (see page 265) | This is type PTextureData. |
| PVector (see page 265) | This is type PVector. |
| TActorAttributeSet (see page 265) | This is type TActorAttributeSet. |
| TActorSceneEvent (see page 265) | This is type TActorSceneEvent. |
| TAsyncProc (see page 265) | This is type TAsyncProc. |

| TBaseInterfaceClass (see page 266) | This is type TBaseInterfaceClass. |
|--|--------------------------------------|
| TCmdConsoleActionEvent (see page 266) | This is type TCmdConsoleActionEvent. |
| TCustomGameClass (see page 266) | This is type TCustomGameClass. |
| TLuaFunction (see page 266) | This is type TLuaFunction. |
| TPhysicsBody (see page 267) | This is type TPhysicsBody. |
| TStringArray (see page 267) | This is type TStringArray. |
| TSysCharSet (see page 267) | This is type TSysCharSet. |
| | |

Variables

| Topaz (see page 267) | This is variable Topaz. | |
|-----------------------|-------------------------|--|

1.1 Classes

The following table lists classes in this documentation.

Classes


| 43 | TActor (see page 12) | This is class TActor. |
|-----|-------------------------------|-------------------------------|
| 43 | TBaseInterface (see page 20) | This is class TBaseInterface. |
| 43 | TBaseObject (see page 21) | This is class TBaseObject. |
| 43 | TCustomGame (see page 21) | This is class TCustomGame. |
| 43 | TEntityActor (see page 31) | This is class TEntityActor. |
| 4\$ | TGame (see page 34) | This is class TGame. |

Records

| * | THighscore (see page 50) | This is class THighscore. |
|----------|---------------------------|---------------------------|
| * | TLuaValue (see page 52) | This is class TLuaValue. |
| % | TRectangle (see page 56) | This is class TRectangle. |
| * | TVector (see page 58) | This is class TVector. |

1.1.1 TActor

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

TActor = class(TBaseObject);

Description

This is class TActor.

1.1.1.1 TActor Fields

The fields of the TActor class are listed here.

Fields

| FActorList (see page 13) | This is FActorList, a member of class TActor. |
|----------------------------|--|
| FAttributes (see page 13) | This is FAttributes, a member of class TActor. |
| FCanCollide (see page 13) | This is FCanCollide, a member of class TActor. |
| FChildren (see page 13) | This is FChildren, a member of class TActor. |
| FNext (see page 13) | This is FNext, a member of class TActor. |
| FOwner (see page 14) | This is FOwner, a member of class TActor. |
| FPrev (see page 14) | This is FPrev, a member of class TActor. |
| FTerminated (see page 14) | This is FTerminated, a member of class TActor. |
| | FAttributes (see page 13) FCanCollide (see page 13) FChildren (see page 13) FNext (see page 13) FOwner (see page 14) FPrev (see page 14) |

1.1.1.1.1 TActor.FActorList

File: TopazGameLib.pas (see page 367)

Delphi

FActorList: IActorList;

Description

This is FActorList, a member of class TActor.

1.1.1.1.2 TActor.FAttributes

File: TopazGameLib.pas (see page 367)

Delphi

FAttributes: TActorAttributeSet;

Description

This is FAttributes, a member of class TActor.

1.1.1.1.3 TActor.FCanCollide

File: TopazGameLib.pas (see page 367)

Delphi

FCanCollide: Boolean;

Description

This is FCanCollide, a member of class TActor.

1.1.1.1.4 TActor.FChildren

File: TopazGameLib.pas (see page 367)

Delphi

FChildren: IActorList;

Description

This is FChildren, a member of class TActor.

1.1.1.1.5 TActor.FNext

FNext: TActor;

Description

This is FNext, a member of class TActor.

1.1.1.1.6 TActor.FOwner

File: TopazGameLib.pas (see page 367)

Delphi

FOwner: IActorList;

Description

This is FOwner, a member of class TActor.

1.1.1.1.7 TActor.FPrev

File: TopazGameLib.pas (see page 367)

Delphi

FPrev: TActor;

Description

This is FPrev, a member of class TActor.

1.1.1.1.8 TActor.FTerminated

File: TopazGameLib.pas (see page 367)

Delphi

FTerminated: Boolean;

Description

This is FTerminated, a member of class TActor.

1.1.1.2 TActor Methods

The methods of the TActor class are listed here.

Methods

| ≡⋄ | AttributesAreSet (see page 15) | This is AttributesAreSet, a member of class TActor. |
|--------------|---------------------------------|---|
| =♦ ₩ | Collide (see page 15) | This is Collide, a member of class TActor. |
| =♦ ₩ | Create (see page 15) | This is Create, a member of class TActor. |
| =♦ ₩ | Destroy (see page 15) | This is Destroy, a member of class TActor. |
| = ♦• | GetAttribute (see page 15) | This is GetAttribute, a member of class TActor. |
| = ♦•• | GetAttributes (see page 16) | This is GetAttributes, a member of class TActor. |
| =♦ ₩ | OnCollide (see page 16) | This is OnCollide, a member of class TActor. |
| =♦ ₩ | OnMessage (see page 16) | This is OnMessage, a member of class TActor. |
| =♦ ₩ | OnRender (see page 16) | This is OnRender, a member of class TActor. |
| = ♦ ₩ | OnUpdate (see page 16) | This is OnUpdate, a member of class TActor. |
| = ♦ ₩ | OnVisit (see page 17) | This is OnVisit, a member of class TActor. |
| =♦ ₩ | Overlap (see page 17) | This is Overlap, a member of class TActor. |
| | | |

| - | ₩ | Overlap (see page 17) | This is Overlap, a member of class TActor. |
|---|--------------|------------------------------|--|
| = | ♦ | SetAttribute (see page 17) | This is SetAttribute, a member of class TActor. |
| - | ••• ₩ | SetAttributes (see page 18) | This is SetAttributes, a member of class TActor. |

1.1.1.2.1 TActor.AttributesAreSet

File: TopazGameLib.pas (see page 367)

Delphi

```
function AttributesAreSet(
    aAttrs: TActorAttributeSet
): Boolean;
```

Description

This is AttributesAreSet, a member of class TActor.

1.1.1.2.2 TActor.Collide

File: TopazGameLib.pas (see page 367)

Delphi

```
function Collide(
    aActor: TActor;
    var aHitPos: TVector
): Boolean; virtual;
```

Description

This is Collide, a member of class TActor.

1.1.1.2.3 TActor.Create

File: TopazGameLib.pas (see page 367)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TActor.

1.1.1.2.4 TActor.Destroy

File: TopazGameLib.pas (see page 367)

Delphi

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TActor.

1.1.1.2.5 TActor.GetAttribute

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAttribute(
    aIndex: Byte
): Boolean; virtual;
```

Description

This is GetAttribute, a member of class TActor.

1.1.1.2.6 TActor.GetAttributes

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAttributes: TActorAttributeSet; virtual;
```

Description

This is GetAttributes, a member of class TActor.

1.1.1.2.7 TActor.OnCollide

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnCollide(
    aActor: TActor;
    aHitPos: TVector
); virtual;
```

Description

This is OnCollide, a member of class TActor.

1.1.1.2.8 TActor.OnMessage

File: TopazGameLib.pas (see page 367)

Delphi

```
function OnMessage(
    aMsg: PActorMessage
): TActor; virtual;
```

Description

This is OnMessage, a member of class TActor.

1.1.1.2.9 TActor.OnRender

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRender; virtual;
```

Description

This is OnRender, a member of class TActor.

1.1.1.2.10 TActor.OnUpdate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnUpdate(
    aDeltaTime: Double
); virtual;
```

Description

This is OnUpdate, a member of class TActor.

1.1.1.2.11 TActor.OnVisit

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnVisit(
    aSender: TActor;
    aEventId: Integer;
    var aDone: Boolean
); virtual;
```

Description

This is OnVisit, a member of class TActor.

1.1.1.2.12 TActor.Overlap

File: TopazGameLib.pas (see page 367)

Delphi

```
function Overlap(
    aX: Single;
    aY: Single;
    aRadius: Single;
    aShrinkFactor: Single
): Boolean; virtual; overload;
```

Description

This is Overlap, a member of class TActor.

1.1.1.2.13 TActor.Overlap

File: TopazGameLib.pas (see page 367)

Delphi

```
function Overlap(
    aActor: TActor
): Boolean; virtual; overload;
```

Description

This is Overlap, a member of class TActor.

1.1.1.2.14 TActor.SetAttribute

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetAttribute(
    aIndex: Byte;
    aValue: Boolean
); virtual;
```

Description

This is SetAttribute, a member of class TActor.

1.1.1.2.15 TActor.SetAttributes

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetAttributes(
    aValue: TActorAttributeSet
); virtual;
```

Description

This is SetAttributes, a member of class TActor.

1.1.1.3 TActor Properties

The properties of the TActor class are listed here.

Properties

| ActorList (see page 18) | This is ActorList, a member of class TActor. |
|---------------------------|---|
| Attribute (see page 18) | This is Attribute, a member of class TActor. |
| Attributes (see page 18) | This is Attributes, a member of class TActor. |
| CanCollide (see page 19) | This is CanCollide, a member of class TActor. |
| Children (see page 19) | This is Children, a member of class TActor. |
| Next (see page 19) | This is Next, a member of class TActor. |
| Owner (see page 19) | This is Owner, a member of class TActor. |
| Prev (see page 19) | This is Prev, a member of class TActor. |
| Terminated (see page 20) | This is Terminated, a member of class TActor. |
| | |

1.1.1.3.1 TActor.ActorList

File: TopazGameLib.pas (see page 367)

Delphi

```
property ActorList: IActorList;
```

Description

This is ActorList, a member of class TActor.

1.1.1.3.2 TActor. Attribute

File: TopazGameLib.pas (see page 367)

Delphi

```
property Attribute [aIndex: Byte]: Boolean;
```

Description

This is Attribute, a member of class TActor.

1.1.1.3.3 TActor. Attributes

File: TopazGameLib.pas (see page 367)

Delphi

property Attributes: TActorAttributeSet;

Description

This is Attributes, a member of class TActor.

1.1.1.3.4 TActor.CanCollide

File: TopazGameLib.pas (see page 367)

Delphi

```
property CanCollide: Boolean;
```

Description

This is CanCollide, a member of class TActor.

1.1.1.3.5 TActor.Children

File: TopazGameLib.pas (see page 367)

Delphi

```
property Children: IActorList;
```

Description

This is Children, a member of class TActor.

1.1.1.3.6 TActor.Next

File: TopazGameLib.pas (see page 367)

Delphi

```
property Next: TActor;
```

Description

This is Next, a member of class TActor.

1.1.1.3.7 **TActor.Owner**

File: TopazGameLib.pas (see page 367)

Delphi

```
property Owner: IActorList;
```

Description

This is Owner, a member of class TActor.

1.1.1.3.8 **TActor.Prev**

File: TopazGameLib.pas (see page 367)

Delphi

```
property Prev: TActor;
```

Description

This is Prev, a member of class TActor.

1.1.1.3.9 TActor.Terminated

File: TopazGameLib.pas (see page 367)

Delphi


property Terminated: Boolean;

Description

This is Terminated, a member of class TActor.

1.1.2 TBaseInterface

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

TBaseInterface = class(TNoRefCountObject, IBaseInterface);

Description

This is class TBaseInterface.

1.1.2.1 TBaseInterface Methods

The methods of the TBaseInterface class are listed here.

Methods

| = ♦ ₩ | Create (see page 20) | This is Create, a member of class TBaseInterface. |
|---------------------|------------------------|--|
| = ♦ W | Destroy (see page 20) | This is Destroy, a member of class TBaseInterface. |

1.1.2.1.1 TBaseInterface.Create

File: TopazGameLib.pas (see page 367)

Delphi

constructor Create; virtual;

Description

This is Create, a member of class TBaseInterface.

1.1.2.1.2 TBaseInterface.Destroy

File: TopazGameLib.pas (see page 367)

Delphi

destructor Destroy; override;

Description

This is Destroy, a member of class TBaseInterface.

1.1.3 TBaseObject

Class Hierarchy

```
TObject → TBaseObject
```

File: TopazGameLib.pas (see page 367)

Delphi

TBaseObject = class(TObject);

Description

This is class TBaseObject.

1.1.3.1 TBaseObject Methods

The methods of the TBaseObject class are listed here.

Methods

| = ♦ ₩ | Create (see page 21) | This is Create, a member of class TBaseObject. |
|--------------|------------------------|---|
| = ♦ ₩ | Destroy (see page 21) | This is Destroy, a member of class TBaseObject. |

1.1.3.1.1 TBaseObject.Create

File: TopazGameLib.pas (see page 367)

Delphi

constructor Create; virtual;

Description

This is Create, a member of class TBaseObject.

1.1.3.1.2 TBaseObject.Destroy

File: TopazGameLib.pas (see page 367)

Delphi


destructor Destroy; override;

Description

This is Destroy, a member of class TBaseObject.

1.1.4 TCustomGame

Class Hierarchy



TCustomGame = class(TBaseObject);

Description

This is class TCustomGame.

1.1.4.1 TCustomGame Methods

The methods of the TCustomGame class are listed here.

Methods

| = ♦ ₩ | Create (see page 23) | This is Create, a member of class TCustomGame. |
|--------------|--|---|
| = ♦ ₩ | Destroy (see page 23) | This is Destroy, a member of class TCustomGame. |
| =♦ ₩ | GetGameClass (see page 23) | This is GetGameClass, a member of class TCustomGame. |
| =♦ ₩ | GetSettings (see page 23) | This is GetSettings, a member of class TCustomGame. |
| =♦ ₩ | GetTerminated (see page 23) | This is GetTerminated, a member of class TCustomGame. |
| =♦ ₩ | OnAfterRenderScene (see page 24) | This is OnAfterRenderScene, a member of class TCustomGame. |
| =♦ ₩ | OnBeforeRenderScene (see page 24) | This is OnBeforeRenderScene, a member of class TCustomGame. |
| =♦ ₩ | OnBuildArchiveProgress (see page 24) | This is OnBuildArchiveProgress, a member of class TCustomGame. |
| =♦ ₩ | OnClearWindow (see page 24) | This is OnClearWindow, a member of class TCustomGame. |
| =♦ ₩ | OnCmdConsoleState (see page 24) | This is OnCmdConsoleState, a member of class TCustomGame. |
| =♦ ₩ | OnDisposeActor (see page 25) | This is OnDisposeActor, a member of class TCustomGame. |
| =♦ ₩ | OnDone (see page 25) | This is OnDone, a member of class TCustomGame. |
| =♦ ₩ | OnFixedUpdate (see page 25) | This is OnFixedUpdate, a member of class TCustomGame. |
| =♦ ₩ | OnGetSettings (see page 25) | This is OnGetSettings, a member of class TCustomGame. |
| = ♦ ₩ | OnHighscoreAction (see page 25) | This is OnHighscoreAction, a member of class TCustomGame. |
| = ♦ ₩ | OnInAppPurchase (see page 26) | This is OnInAppPurchase, a member of class TCustomGame. |
| = ♦ ₩ | OnInit (see page 26) | This is OnInit, a member of class TCustomGame. |
| =♦ ₩ | OnLuaState (see page 26) | This is OnLuaState, a member of class TCustomGame. |
| = ♦ ₩ | OnPathEditorAction (see page 26) | This is OnPathEditorAction, a member of class TCustomGame. |
| = ♦ ₩ | OnPathEditorTest (see page 27) | This is OnPathEditorTest, a member of class TCustomGame. |
| =♦ ₩ | OnPhysicsDrawBodyShapes (see page 27) | This is OnPhysicsDrawBodyShapes, a member of class TCustomGame. |
| =♦ ₩ | OnPhysicsUpdateBody (see page 27) | This is OnPhysicsUpdateBody, a member of class TCustomGame. |
| =♦ ₩ | OnPostShowWindow (see page 27) | This is OnPostShowWindow, a member of class TCustomGame. |
| = ♦ ₩ | OnPreShowWindow (see page 27) | This is OnPreShowWindow, a member of class TCustomGame. |
| = ♦ ₩ | OnProcessIMGUI (see page 28) | This is OnProcessIMGUI, a member of class TCustomGame. |
| = ♦ ₩ | OnReady (see page 28) | This is OnReady, a member of class TCustomGame. |
| = ♦ ₩ | OnRender (see page 28) | This is OnRender, a member of class TCustomGame. |
| = ♦ ₩ | OnRenderHUD (see page 28) | This is OnRenderHUD, a member of class TCustomGame. |
| = ♦ ₩ | OnRun (see page 28) | This is OnRun, a member of class TCustomGame. |
| =♦ ₩ | OnScreenshot (see page 29) | This is OnScreenshot, a member of class TCustomGame. |
| =♦ ₩ | OnSendMail (see page 29) | This is OnSendMail, a member of class TCustomGame. |
| =♦ ₩ | OnSetupStartupDialog (see page 29) | This is OnSetupStartupDialog, a member of class TCustomGame. |
| = ♦ ₩ | OnShowWindow (see page 29) | This is OnShowWindow, a member of class TCustomGame. |
| = ♦ ₩ | OnShutdown (see page 29) | This is OnShutdown, a member of class TCustomGame. |
| | · · · | I . |

| = ♦ ₩ | OnSocialPost (see page 30) | This is OnSocialPost, a member of class TCustomGame. |
|---------------------|------------------------------------|---|
| = ♦ ₩ | OnSpeechWord (see page 30) | This is OnSpeechWord, a member of class TCustomGame. |
| = ♦ ₩ | OnStartup (see page 30) | This is OnStartup, a member of class TCustomGame. |
| = ♦ W | OnStartupDialogMore (see page 30) | This is OnStartupDialogMore, a member of class TCustomGame. |
| = ♦ ₩ | OnStartupDialogRun (see page 30) | This is OnStartupDialogRun, a member of class TCustomGame. |
| = ♦ ₩ | OnUpdate (see page 31) | This is OnUpdate, a member of class TCustomGame. |
| = ♦ ₩ | OnVideoState (see page 31) | This is OnVideoState, a member of class TCustomGame. |
| =♦ ₩ | SetTerminated (see page 31) | This is SetTerminated, a member of class TCustomGame. |

1.1.4.1.1 TCustomGame.Create

File: TopazGameLib.pas (see page 367)

Delphi

constructor Create; override;

Description

This is Create, a member of class TCustomGame.

1.1.4.1.2 TCustomGame.Destroy

File: TopazGameLib.pas (see page 367)

Delphi

destructor Destroy; override;

Description

This is Destroy, a member of class TCustomGame.

1.1.4.1.3 TCustomGame.GetGameClass

File: TopazGameLib.pas (see page 367)

Delphi

function GetGameClass: TGameClass; virtual;

Description

This is GetGameClass, a member of class TCustomGame.

1.1.4.1.4 TCustomGame.GetSettings

File: TopazGameLib.pas (see page 367)

Delphi

function GetSettings: PGameSettings; virtual;

Description

This is GetSettings, a member of class TCustomGame.

1.1.4.1.5 TCustomGame.GetTerminated

```
function GetTerminated: Boolean; virtual;
```

Description

This is GetTerminated, a member of class TCustomGame.

1.1.4.1.6 TCustomGame.OnAfterRenderScene

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnAfterRenderScene(
    aSceneNum: Integer
); virtual;
```

Description

This is OnAfterRenderScene, a member of class TCustomGame.

1.1.4.1.7 TCustomGame.OnBeforeRenderScene

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnBeforeRenderScene(
    aSceneNum: Integer
); virtual;
```

Description

This is OnBeforeRenderScene, a member of class TCustomGame.

1.1.4.1.8 TCustomGame.OnBuildArchiveProgress

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnBuildArchiveProgress(
    const aFilename: WideString;
    aProgress: Integer;
    aNewFile: Boolean
); virtual;
```

Description

This is OnBuildArchiveProgress, a member of class TCustomGame.

1.1.4.1.9 TCustomGame.OnClearWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnClearWindow; virtual;
```

Description

This is OnClearWindow, a member of class TCustomGame.

1.1.4.1.10 TCustomGame.OnCmdConsoleState

```
procedure OnCmdConsoleState(
    aState: TCmdConsoleState
); virtual;
```

Description

This is OnCmdConsoleState, a member of class TCustomGame.

1.1.4.1.11 TCustomGame.OnDisposeActor

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnDisposeActor(
    aActor: TActor
); virtual;
```

Description

This is OnDisposeActor, a member of class TCustomGame.

1.1.4.1.12 TCustomGame.OnDone

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnDone; virtual;
```

Description

This is OnDone, a member of class TCustomGame.

1.1.4.1.13 TCustomGame.OnFixedUpdate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnFixedUpdate; virtual;
```

Description

This is OnFixedUpdate, a member of class TCustomGame.

1.1.4.1.14 TCustomGame.OnGetSettings

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnGetSettings(
    var aSettings: TGameSettings
); virtual;
```

Description

This is OnGetSettings, a member of class TCustomGame.

1.1.4.1.15 TCustomGame.OnHighscoreAction

```
procedure OnHighscoreAction(
    aHighscores: IHighscores;
    aAction: THighscoreAction
); virtual;
```

Description

This is OnHighscoreAction, a member of class TCustomGame.

1.1.4.1.16 TCustomGame.OnInAppPurchase

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnInAppPurchase(
    aIAP: IInAppPurchase
); virtual;
```

Description

This is OnInAppPurchase, a member of class TCustomGame.

1.1.4.1.17 TCustomGame.OnInit

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnInit; virtual;
```

Description

This is OnInit, a member of class TCustomGame.

1.1.4.1.18 TCustomGame.OnLuaState

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnLuaState(
    aState: TLuaState
); virtual;
```

Description

This is OnLuaState, a member of class TCustomGame.

1.1.4.1.19 TCustomGame.OnPathEditorAction

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPathEditorAction(
    aAction: TPathEditorAction
); virtual;
```

Description

This is OnPathEditorAction, a member of class TCustomGame.

1.1.4.1.20 TCustomGame.OnPathEditorTest

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPathEditorTest(
    aPathIndex: Integer;
    aLookAHead: Integer;
    aSpeed: Single;
    aWindowPos: TPointi;
    aWindowSize: TPointi
); virtual;
```

Description

This is OnPathEditorTest, a member of class TCustomGame.

1.1.4.1.21 TCustomGame.OnPhysicsDrawBodyShapes

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPhysicsDrawBodyShapes(
    aBody: TPhysicsBody
); virtual;
```

Description

This is OnPhysicsDrawBodyShapes, a member of class TCustomGame.

1.1.4.1.22 TCustomGame.OnPhysicsUpdateBody

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPhysicsUpdateBody(
    aBody: TPhysicsBody
); virtual;
```

Description

This is OnPhysicsUpdateBody, a member of class TCustomGame.

1.1.4.1.23 TCustomGame.OnPostShowWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPostShowWindow; virtual;
```

Description

This is OnPostShowWindow, a member of class TCustomGame.

1.1.4.1.24 TCustomGame.OnPreShowWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPreShowWindow; virtual;
```

Description

This is OnPreShowWindow, a member of class TCustomGame.

1.1.4.1.25 TCustomGame.OnProcessIMGUI

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnProcessIMGUI; virtual;
```

Description

This is OnProcessIMGUI, a member of class TCustomGame.

1.1.4.1.26 TCustomGame.OnReady

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnReady(
         aReady: Boolean
); virtual;
```

Description

This is OnReady, a member of class TCustomGame.

1.1.4.1.27 TCustomGame.OnRender

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRender; virtual;
```

Description

This is OnRender, a member of class TCustomGame.

1.1.4.1.28 TCustomGame.OnRenderHUD

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRenderHUD; virtual;
```

Description

This is OnRenderHUD, a member of class TCustomGame.

1.1.4.1.29 TCustomGame.OnRun

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRun; virtual;
```

Description

This is OnRun, a member of class TCustomGame.

1.1.4.1.30 TCustomGame.OnScreenshot

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnScreenshot(
    const aFilename: WideString
); virtual;
```

Description

This is OnScreenshot, a member of class TCustomGame.

1.1.4.1.31 TCustomGame.OnSendMail

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnSendMail(
    const aFromEmail: WideString;
    const aFromName: WideString;
    const aSubject: WideString;
    const aToEmail: WideString;
    const aBody: WideString;
    const aError: WideString
); virtual;
```

Description

This is OnSendMail, a member of class TCustomGame.

1.1.4.1.32 TCustomGame.OnSetupStartupDialog

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnSetupStartupDialog; virtual;
```

Description

This is OnSetupStartupDialog, a member of class TCustomGame.

1.1.4.1.33 TCustomGame.OnShowWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnShowWindow; virtual;
```

Description

This is OnShowWindow, a member of class TCustomGame.

1.1.4.1.34 TCustomGame.OnShutdown

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnShutdown; virtual;
```

Description

This is OnShutdown, a member of class TCustomGame.

1.1.4.1.35 TCustomGame.OnSocialPost

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnSocialPost(
    const aSuccess: Boolean;
    const aErrorMsg: WideString;
    const aMsg: WideString;
    const aMediaFilename: WideString);
```

Description

This is OnSocialPost, a member of class TCustomGame.

1.1.4.1.36 TCustomGame.OnSpeechWord

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnSpeechWord(
    const aWord: WideString;
    const aText: WideString
); virtual;
```

Description

This is OnSpeechWord, a member of class TCustomGame.

1.1.4.1.37 TCustomGame.OnStartup

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnStartup; virtual;
```

Description

This is OnStartup, a member of class TCustomGame.

1.1.4.1.38 TCustomGame.OnStartupDialogMore

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnStartupDialogMore; virtual;
```

Description

This is OnStartupDialogMore, a member of class TCustomGame.

1.1.4.1.39 TCustomGame.OnStartupDialogRun

File: TopazGameLib.pas (see page 367)

Delphi

```
function OnStartupDialogRun: Boolean; virtual;
```

Description

This is OnStartupDialogRun, a member of class TCustomGame.

1.1.4.1.40 TCustomGame.OnUpdate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnUpdate(
    aDeltaTime: Double
); virtual;
```

Description

This is OnUpdate, a member of class TCustomGame.

1.1.4.1.41 TCustomGame.OnVideoState

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnVideoState(
    aState: TVideoState;
    aFilename: WideString
); virtual;
```

Description

This is OnVideoState, a member of class TCustomGame.

1.1.4.1.42 TCustomGame.SetTerminated

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetTerminated(
    aTerminate: Boolean
); virtual;
```

Description

This is SetTerminated, a member of class TCustomGame.

1.1.5 TEntityActor

Class Hierarchy

```
\boxed{\mathsf{TObject}} \longrightarrow \boxed{\mathsf{TBaseObject}} \longrightarrow \boxed{\mathsf{TActor}} \longrightarrow \boxed{\mathsf{TEntityActor}}
```

File: TopazGameLib.pas (see page 367)

Delphi

```
TEntityActor = class(TActor);
```

Description

This is class TEntityActor.

1.1.5.1 TEntityActor Fields

The fields of the TEntityActor class are listed here.

Fields

| I A | | | |
|------------|------------------------|---|--|
| ₩ ⊚ | FEntity (see page 32) | This is FEntity, a member of class TEntityActor. | |
| 1 7 9 | remark (see page 32) | This is i Littly, a member of class i Littly Actor. | |

1.1.5.1.1 TEntityActor.FEntity

File: TopazGameLib.pas (see page 367)

Delphi

FEntity: IEntity;

Description

This is FEntity, a member of class TEntityActor.

1.1.5.2 TEntityActor Methods

The methods of the TEntityActor class are listed here.

Methods

| = ♦ ₩ | Collide (see page 32) | This is Collide, a member of class TEntityActor. |
|---------------------|-------------------------|---|
| = ♦ W | Create (see page 32) | This is Create, a member of class TEntityActor. |
| = ♦ W | Destroy (see page 32) | This is Destroy, a member of class TEntityActor. |
| = ♦ W | Init (see page 33) | This is Init, a member of class TEntityActor. |
| = ♦ W | OnRender (see page 33) | This is OnRender, a member of class TEntityActor. |
| = ♦ W | Overlap (see page 33) | This is Overlap, a member of class TEntityActor. |
| = ♦ W | Overlap (see page 33) | This is Overlap, a member of class TEntityActor. |
| | | |

1.1.5.2.1 TEntityActor.Collide

File: TopazGameLib.pas (see page 367)

Delphi

```
function Collide(
    aActor: TActor;
    var aHitPos: TVector
): Boolean; override;
```

Description

This is Collide, a member of class TEntityActor.

1.1.5.2.2 TEntityActor.Create

File: TopazGameLib.pas (see page 367)

Delphi

```
constructor Create; override;
```

Description

This is Create, a member of class TEntityActor.

1.1.5.2.3 TEntityActor.Destroy

```
destructor Destroy; override;
```

Description

This is Destroy, a member of class TEntityActor.

1.1.5.2.4 TEntityActor.Init

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Init(
    aSprite: ISprite;
    aGroup: Integer
); virtual;
```

Description

This is Init, a member of class TEntityActor.

1.1.5.2.5 TEntityActor.OnRender

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRender; override;
```

Description

This is OnRender, a member of class TEntityActor.

1.1.5.2.6 TEntityActor.Overlap

File: TopazGameLib.pas (see page 367)

Delphi

```
function Overlap(
    aX: Single;
    aY: Single;
    aRadius: Single;
    aShrinkFactor: Single
): Boolean; override;
```

Description

This is Overlap, a member of class TEntityActor.

1.1.5.2.7 TEntityActor.Overlap

File: TopazGameLib.pas (see page 367)

Delphi

```
function Overlap(
    aActor: TActor
): Boolean; override;
```

Description

This is Overlap, a member of class TEntityActor.

1.1.5.3 TEntityActor Properties

The properties of the TEntityActor class are listed here.

Properties

| R | Entity (see page 34) | This is Entity, a member of class TEntityActor. |
|----------|------------------------|---|
| | Littly (666 page 6 1) | This is Entity, a mornion of slade 1 Entity, total. |

1.1.5.3.1 TEntityActor.Entity

File: TopazGameLib.pas (see page 367)

Delphi


```
property Entity: IEntity;
```

Description

This is Entity, a member of class TEntityActor.

1.1.6 **TGame**

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
TGame = class(TCustomGame);
```

Description

This is class TGame.

1.1.6.1 TGame Records

The records of the TGame class are listed here.

Records

THud (see page 34)

This is record TGame.THud.

1.1.6.1.1 TGame.THud

File: TopazGameLib.pas (see page 367)

Delphi

```
THud = record
  TextItemPadWidth: Integer;
  Pos: TVector;
end;
```

Description

This is record TGame.THud.

1.1.6.2 TGame Fields

The fields of the TGame class are listed here.

Fields

| 4 9 | FArchive (see page 35) | This is FArchive, a member of class TGame. |
|------------|-------------------------------|--|
| 9 9 | FConfigFile (see page 35) | This is FConfigFile, a member of class TGame. |
| 99 | FFont (see page 35) | This is FFont, a member of class TGame. |
| 99 | FHud (see page 35) | This is FHud, a member of class TGame. |
| 4 9 | FInputMap (see page 36) | This is FInputMap, a member of class TGame. |
| 4 9 | FMouseDelta (see page 36) | This is FMouseDelta, a member of class TGame. |
| 4 9 | FMousePos (see page 36) | This is FMousePos, a member of class TGame. |
| 4 9 | FMousePressure (see page 36) | This is FMousePressure, a member of class TGame. |
| 99 | FScene (see page 36) | This is FScene, a member of class TGame. |
| 99 | FSettings (see page 37) | This is FSettings, a member of class TGame. |
| 4 9 | FSprite (see page 37) | This is FSprite, a member of class TGame. |
| 4 9 | FStartupDialog (see page 37) | This is FStartupDialog, a member of class TGame. |
| 99 | FTerminated (see page 37) | This is FTerminated, a member of class TGame. |
| | | |

1.1.6.2.1 TGame.FArchive

File: TopazGameLib.pas (see page 367)

Delphi

FArchive: IArchive;

Description

This is FArchive, a member of class TGame.

1.1.6.2.2 TGame.FConfigFile

File: TopazGameLib.pas (see page 367)

Delphi

FConfigFile: IConfigFile;

Description

This is FConfigFile, a member of class TGame.

1.1.6.2.3 TGame.FFont

File: TopazGameLib.pas (see page 367)

Delphi

FFont: IFont;

Description

This is FFont, a member of class TGame.

1.1.6.2.4 TGame.FHud

File: TopazGameLib.pas (see page 367)

Delphi

FHud: THud;

Description

This is FHud, a member of class TGame.

1.1.6.2.5 TGame.FInputMap

File: TopazGameLib.pas (see page 367)

Delphi

FInputMap: IInputMap;

Description

This is FInputMap, a member of class TGame.

1.1.6.2.6 TGame.FMouseDelta

File: TopazGameLib.pas (see page 367)

Delphi

FMouseDelta: TVector;

Description

This is FMouseDelta, a member of class TGame.

1.1.6.2.7 TGame.FMousePos

File: TopazGameLib.pas (see page 367)

Delphi

FMousePos: TVector;

Description

This is FMousePos, a member of class TGame.

1.1.6.2.8 TGame.FMousePressure

File: TopazGameLib.pas (see page 367)

Delphi

FMousePressure: Single;

Description

This is FMousePressure, a member of class TGame.

1.1.6.2.9 TGame.FScene

File: TopazGameLib.pas (see page 367)

Delphi

FScene: IActorScene;

Description

This is FScene, a member of class TGame.

1.1.6.2.10 TGame.FSettings

File: TopazGameLib.pas (see page 367)

Delphi

FSettings: TGameSettings;

Description

This is FSettings, a member of class TGame.

1.1.6.2.11 TGame.FSprite

File: TopazGameLib.pas (see page 367)

Delphi

FSprite: ISprite;

Description

This is FSprite, a member of class TGame.

1.1.6.2.12 TGame.FStartupDialog

File: TopazGameLib.pas (see page 367)

Delphi

FStartupDialog: IStartupDialog;

Description

This is FStartupDialog, a member of class TGame.

1.1.6.2.13 TGame.FTerminated

File: TopazGameLib.pas (see page 367)

Delphi

FTerminated: Boolean;

Description

This is FTerminated, a member of class TGame.

1.1.6.3 TGame Methods

The methods of the TGame class are listed here.

Methods

| = ♦ | Archive (see page 39) | This is Archive, a member of class TGame. |
|---------------------|------------------------------|---|
| = ♦ | ConfigFile (see page 39) | This is ConfigFile, a member of class TGame. |
| = ♦ W | Create (see page 39) | This is Create, a member of class TGame. |
| = ♦ W | Destroy (see page 39) | This is Destroy, a member of class TGame. |
| ≟ ♦ | Font (see page 39) | This is Font, a member of class TGame. |
| = ♦ ₩ | GetGameClass (see page 40) | This is GetGameClass, a member of class TGame. |
| = ♦ | GetMouseDelta (see page 40) | This is GetMouseDelta, a member of class TGame. |
| =♦ | GetMousePos (see page 40) | This is GetMousePos, a member of class TGame. |

| ≡♦ | GetMousePressure (see page 40) | This is GetMousePressure, a member of class TGame. |
|--------------|--|---|
| =♦ ₩ | GetSettings (see page 40) | This is GetSettings, a member of class TGame. |
| =♦ ₩ | GetTerminated (see page 41) | This is GetTerminated, a member of class TGame. |
| ≡ | HudText (see page 41) | This is HudText, a member of class TGame. |
| ≡ | HudTextItem (see page 41) | This is HudTextItem, a member of class TGame. |
| ≡♦ | InputMap (see page 41) | This is InputMap, a member of class TGame. |
| = ♦ ₩ | OnAfterRenderScene (see page 41) | This is OnAfterRenderScene, a member of class TGame. |
| = ♦ ₩ | OnBeforeRenderScene (see page 42) | This is OnBeforeRenderScene, a member of class TGame. |
| =♦ ₩ | OnBuildArchiveProgress (see page 42) | This is OnBuildArchiveProgress, a member of class TGame. |
| =♦ ₩ | OnClearWindow (see page 42) | This is OnClearWindow, a member of class TGame. |
| =♦ ₩ | OnCmdConsoleState (see page 42) | This is OnCmdConsoleState, a member of class TGame. |
| =♦ ₩ | OnDisposeActor (see page 42) | This is OnDisposeActor, a member of class TGame. |
| =♦ ₩ | OnDone (see page 43) | This is OnDone, a member of class TGame. |
| =♦ ₩ | OnFixedUpdate (see page 43) | This is OnFixedUpdate, a member of class TGame. |
| =♦ ₩ | OnGetSettings (see page 43) | This is OnGetSettings, a member of class TGame. |
| =♦ ₩ | OnHighscoreAction (see page 43) | This is OnHighscoreAction, a member of class TGame. |
| =♦ ₩ | OnInAppPurchase (see page 43) | This is OnInAppPurchase, a member of class TGame. |
| =♦ ₩ | OnInit (see page 44) | This is Onlnit, a member of class TGame. |
| =♦ ₩ | OnLuaState (see page 44) | This is OnLuaState, a member of class TGame. |
| =♦ ₩ | OnPathEditorAction (see page 44) | This is OnPathEditorAction, a member of class TGame. |
| =♦ ₩ | OnPathEditorTest (see page 44) | This is OnPathEditorTest, a member of class TGame. |
| =♦ ₩ | OnPhysicsDrawBodyShapes (see page 44) | This is OnPhysicsDrawBodyShapes, a member of class TGame. |
| =♦ ₩ | OnPhysicsUpdateBody (see page 45) | This is OnPhysicsUpdateBody, a member of class TGame. |
| =♦ ₩ | OnPostShowWindow (see page 45) | This is OnPostShowWindow, a member of class TGame. |
| =♦ ₩ | OnPreShowWindow (see page 45) | This is OnPreShowWindow, a member of class TGame. |
| =♦ ₩ | OnProcessIMGUI (see page 45) | This is OnProcessIMGUI, a member of class TGame. |
| =♦ ₩ | OnReady (see page 45) | This is OnReady, a member of class TGame. |
| =♦ ₩ | OnRender (see page 46) | This is OnRender, a member of class TGame. |
| =♦ ₩ | OnRenderHUD (see page 46) | This is OnRenderHUD, a member of class TGame. |
| =♦ ₩ | OnRun (see page 46) | This is OnRun, a member of class TGame. |
| =♦ ₩ | OnScreenshot (see page 46) | This is OnScreenshot, a member of class TGame. |
| =♦ ₩ | OnSendMail (see page 46) | This is OnSendMail, a member of class TGame. |
| = ♦ ₩ | OnSetupStartupDialog (see page 47) | This is OnSetupStartupDialog, a member of class TGame. |
| =♦ ₩ | OnShowWindow (see page 47) | This is OnShowWindow, a member of class TGame. |
| =♦ ₩ | OnShutdown (see page 47) | This is OnShutdown, a member of class TGame. |
| =♦ ₩ | OnSocialPost (see page 47) | This is OnSocialPost, a member of class TGame. |
| =♦ ₩ | OnSpeechWord (see page 47) | This is OnSpeechWord, a member of class TGame. |
| =♦ ₩ | OnStartup (see page 48) | This is OnStartup, a member of class TGame. |
| =♦ ₩ | OnStartupDialogMore (see page 48) | This is OnStartupDialogMore, a member of class TGame. |
| =♦ ₩ | OnStartupDialogRun (see page 48) | This is OnStartupDialogRun, a member of class TGame. |
| = ♦ ₩ | OnUpdate (see page 48) | This is OnUpdate, a member of class TGame. |
| =♦ ₩ | OnVideoState (see page 48) | This is OnVideoState, a member of class TGame. |
| ≡ | ResetHudPos (see page 49) | This is ResetHudPos, a member of class TGame. |
| | · · · · · · | |

| = ♦ | SetHudLineSpace (see page 49) | This is SetHudLineSpace, a member of class TGame. |
|--------------|---------------------------------------|--|
| = ♦ | SetHudPos (see page 49) | This is SetHudPos, a member of class TGame. |
| =♦ | SetHudTextItemPadWidth (see page 49) | This is SetHudTextItemPadWidth, a member of class TGame. |
| = ♦ ₩ | SetTerminated (see page 50) | This is SetTerminated, a member of class TGame. |
| = ♦ | Sprite (see page 50) | This is Sprite, a member of class TGame. |
| =♦ | StartupDialog (see page 50) | This is StartupDialog, a member of class TGame. |

1.1.6.3.1 TGame.Archive

File: TopazGameLib.pas (see page 367)

Delphi

function Archive: IArchive;

Description

This is Archive, a member of class TGame.

1.1.6.3.2 TGame.ConfigFile

File: TopazGameLib.pas (see page 367)

Delphi

function ConfigFile: IConfigFile;

Description

This is ConfigFile, a member of class TGame.

1.1.6.3.3 TGame.Create

File: TopazGameLib.pas (see page 367)

Delphi

constructor Create; override;

Description

This is Create, a member of class TGame.

1.1.6.3.4 TGame.Destroy

File: TopazGameLib.pas (see page 367)

Delphi

destructor Destroy; override;

Description

This is Destroy, a member of class TGame.

1.1.6.3.5 TGame.Font

File: TopazGameLib.pas (see page 367)

Delphi

function Font: IFont;

This is Font, a member of class TGame.

1.1.6.3.6 TGame.GetGameClass

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetGameClass: TGameClass; override;
```

Description

This is GetGameClass, a member of class TGame.

1.1.6.3.7 TGame.GetMouseDelta

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetMouseDelta: PVector;
```

Description

This is GetMouseDelta, a member of class TGame.

1.1.6.3.8 TGame.GetMousePos

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetMousePos: PVector;
```

Description

This is GetMousePos, a member of class TGame.

1.1.6.3.9 TGame.GetMousePressure

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetMousePressure: System;
```

Description

This is GetMousePressure, a member of class TGame.

1.1.6.3.10 TGame.GetSettings

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSettings: PGameSettings; override;
```

Description

This is GetSettings, a member of class TGame.

1.1.6.3.11 TGame.GetTerminated

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetTerminated: Boolean; override;
```

Description

This is GetTerminated, a member of class TGame.

1.1.6.3.12 TGame.HudText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure HudText(
    aFont: IFont;
    aColor: TColor;
    aAlign: THAlign;
    const aMsg: string;
    const aArgs: array of const
);
```

Description

This is HudText, a member of class TGame.

1.1.6.3.13 TGame.HudTextItem

File: TopazGameLib.pas (see page 367)

Delphi

```
function HudTextItem(
    const aKey: string;
    const aValue: string;
    const aSeperator: string = '-'
): string;
```

Description

This is HudTextItem, a member of class TGame.

1.1.6.3.14 TGame.InputMap

File: TopazGameLib.pas (see page 367)

Delphi

```
function InputMap: IInputMap;
```

Description

This is InputMap, a member of class TGame.

1.1.6.3.15 TGame.OnAfterRenderScene

File: TopazGameLib.pas (see page 367)

```
procedure OnAfterRenderScene(
    aSceneNum: Integer
); override;
```

This is OnAfterRenderScene, a member of class TGame.

1.1.6.3.16 TGame.OnBeforeRenderScene

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnBeforeRenderScene(
    aSceneNum: Integer
); override;
```

Description

This is OnBeforeRenderScene, a member of class TGame.

1.1.6.3.17 TGame.OnBuildArchiveProgress

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnBuildArchiveProgress(
    const aFilename: WideString;
    aProgress: Integer;
    aNewFile: Boolean
); override;
```

Description

This is OnBuildArchiveProgress, a member of class TGame.

1.1.6.3.18 TGame.OnClearWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnClearWindow; override;
```

Description

This is OnClearWindow, a member of class TGame.

1.1.6.3.19 TGame.OnCmdConsoleState

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnCmdConsoleState(
    aState: TCmdConsoleState
); override;
```

Description

This is OnCmdConsoleState, a member of class TGame.

1.1.6.3.20 TGame.OnDisposeActor

File: TopazGameLib.pas (see page 367)

```
procedure OnDisposeActor(
```

```
aActor: TActor
); override;
```

This is OnDisposeActor, a member of class TGame.

1.1.6.3.21 TGame.OnDone

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnDone; override;
```

Description

This is OnDone, a member of class TGame.

1.1.6.3.22 TGame.OnFixedUpdate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnFixedUpdate; override;
```

Description

This is OnFixedUpdate, a member of class TGame.

1.1.6.3.23 TGame.OnGetSettings

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnGetSettings(
    var aSettings: TGameSettings
); override;
```

Description

This is OnGetSettings, a member of class TGame.

1.1.6.3.24 TGame.OnHighscoreAction

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnHighscoreAction(
    aHighscores: IHighscores;
    aAction: THighscoreAction
); override;
```

Description

This is OnHighscoreAction, a member of class TGame.

1.1.6.3.25 TGame.OnInAppPurchase

File: TopazGameLib.pas (see page 367)

```
procedure OnInAppPurchase(
    aIAP: IInAppPurchase
```

```
); override;
```

This is OnInAppPurchase, a member of class TGame.

1.1.6.3.26 TGame.OnInit

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnInit; override;
```

Description

This is OnInit, a member of class TGame.

1.1.6.3.27 TGame.OnLuaState

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnLuaState(
    aState: TLuaState
); override;
```

Description

This is OnLuaState, a member of class TGame.

1.1.6.3.28 TGame.OnPathEditorAction

File: TopazGameLib.pas (see page 367)

Delphi

Description

This is OnPathEditorAction, a member of class TGame.

1.1.6.3.29 TGame.OnPathEditorTest

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPathEditorTest(
    aPathIndex: Integer;
    aLookAHead: Integer;
    aSpeed: Single;
    aWindowPos: TPointi;
    aWindowSize: TPointi
); override;
```

Description

This is OnPathEditorTest, a member of class TGame.

1.1.6.3.30 TGame.OnPhysicsDrawBodyShapes

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPhysicsDrawBodyShapes(
    aBody: TPhysicsBody
); override;
```

Description

This is OnPhysicsDrawBodyShapes, a member of class TGame.

1.1.6.3.31 TGame.OnPhysicsUpdateBody

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPhysicsUpdateBody(
    aBody: TPhysicsBody
); override;
```

Description

This is OnPhysicsUpdateBody, a member of class TGame.

1.1.6.3.32 TGame.OnPostShowWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPostShowWindow; override;
```

Description

This is OnPostShowWindow, a member of class TGame.

1.1.6.3.33 TGame.OnPreShowWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnPreShowWindow; override;
```

Description

This is OnPreShowWindow, a member of class TGame.

1.1.6.3.34 TGame.OnProcessIMGUI

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnProcessIMGUI; override;
```

Description

This is OnProcessIMGUI, a member of class TGame.

1.1.6.3.35 TGame.OnReady

File: TopazGameLib.pas (see page 367)

```
procedure OnReady(
```

```
aReady: Boolean
); override;
```

This is OnReady, a member of class TGame.

1.1.6.3.36 TGame.OnRender

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRender; override;
```

Description

This is OnRender, a member of class TGame.

1.1.6.3.37 TGame.OnRenderHUD

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRenderHUD; override;
```

Description

This is OnRenderHUD, a member of class TGame.

1.1.6.3.38 TGame.OnRun

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnRun; override;
```

Description

This is OnRun, a member of class TGame.

1.1.6.3.39 TGame.OnScreenshot

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnScreenshot(
    const aFilename: WideString
); override;
```

Description

This is OnScreenshot, a member of class TGame.

1.1.6.3.40 TGame.OnSendMail

File: TopazGameLib.pas (see page 367)

```
procedure OnSendMail(
    const aFromEmail: WideString;
    const aFromName: WideString;
    const aSubject: WideString;
    const aToEmail: WideString;
```

```
const aBody: WideString;
const aError: WideString
); override;
```

This is OnSendMail, a member of class TGame.

1.1.6.3.41 TGame.OnSetupStartupDialog

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnSetupStartupDialog; override;
```

Description

This is OnSetupStartupDialog, a member of class TGame.

1.1.6.3.42 TGame.OnShowWindow

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnShowWindow; override;
```

Description

This is OnShowWindow, a member of class TGame.

1.1.6.3.43 TGame.OnShutdown

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnShutdown; override;
```

Description

This is OnShutdown, a member of class TGame.

1.1.6.3.44 TGame.OnSocialPost

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnSocialPost(
    const aSuccess: Boolean;
    const aErrorMsg: WideString;
    const aMsg: WideString;
    const aMediaFilename: WideString
); override;
```

Description

This is OnSocialPost, a member of class TGame.

1.1.6.3.45 TGame.OnSpeechWord

File: TopazGameLib.pas (see page 367)

```
procedure OnSpeechWord(
```

```
const aWord: WideString;
const aText: WideString
); override;
```

This is OnSpeechWord, a member of class TGame.

1.1.6.3.46 TGame.OnStartup

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnStartup; override;
```

Description

This is OnStartup, a member of class TGame.

1.1.6.3.47 TGame.OnStartupDialogMore

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnStartupDialogMore; override;
```

Description

This is OnStartupDialogMore, a member of class TGame.

1.1.6.3.48 TGame.OnStartupDialogRun

File: TopazGameLib.pas (see page 367)

Delphi

```
function OnStartupDialogRun: Boolean; override;
```

Description

This is OnStartupDialogRun, a member of class TGame.

1.1.6.3.49 TGame.OnUpdate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure OnUpdate(
    aDeltaTime: Double
); override;
```

Description

This is OnUpdate, a member of class TGame.

1.1.6.3.50 TGame.OnVideoState

File: TopazGameLib.pas (see page 367)

```
procedure OnVideoState(
    aState: TVideoState;
    aFilename: WideString
); override;
```

This is OnVideoState, a member of class TGame.

1.1.6.3.51 TGame.ResetHudPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ResetHudPos;
```

Description

This is ResetHudPos, a member of class TGame.

1.1.6.3.52 TGame.Scene

File: TopazGameLib.pas (see page 367)

Delphi

```
function Scene: IActorScene;
```

Description

This is Scene, a member of class TGame.

1.1.6.3.53 TGame.SetHudLineSpace

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetHudLineSpace(
    aLineSpace: Integer
);
```

Description

This is SetHudLineSpace, a member of class TGame.

1.1.6.3.54 TGame.SetHudPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetHudPos(
    ax: Integer;
    ay: Integer
):
```

Description

This is SetHudPos, a member of class TGame.

1.1.6.3.55 TGame.SetHudTextItemPadWidth

File: TopazGameLib.pas (see page 367)

```
procedure SetHudTextItemPadWidth(
    aWidth: Integer
);
```

This is SetHudTextItemPadWidth, a member of class TGame.

1.1.6.3.56 TGame.SetTerminated

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetTerminated(
    aTerminate: Boolean
); override;
```

Description

This is SetTerminated, a member of class TGame.

1.1.6.3.57 TGame.Sprite

File: TopazGameLib.pas (see page 367)

Delphi

```
function Sprite: ISprite;
```

Description

This is Sprite, a member of class TGame.

1.1.6.3.58 TGame.StartupDialog

File: TopazGameLib.pas (see page 367)

Delphi

```
function StartupDialog: IStartupDialog;
```

Description

This is StartupDialog, a member of class TGame.

1.1.7 THighscore

File: TopazGameLib.pas (see page 367)

Delphi

```
THighscore = record
  Name: WideString;
  Level: Integer;
  Score: Cardinal;
  Skill: Integer;
  Duration: Cardinal;
  Location: WideString;
end;
```

Description

This is class THighscore.

1.1.7.1 THighscore Fields

The fields of the THighscore class are listed here.

Fields

| • | Duration (see page 51) | This is Duration, a member of class THighscore. |
|---|-------------------------|---|
| • | Level (see page 51) | This is Level, a member of class THighscore. |
| • | Location (see page 51) | This is Location, a member of class THighscore. |
| • | Name (see page 51) | This is Name, a member of class THighscore. |
| • | Score (see page 52) | This is Score, a member of class THighscore. |
| • | Skill (see page 52) | This is Skill, a member of class THighscore. |

1.1.7.1.1 THighscore.Duration

File: TopazGameLib.pas (see page 367)

Delphi

Duration: Cardinal;

Description

This is Duration, a member of class THighscore.

1.1.7.1.2 THighscore.Level

File: TopazGameLib.pas (see page 367)

Delphi

Level: Integer;

Description

This is Level, a member of class THighscore.

1.1.7.1.3 THighscore.Location

File: TopazGameLib.pas (see page 367)

Delphi

Location: WideString;

Description

This is Location, a member of class THighscore.

1.1.7.1.4 THighscore.Name

File: TopazGameLib.pas (see page 367)

Delphi

Name: WideString;

Description

This is Name, a member of class THighscore.

1.1.7.1.5 THighscore.Score

File: TopazGameLib.pas (see page 367)

Delphi

Score: Cardinal;

Description

This is Score, a member of class THighscore.

1.1.7.1.6 THighscore.Skill

File: TopazGameLib.pas (see page 367)

Delphi

```
Skill: Integer;
```

Description

This is Skill, a member of class THighscore.

1.1.7.2 THighscore Operators

The operators of the THighscore class are listed here.

Operators

Equal (see page 52) This is Equal, a member of class THighscore.

1.1.7.2.1 THighscore.Equal

File: TopazGameLib.pas (see page 367)

Delphi

```
class operator Equal(
    a: Thighscore;
    b: Thighscore
);
```

Description

This is Equal, a member of class THighscore.

1.1.8 TLuaValue

File: TopazGameLib.pas (see page 367)

```
TLuaValue = record
  AsType: TLuaValueType;
  case Integer of
    0: (AsInteger: Integer;);
    1: (AsNumber: Double;);
    2: (AsString: PWideChar;);
    3: (AsTable: TLuaTable;);
    4: (AsPointer: Pointer;);
    5: (AsBoolean: Boolean;);
end;
```

This is class TLuaValue.

1.1.8.1 TLuaValue Fields

The fields of the TLuaValue class are listed here.

Fields

| • | AsBoolean (see page 53) | This is AsBoolean, a member of class TLuaValue. |
|---|--------------------------|---|
| • | AsInteger (see page 53) | This is AsInteger, a member of class TLuaValue. |
| · | AsNumber (see page 53) | This is AsNumber, a member of class TLuaValue. |
| • | AsPointer (see page 53) | This is AsPointer, a member of class TLuaValue. |
| • | AsString (see page 54) | This is AsString, a member of class TLuaValue. |
| • | AsTable (see page 54) | This is AsTable, a member of class TLuaValue. |
| • | AsType (see page 54) | This is AsType, a member of class TLuaValue. |

1.1.8.1.1 TLuaValue.AsBoolean

File: TopazGameLib.pas (see page 367)

Delphi

AsBoolean: Boolean;

Description

This is AsBoolean, a member of class TLuaValue.

1.1.8.1.2 TLuaValue.AsInteger

File: TopazGameLib.pas (see page 367)

Delphi

AsInteger: Integer;

Description

This is AsInteger, a member of class TLuaValue.

1.1.8.1.3 TLuaValue.AsNumber

File: TopazGameLib.pas (see page 367)

Delphi

AsNumber: Double;

Description

This is AsNumber, a member of class TLuaValue.

1.1.8.1.4 TLuaValue.AsPointer

File: TopazGameLib.pas (see page 367)

Delphi

AsPointer: Pointer;

This is AsPointer, a member of class TLuaValue.

1.1.8.1.5 TLuaValue.AsString

File: TopazGameLib.pas (see page 367)

Delphi

AsString: PWideChar;

Description

This is AsString, a member of class TLuaValue.

1.1.8.1.6 TLuaValue.AsTable

File: TopazGameLib.pas (see page 367)

Delphi

AsTable: TLuaTable;

Description

This is AsTable, a member of class TLuaValue.

1.1.8.1.7 TLuaValue.AsType

File: TopazGameLib.pas (see page 367)

Delphi

AsType: TLuaValueType;

Description

This is AsType, a member of class TLuaValue.

1.1.8.2 TLuaValue Operators

The operators of the TLuaValue class are listed here.

Operators

| =+) | Implicit (see page 54) | This is Implicit, a member of class TLuaValue. |
|-----|-------------------------|--|
| =+) | Implicit (see page 55) | This is Implicit, a member of class TLuaValue. |
| =+) | Implicit (see page 55) | This is Implicit, a member of class TLuaValue. |
| =+) | Implicit (see page 55) | This is Implicit, a member of class TLuaValue. |
| =+) | Implicit (see page 55) | This is Implicit, a member of class TLuaValue. |
| =+) | Implicit (see page 55) | This is Implicit, a member of class TLuaValue. |
| =+9 | Implicit (see page 56) | This is Implicit, a member of class TLuaValue. |

1.1.8.2.1 TLuaValue.Implicit

File: TopazGameLib.pas (see page 367)

```
class operator Implicit(
    aValue: Boolean
);
```

This is Implicit, a member of class TLuaValue.

1.1.8.2.2 TLuaValue.Implicit

File: TopazGameLib.pas (see page 367)

Delphi

```
class operator Implicit(
    aValue: Double
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.8.2.3 TLuaValue.Implicit

File: TopazGameLib.pas (see page 367)

Delphi

```
class operator Implicit(
    const aValue: Integer
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.8.2.4 TLuaValue.Implicit

File: TopazGameLib.pas (see page 367)

Delphi

```
class operator Implicit(
    aValue: PChar
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.8.2.5 TLuaValue.Implicit

File: TopazGameLib.pas (see page 367)

Delphi

```
class operator Implicit(
    aValue: Pointer
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.8.2.6 TLuaValue.Implicit

File: TopazGameLib.pas (see page 367)

```
class operator Implicit(
```

```
aValue: TLuaTable
);
```

This is Implicit, a member of class TLuaValue.

1.1.8.2.7 TLuaValue.Implicit

File: TopazGameLib.pas (see page 367)

Delphi

```
class operator Implicit(
    aValue: TLuaValue
);
```

Description

This is Implicit, a member of class TLuaValue.

1.1.9 TRectangle

File: TopazGameLib.pas (see page 367)

Delphi

```
TRectangle = record
  Height: Single;
  Width: Single;
  X: Single;
  Y: Single;
end;
```

Description

This is class TRectangle.

1.1.9.1 TRectangle Fields

The fields of the TRectangle class are listed here.

Fields

| • | Height (see page 56) | This is Height, a member of class TRectangle. |
|---|-----------------------|---|
| • | Width (see page 57) | This is Width, a member of class TRectangle. |
| • | X (see page 57) | This is X, a member of class TRectangle. |
| • | Y (see page 57) | This is Y, a member of class TRectangle. |

1.1.9.1.1 TRectangle.Height

File: TopazGameLib.pas (see page 367)

Delphi

```
Height: Single;
```

Description

This is Height, a member of class TRectangle.

1.1.9.1.2 TRectangle.Width

File: TopazGameLib.pas (see page 367)

Delphi

Width: Single;

Description

This is Width, a member of class TRectangle.

1.1.9.1.3 TRectangle.X

File: TopazGameLib.pas (see page 367)

Delphi

 \mathbf{X} : Single;

Description

This is X, a member of class TRectangle.

1.1.9.1.4 TRectangle.Y

File: TopazGameLib.pas (see page 367)

Delphi

Y: Single;

Description

This is Y, a member of class TRectangle.

1.1.9.2 TRectangle Methods

The methods of the TRectangle class are listed here.

Methods

| ≡ | Assign (see page 57) | This is Assign, a member of class TRectangle. |
|------------|--------------------------|--|
| =♦ | Assign (see page 58) | This is Assign, a member of class TRectangle. |
| ≡♦ | Clear (see page 58) | This is Clear, a member of class TRectangle. |
| =♦ | Create (see page 58) | This is Create, a member of class TRectangle. |
| = ♦ | Intersect (see page 58) | This is Intersect, a member of class TRectangle. |

1.1.9.2.1 TRectangle.Assign

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Assign(
    ax: Single;
    ay: Single;
    awidth: Single;
    aHeight: Single
); overload;
```

Description

This is Assign, a member of class TRectangle.

1.1.9.2.2 TRectangle. Assign

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Assign(
     aRectangle: TRectangle
); overload;
```

Description

This is Assign, a member of class TRectangle.

1.1.9.2.3 TRectangle.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class TRectangle.

1.1.9.2.4 TRectangle.Create

File: TopazGameLib.pas (see page 367)

Delphi

```
constructor Create(
   ax: Single;
   ay: Single;
   awidth: Single;
   aHeight: Single
```

Description

This is Create, a member of class TRectangle.

1.1.9.2.5 TRectangle.Intersect

File: TopazGameLib.pas (see page 367)

Delphi

```
function Intersect(
    aRect: TRectangle
): Boolean;
```

Description

This is Intersect, a member of class TRectangle.

1.1.10 TVector

File: TopazGameLib.pas (see page 367)

```
TVector = record
```

```
W: Single;
X: Single;
Y: Single;
Z: Single;
end;
```

This is class TVector.

1.1.10.1 TVector Fields

The fields of the TVector class are listed here.

Fields

| • | W (see page 59) | This is W, a member of class TVector. |
|---|------------------|---------------------------------------|
| • | X (see page 59) | This is X, a member of class TVector. |
| • | Y (see page 59) | This is Y, a member of class TVector. |
| • | Z (see page 59) | This is Z, a member of class TVector. |

1.1.10.1.1 TVector.W

File: TopazGameLib.pas (see page 367)

Delphi

W: Single;
Description

This is W, a member of class TVector.

1.1.10.1.2 TVector.X

File: TopazGameLib.pas (see page 367)

Delphi

x: Single;

Description

This is X, a member of class TVector.

1.1.10.1.3 TVector.Y

File: TopazGameLib.pas (see page 367)

Delphi

Y: Single;

Description

This is Y, a member of class TVector.

1.1.10.1.4 TVector.Z

File: TopazGameLib.pas (see page 367)

Delphi

z: Single;

This is Z, a member of class TVector.

1.1.10.2 TVector Methods

The methods of the TVector class are listed here.

Methods

| =♦ | Add (see page 60) | This is Add, a member of class TVector. |
|-----------|----------------------------------|---|
| =♦ | Angle (see page 60) | This is Angle, a member of class TVector. |
| ≡ | Assign (see page 61) | This is Assign, a member of class TVector. |
| ≡ | Assign (see page 61) | This is Assign, a member of class TVector. |
| =♦ | Assign (see page 61) | This is Assign, a member of class TVector. |
| =♦ | Assign (see page 61) | This is Assign, a member of class TVector. |
| =♦ | Clear (see page 62) | This is Clear, a member of class TVector. |
| =♦ | Create (see page 62) | This is Create, a member of class TVector. |
| =♦ | Create (see page 62) | This is Create, a member of class TVector. |
| =♦ | Create (see page 62) | This is Create, a member of class TVector. |
| =♦ | Distance (see page 63) | This is Distance, a member of class TVector. |
| ≡ | Divide (see page 63) | This is Divide, a member of class TVector. |
| ≡ | DivideBy (see page 63) | This is DivideBy, a member of class TVector. |
| ≡ | DotProduct (see page 63) | This is DotProduct, a member of class TVector. |
| ≡ | Magnitude (see page 63) | This is Magnitude, a member of class TVector. |
| =♦ | MagnitudeSquared (see page 64) | This is MagnitudeSquared, a member of class TVector. |
| =♦ | MagnitudeTruncate (see page 64) | This is MagnitudeTruncate, a member of class TVector. |
| ≡ | Multiply (see page 64) | This is Multiply, a member of class TVector. |
| ≡ | Negate (see page 64) | This is Negate, a member of class TVector. |
| =♦ | Normalize (see page 64) | This is Normalize, a member of class TVector. |
| =♦ | Project (see page 65) | This is Project, a member of class TVector. |
| ≡∳ | Scale (see page 65) | This is Scale, a member of class TVector. |
| ≡∳ | Subtract (see page 65) | This is Subtract, a member of class TVector. |
| ≡ | Thrust (see page 65) | This is Thrust, a member of class TVector. |
| =♦ | Vec2 (see page 65) | This is Vec2, a member of class TVector. |

1.1.10.2.1 TVector.Add

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Add(
    aVector: TVector
);
```

Description

This is Add, a member of class TVector.

1.1.10.2.2 TVector.Angle

File: TopazGameLib.pas (see page 367)

Delphi

```
function Angle(
    aVector: TVector
): Single;
```

Description

This is Angle, a member of class TVector.

1.1.10.2.3 TVector.Assign

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Assign(
    aX: Single;
    aY: Single
); overload;
```

Description

This is Assign, a member of class TVector.

1.1.10.2.4 TVector.Assign

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Assign(
    aX: Single;
    aY: Single;
    aZ: Single
); overload;
```

Description

This is Assign, a member of class TVector.

1.1.10.2.5 TVector.Assign

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Assign(
    aX: Single;
    aY: Single;
    aZ: Single;
    aW: Single
); overload;
```

Description

This is Assign, a member of class TVector.

1.1.10.2.6 TVector.Assign

File: TopazGameLib.pas (see page 367)

```
procedure Assign(
    aVector: TVector
); overload;
```

This is Assign, a member of class TVector.

1.1.10.2.7 TVector.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class TVector.

1.1.10.2.8 TVector.Create

File: TopazGameLib.pas (see page 367)

Delphi

```
constructor Create(
    aX: Single;
    aY: Single
); overload;
```

Description

This is Create, a member of class TVector.

1.1.10.2.9 TVector.Create

File: TopazGameLib.pas (see page 367)

Delphi

```
constructor Create(
   ax: Single;
   ay: Single;
   az: Single
); overload;
```

Description

This is Create, a member of class TVector.

1.1.10.2.10 TVector.Create

File: TopazGameLib.pas (see page 367)

Delphi

```
constructor Create(
   ax: Single;
   ay: Single;
   az: Single;
   aw: Single
); overload;
```

Description

This is Create, a member of class TVector.

1.1.10.2.11 TVector.Distance

File: TopazGameLib.pas (see page 367)

Delphi

```
function Distance(
    aVector: TVector
): Single;
```

Description

This is Distance, a member of class TVector.

1.1.10.2.12 TVector.Divide

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Divide(
          aVector: TVector
);
```

Description

This is Divide, a member of class TVector.

1.1.10.2.13 TVector.DivideBy

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DivideBy(
     aValue: Single
);
```

Description

This is DivideBy, a member of class TVector.

1.1.10.2.14 TVector.DotProduct

File: TopazGameLib.pas (see page 367)

Delphi

```
function DotProduct(
    aVector: TVector
): Single;
```

Description

This is DotProduct, a member of class TVector.

1.1.10.2.15 TVector.Magnitude

File: TopazGameLib.pas (see page 367)

Delphi

```
function Magnitude: Single;
```

Description

This is Magnitude, a member of class TVector.

1.1.10.2.16 TVector.MagnitudeSquared

File: TopazGameLib.pas (see page 367)

Delphi

```
function MagnitudeSquared: Single;
```

Description

This is MagnitudeSquared, a member of class TVector.

1.1.10.2.17 TVector.MagnitudeTruncate

File: TopazGameLib.pas (see page 367)

Delphi

```
function MagnitudeTruncate(
    aMaxMagitude: Single
): TVector;
```

Description

This is MagnitudeTruncate, a member of class TVector.

1.1.10.2.18 TVector.Multiply

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Multiply(
         aVector: TVector
):
```

Description

This is Multiply, a member of class TVector.

1.1.10.2.19 TVector.Negate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Negate;
```

Description

This is Negate, a member of class TVector.

1.1.10.2.20 TVector.Normalize

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Normalize;
```

Description

This is Normalize, a member of class TVector.

1.1.10.2.21 TVector.Project

File: TopazGameLib.pas (see page 367)

Delphi

```
function Project(
    aVector: TVector
): TVector;
```

Description

This is Project, a member of class TVector.

1.1.10.2.22 TVector.Scale

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Scale(
    aValue: Single
);
```

Description

This is Scale, a member of class TVector.

1.1.10.2.23 TVector.Subtract

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Subtract(
    aVector: TVector
);
```

Description

This is Subtract, a member of class TVector.

1.1.10.2.24 TVector.Thrust

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Thrust(
    aAngle: Single;
    aSpeed: Single
):
```

Description

This is Thrust, a member of class TVector.

1.1.10.2.25 TVector.Vec2

File: TopazGameLib.pas (see page 367)

```
class function Vec2(
    ax: Single;
    ay: Single
): TVector; static;
```

This is Vec2, a member of class TVector.

1.2 Interfaces

The following table lists interfaces in this documentation.


Interfaces

| ~ | IActorList (see page 67) | This is class IActorList. |
|------------|---------------------------------|--------------------------------|
| • | IActorScene (see page 70) | This is class IActorScene. |
| -0 | IArchive (see page 72) | This is class IArchive. |
| • | IAsync (see page 75) | This is class IAsync. |
| ~ | IAudio (see page 76) | This is class IAudio. |
| ~ | IBaseInterface (see page 88) | This is class IBaseInterface. |
| ~ | IBuffer (see page 88) | This is class IBuffer. |
| ~ | ICamera (see page 91) | This is class ICamera. |
| -0 | ICmdConsole (see page 95) | This is class ICmdConsole. |
| • | ICmdLine (see page 98) | This is class ICmdLine. |
| -0 | IColor (see page 101) | This is class IColor. |
| ~ | IConfigFile (see page 103) | This is class IConfigFile. |
| -0 | IConsole (see page 107) | This is class IConsole. |
| -0 | IDatabase (see page 110) | This is class IDatabase. |
| ~ | IDialogs (see page 116) | This is class IDialogs. |
| ~ | IEntity (see page 118) | This is class lEntity. |
| • | IFont (see page 131) | This is class IFont. |
| ~ | IGUI (see page 133) | This is class IGUI. |
| -0 | IHighscores (see page 140) | This is class IHighscores. |
| -0 | IInAppPurchase (see page 143) | This is class IInAppPurchase. |
| -0 | IInput (see page 145) | This is class IInput. |
| -0 | IInputMap (see page 149) | This is class IInputMap. |
| -0 | ILog (see page 152) | This is class ILog. |
| ~ | ILua (see page 153) | This is class ILua. |
| ~0 | ILuaContext (see page 159) | This is class ILuaContext. |
| -0 | IMail (see page 162) | This is class IMail. |
| -0 | IMath (see page 164) | This is class IMath. |
| ~ | IPathEditor (see page 172) | This is class IPathEditor. |
| -0 | IPathEditorPath (see page 176) | This is class IPathEditorPath. |
| ~ | IPhysics (see page 178) | This is class IPhysics. |
| -0 | IPolygon (see page 184) | This is class IPolygon. |
| ~ | IRenderTarget (see page 187) | This is class IRenderTarget. |
| -0 | IScreenshake (see page 190) | This is class IScreenshake. |
| - 0 | IScreenshot (see page 191) | This is class IScreenshot. |
| - 0 | IShader (see page 192) | This is class IShader. |
| ~0 | ISocial (see page 196) | This is class ISocial. |
| ~ | ISpeech (see page 197) | This is class ISpeech. |
| -0 | ISplashscreen (see page 201) | This is class ISplashscreen. |

| ⊶0 | ISprite (see page 204) | This is class ISprite. |
|------------|--------------------------------|-------------------------------|
| ~ 0 | IStarfield (see page 208) | This is class IStarfield. |
| 0 | IStartupDialog (see page 211) | This is class IStartupDialog. |
| 0 | ITexture (see page 214) | This is class ITexture. |
| ~ 0 | ITimer (see page 217) | This is class ITimer. |
| ~ ○ | ITopaz (see page 220) | This is class ITopaz. |
| ~ 0 | ITreeMenu (see page 226) | This is class ITreeMenu. |
| ~ 0 | IUserPath (see page 230) | This is class IUserPath. |
| 0 | IUtil (see page 233) | This is class IUtil. |
| ~ ○ | lVideo (see page 238) | This is class IVideo. |
| ~ ○ | IVirtualFile (see page 241) | This is class IVirtualFile. |
| ~ ○ | IWindow (see page 243) | This is class IWindow. |

1.2.1 IActorList

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

IActorList = interface(IBaseInterface);

Description

This is class IActorList.

1.2.1.1 IActorList Methods

The methods of the IActorList class are listed here.

Methods

| = ♦ | Add (see page 67) | This is Add, a member of class IActorList. |
|------------|-------------------------------|---|
| =♦ | CheckCollision (see page 68) | This is CheckCollision, a member of class IActorList. |
| =♦ | Clean (see page 68) | This is Clean, a member of class IActorList. |
| =♦ | Clear (see page 68) | This is Clear, a member of class IActorList. |
| =♦ | ForEach (see page 68) | This is ForEach, a member of class IActorList. |
| =♦ | GetCount (see page 68) | This is GetCount, a member of class IActorList. |
| =♦ | Remove (see page 69) | This is Remove, a member of class IActorList. |
| ≡ | Render (see page 69) | This is Render, a member of class IActorList. |
| ≡ | SendMessage (see page 69) | This is SendMessage, a member of class IActorList. |
| = | Update (see page 69) | This is Update, a member of class IActorList. |

1.2.1.1.1 IActorList.Add

File: TopazGameLib.pas (see page 367)

```
procedure Add(
          aActor: TActor
);
```

This is Add, a member of class IActorList.

1.2.1.1.2 IActorList.CheckCollision

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure CheckCollision(
    aAttrs: TActorAttributeSet;
    aActor: TActor
);
```

Description

This is CheckCollision, a member of class IActorList.

1.2.1.1.3 IActorList.Clean

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clean;
```

Description

This is Clean, a member of class IActorList.

1.2.1.1.4 IActorList.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear(
     aAttrs: TActorAttributeSet
);
```

Description

This is Clear, a member of class IActorList.

1.2.1.1.5 IActorList.ForEach

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ForEach(
    aSender: TActor;
    aAttrs: TActorAttributeSet;
    aEventId: Integer;
    var aDone: Boolean
);
```

Description

This is ForEach, a member of class IActorList.

1.2.1.1.6 IActorList.GetCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetCount: Integer;
```

Description

This is GetCount, a member of class IActorList.

1.2.1.1.7 IActorList.Remove

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Remove(
    aActor: TActor;
    aDispose: Boolean
):
```

Description

This is Remove, a member of class IActorList.

1.2.1.1.8 IActorList.Render

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Render(
     aAttrs: TActorAttributeSet
);
```

Description

This is Render, a member of class IActorList.

1.2.1.1.9 IActorList.SendMessage

File: TopazGameLib.pas (see page 367)

Delphi

```
function SendMessage(
    aAttrs: TActorAttributeSet;
    aMsg: PActorMessage;
    aBroadcast: Boolean
): TActor;
```

Description

This is SendMessage, a member of class IActorList.

1.2.1.1.10 IActorList.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Update(
    aAttrs: TActorAttributeSet;
    aDeltaTime: Double
);
```

Description

This is Update, a member of class IActorList.

1.2.2 IActorScene

Class Hierarchy

```
IBaseInterface → IActorScene
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IActorScene = interface(IBaseInterface);
```

Description

This is class IActorScene.

1.2.2.1 IActorScene Methods

The methods of the IActorScene class are listed here.

Methods

| ≡♦ | Alloc (see page 70) | This is Alloc, a member of class IActorScene. |
|------------|----------------------------|---|
| =♦ | Clean (see page 70) | This is Clean, a member of class IActorScene. |
| =♦ | Clear (see page 71) | This is Clear, a member of class IActorScene. |
| =♦ | ClearAll (see page 71) | This is ClearAll, a member of class IActorScene. |
| = ♦ | Dealloc (see page 71) | This is Dealloc, a member of class IActorScene. |
| =♦ | GetCount (see page 71) | This is GetCount, a member of class IActorScene. |
| =♦ | GetList (see page 71) | This is GetList, a member of class IActorScene. |
| =♦ | Render (see page 72) | This is Render, a member of class IActorScene. |
| =♦ | SendMessage (see page 72) | This is SendMessage, a member of class IActorScene. |
| =♦ | Update (see page 72) | This is Update, a member of class IActorScene. |

1.2.2.1.1 IActorScene.Alloc

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Alloc(
     aNum: Integer
)
```

Description

This is Alloc, a member of class IActorScene.

1.2.2.1.2 IActorScene.Clean

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clean(
    aIndex: Integer
):
```

Description

This is Clean, a member of class IActorScene.

1.2.2.1.3 IActorScene.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear(
    aIndex: Integer;
    aAttrs: TActorAttributeSet
);
```

Description

This is Clear, a member of class IActorScene.

1.2.2.1.4 IActorScene.ClearAll

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ClearAll;
```

Description

This is ClearAll, a member of class IActorScene.

1.2.2.1.5 IActorScene.Dealloc

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Dealloc;
```

Description

This is Dealloc, a member of class IActorScene.

1.2.2.1.6 IActorScene.GetCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetCount: Integer;
```

Description

This is GetCount, a member of class IActorScene.

1.2.2.1.7 IActorScene.GetList

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetList(
    aIndex: Integer
): IActorList;
```

Description

This is GetList, a member of class IActorScene.

1.2.2.1.8 IActorScene.Render

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Render(
    aAttrs: TActorAttributeSet;
    aBefore: TActorSceneEvent;
    aAfter: TActorSceneEvent
);
```

Description

This is Render, a member of class IActorScene.

1.2.2.1.9 IActorScene.SendMessage

File: TopazGameLib.pas (see page 367)

Delphi

```
function SendMessage(
    aAttrs: TActorAttributeSet;
    aMsg: PActorMessage;
    aBroadcast: Boolean
): TActor;
```

Description

This is SendMessage, a member of class IActorScene.

1.2.2.1.10 IActorScene.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Update(
    aAttrs: TActorAttributeSet;
    aDeltaTime: Double
);
```

Description

This is Update, a member of class IActorScene.

1.2.3 IArchive

Class Hierarchy

```
IBaseInterface → IArchive
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IArchive = interface(IBaseInterface);
```

Description

This is class IArchive.

1.2.3.1 IArchive Methods

The methods of the IArchive class are listed here.

Methods

| ≡ | Build (see page 73) | This is Build, a member of class IArchive. |
|-----------|------------------------------------|--|
| = | Close (see page 73) | This is Close, a member of class IArchive. |
| = | ExtractFile (see page 73) | This is ExtractFile, a member of class IArchive. |
| = | ExtractFiles (see page 73) | This is ExtractFiles, a member of class IArchive. |
| =♦ | ExtractFileToBuffer (see page 74) | This is ExtractFileToBuffer, a member of class IArchive. |
| =♦ | FileExist (see page 74) | This is FileExist, a member of class IArchive. |
| =♦ | IsValid (see page 74) | This is IsValid, a member of class IArchive. |
| ≡ | Open (see page 74) | This is Open, a member of class IArchive. |
| ≡ | Open (see page 75) | This is Open, a member of class IArchive. |
| ≡ | Opened (see page 75) | This is Opened, a member of class IArchive. |

1.2.3.1.1 IArchive.Build

File: TopazGameLib.pas (see page 367)

Delphi

```
function Build(
    const aArchiveFilename: WideString;
    const aDirectoryName: WideString
): Boolean;
```

Description

This is Build, a member of class IArchive.

1.2.3.1.2 IArchive.Close

File: TopazGameLib.pas (see page 367)

Delphi

```
function Close: Boolean;
```

Description

This is Close, a member of class IArchive.

1.2.3.1.3 IArchive.ExtractFile

File: TopazGameLib.pas (see page 367)

Delphi

```
function ExtractFile(
    const aFilename: WideString
): IVirtualFile;
```

Description

This is ExtractFile, a member of class IArchive.

1.2.3.1.4 IArchive.ExtractFiles

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ExtractFiles(
    const aPath: WideString;
    const aBasePath: WideString
):
```

Description

This is ExtractFiles, a member of class IArchive.

1.2.3.1.5 IArchive.ExtractFileToBuffer

File: TopazGameLib.pas (see page 367)

Delphi

```
function ExtractFileToBuffer(
    const aFilename: WideString
): IBuffer;
```

Description

This is ExtractFileToBuffer, a member of class IArchive.

1.2.3.1.6 IArchive.FileExist

File: TopazGameLib.pas (see page 367)

Delphi

```
function FileExist(
    const aFilename: WideString;
    var aFullPath: WideString;
    var aUncompressedSize: Int64
): Boolean;
```

Description

This is FileExist, a member of class IArchive.

1.2.3.1.7 IArchive.IsValid

File: TopazGameLib.pas (see page 367)

Delphi

```
function IsValid: Boolean;
```

Description

This is IsValid, a member of class IArchive.

1.2.3.1.8 IArchive.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
function Open(
    aInstance: THandle;
    const aResName: WideString
): Boolean; overload;
```

Description

This is Open, a member of class IArchive.

1.2.3.1.9 IArchive.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
function Open(
    const aFilename: WideString
): Boolean; overload;
```

Description

This is Open, a member of class IArchive.

1.2.3.1.10 IArchive.Opened

File: TopazGameLib.pas (see page 367)

Delphi


```
function Opened: Boolean;
```

Description

This is Opened, a member of class IArchive.

1.2.4 IAsync

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IAsync = interface(IBaseInterface);
```

Description

This is class IAsync.

1.2.4.1 IAsync Methods

The methods of the IAsync class are listed here.

Methods

| ≡ | Busy (see page 75) | This is Busy, a member of class IAsync. |
|-----------|------------------------|--|
| =♦ | Enter (see page 76) | This is Enter, a member of class IAsync. |
| =♦ | Leave (see page 76) | This is Leave, a member of class IAsync. |
| =♦ | Process (see page 76) | This is Process, a member of class IAsync. |
| =♦ | Run (see page 76) | This is Run, a member of class IAsync. |

1.2.4.1.1 IAsync.Busy

File: TopazGameLib.pas (see page 367)

```
function Busy(
```

```
const aName: string
): Boolean;
```

Description

This is Busy, a member of class IAsync.

1.2.4.1.2 IAsync.Enter

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Enter;
```

Description

This is Enter, a member of class IAsync.

1.2.4.1.3 IAsync.Leave

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Leave;
```

Description

This is Leave, a member of class IAsync.

1.2.4.1.4 IAsync.Process

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Process;
```

Description

This is Process, a member of class IAsync.

1.2.4.1.5 IAsync.Run

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Run(
    const aName: string;
    aTask: TAsyncProc;
    aWait: TAsyncProc
);
```

Description

This is Run, a member of class IAsync.

1.2.5 **| Audio**

Class Hierarchy

```
IBaseInterface → IAudio
```

File: TopazGameLib.pas (see page 367)

Delphi

IAudio = interface(IBaseInterface);

Description

This is class IAudio.

1.2.5.1 IAudio Methods

The methods of the IAudio class are listed here.

Methods

| ≡ | Close (see page 78) | This is Close, a member of class IAudio. |
|------------|---|---|
| ≡∳ | GetChannelAttenuation (see page 78) | This is GetChannelAttenuation, a member of class IAudio. |
| | GetChannelLoop (see page 78) | This is GetChannelLoop, a member of class IAudio. |
| ≡∳ | GetChannelMinDistance (see page 78) | This is GetChannelMinDistance, a member of class IAudio. |
| • | GetChannelPitch (see page 79) | This is GetChannelPitch, a member of class IAudio. |
| • | GetChannelPosition (see page 79) | This is GetChannelPosition, a member of class IAudio. |
| ≡∲ | GetChannelRelativeToListener (see page 79) | This is GetChannelRelativeToListener, a member of class IAudio. |
| ≡∲ | GetChannelReserved (see page 79) | This is GetChannelReserved, a member of class IAudio. |
| : ∳ | GetChannelStatus (see page 80) | This is GetChannelStatus, a member of class IAudio. |
| ≡∳ | GetChannelVolume (see page 80) | This is GetChannelVolume, a member of class IAudio. |
| ≡∳ | GetListenerGlobalVolume (see page 80) | This is GetListenerGlobalVolume, a member of class IAudio. |
| = | GetListenerPosition (see page 80) | This is GetListenerPosition, a member of class IAudio. |
| • | GetMusicLoop (see page 80) | This is GetMusicLoop, a member of class IAudio. |
| • | GetMusicStatus (see page 81) | This is GetMusicStatus, a member of class IAudio. |
| : ∳ | GetMusicVolume (see page 81) | This is GetMusicVolume, a member of class IAudio. |
| • | LoadMusic (see page 81) | This is LoadMusic, a member of class IAudio. |
| ≡∳ | LoadSound (see page 81) | This is LoadSound, a member of class IAudio. |
| ≡∳ | Open (see page 81) | This is Open, a member of class IAudio. |
| : ∳ | Pause (see page 82) | This is Pause, a member of class IAudio. |
| ≡∳ | PauseAllMusic (see page 82) | This is PauseAllMusic, a member of class IAudio. |
| : ∳ | PauseChannel (see page 82) | This is PauseChannel, a member of class IAudio. |
| • | PauseMusic (see page 82) | This is PauseMusic, a member of class IAudio. |
| • | PlayMusic (see page 82) | This is PlayMusic, a member of class IAudio. |
| • | PlayMusic (see page 83) | This is PlayMusic, a member of class IAudio. |
| : ∳ | PlaySound (see page 83) | This is PlaySound, a member of class IAudio. |
| • | Reset (see page 83) | This is Reset, a member of class IAudio. |
| ≡∳ | SetChannelAttenuation (see page 83) | This is SetChannelAttenuation, a member of class IAudio. |
| =∳ | SetChannelLoop (see page 84) | This is SetChannelLoop, a member of class IAudio. |
| ≡∳ | SetChannelMinDistance (see page 84) | This is SetChannelMinDistance, a member of class IAudio. |
| ≡ | SetChannelPitch (see page 84) | This is SetChannelPitch, a member of class IAudio. |
| ≡∳ | SetChannelPosition (see page 84) | This is SetChannelPosition, a member of class IAudio. |

| ≡∲ | SetChannelRelativeToListener (see page 85) | This is SetChannelRelativeToListener, a member of class IAudio. |
|------------|---|---|
| ≡ ∳ | SetChannelReserved (see page 85) | This is SetChannelReserved, a member of class IAudio. |
| ≡∳ | SetChannelVolume (see page 85) | This is SetChannelVolume, a member of class IAudio. |
| ≡∳ | SetListenerGlobalVolume (see page 85) | This is SetListenerGlobalVolume, a member of class IAudio. |
| =♦ | SetListenerPosition (see page 85) | This is SetListenerPosition, a member of class IAudio. |
| ≡ | SetMusicLoop (see page 86) | This is SetMusicLoop, a member of class IAudio. |
| ≡ | SetMusicOffset (see page 86) | This is SetMusicOffset, a member of class IAudio. |
| ≡∳ | SetMusicVolume (see page 86) | This is SetMusicVolume, a member of class IAudio. |
| ≡∳ | StopAllChannels (see page 86) | This is StopAllChannels, a member of class IAudio. |
| ≡ | StopChannel (see page 86) | This is StopChannel, a member of class IAudio. |
| ≡ | StopMusic (see page 87) | This is StopMusic, a member of class IAudio. |
| ≡ | UnloadAllMusic (see page 87) | This is UnloadAllMusic, a member of class IAudio. |
| ≡∳ | UnloadMusic (see page 87) | This is UnloadMusic, a member of class IAudio. |
| ≡ | UnloadSound (see page 87) | This is UnloadSound, a member of class IAudio. |

1.2.5.1.1 IAudio.Close

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class IAudio.

1.2.5.1.2 IAudio.GetChannelAttenuation

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelAttenuation(
    aChannel: Integer
): Single;
```

Description

This is GetChannelAttenuation, a member of class IAudio.

1.2.5.1.3 IAudio.GetChannelLoop

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelLoop(
    aChannel: Integer
): Boolean;
```

Description

This is GetChannelLoop, a member of class IAudio.

1.2.5.1.4 IAudio.GetChannelMinDistance

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelMinDistance(
    aChannel: Integer
): Single;
```

Description

This is GetChannelMinDistance, a member of class IAudio.

1.2.5.1.5 IAudio.GetChannelPitch

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelPitch(
    aChannel: Integer
): Single;
```

Description

This is GetChannelPitch, a member of class IAudio.

1.2.5.1.6 IAudio.GetChannelPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetChannelPosition(
    aChannel: Integer;
    var aX: Single;
    var aY: Single
);
```

Description

This is GetChannelPosition, a member of class IAudio.

1.2.5.1.7 IAudio.GetChannelRelativeToListener

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelRelativeToListener(
    aChannel: Integer
): Boolean;
```

Description

This is GetChannelRelativeToListener, a member of class IAudio.

1.2.5.1.8 IAudio.GetChannelReserved

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelReserved(
    aChannel: Integer
): Boolean;
```

Description

This is GetChannelReserved, a member of class IAudio.

1.2.5.1.9 IAudio.GetChannelStatus

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelStatus(
    aChannel: Integer
): TAudioStatus;
```

Description

This is GetChannelStatus, a member of class IAudio.

1.2.5.1.10 IAudio.GetChannelVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetChannelVolume(
    aChannel: Integer
): Single;
```

Description

This is GetChannelVolume, a member of class IAudio.

1.2.5.1.11 IAudio.GetListenerGlobalVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetListenerGlobalVolume: Single;
```

Description

This is GetListenerGlobalVolume, a member of class IAudio.

1.2.5.1.12 IAudio.GetListenerPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetListenerPosition(
    var aX: Single;
    var aY: Single
);
```

Description

This is GetListenerPosition, a member of class IAudio.

1.2.5.1.13 IAudio.GetMusicLoop

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetMusicLoop(
   aMusic: Integer
): Boolean;
```

Description

This is GetMusicLoop, a member of class IAudio.

1.2.5.1.14 IAudio.GetMusicStatus

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetMusicStatus(
   aMusic: Integer
): TAudioStatus;
```

Description

This is GetMusicStatus, a member of class IAudio.

1.2.5.1.15 IAudio.GetMusicVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetMusicVolume(
   aMusic: Integer
): Single;
```

Description

This is GetMusicVolume, a member of class IAudio.

1.2.5.1.16 IAudio.LoadMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadMusic(
    aArchive: IArchive;
    const aFilename: WideString
): Integer;
```

Description

This is LoadMusic, a member of class IAudio.

1.2.5.1.17 IAudio.LoadSound

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadSound(
    aArchive: IArchive;
    const aFilename: WideString
): Integer;
```

Description

This is LoadSound, a member of class IAudio.

1.2.5.1.18 IAudio.Open

File: TopazGameLib.pas (see page 367)

```
procedure Open;
```

Description

This is Open, a member of class IAudio.

1.2.5.1.19 IAudio.Pause

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Pause(
     aPause: Boolean
);
```

Description

This is Pause, a member of class IAudio.

1.2.5.1.20 IAudio.PauseAllMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PauseAllMusic(
    aPause: Boolean
);
```

Description

This is PauseAllMusic, a member of class IAudio.

1.2.5.1.21 IAudio.PauseChannel

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PauseChannel(
    aChannel: Integer;
    aPause: Boolean
);
```

Description

This is PauseChannel, a member of class IAudio.

1.2.5.1.22 IAudio.PauseMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PauseMusic(
    aMusic: Integer
);
```

Description

This is PauseMusic, a member of class IAudio.

1.2.5.1.23 IAudio.PlayMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PlayMusic(
    aArchive: IArchive;
    const aFilename: WideString;
    aVolume: Single;
    aLoop: Boolean;
    var aMusic: Integer
); overload;
```

Description

This is PlayMusic, a member of class IAudio.

1.2.5.1.24 IAudio.PlayMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PlayMusic(
    aMusic: Integer;
    aVolume: Single;
    aLoop: Boolean
); overload;
```

Description

This is PlayMusic, a member of class IAudio.

1.2.5.1.25 IAudio.PlaySound

File: TopazGameLib.pas (see page 367)

Delphi

```
function PlaySound(
    aChannel: Integer;
    aSound: Integer;
    aVolume: Single;
    aLoop: Boolean
): Integer;
```

Description

This is PlaySound, a member of class IAudio.

1.2.5.1.26 IAudio.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class IAudio.

1.2.5.1.27 IAudio.SetChannelAttenuation

File: TopazGameLib.pas (see page 367)

```
procedure SetChannelAttenuation(
    aChannel: Integer;
    aAttenuation: Single
```

);

Description

This is SetChannelAttenuation, a member of class IAudio.

1.2.5.1.28 IAudio.SetChannelLoop

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetChannelLoop(
    aChannel: Integer;
    aLoop: Boolean
);
```

Description

This is SetChannelLoop, a member of class IAudio.

1.2.5.1.29 IAudio.SetChannelMinDistance

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetChannelMinDistance(
    aChannel: Integer;
    aDistance: Single
);
```

Description

This is SetChannelMinDistance, a member of class IAudio.

1.2.5.1.30 IAudio.SetChannelPitch

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetChannelPitch(
    aChannel: Integer;
    aPitch: Single
);
```

Description

This is SetChannelPitch, a member of class IAudio.

1.2.5.1.31 IAudio.SetChannelPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetChannelPosition(
    aChannel: Integer;
    aX: Single;
    aY: Single
);
```

Description

This is SetChannelPosition, a member of class IAudio.

1.2.5.1.32 IAudio.SetChannelRelativeToListener

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetChannelRelativeToListener(
    aChannel: Integer;
    aRelative: Boolean
);
```

Description

This is SetChannelRelativeToListener, a member of class IAudio.

1.2.5.1.33 IAudio.SetChannelReserved

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetChannelReserved(
    aChannel: Integer;
    aReserve: Boolean
);
```

Description

This is SetChannelReserved, a member of class IAudio.

1.2.5.1.34 IAudio.SetChannelVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetChannelVolume(
    aChannel: Integer;
    aVolume: Single
);
```

Description

This is SetChannelVolume, a member of class IAudio.

1.2.5.1.35 IAudio.SetListenerGlobalVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetListenerGlobalVolume(
    aVolume: Single
);
```

Description

This is SetListenerGlobalVolume, a member of class IAudio.

1.2.5.1.36 IAudio.SetListenerPosition

File: TopazGameLib.pas (see page 367)

```
procedure SetListenerPosition(
    ax: Single;
```

```
aY: Single
);
```

Description

This is SetListenerPosition, a member of class IAudio.

1.2.5.1.37 IAudio.SetMusicLoop

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetMusicLoop(
    aMusic: Integer;
    aLoop: Boolean
);
```

Description

This is SetMusicLoop, a member of class IAudio.

1.2.5.1.38 IAudio.SetMusicOffset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetMusicOffset(
   aMusic: Integer;
   aSeconds: Single
);
```

Description

This is SetMusicOffset, a member of class IAudio.

1.2.5.1.39 IAudio.SetMusicVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetMusicVolume(
    aMusic: Integer;
    aVolume: Single
);
```

Description

This is SetMusicVolume, a member of class IAudio.

1.2.5.1.40 IAudio.StopAllChannels

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure StopAllChannels;
```

Description

This is StopAllChannels, a member of class IAudio.

1.2.5.1.41 IAudio.StopChannel

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure StopChannel(
    aChannel: Integer
);
```

Description

This is StopChannel, a member of class IAudio.

1.2.5.1.42 IAudio.StopMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure StopMusic(
    aMusic: Integer
);
```

Description

This is StopMusic, a member of class IAudio.

1.2.5.1.43 IAudio.UnloadAllMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure UnloadAllMusic;
```

Description

This is UnloadAllMusic, a member of class IAudio.

1.2.5.1.44 IAudio.UnloadMusic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure UnloadMusic(
    var aMusic: Integer
);
```

Description

This is UnloadMusic, a member of class IAudio.

1.2.5.1.45 IAudio.UnloadSound

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure UnloadSound(
    aSound: Integer
);
```

Description

This is UnloadSound, a member of class IAudio.

1.2.6 IBaseInterface

Class Hierarchy

IBaseInterface

File: TopazGameLib.pas (see page 367)

Delphi


IBaseInterface = interface;

Description

This is class IBaseInterface.

1.2.7 IBuffer

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

IBuffer = interface(IBaseInterface);

Description

This is class IBuffer.

1.2.7.1 IBuffer Methods

The methods of the IBuffer class are listed here.

Methods

| Allocate (see page 89) | This is Allocate, a member of class IBuffer. |
|---------------------------------|---|
| Eof (see page 89) | This is Eof, a member of class IBuffer. |
| GetPosition (see page 89) | This is GetPosition, a member of class IBuffer. |
| LoadFromFile (see page 89) | This is LoadFromFile, a member of class IBuffer. |
| LoadFromResource (see page 89) | This is LoadFromResource, a member of class IBuffer. |
| Memory (see page 90) | This is Memory, a member of class IBuffer. |
| Read (see page 90) | This is Read, a member of class IBuffer. |
| ReadString (see page 90) | This is ReadString, a member of class IBuffer. |
| Release (see page 90) | This is Release, a member of class IBuffer. |
| SaveToFile (see page 90) | This is SaveToFile, a member of class IBuffer. |
| SetPosition (see page 91) | This is SetPosition, a member of class IBuffer. |
| Size (see page 91) | This is Size, a member of class IBuffer. |
| Write (see page 91) | This is Write, a member of class IBuffer. |
| | Eof (see page 89) GetPosition (see page 89) LoadFromFile (see page 89) LoadFromResource (see page 89) Memory (see page 90) Read (see page 90) ReadString (see page 90) Release (see page 90) SaveToFile (see page 90) SetPosition (see page 91) Size (see page 91) |

1.2.7.1.1 IBuffer.Allocate

File: TopazGameLib.pas (see page 367)

Delphi

```
function Allocate(
    aSize: UInt64
): Boolean;
```

Description

This is Allocate, a member of class IBuffer.

1.2.7.1.2 IBuffer.Eof

File: TopazGameLib.pas (see page 367)

Delphi

```
function Eof: Boolean;
```

Description

This is Eof, a member of class IBuffer.

1.2.7.1.3 IBuffer.GetPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPosition: UInt64;
```

Description

This is GetPosition, a member of class IBuffer.

1.2.7.1.4 IBuffer.LoadFromFile

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadFromFile(
    const aFilename: WideString
): Boolean;
```

Description

This is LoadFromFile, a member of class IBuffer.

1.2.7.1.5 IBuffer.LoadFromResource

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadFromResource(
   aInstance: THandle;
   const aResName: WideString
): Boolean;
```

Description

This is LoadFromResource, a member of class IBuffer.

1.2.7.1.6 IBuffer.Memory

File: TopazGameLib.pas (see page 367)

Delphi

```
function Memory: Pointer;
```

Description

This is Memory, a member of class IBuffer.

1.2.7.1.7 IBuffer.Read

File: TopazGameLib.pas (see page 367)

Delphi

```
function Read(
    const aBuffer: Pointer;
    aCount: UInt64
): UInt64;
```

Description

This is Read, a member of class IBuffer.

1.2.7.1.8 IBuffer.ReadString

File: TopazGameLib.pas (see page 367)

Delphi

```
function ReadString: WideString;
```

Description

This is ReadString, a member of class IBuffer.

1.2.7.1.9 IBuffer.Release

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Release;
```

Description

This is Release, a member of class IBuffer.

1.2.7.1.10 IBuffer.SaveToFile

File: TopazGameLib.pas (see page 367)

Delphi

```
function SaveToFile(
    const aFilename: WideString
): Boolean;
```

Description

This is SaveToFile, a member of class IBuffer.

1.2.7.1.11 IBuffer.SetPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetPosition(
    aPosition: UInt64
);
```

Description

This is SetPosition, a member of class IBuffer.

1.2.7.1.12 IBuffer.Size

File: TopazGameLib.pas (see page 367)

Delphi

```
function Size: UInt64;
```

Description

This is Size, a member of class IBuffer.

1.2.7.1.13 IBuffer.Write

File: TopazGameLib.pas (see page 367)

Delphi

```
function Write(
    aBuffer: Pointer;
    aCount: UInt64
): UInt64;
```

Description

This is Write, a member of class IBuffer.

1.2.8 ICamera

Class Hierarchy

```
IBaseInterface → ICamera
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ICamera = interface(IBaseInterface);
```

Description

This is class ICamera.

1.2.8.1 ICamera Methods

The methods of the ICamera class are listed here.

Methods

| ≡ • | Activate (see page 92) | This is Activate, a member of class ICamera. |
|------------|------------------------------------|---|
| ≡ | Clear (see page 92) | This is Clear, a member of class ICamera. |
| =♦ | GetPos (see page 92) | This is GetPos, a member of class ICamera. |
| = | GetRotation (see page 92) | This is GetRotation, a member of class ICamera. |
| = | GetScale (see page 93) | This is GetScale, a member of class ICamera. |
| ∉∳ | GetScreenToWorldPos (see page 93) | This is GetScreenToWorldPos, a member of class ICamera. |
| ≡ | GetSize (see page 93) | This is GetSize, a member of class ICamera. |
| ≡ ∳ | GetWorldToScreenPos (see page 93) | This is GetWorldToScreenPos, a member of class ICamera. |
| ≡ | Init (see page 93) | This is Init, a member of class ICamera. |
| =♦ | SetPos (see page 94) | This is SetPos, a member of class ICamera. |
| =♦ | SetRotation (see page 94) | This is SetRotation, a member of class ICamera. |
| = | SetScale (see page 94) | This is SetScale, a member of class ICamera. |
| =♦ | SetSize (see page 94) | This is SetSize, a member of class ICamera. |

1.2.8.1.1 ICamera. Activate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Activate(
          aActivate: Boolean
);
```

Description

This is Activate, a member of class ICamera.

1.2.8.1.2 ICamera.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class ICamera.

1.2.8.1.3 ICamera.GetPos

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPos: TVector;
```

Description

This is GetPos, a member of class ICamera.

1.2.8.1.4 ICamera.GetRotation

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetRotation: Single;
```

Description

This is GetRotation, a member of class ICamera.

1.2.8.1.5 ICamera.GetScale

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetScale: Single;
```

Description

This is GetScale, a member of class ICamera.

1.2.8.1.6 ICamera.GetScreenToWorldPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetScreenToWorldPos(
     var aPos: TVector
);
```

Description

This is GetScreenToWorldPos, a member of class ICamera.

1.2.8.1.7 ICamera.GetSize

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSize: TVector;
```

Description

This is GetSize, a member of class ICamera.

1.2.8.1.8 ICamera.GetWorldToScreenPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetWorldToScreenPos(
     var aPos: TVector
);
```

Description

This is GetWorldToScreenPos, a member of class ICamera.

1.2.8.1.9 | Camera.Init

File: TopazGameLib.pas (see page 367)

```
procedure Init(
```

```
aX: Single;
aY: Single;
aWidth: Single;
aHeight: Single;
aScale: Single = 1.0;
aRotation: Single = 0.0
);
```

Description

This is Init, a member of class ICamera.

1.2.8.1.10 ICamera.SetPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetPos(
    aX: Single;
    aY: Single
);
```

Description

This is SetPos, a member of class ICamera.

1.2.8.1.11 ICamera. SetRotation

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetRotation(
     aRotation: Single
);
```

Description

This is SetRotation, a member of class ICamera.

1.2.8.1.12 ICamera.SetScale

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetScale(
    aScale: Single
);
```

Description

This is SetScale, a member of class ICamera.

1.2.8.1.13 ICamera.SetSize

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetSize(
    aWidth: Single;
    aHeight: Single
);
```

Description

This is SetSize, a member of class ICamera.

1.2.9 ICmdConsole

Class Hierarchy

```
IBaseInterface → ICmdConsole
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ICmdConsole = interface(IBaseInterface);
```

Description

This is class ICmdConsole.

1.2.9.1 ICmdConsole Methods

The methods of the ICmdConsole class are listed here.

Methods

| ≡ | AddCommand (see page 95) | This is AddCommand, a member of class ICmdConsole. |
|-----------|------------------------------|---|
| =♦ | AddTextLine (see page 96) | This is AddTextLine, a member of class ICmdConsole. |
| =♦ | ClearCommands (see page 96) | This is ClearCommands, a member of class ICmdConsole. |
| =♦ | Close (see page 96) | This is Close, a member of class ICmdConsole. |
| =♦ | Enable (see page 96) | This is Enable, a member of class ICmdConsole. |
| =♦ | GetActive (see page 96) | This is GetActive, a member of class ICmdConsole. |
| =♦ | LoadFont (see page 97) | This is LoadFont, a member of class ICmdConsole. |
| =♦ | Open (see page 97) | This is Open, a member of class ICmdConsole. |
| =♦ | ParamCount (see page 97) | This is ParamCount, a member of class ICmdConsole. |
| ≡ | ParamStr (see page 97) | This is ParamStr, a member of class ICmdConsole. |
| =♦ | Render (see page 97) | This is Render, a member of class ICmdConsole. |
| ≡ | SetSlideSpeed (see page 98) | This is SetSlideSpeed, a member of class ICmdConsole. |
| ≡ | SetToggleKey (see page 98) | This is SetToggleKey, a member of class ICmdConsole. |
| ≡ | Toggle (see page 98) | This is Toggle, a member of class ICmdConsole. |
| =♦ | Update (see page 98) | This is Update, a member of class ICmdConsole. |

1.2.9.1.1 ICmdConsole.AddCommand

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AddCommand(
    const aName: WideString;
    const aDiscription: WideString;
    aAction: TCmdConsoleActionEvent
);
```

Description

This is AddCommand, a member of class ICmdConsole.

1.2.9.1.2 ICmdConsole.AddTextLine

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AddTextLine(
    const aMsg: WideString;
    const aArgs: array of const
);
```

Description

This is AddTextLine, a member of class ICmdConsole.

1.2.9.1.3 ICmdConsole.ClearCommands

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ClearCommands;
```

Description

This is ClearCommands, a member of class ICmdConsole.

1.2.9.1.4 ICmdConsole.Close

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class ICmdConsole.

1.2.9.1.5 ICmdConsole.Enable

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Enable(
    aEnable: Boolean
);
```

Description

This is Enable, a member of class ICmdConsole.

1.2.9.1.6 ICmdConsole.GetActive

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetActive: Boolean;
```

Description

This is GetActive, a member of class ICmdConsole.

1.2.9.1.7 ICmdConsole.LoadFont

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LoadFont(
    aArchive: IArchive;
    aSize: Cardinal;
    const aFilename: WideString
);
```

Description

This is LoadFont, a member of class ICmdConsole.

1.2.9.1.8 ICmdConsole.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Open;
```

Description

This is Open, a member of class ICmdConsole.

1.2.9.1.9 ICmdConsole.ParamCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function ParamCount: Integer;
```

Description

This is ParamCount, a member of class ICmdConsole.

1.2.9.1.10 ICmdConsole.ParamStr

File: TopazGameLib.pas (see page 367)

Delphi

```
function ParamStr(
    aIndex: Integer
): WideString;
```

Description

This is ParamStr, a member of class ICmdConsole.

1.2.9.1.11 ICmdConsole.Render

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Render;
```

Description

This is Render, a member of class ICmdConsole.

1.2.9.1.12 ICmdConsole.SetSlideSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetSlideSpeed(
    aSpeed: Single
);
```

Description

This is SetSlideSpeed, a member of class ICmdConsole.

1.2.9.1.13 ICmdConsole.SetToggleKey

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetToggleKey(
    aKey: Integer
);
```

Description

This is SetToggleKey, a member of class ICmdConsole.

1.2.9.1.14 ICmdConsole.Toggle

File: TopazGameLib.pas (see page 367)

Delphi

```
function Toggle: Boolean;
```

Description

This is Toggle, a member of class ICmdConsole.

1.2.9.1.15 ICmdConsole.Update

File: TopazGameLib.pas (see page 367)

Delphi


```
procedure Update(
     aDeltaTime: Double
);
```

Description

This is Update, a member of class ICmdConsole.

1.2.10 ICmdLine

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
ICmdLine = interface(IBaseInterface);
```

Description

This is class ICmdLine.

1.2.10.1 ICmdLine Methods

The methods of the ICmdLine class are listed here.

Methods

| AddAParam (see page 99) | This is AddAParam, a member of class ICmdLine. |
|-------------------------------|--|
| AddParams (see page 99) | This is AddParams, a member of class ICmdLine. |
| ClearParams (see page 99) | This is ClearParams, a member of class ICmdLine. |
| GetParam (see page 100) | This is GetParam, a member of class ICmdLine. |
| GetParamValue (see page 100) | This is GetParamValue, a member of class ICmdLine. |
| GetParamValue (see page 100) | This is GetParamValue, a member of class ICmdLine. |
| ParamCount (see page 100) | This is ParamCount, a member of class ICmdLine. |
| ParamStr (see page 100) | This is ParamStr, a member of class ICmdLine. |
| Reset (see page 101) | This is Reset, a member of class ICmdLine. |
| | AddParams (see page 99) ClearParams (see page 99) GetParam (see page 100) GetParamValue (see page 100) GetParamValue (see page 100) ParamCount (see page 100) ParamStr (see page 100) |

1.2.10.1.1 ICmdLine.AddAParam

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AddAParam(
          const aParam: WideString
);
```

Description

This is AddAParam, a member of class ICmdLine.

1.2.10.1.2 ICmdLine.AddParams

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AddParams(
     const aParams: WideString
);
```

Description

This is AddParams, a member of class ICmdLine.

1.2.10.1.3 ICmdLine.ClearParams

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ClearParams;
```

Description

This is ClearParams, a member of class ICmdLine.

1.2.10.1.4 ICmdLine.GetParam

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetParam(
    const aParamName: WideString
): Boolean;
```

Description

This is GetParam, a member of class ICmdLine.

1.2.10.1.5 ICmdLine.GetParamValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetParamValue(
    const aParamName: WideString;
    aSwitchChars: TSysCharSet;
    aSeperator: Char;
    var aValue: WideString
): Boolean; overload;
```

Description

This is GetParamValue, a member of class ICmdLine.

1.2.10.1.6 ICmdLine.GetParamValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetParamValue(
    const aParamName: WideString;
    var aValue: WideString
): Boolean; overload;
```

Description

This is GetParamValue, a member of class ICmdLine.

1.2.10.1.7 ICmdLine.ParamCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function ParamCount: Integer;
```

Description

This is ParamCount, a member of class ICmdLine.

1.2.10.1.8 ICmdLine.ParamStr

File: TopazGameLib.pas (see page 367)

```
function ParamStr(
    aIndex: Integer
): WideString;
```

Description

This is ParamStr, a member of class ICmdLine.

1.2.10.1.9 ICmdLine.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class ICmdLine.

1.2.11 IColor

Class Hierarchy

```
IBaseInterface → IColor
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IColor = interface(IBaseInterface);
```

Description

This is class IColor.

1.2.11.1 IColor Methods

The methods of the IColor class are listed here.

Methods

| ≡ | Equal (see page 101) | This is Equal, a member of class IColor. |
|------------|---------------------------|--|
| = ♦ | Fade (see page 102) | This is Fade, a member of class IColor. |
| =♦ | FromByte (see page 102) | This is FromByte, a member of class IColor. |
| =♦ | FromFloat (see page 102) | This is FromFloat, a member of class IColor. |
| ≡♦ | FromName (see page 102) | This is FromName, a member of class IColor. |

1.2.11.1.1 IColor.Equal

File: TopazGameLib.pas (see page 367)

Delphi

```
function Equal(
    aColor1: TColor;
    aColor2: TColor
): Boolean;
```

Description

This is Equal, a member of class IColor.

1.2.11.1.2 IColor.Fade

File: TopazGameLib.pas (see page 367)

Delphi

```
function Fade(
    aFrom: TColor;
    aTo: TColor;
    aPos: Single
): TColor;
```

Description

This is Fade, a member of class IColor.

1.2.11.1.3 IColor.FromByte

File: TopazGameLib.pas (see page 367)

Delphi

```
function FromByte(
    aRed: Byte;
    aGreen: Byte;
    aBlue: Byte;
    aAlpha: Byte
): TColor;
```

Description

This is FromByte, a member of class IColor.

1.2.11.1.4 IColor.FromFloat

File: TopazGameLib.pas (see page 367)

Delphi

```
function FromFloat(
    aRed: Single;
    aGreen: Single;
    aBlue: Single;
    aAlpha: Single
): TColor;
```

Description

This is FromFloat, a member of class IColor.

1.2.11.1.5 IColor.FromName

File: TopazGameLib.pas (see page 367)

Delphi

```
function FromName(
    const aName: WideString
): TColor;
```

Description

This is FromName, a member of class IColor.

1.2.12 IConfigFile

Class Hierarchy

IBaseInterface → IConfigFile

File: TopazGameLib.pas (see page 367)

Delphi

IConfigFile = interface(IBaseInterface);

Description

This is class IConfigFile.

1.2.12.1 IConfigFile Methods

The methods of the IConfigFile class are listed here.

Methods

| =♦ | Close (see page 103) | This is Close, a member of class IConfigFile. |
|-----------|----------------------------------|--|
| ≡ | GetSectionValue (see page 104) | This is GetSectionValue, a member of class IConfigFile. |
| ≡ | GetSectionValue (see page 104) | This is GetSectionValue, a member of class IConfigFile. |
| ≡ | GetSectionValue (see page 104) | This is GetSectionValue, a member of class IConfigFile. |
| ≡ | GetSectionValues (see page 104) | This is GetSectionValues, a member of class IConfigFile. |
| =♦ | GetValue (see page 104) | This is GetValue, a member of class IConfigFile. |
| =♦ | GetValue (see page 105) | This is GetValue, a member of class IConfigFile. |
| =♦ | GetValue (see page 105) | This is GetValue, a member of class IConfigFile. |
| ≡ | GetValue (see page 105) | This is GetValue, a member of class IConfigFile. |
| =♦ | Open (see page 105) | This is Open, a member of class IConfigFile. |
| =♦ | Opened (see page 106) | This is Opened, a member of class IConfigFile. |
| =♦ | RemoveKey (see page 106) | This is RemoveKey, a member of class IConfigFile. |
| =♦ | RemoveSection (see page 106) | This is RemoveSection, a member of class IConfigFile. |
| =♦ | SetValue (see page 106) | This is SetValue, a member of class IConfigFile. |
| ≡ | SetValue (see page 106) | This is SetValue, a member of class IConfigFile. |
| =♦ | SetValue (see page 107) | This is SetValue, a member of class IConfigFile. |
| =♦ | SetValue (see page 107) | This is SetValue, a member of class IConfigFile. |
| =♦ | Update (see page 107) | This is Update, a member of class IConfigFile. |
| | | |

1.2.12.1.1 IConfigFile.Close

File: TopazGameLib.pas (see page 367)

Delphi

procedure Close;

Description

This is Close, a member of class IConfigFile.

1.2.12.1.2 IConfigFile.GetSectionValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSectionValue(
   aIndex: Integer;
   aDefaultValue: Boolean
): Boolean; overload;
```

Description

This is GetSectionValue, a member of class IConfigFile.

1.2.12.1.3 IConfigFile.GetSectionValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSectionValue(
   aIndex: Integer;
   aDefaultValue: Integer
): Integer; overload;
```

Description

This is GetSectionValue, a member of class IConfigFile.

1.2.12.1.4 IConfigFile.GetSectionValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSectionValue(
   aIndex: Integer;
   aDefaultValue: WideString): WideString; overload;
```

Description

This is GetSectionValue, a member of class IConfigFile.

1.2.12.1.5 IConfigFile.GetSectionValues

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSectionValues(
    const aSection: WideString
): Integer;
```

Description

This is GetSectionValues, a member of class IConfigFile.

1.2.12.1.6 IConfigFile.GetValue

File: TopazGameLib.pas (see page 367)

```
function GetValue(
    const aSection: WideString;
```

```
const aKey: WideString;
   aDefaultValue: Boolean
): Boolean; overload;
```

Description

This is GetValue, a member of class IConfigFile.

1.2.12.1.7 IConfigFile.GetValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetValue(
    const aSection: WideString;
    const aKey: WideString;
    aDefaultValue: Integer
): Integer; overload;
```

Description

This is GetValue, a member of class IConfigFile.

1.2.12.1.8 IConfigFile.GetValue

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetValue(
    const aSection: WideString;
    const aKey: WideString;
    aValue: Pointer;
    aValueSize: Cardinal
); overload;
```

Description

This is GetValue, a member of class IConfigFile.

1.2.12.1.9 IConfigFile.GetValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetValue(
    const aSection: WideString;
    const aKey: WideString;
    const aDefaultValue: WideString
): WideString; overload;
```

Description

This is GetValue, a member of class IConfigFile.

1.2.12.1.10 IConfigFile.Open

File: TopazGameLib.pas (see page 367)

```
function Open(
    const aFilename: WideString = ''
): Boolean;
```

Description

This is Open, a member of class IConfigFile.

1.2.12.1.11 IConfigFile.Opened

File: TopazGameLib.pas (see page 367)

Delphi

```
function Opened: Boolean;
```

Description

This is Opened, a member of class IConfigFile.

1.2.12.1.12 IConfigFile.RemoveKey

File: TopazGameLib.pas (see page 367)

Delphi

```
function RemoveKey(
    const aSection: WideString;
    const aKey: WideString
): Boolean;
```

Description

This is RemoveKey, a member of class IConfigFile.

1.2.12.1.13 IConfigFile.RemoveSection

File: TopazGameLib.pas (see page 367)

Delphi

```
function RemoveSection(
    const aName: WideString
): Boolean;
```

Description

This is RemoveSection, a member of class IConfigFile.

1.2.12.1.14 IConfigFile.SetValue

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetValue(
    const aSection: WideString;
    const aKey: WideString;
    aValue: Boolean
); overload;
```

Description

This is SetValue, a member of class IConfigFile.

1.2.12.1.15 IConfigFile.SetValue

File: TopazGameLib.pas (see page 367)

```
procedure SetValue(
    const aSection: WideString;
    const aKey: WideString;
    aValue: Integer
); overload;
```

Description

This is SetValue, a member of class IConfigFile.

1.2.12.1.16 IConfigFile.SetValue

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetValue(
    const aSection: WideString;
    const aKey: WideString;
    aValue: Pointer;
    aValueSize: Cardinal
); overload;
```

Description

This is SetValue, a member of class IConfigFile.

1.2.12.1.17 IConfigFile.SetValue

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetValue(
    const aSection: WideString;
    const aKey: WideString;
    const aValue: WideString
); overload;
```

Description

This is SetValue, a member of class IConfigFile.

1.2.12.1.18 IConfigFile.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Update;
```

Description

This is Update, a member of class IConfigFile.

1.2.13 IConsole

Class Hierarchy

```
IBaseInterface → IConsole
```

File: TopazGameLib.pas (see page 367)

IConsole = interface(IBaseInterface);

Description

This is class IConsole.

1.2.13.1 IConsole Methods

The methods of the IConsole class are listed here.

Methods

| =♦ | AtStartup (see page 108) | This is AtStartup, a member of class IConsole. |
|------------|------------------------------|---|
| =♦ | IsPresent (see page 108) | This is IsPresent, a member of class IConsole. |
| ≡♦ | Pause (see page 108) | This is Pause, a member of class IConsole. |
| ≡♦ | Print (see page 109) | This is Print, a member of class IConsole. |
| ≡♦ | Print (see page 109) | This is Print, a member of class IConsole. |
| = ♦ | PrintLn (see page 109) | This is PrintLn, a member of class IConsole. |
| ≡♦ | PrintLn (see page 109) | This is PrintLn, a member of class IConsole. |
| ≡∳ | PrintLn (see page 109) | This is PrintLn, a member of class IConsole. |
| =♦ | WaitForInput (see page 110) | This is WaitForInput, a member of class IConsole. |

1.2.13.1.1 IConsole.AtStartup

File: TopazGameLib.pas (see page 367)

Delphi

function AtStartup: Boolean;

Description

This is AtStartup, a member of class IConsole.

1.2.13.1.2 IConsole.IsPresent

File: TopazGameLib.pas (see page 367)

Delphi

function IsPresent: Boolean;

Description

This is IsPresent, a member of class IConsole.

1.2.13.1.3 IConsole.Pause

File: TopazGameLib.pas (see page 367)

Delphi

procedure Pause;

Description

This is Pause, a member of class IConsole.

1.2.13.1.4 IConsole.Print

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Print(
    const aMsg: WideString
); overload;
```

Description

This is Print, a member of class IConsole.

1.2.13.1.5 IConsole.Print

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Print(
    const aMsg: WideString;
    const aArgs: array of const
); overload;
```

Description

This is Print, a member of class IConsole.

1.2.13.1.6 IConsole.PrintLn

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PrintLn; overload;
```

Description

This is PrintLn, a member of class IConsole.

1.2.13.1.7 IConsole.PrintLn

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PrintLn(
    const aMsg: WideString
); overload;
```

Description

This is PrintLn, a member of class IConsole.

1.2.13.1.8 IConsole.PrintLn

File: TopazGameLib.pas (see page 367)

```
procedure PrintLn(
    const aMsg: WideString;
    const aArgs: array of const
); overload;
```

This is PrintLn, a member of class IConsole.

1.2.13.1.9 IConsole.WaitForInput

File: TopazGameLib.pas (see page 367)

Delphi

procedure WaitForInput;

Description

This is WaitForInput, a member of class IConsole.

1.2.14 IDatabase

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

IDatabase = interface(IBaseInterface);

Description

This is class IDatabase.

1.2.14.1 IDatabase Methods

The methods of the IDatabase class are listed here.

Methods

| =♦ | AddSQLText (see page 111) | This is AddSQLText, a member of class IDatabase. |
|-----------|------------------------------|--|
| =♦ | Bof (see page 111) | This is Bof, a member of class IDatabase. |
| =♦ | ClearSQLText (see page 111) | This is ClearSQLText, a member of class IDatabase. |
| =♦ | Close (see page 111) | This is Close, a member of class IDatabase. |
| = | Connected (see page 112) | This is Connected, a member of class IDatabase. |
| =♦ | Delete (see page 112) | This is Delete, a member of class IDatabase. |
| =♦ | Eof (see page 112) | This is Eof, a member of class IDatabase. |
| =♦ | Execute (see page 112) | This is Execute, a member of class IDatabase. |
| =♦ | ExecuteSQL (see page 112) | This is ExecuteSQL, a member of class IDatabase. |
| =♦ | FieldCount (see page 112) | This is FieldCount, a member of class IDatabase. |
| = | First (see page 113) | This is First, a member of class IDatabase. |
| =♦ | GetField (see page 113) | This is GetField, a member of class IDatabase. |
| =♦ | GetLastError (see page 113) | This is GetLastError, a member of class IDatabase. |
| = | GetMacro (see page 113) | This is GetMacro, a member of class IDatabase. |
| = | GetParam (see page 113) | This is GetParam, a member of class IDatabase. |
| ≡ | GetSQLText (see page 114) | This is GetSQLText, a member of class IDatabase. |
| ≡ | Last (see page 114) | This is Last, a member of class IDatabase. |
| =♦ | Next (see page 114) | This is Next, a member of class IDatabase. |

| ≡ • | Open (see page 114) | This is Open, a member of class IDatabase. |
|------------|-----------------------------|---|
| ≡ | Prior (see page 114) | This is Prior, a member of class IDatabase. |
| =♦ | RecordCount (see page 115) | This is RecordCount, a member of class IDatabase. |
| =♦ | RecordNo (see page 115) | This is RecordNo, a member of class IDatabase. |
| ≡ | SetField (see page 115) | This is SetField, a member of class IDatabase. |
| ≡ | SetMacro (see page 115) | This is SetMacro, a member of class IDatabase. |
| ≡ | SetParam (see page 115) | This is SetParam, a member of class IDatabase. |
| ≡ | SetSQLText (see page 116) | This is SetSQLText, a member of class IDatabase. |
| ≡ | SetupMySQL (see page 116) | This is SetupMySQL, a member of class IDatabase. |
| ≡ | SetupSQLite (see page 116) | This is SetupSQLite, a member of class IDatabase. |

1.2.14.1.1 IDatabase.AddSQLText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AddSQLText(
    const aText: WideString;
    const aArgs: array of const
);
```

Description

This is AddSQLText, a member of class IDatabase.

1.2.14.1.2 IDatabase.Bof

File: TopazGameLib.pas (see page 367)

Delphi

```
function Bof: Boolean;
```

Description

This is Bof, a member of class IDatabase.

1.2.14.1.3 IDatabase.ClearSQLText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ClearSQLText;
```

Description

This is ClearSQLText, a member of class IDatabase.

1.2.14.1.4 IDatabase.Close

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class IDatabase.

1.2.14.1.5 IDatabase.Connected

File: TopazGameLib.pas (see page 367)

Delphi

```
function Connected: Boolean;
```

Description

This is Connected, a member of class IDatabase.

1.2.14.1.6 IDatabase.Delete

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Delete;
```

Description

This is Delete, a member of class IDatabase.

1.2.14.1.7 IDatabase.Eof

File: TopazGameLib.pas (see page 367)

Delphi

```
function Eof: Boolean;
```

Description

This is Eof, a member of class IDatabase.

1.2.14.1.8 IDatabase.Execute

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Execute;
```

Description

This is Execute, a member of class IDatabase.

1.2.14.1.9 IDatabase.ExecuteSQL

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ExecuteSQL(
     const aText: WideString
);
```

Description

This is ExecuteSQL, a member of class IDatabase.

1.2.14.1.10 IDatabase.FieldCount

File: TopazGameLib.pas (see page 367)

```
function FieldCount: Integer;
```

Description

This is FieldCount, a member of class IDatabase.

1.2.14.1.11 IDatabase.First

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure First;
```

Description

This is First, a member of class IDatabase.

1.2.14.1.12 IDatabase.GetField

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetField(
    const aName: WideString
): WideString;
```

Description

This is GetField, a member of class IDatabase.

1.2.14.1.13 IDatabase.GetLastError

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetLastError: WideString;
```

Description

This is GetLastError, a member of class IDatabase.

1.2.14.1.14 IDatabase.GetMacro

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetMacro(
    const aName: WideString
): WideString;
```

Description

This is GetMacro, a member of class IDatabase.

1.2.14.1.15 IDatabase.GetParam

File: TopazGameLib.pas (see page 367)

```
function GetParam(
```

```
const aName: WideString
): WideString;
```

This is GetParam, a member of class IDatabase.

1.2.14.1.16 IDatabase.GetSQLText

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSQLText: WideString;
```

Description

This is GetSQLText, a member of class IDatabase.

1.2.14.1.17 IDatabase.Last

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Last;
```

Description

This is Last, a member of class IDatabase.

1.2.14.1.18 IDatabase.Next

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Next;
```

Description

This is Next, a member of class IDatabase.

1.2.14.1.19 IDatabase.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Open;
```

Description

This is Open, a member of class IDatabase.

1.2.14.1.20 IDatabase.Prior

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Prior;
```

Description

This is Prior, a member of class IDatabase.

1.2.14.1.21 IDatabase.RecordCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function RecordCount: Integer;
```

Description

This is RecordCount, a member of class IDatabase.

1.2.14.1.22 IDatabase.RecordNo

File: TopazGameLib.pas (see page 367)

Delphi

```
function RecordNo: Integer;
```

Description

This is RecordNo, a member of class IDatabase.

1.2.14.1.23 IDatabase.SetField

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetField(
    const aName: WideString;
    const aValue: WideString);
```

Description

This is SetField, a member of class IDatabase.

1.2.14.1.24 IDatabase.SetMacro

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetMacro(
    const aName: WideString;
    const aValue: WideString
);
```

Description

This is SetMacro, a member of class IDatabase.

1.2.14.1.25 IDatabase.SetParam

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetParam(
    const aName: WideString;
    const aValue: WideString
);
```

Description

This is SetParam, a member of class IDatabase.

1.2.14.1.26 IDatabase.SetSQLText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetSQLText(
    const aText: WideString
);
```

Description

This is SetSQLText, a member of class IDatabase.

1.2.14.1.27 IDatabase.SetupMySQL

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetupMySQL(
    const aServer: WideString;
    aPort: Integer;
    const aDatabase: WideString;
    const aUserName: WideString;
    const aPassword: WideString
);
```

Description

This is SetupMySQL, a member of class IDatabase.

1.2.14.1.28 IDatabase.SetupSQLite

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetupSQLite(
    const aDatabase: WideString;
    aPassword: WideString
);
```

Description

This is SetupSQLite, a member of class IDatabase.

1.2.15 IDialogs

Class Hierarchy

```
IBaseInterface → IDialogs
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IDialogs = interface(IBaseInterface);
```

Description

This is class IDialogs.

1.2.15.1 IDialogs Methods

The methods of the IDialogs class are listed here.

Methods

| ≡♦ | ContactUs (see page 117) | This is ContactUs, a member of class IDialogs. |
|-----------|----------------------------|---|
| =♦ | DirOpen (see page 117) | This is DirOpen, a member of class IDialogs. |
| ≡ | Feedback (see page 117) | This is Feedback, a member of class IDialogs. |
| =♦ | FileOpen (see page 118) | This is FileOpen, a member of class IDialogs. |
| =♦ | FileSave (see page 118) | This is FileSave, a member of class IDialogs. |
| =♦ | MessageBox (see page 118) | This is MessageBox, a member of class IDialogs. |

1.2.15.1.1 IDialogs.ContactUs

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ContactUs(
    const aTitle: WideString;
    const aServer: WideString;
    const aUsername: WideString;
    const aPassword: WideString;
    const aEmail: WideString;
    aPort: Integer = MAIL_PORT_SMTPS
);
```

Description

This is ContactUs, a member of class IDialogs.

1.2.15.1.2 IDialogs.DirOpen

File: TopazGameLib.pas (see page 367)

Delphi

```
function DirOpen(
    const aTitle: WideString;
    const aInitialDir: WideString;
    var aDirName: WideString
): Boolean;
```

Description

This is DirOpen, a member of class IDialogs.

1.2.15.1.3 IDialogs.Feedback

File: TopazGameLib.pas (see page 367)

```
procedure Feedback(
    const aServer: WideString;
    const aUsername: WideString;
    const aPassword: WideString;
    const aEmail: WideString;
    const aSubject: WideString;
    aPort: Integer = MAIL_PORT_SMTPS
);
```

This is Feedback, a member of class IDialogs.

1.2.15.1.4 IDialogs.FileOpen

File: TopazGameLib.pas (see page 367)

Delphi

```
function FileOpen(
    const aTitle: WideString;
    const aFilter: WideString;
    aFilterIndex: Integer;
    aDefaultExt: WideString;
    aInitialDir: WideString;
    var aFilename: WideString
): Boolean;
```

Description

This is FileOpen, a member of class IDialogs.

1.2.15.1.5 IDialogs.FileSave

File: TopazGameLib.pas (see page 367)

Delphi

```
function FileSave(
    const aTitle: WideString;
    const aFilter: WideString;
    aFilterIndex: Integer;
    aDefaultExt: WideString;
    var aFilename: WideString
): Boolean;
```

Description

This is FileSave, a member of class IDialogs.

1.2.15.1.6 IDialogs.MessageBox

File: TopazGameLib.pas (see page 367)

Delphi

```
function MessageBox(
    const aTitle: WideString;
    const aHeading: WideString;
    const aText: WideString;
    aType: TMessageBox
): TMessageBoxResult;
```

Description

This is MessageBox, a member of class IDialogs.

1.2.16 IEntity

Class Hierarchy

```
IBaseInterface → IEntity
```

File: TopazGameLib.pas (see page 367)

Delphi

IEntity = interface(IBaseInterface);

Description

This is class IEntity.

1.2.16.1 IEntity Methods

The methods of the IEntity class are listed here.

Methods

| ≡∳ | CollidePolyPoint (see page 120) | This is CollidePolyPoint, a member of class IEntity. |
|------------|---------------------------------------|---|
| ≡ • | CollidePolyPointPoint (see page 120) | This is CollidePolyPointPoint, a member of class IEntity. |
| ≡ | GetAngle (see page 120) | This is GetAngle, a member of class IEntity. |
| ≡∳ | GetAngleOffset (see page 121) | This is GetAngleOffset, a member of class IEntity. |
| ≡ | GetColor (see page 121) | This is GetColor, a member of class IEntity. |
| ≡ | GetDir (see page 121) | This is GetDir, a member of class IEntity. |
| ≡ | GetFirstFrame (see page 121) | This is GetFirstFrame, a member of class IEntity. |
| ≡ | GetFlipMode (see page 121) | This is GetFlipMode, a member of class IEntity. |
| ≡ | GetFrame (see page 121) | This is GetFrame, a member of class lEntity. |
| ≡ | GetFrameFPS (see page 122) | This is GetFrameFPS, a member of class IEntity. |
| ≡∳ | GetGroup (see page 122) | This is GetGroup, a member of class IEntity. |
| ≡ | GetHeight (see page 122) | This is GetHeight, a member of class lEntity. |
| ≡ | GetLastFrame (see page 122) | This is GetLastFrame, a member of class IEntity. |
| ≡ | GetLoopFrame (see page 122) | This is GetLoopFrame, a member of class IEntity. |
| ≡ | GetPos (see page 123) | This is GetPos, a member of class lEntity. |
| ≡ | GetRadius (see page 123) | This is GetRadius, a member of class IEntity. |
| ≡∳ | GetRenderPolyPoint (see page 123) | This is GetRenderPolyPoint, a member of class lEntity. |
| ≡ | GetScale (see page 123) | This is GetScale, a member of class IEntity. |
| ≡ | GetShrinkFactor (see page 123) | This is GetShrinkFactor, a member of class IEntity. |
| ≡ | GetSprite (see page 123) | This is GetSprite, a member of class IEntity. |
| ≡ | GetWidth (see page 124) | This is GetWidth, a member of class IEntity. |
| ≡ | Init (see page 124) | This is Init, a member of class IEntity. |
| ≡ | IsFullyVisible (see page 124) | This is IsFullyVisible, a member of class IEntity. |
| ≡ | IsVisible (see page 124) | This is IsVisible, a member of class IEntity. |
| ≡ | NextFrame (see page 125) | This is NextFrame, a member of class IEntity. |
| ≡ | Overlap (see page 125) | This is Overlap, a member of class lEntity. |
| ≡ | Overlap (see page 125) | This is Overlap, a member of class lEntity. |
| ≡ | PrevFrame (see page 125) | This is PrevFrame, a member of class IEntity. |
| ≡∳ | Render (see page 125) | This is Render, a member of class lEntity. |
| ≡ | RenderAt (see page 126) | This is RenderAt, a member of class IEntity. |
| ≡ | RotateAbs (see page 126) | This is RotateAbs, a member of class IEntity. |
| ≡∳ | RotateRel (see page 126) | This is RotateRel, a member of class IEntity. |
| ≡∳ | RotateToAngle (see page 126) | This is RotateToAngle, a member of class lEntity. |
| ≡ | RotateToPos (see page 126) | This is RotateToPos, a member of class IEntity. |
| ≡ | RotateToPosAt (see page 127) | This is RotateToPosAt, a member of class lEntity. |
| ≡ | SetAngleOffset (see page 127) | This is SetAngleOffset, a member of class lEntity. |

| ≡♦ | SetColor (see page 127) | This is SetColor, a member of class IEntity. |
|------------|------------------------------------|--|
| ≡ | SetFlipMode (see page 127) | This is SetFlipMode, a member of class IEntity. |
| ≡∳ | SetFrame (see page 128) | This is SetFrame, a member of class IEntity. |
| ≡∳ | SetFrameFPS (see page 128) | This is SetFrameFPS, a member of class IEntity. |
| ∉ | SetFrameRange (see page 128) | This is SetFrameRange, a member of class IEntity. |
| ∉ | SetLoopFrame (see page 128) | This is SetLoopFrame, a member of class IEntity. |
| =♦ | SetPosAbs (see page 128) | This is SetPosAbs, a member of class IEntity. |
| =♦ | SetPosRel (see page 129) | This is SetPosRel, a member of class lEntity. |
| ∉ | SetRenderPolyPoint (see page 129) | This is SetRenderPolyPoint, a member of class IEntity. |
| =♦ | SetScaleAbs (see page 129) | This is SetScaleAbs, a member of class IEntity. |
| =♦ | SetScaleRel (see page 129) | This is SetScaleRel, a member of class IEntity. |
| ≡ | SetShrinkFactor (see page 130) | This is SetShrinkFactor, a member of class IEntity. |
| ∉ | Thrust (see page 130) | This is Thrust, a member of class lEntity. |
| ≡ | ThrustAngle (see page 130) | This is ThrustAngle, a member of class lEntity. |
| ∉ ∳ | ThrustToPos (see page 130) | This is ThrustToPos, a member of class lEntity. |
| ∉ | TracePolyPoint (see page 131) | This is TracePolyPoint, a member of class IEntity. |

1.2.16.1.1 IEntity.CollidePolyPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
function CollidePolyPoint(
    aEntity: IEntity;
    var aHitPos: TVector
): Boolean;
```

Description

This is CollidePolyPoint, a member of class IEntity.

1.2.16.1.2 IEntity.CollidePolyPointPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
function CollidePolyPointPoint(
    var aPoint: TVector
): Boolean;
```

Description

This is CollidePolyPointPoint, a member of class IEntity.

1.2.16.1.3 IEntity.GetAngle

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAngle: Single;
```

Description

This is GetAngle, a member of class IEntity.

1.2.16.1.4 IEntity.GetAngleOffset

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAngleOffset: Single;
```

Description

This is GetAngleOffset, a member of class IEntity.

1.2.16.1.5 IEntity.GetColor

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetColor: TColor;
```

Description

This is GetColor, a member of class IEntity.

1.2.16.1.6 IEntity.GetDir

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetDir: TVector;
```

Description

This is GetDir, a member of class IEntity.

1.2.16.1.7 IEntity.GetFirstFrame

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetFirstFrame: Integer;
```

Description

This is GetFirstFrame, a member of class IEntity.

1.2.16.1.8 IEntity.GetFlipMode

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetFlipMode(
    aHFlip: PBoolean;
    aVFlip: PBoolean
);
```

Description

This is GetFlipMode, a member of class IEntity.

1.2.16.1.9 IEntity.GetFrame

File: TopazGameLib.pas (see page 367)

function GetFrame: Integer;

Description

This is GetFrame, a member of class IEntity.

1.2.16.1.10 IEntity.GetFrameFPS

File: TopazGameLib.pas (see page 367)

Delphi

function GetFrameFPS: Single;

Description

This is GetFrameFPS, a member of class IEntity.

1.2.16.1.11 IEntity.GetGroup

File: TopazGameLib.pas (see page 367)

Delphi

function GetGroup: Integer;

Description

This is GetGroup, a member of class IEntity.

1.2.16.1.12 IEntity.GetHeight

File: TopazGameLib.pas (see page 367)

Delphi

function GetHeight: Single;

Description

This is GetHeight, a member of class IEntity.

1.2.16.1.13 IEntity.GetLastFrame

File: TopazGameLib.pas (see page 367)

Delphi

function GetLastFrame: Integer;

Description

This is GetLastFrame, a member of class IEntity.

1.2.16.1.14 IEntity.GetLoopFrame

File: TopazGameLib.pas (see page 367)

Delphi

function GetLoopFrame: Boolean;

Description

This is GetLoopFrame, a member of class IEntity.

1.2.16.1.15 IEntity.GetPos

File: TopazGameLib.pas (see page 367)

Delphi

function GetPos: TVector;

Description

This is GetPos, a member of class IEntity.

1.2.16.1.16 IEntity.GetRadius

File: TopazGameLib.pas (see page 367)

Delphi

function GetRadius: Single;

Description

This is GetRadius, a member of class IEntity.

1.2.16.1.17 IEntity.GetRenderPolyPoint

File: TopazGameLib.pas (see page 367)

Delphi

function GetRenderPolyPoint: Boolean;

Description

This is GetRenderPolyPoint, a member of class IEntity.

1.2.16.1.18 IEntity.GetScale

File: TopazGameLib.pas (see page 367)

Delphi

function GetScale: Single;

Description

This is GetScale, a member of class IEntity.

1.2.16.1.19 IEntity.GetShrinkFactor

File: TopazGameLib.pas (see page 367)

Delphi

function GetShrinkFactor: Single;

Description

This is GetShrinkFactor, a member of class IEntity.

1.2.16.1.20 IEntity.GetSprite

File: TopazGameLib.pas (see page 367)

```
function GetSprite: ISprite;
```

Description

This is GetSprite, a member of class IEntity.

1.2.16.1.21 IEntity.GetWidth

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetWidth: Single;
```

Description

This is GetWidth, a member of class IEntity.

1.2.16.1.22 IEntity.Init

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Init(
    aSprite: ISprite;
    aGroup: Integer
);
```

Description

This is Init, a member of class IEntity.

1.2.16.1.23 IEntity.IsFullyVisible

File: TopazGameLib.pas (see page 367)

Delphi

```
function IsFullyVisible(
    aVirtualX: Single;
    aVirtualY: Single
): Boolean;
```

Description

This is IsFullyVisible, a member of class IEntity.

1.2.16.1.24 IEntity.IsVisible

File: TopazGameLib.pas (see page 367)

Delphi

```
function IsVisible(
    aVirtualX: Single;
    aVirtualY: Single
): Boolean;
```

Description

This is IsVisible, a member of class IEntity.

1.2.16.1.25 IEntity.NextFrame

File: TopazGameLib.pas (see page 367)

Delphi

```
function NextFrame: Boolean;
```

Description

This is NextFrame, a member of class IEntity.

1.2.16.1.26 **IEntity.Overlap**

File: TopazGameLib.pas (see page 367)

Delphi

```
function Overlap(
    aEntity: IEntity
): Boolean; overload;
```

Description

This is Overlap, a member of class IEntity.

1.2.16.1.27 **IEntity.Overlap**

File: TopazGameLib.pas (see page 367)

Delphi

```
function Overlap(
    aX: Single;
    aY: Single;
    aRadius: Single;
    aShrinkFactor: Single
): Boolean; overload;
```

Description

This is Overlap, a member of class IEntity.

1.2.16.1.28 IEntity.PrevFrame

File: TopazGameLib.pas (see page 367)

Delphi

```
function PrevFrame: Boolean;
```

Description

This is PrevFrame, a member of class IEntity.

1.2.16.1.29 IEntity.Render

File: TopazGameLib.pas (see page 367)

```
procedure Render(
    aVirtualX: Single;
    aVirtualY: Single
);
```

This is Render, a member of class IEntity.

1.2.16.1.30 IEntity.RenderAt

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RenderAt(
    ax: Single;
    ay: Single
);
```

Description

This is RenderAt, a member of class IEntity.

1.2.16.1.31 IEntity.RotateAbs

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RotateAbs(
     aAngle: Single
);
```

Description

This is RotateAbs, a member of class IEntity.

1.2.16.1.32 IEntity.RotateRel

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RotateRel(
     aAngle: Single
):
```

Description

This is RotateRel, a member of class IEntity.

1.2.16.1.33 IEntity.RotateToAngle

File: TopazGameLib.pas (see page 367)

Delphi

```
function RotateToAngle(
    aAngle: Single;
    aSpeed: Single
): Boolean;
```

Description

This is RotateToAngle, a member of class IEntity.

1.2.16.1.34 IEntity.RotateToPos

File: TopazGameLib.pas (see page 367)

```
function RotateToPos(
    ax: Single;
    ay: Single;
    aspeed: Single
): Boolean;
```

Description

This is RotateToPos, a member of class IEntity.

1.2.16.1.35 IEntity.RotateToPosAt

File: TopazGameLib.pas (see page 367)

Delphi

```
function RotateToPosAt(
    aSrcX: Single;
    aSrcY: Single;
    aDestX: Single;
    aDestY: Single;
    aSpeed: Single
): Boolean;
```

Description

This is RotateToPosAt, a member of class IEntity.

1.2.16.1.36 IEntity.SetAngleOffset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetAngleOffset(
    aAngle: Single
);
```

Description

This is SetAngleOffset, a member of class IEntity.

1.2.16.1.37 IEntity.SetColor

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetColor(
    aColor: TColor
);
```

Description

This is SetColor, a member of class IEntity.

1.2.16.1.38 IEntity.SetFlipMode

File: TopazGameLib.pas (see page 367)

```
procedure SetFlipMode(
    aHFlip: PBoolean;
    aVFlip: PBoolean
);
```

This is SetFlipMode, a member of class IEntity.

1.2.16.1.39 IEntity.SetFrame

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetFrame(
    aFrame: Integer
):
```

Description

This is SetFrame, a member of class IEntity.

1.2.16.1.40 IEntity.SetFrameFPS

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetFrameFPS(
    aFrameFPS: Single
):
```

Description

This is SetFrameFPS, a member of class IEntity.

1.2.16.1.41 IEntity.SetFrameRange

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetFrameRange(
    aFirst: Integer;
    aLast: Integer
);
```

Description

This is SetFrameRange, a member of class IEntity.

1.2.16.1.42 IEntity.SetLoopFrame

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetLoopFrame(
    aLoop: Boolean
);
```

Description

This is SetLoopFrame, a member of class IEntity.

1.2.16.1.43 IEntity.SetPosAbs

File: TopazGameLib.pas (see page 367)

```
procedure SetPosAbs(
    ax: Single;
    ay: Single
);
```

Description

This is SetPosAbs, a member of class IEntity.

1.2.16.1.44 IEntity.SetPosRel

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetPosRel(
    aX: Single;
    aY: Single
);
```

Description

This is SetPosRel, a member of class IEntity.

1.2.16.1.45 IEntity.SetRenderPolyPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetRenderPolyPoint(
          aRenderPolyPoint: Boolean
);
```

Description

This is SetRenderPolyPoint, a member of class IEntity.

1.2.16.1.46 IEntity.SetScaleAbs

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetScaleAbs(
    aScale: Single
);
```

Description

This is SetScaleAbs, a member of class IEntity.

1.2.16.1.47 IEntity.SetScaleRel

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetScaleRel(
    aScale: Single
);
```

Description

This is SetScaleRel, a member of class IEntity.

1.2.16.1.48 IEntity.SetShrinkFactor

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetShrinkFactor(
    aShrinkFactor: Single
);
```

Description

This is SetShrinkFactor, a member of class IEntity.

1.2.16.1.49 IEntity.Thrust

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Thrust(
    aSpeed: Single
);
```

Description

This is Thrust, a member of class IEntity.

1.2.16.1.50 IEntity.ThrustAngle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ThrustAngle(
    aAngle: Single;
    aSpeed: Single
);
```

Description

This is ThrustAngle, a member of class IEntity.

1.2.16.1.51 IEntity.ThrustToPos

File: TopazGameLib.pas (see page 367)

Delphi

```
function ThrustToPos(
   aThrustSpeed: Single;
   aRotSpeed: Single;
   aDestX: Single;
   aDestY: Single;
   aSlowdownDist: Single;
   aStopDist: Single;
   aStopSpeed: Single;
   aStopSpeedEpsilon: Single;
   aDeltaTime: Single
```

Description

This is ThrustToPos, a member of class IEntity.

1.2.16.1.52 IEntity.TracePolyPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure TracePolyPoint(
   aMju: Single = 6;
   aMaxStepBack: Integer = 12;
   aAlphaThreshold: Integer = 70;
   aOrigin: PVector = nil
);
```

Description

This is TracePolyPoint, a member of class IEntity.

1.2.17 IFont

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IFont = interface(IBaseInterface);
```

Description

This is class IFont.

1.2.17.1 IFont Methods

The methods of the IFont class are listed here.

Methods

| ≡ ∳ | GetLineHeight (see page 131) | This is GetLineHeight, a member of class IFont. |
|------------|-------------------------------|---|
| ≡ | GetTextWidth (see page 132) | This is GetTextWidth, a member of class IFont. |
| =♦ | Load (see page 132) | This is Load, a member of class IFont. |
| =♦ | LoadBuiltIn (see page 132) | This is LoadBuiltIn, a member of class IFont. |
| =♦ | LoadDefault (see page 132) | This is LoadDefault, a member of class IFont. |
| =♦ | PrintText (see page 132) | This is PrintText, a member of class IFont. |
| = | PrintText (see page 133) | This is PrintText, a member of class IFont. |
| = | PrintText (see page 133) | This is PrintText, a member of class IFont. |
| = | Unload (see page 133) | This is Unload, a member of class IFont. |

1.2.17.1.1 IFont.GetLineHeight

File: TopazGameLib.pas (see page 367)

Delphi

function GetLineHeight: Single;

Description

This is GetLineHeight, a member of class IFont.

1.2.17.1.2 IFont.GetTextWidth

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetTextWidth(
    const aMsg: WideString;
    const aArgs: array of const
): Single;
```

Description

This is GetTextWidth, a member of class IFont.

1.2.17.1.3 IFont.Load

File: TopazGameLib.pas (see page 367)

Delphi

```
function Load(
    aArchive: IArchive;
    aSize: Cardinal;
    aFilename: WideString
): Boolean;
```

Description

This is Load, a member of class IFont.

1.2.17.1.4 IFont.LoadBuiltIn

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadBuiltIn: Boolean;
```

Description

This is LoadBuiltIn, a member of class IFont.

1.2.17.1.5 IFont.LoadDefault

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadDefault(
    aSize: Cardinal
): Boolean;
```

Description

This is LoadDefault, a member of class IFont.

1.2.17.1.6 IFont.PrintText

File: TopazGameLib.pas (see page 367)

```
procedure PrintText(
    ax: Single;
    var aY: Single;
    aLineSpace: Single;
```

```
aColor: TColor;
aAlign: THAlign;
const aMsg: WideString;
const aArgs: array of const
); overload;
```

This is PrintText, a member of class IFont.

1.2.17.1.7 IFont.PrintText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PrintText(
    aX: Single;
    aY: Single;
    aColor: TColor;
    aAngle: Single;
    const aMsg: WideString;
    const aArgs: array of const
); overload;
```

Description

This is PrintText, a member of class IFont.

1.2.17.1.8 IFont.PrintText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PrintText(
    aX: Single;
    aY: Single;
    aColor: TColor;
    aAlign: THAlign;
    const aMsg: WideString;
    const aArgs: array of const
); overload;
```

Description

This is PrintText, a member of class IFont.

1.2.17.1.9 IFont.Unload

File: TopazGameLib.pas (see page 367)

Delphi

```
function Unload: Boolean;
```

Description

This is Unload, a member of class IFont.

1.2.18 IGUI

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IGUI = interface(IBaseInterface);
```

Description

This is class IGUI.

1.2.18.1 IGUI Constants

The constants of the IGUI class are listed here.

Constants

| • | aAlign (see page 134) | This is aAlign, a member of class IGUI. |
|---|------------------------|---|
| • | aTitle (see page 134) | This is aTitle, a member of class IGUI. |

1.2.18.1.1 IGUI.aAlign

File: TopazGameLib.pas (see page 367)

Delphi

```
const aAlign: Integer);
```

Description

This is aAlign, a member of class IGUI.

1.2.18.1.2 IGUI.aTitle

File: TopazGameLib.pas (see page 367)

Delphi

const aTitle: WideString;

Description

This is aTitle, a member of class IGUI.

1.2.18.2 IGUI Methods

The methods of the IGUI class are listed here.

Methods

| ≡ | & (see page 135) | This is &, a member of class IGUI. |
|------------|----------------------------------|---|
| =♦ | Button (see page 135) | This is Button, a member of class IGUI. |
| =♦ | Checkbox (see page 135) | This is Checkbox, a member of class IGUI. |
| =♦ | Clear (see page 135) | This is Clear, a member of class IGUI. |
| = ♦ | Close (see page 136) | This is Close, a member of class IGUI. |
| = ♦ | Combobox (see page 136) | This is Combobox, a member of class IGUI. |
| = ♦ | Edit (see page 136) | This is Edit, a member of class IGUI. |
| =♦ | InputBegin (see page 136) | This is InputBegin, a member of class IGUI. |
| =♦ | InputEnd (see page 136) | This is InputEnd, a member of class IGUI. |
| = ♦ | LayoutRowBegin (see page 137) | This is LayoutRowBegin, a member of class IGUI. |
| =♦ | LayoutRowDynamic (see page 137) | This is LayoutRowDynamic, a member of class IGUI. |
| =♦ | LayoutRowEnd (see page 137) | This is LayoutRowEnd, a member of class IGUI. |

| =♦ | LayoutRowPush (see page 137) | This is LayoutRowPush, a member of class IGUI. |
|-----------|---------------------------------|--|
| =♦ | LayoutRowStatic (see page 138) | This is LayoutRowStatic, a member of class IGUI. |
| =♦ | Open (see page 138) | This is Open, a member of class IGUI. |
| =♦ | Option (see page 138) | This is Option, a member of class IGUI. |
| =♦ | Progress (see page 138) | This is Progress, a member of class IGUI. |
| ≡♦ | Render (see page 138) | This is Render, a member of class IGUI. |
| =♦ | SetStyle (see page 139) | This is SetStyle, a member of class IGUI. |
| =♦ | Slider (see page 139) | This is Slider, a member of class IGUI. |
| =♦ | Value (see page 139) | This is Value, a member of class IGUI. |
| =♦ | Value (see page 139) | This is Value, a member of class IGUI. |
| =♦ | WindowBegin (see page 140) | This is WindowBegin, a member of class IGUI. |
| =♦ | WindowEnd (see page 140) | This is WindowEnd, a member of class IGUI. |

1.2.18.2.1 IGUI.&

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure &;
```

Description

This is &, a member of class IGUI.

1.2.18.2.2 IGUI.Button

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Button(
    const aTitle: WideString
);
```

Description

This is Button, a member of class IGUI.

1.2.18.2.3 IGUI.Checkbox

File: TopazGameLib.pas (see page 367)

Delphi

```
function Checkbox(
    const aLabel: WideString;
    var aActive: Boolean
): Boolean;
```

Description

This is Checkbox, a member of class IGUI.

1.2.18.2.4 IGUI.Clear

File: TopazGameLib.pas (see page 367)

```
procedure Clear;
```

This is Clear, a member of class IGUI.

1.2.18.2.5 IGUI.Close

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class IGUI.

1.2.18.2.6 IGUI.Combobox

File: TopazGameLib.pas (see page 367)

Delphi

```
function Combobox(
    const aItems: array of WideString;
    aSelected: Integer;
    aItemHeight: Integer;
    aWidth: Single;
    aHeight: Single;
    var aChanged: Boolean
): Integer;
```

Description

This is Combobox, a member of class IGUI.

1.2.18.2.7 IGUI.Edit

File: TopazGameLib.pas (see page 367)

Delphi

```
function Edit(
   aType: Cardinal;
   aFilter: Integer;
   var aBuffer: WideString
): Integer;
```

Description

This is Edit, a member of class IGUI.

1.2.18.2.8 IGUI.InputBegin

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure InputBegin;
```

Description

This is InputBegin, a member of class IGUI.

1.2.18.2.9 IGUI.InputEnd

File: TopazGameLib.pas (see page 367)

```
procedure InputEnd;
```

Description

This is InputEnd, a member of class IGUI.

1.2.18.2.10 IGUI.LayoutRowBegin

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LayoutRowBegin(
    aFormat: Integer;
    aHeight: Single;
    aColumns: Integer
);
```

Description

This is LayoutRowBegin, a member of class IGUI.

1.2.18.2.11 IGUI.LayoutRowDynamic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LayoutRowDynamic(
    aHeight: Single;
    aColumns: Integer
);
```

Description

This is LayoutRowDynamic, a member of class IGUI.

1.2.18.2.12 IGUI.LayoutRowEnd

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LayoutRowEnd;
```

Description

This is LayoutRowEnd, a member of class IGUI.

1.2.18.2.13 IGUI.LayoutRowPush

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LayoutRowPush(
    aValue: Single
);
```

Description

This is LayoutRowPush, a member of class IGUI.

1.2.18.2.14 IGUI.LayoutRowStatic

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LayoutRowStatic(
    aHeight: Single;
    aWidth: Integer;
    aColumns: Integer
);
```

Description

This is LayoutRowStatic, a member of class IGUI.

1.2.18.2.15 IGUI.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
function Open: Boolean;
```

Description

This is Open, a member of class IGUI.

1.2.18.2.16 IGUI.Option

File: TopazGameLib.pas (see page 367)

Delphi

```
function Option(
    const aTitle: WideString;
    aActive: Boolean
): Boolean;
```

Description

This is Option, a member of class IGUI.

1.2.18.2.17 IGUI.Progress

File: TopazGameLib.pas (see page 367)

Delphi

```
function Progress(
    aCurrent: Cardinal;
    aMax: Cardinal;
    aModifyable: Boolean
): Cardinal;
```

Description

This is Progress, a member of class IGUI.

1.2.18.2.18 IGUI.Render

File: TopazGameLib.pas (see page 367)

```
procedure Render;
```

This is Render, a member of class IGUI.

1.2.18.2.19 IGUI.SetStyle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetStyle(
    aTheme: Integer
):
```

Description

This is SetStyle, a member of class IGUI.

1.2.18.2.20 IGUI.Slider

File: TopazGameLib.pas (see page 367)

Delphi

```
function Slider(
   aMin: Single;
   aMax: Single;
   aStep: Single;
   var aValue: Single
): Boolean;
```

Description

This is Slider, a member of class IGUI.

1.2.18.2.21 IGUI.Value

File: TopazGameLib.pas (see page 367)

Delphi

```
function Value(
    const aName: WideString;
    aValue: Double;
    aMin: Double;
    aMax: Double;
    aStep: Double;
    aIncPerPixel: Single
): Double; overload;
```

Description

This is Value, a member of class IGUI.

1.2.18.2.22 IGUI.Value

File: TopazGameLib.pas (see page 367)

```
function Value(
    const aName: WideString;
    aValue: Integer;
    aMin: Integer;
    aMax: Integer;
    aStep: Integer;
    aIncPerPixel: Single
```

```
): Integer; overload;
```

This is Value, a member of class IGUI.

1.2.18.2.23 IGUI.WindowBegin

File: TopazGameLib.pas (see page 367)

Delphi

```
function WindowBegin(
    const aName: WideString;
    const aTitle: WideString;
    ax: Single;
    ay: Single;
    awidth: Single;
    aHeight: Single;
    aFlags: array of cardinal
): Boolean;
```

Description

This is WindowBegin, a member of class IGUI.

1.2.18.2.24 IGUI.WindowEnd

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure WindowEnd;
```

Description

This is WindowEnd, a member of class IGUI.

1.2.19 IHighscores

Class Hierarchy

```
IBaseInterface → IHighscores
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IHighscores = interface(IBaseInterface);
```

Description

This is class IHighscores.

1.2.19.1 IHighscores Methods

The methods of the IHighscores class are listed here.

Methods

| =♦ | Busy (see page 141) | This is Busy, a member of class IHighscores. |
|-----------|------------------------------|--|
| ∉∳ | Clear (see page 141) | This is Clear, a member of class IHighscores. |
| ≡∳ | ClearResults (see page 141) | This is ClearResults, a member of class IHighscores. |

| ≡♦ | GetLastError (see page 141) | This is GetLastError, a member of class IHighscores. |
|-----------|--------------------------------|--|
| ≡♦ | GetResult (see page 141) | This is GetResult, a member of class IHighscores. |
| ≡⋄ | GetResultCount (see page 142) | This is GetResultCount, a member of class IHighscores. |
| ≡⋄ | List (see page 142) | This is List, a member of class IHighscores. |
| ≡⋄ | Post (see page 142) | This is Post, a member of class IHighscores. |
| ≡⋄ | Post (see page 142) | This is Post, a member of class IHighscores. |
| ≡♦ | Remove (see page 143) | This is Remove, a member of class IHighscores. |
| ≡♦ | Setup (see page 143) | This is Setup, a member of class IHighscores. |

1.2.19.1.1 IHighscores.Busy

File: TopazGameLib.pas (see page 367)

Delphi

function Busy: Boolean;

Description

This is Busy, a member of class IHighscores.

1.2.19.1.2 IHighscores.Clear

File: TopazGameLib.pas (see page 367)

Delphi

procedure Clear;

Description

This is Clear, a member of class IHighscores.

1.2.19.1.3 IHighscores.ClearResults

File: TopazGameLib.pas (see page 367)

Delphi

procedure ClearResults;

Description

This is ClearResults, a member of class IHighscores.

1.2.19.1.4 IHighscores.GetLastError

File: TopazGameLib.pas (see page 367)

Delphi

function GetLastError: WideString;

Description

This is GetLastError, a member of class IHighscores.

1.2.19.1.5 IHighscores.GetResult

File: TopazGameLib.pas (see page 367)

Delphi

procedure GetResult(

```
aIndex: Integer;
  var aScore: THighscore
);
```

This is GetResult, a member of class IHighscores.

1.2.19.1.6 IHighscores.GetResultCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetResultCount: Integer;
```

Description

This is GetResultCount, a member of class IHighscores.

1.2.19.1.7 IHighscores.List

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure List(
    aLevel: Integer;
    aSkill: Integer
);
```

Description

This is List, a member of class IHighscores.

1.2.19.1.8 IHighscores.Post

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Post(
    aScore: THighscore
); overload;
```

Description

This is Post, a member of class IHighscores.

1.2.19.1.9 IHighscores.Post

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Post(
    const aName: WideString;
    aLevel: Integer;
    aScore: Cardinal;
    aSkill: Integer;
    aDuration: Cardinal;
    const aLocation: WideString
); overload;
```

Description

This is Post, a member of class IHighscores.

1.2.19.1.10 IHighscores.Remove

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Remove(
    const aName: WideString
);
```

Description

This is Remove, a member of class IHighscores.

1.2.19.1.11 IHighscores.Setup

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Setup(
   aMaxScores: Integer;
   const aServer: WideString;
   const aDatabase: WideString;
   const aUsername: WideString;
   const aPassword: WideString;
   const aGameId: WideString;
   aPort: Integer = DATABASE_DEFAULT_MYSQL_PORT
);
```

Description

This is Setup, a member of class IHighscores.

1.2.20 IInAppPurchase

Class Hierarchy

```
IBaseInterface → IInAppPurchase
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IInAppPurchase = interface(IBaseInterface);
```

Description

This is class IInAppPurchase.

1.2.20.1 IInAppPurchase Methods

The methods of the IInAppPurchase class are listed here.

Methods

| =♦ | Busy (see page 144) | This is Busy, a member of class IInAppPurchase. |
|------------|--------------------------------|---|
| =♦ | Buy (see page 144) | This is Buy, a member of class IInAppPurchase. |
| =♦ | GetAmount (see page 144) | This is GetAmount, a member of class IInAppPurchase. |
| =♦ | GetCurrency (see page 144) | This is GetCurrency, a member of class IInAppPurchase. |
| = ♦ | GetDescription (see page 144) | This is GetDescription, a member of class IInAppPurchase. |

| ≡ | GetId (see page 145) | This is GetId, a member of class IInAppPurchase. |
|-----------|------------------------------|---|
| =♦ | GetLastError (see page 145) | This is GetLastError, a member of class IInAppPurchase. |
| ≡ | GetStatus (see page 145) | This is GetStatus, a member of class IInAppPurchase. |

1.2.20.1.1 IInAppPurchase.Busy

File: TopazGameLib.pas (see page 367)

Delphi

```
function Busy: Boolean;
```

Description

This is Busy, a member of class IInAppPurchase.

1.2.20.1.2 IInAppPurchase.Buy

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Buy(
    const aKey: WideString;
    const aDescription: WideString;
    aAmount: Single;
    const aCurrency: WideString;
    const aCardNum: WideString;
    aExpMonth: Integer;
    aExpYear: Integer;
    aCvc: WideString
);
```

Description

This is Buy, a member of class IInAppPurchase.

1.2.20.1.3 IInAppPurchase.GetAmount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAmount: WideString;
```

Description

This is GetAmount, a member of class IInAppPurchase.

1.2.20.1.4 IInAppPurchase.GetCurrency

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetCurrency: WideString;
```

Description

This is GetCurrency, a member of class IInAppPurchase.

1.2.20.1.5 IInAppPurchase.GetDescription

```
function GetDescription: WideString;
```

Description

This is GetDescription, a member of class IInAppPurchase.

1.2.20.1.6 IInAppPurchase.GetId

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetId: WideString;
```

Description

This is GetId, a member of class IInAppPurchase.

1.2.20.1.7 IInAppPurchase.GetLastError

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetLastError: WideString;
```

Description

This is GetLastError, a member of class IInAppPurchase.

1.2.20.1.8 IInAppPurchase.GetStatus

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetStatus: WideString;
```

Description

This is GetStatus, a member of class IInAppPurchase.

1.2.21 IInput

Class Hierarchy

```
IBaseInterface → IInput
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IInput = interface(IBaseInterface);
```

Description

This is class IInput.

1.2.21.1 IInput Methods

The methods of the IInput class are listed here.

Methods

| Clear (see page 146) | This is Clear, a member of class IInput. |
|----------------------------------|---|
| GetMouseInfo (see page 146) | This is GetMouseInfo, a member of class IInput. |
| JoystickDown (see page 146) | This is JoystickDown, a member of class IInput. |
| JoystickPosition (see page 147) | This is JoystickPosition, a member of class IInput. |
| JoystickPressed (see page 147) | This is JoystickPressed, a member of class IInput. |
| JoystickReleased (see page 147) | This is JoystickReleased, a member of class IInput. |
| KeyCode (see page 147) | This is KeyCode, a member of class IInput. |
| KeyCodeRepeat (see page 147) | This is KeyCodeRepeat, a member of class IInput. |
| KeyDown (see page 148) | This is KeyDown, a member of class IInput. |
| KeyPressed (see page 148) | This is KeyPressed, a member of class IInput. |
| KeyReleased (see page 148) | This is KeyReleased, a member of class IInput. |
| MouseDown (see page 148) | This is MouseDown, a member of class IInput. |
| MousePressed (see page 148) | This is MousePressed, a member of class IInput. |
| MouseReleased (see page 149) | This is MouseReleased, a member of class IInput. |
| MouseSetPos (see page 149) | This is MouseSetPos, a member of class IInput. |
| Update (see page 149) | This is Update, a member of class IInput. |
| | GetMouseInfo (see page 146) JoystickDown (see page 146) JoystickPosition (see page 147) JoystickPressed (see page 147) JoystickReleased (see page 147) KeyCode (see page 147) KeyCodeRepeat (see page 147) KeyDown (see page 148) KeyPressed (see page 148) KeyReleased (see page 148) MouseDown (see page 148) MousePressed (see page 148) MouseReleased (see page 149) MouseSetPos (see page 149) |

1.2.21.1.1 IInput.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class Ilnput.

1.2.21.1.2 IInput.GetMouseInfo

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetMouseInfo(
    aPosition: PVector;
    aDelta: PVector;
    aPressure: System.PSingle
);
```

Description

This is GetMouseInfo, a member of class IInput.

1.2.21.1.3 IInput.JoystickDown

File: TopazGameLib.pas (see page 367)

Delphi

```
function JoystickDown(
    aButton: Cardinal
): Boolean;
```

Description

This is JoystickDown, a member of class IInput.

1.2.21.1.4 IInput.JoystickPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
function JoystickPosition(
    aStick: Integer;
    aAxes: Integer
): Single;
```

Description

This is JoystickPosition, a member of class IInput.

1.2.21.1.5 IInput.JoystickPressed

File: TopazGameLib.pas (see page 367)

Delphi

```
function JoystickPressed(
    aButton: Cardinal
): Boolean;
```

Description

This is JoystickPressed, a member of class IInput.

1.2.21.1.6 IInput.JoystickReleased

File: TopazGameLib.pas (see page 367)

Delphi

```
function JoystickReleased(
    aButton: Cardinal
): Boolean;
```

Description

This is JoystickReleased, a member of class IInput.

1.2.21.1.7 IInput.KeyCode

File: TopazGameLib.pas (see page 367)

Delphi

```
function KeyCode: Integer;
```

Description

This is KeyCode, a member of class IInput.

1.2.21.1.8 IInput.KeyCodeRepeat

File: TopazGameLib.pas (see page 367)

Delphi

```
function KeyCodeRepeat: Boolean;
```

Description

This is KeyCodeRepeat, a member of class Input.

1.2.21.1.9 IInput.KeyDown

File: TopazGameLib.pas (see page 367)

Delphi

```
function KeyDown(
    aKey: Cardinal
): Boolean;
```

Description

This is KeyDown, a member of class IInput.

1.2.21.1.10 IInput.KeyPressed

File: TopazGameLib.pas (see page 367)

Delphi

```
function KeyPressed(
    aKey: Cardinal
): Boolean;
```

Description

This is KeyPressed, a member of class IInput.

1.2.21.1.11 IInput.KeyReleased

File: TopazGameLib.pas (see page 367)

Delphi

```
function KeyReleased(
    aKey: Cardinal
): Boolean;
```

Description

This is KeyReleased, a member of class IInput.

1.2.21.1.12 IInput.MouseDown

File: TopazGameLib.pas (see page 367)

Delphi

```
function MouseDown(
    aButton: Cardinal
): Boolean;
```

Description

This is MouseDown, a member of class IInput.

1.2.21.1.13 IInput.MousePressed

File: TopazGameLib.pas (see page 367)

Delphi

```
function MousePressed(
    aButton: Cardinal
): Boolean;
```

This is MousePressed, a member of class IInput.

1.2.21.1.14 IInput.MouseReleased

File: TopazGameLib.pas (see page 367)

Delphi

```
function MouseReleased(
    aButton: Cardinal
): Boolean;
```

Description

This is MouseReleased, a member of class IInput.

1.2.21.1.15 IInput.MouseSetPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure MouseSetPos(
    aX: Integer;
    aY: Integer
);
```

Description

This is MouseSetPos, a member of class IInput.

1.2.21.1.16 IInput.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Update;
```

Description

This is Update, a member of class IInput.

1.2.22 IInputMap

Class Hierarchy

```
IBaseInterface → IInputMap
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IInputMap = interface(IBaseInterface);
```

Description

This is class IInputMap.

1.2.22.1 IInputMap Methods

The methods of the IInputMap class are listed here.

Methods

| =♦ | Add (see page 150) | This is Add, a member of class IInputMap. |
|------------|--------------------------|--|
| ≡ | Clear (see page 150) | This is Clear, a member of class IInputMap. |
| = ♦ | Down (see page 150) | This is Down, a member of class IInputMap. |
| ≡ | Load (see page 150) | This is Load, a member of class IInputMap. |
| = ♦ | Pressed (see page 151) | This is Pressed, a member of class IInputMap. |
| =♦ | Released (see page 151) | This is Released, a member of class IInputMap. |
| ≡ | Remove (see page 151) | This is Remove, a member of class IInputMap. |
| ≡♦ | Remove (see page 151) | This is Remove, a member of class IInputMap. |
| ≡ | Save (see page 152) | This is Save, a member of class IInputMap. |

1.2.22.1.1 IInputMap.Add

File: TopazGameLib.pas (see page 367)

Delphi

```
function Add(
    const aAction: WideString;
    aDevice: TInputDevice;
    aData: Integer
): Boolean;
```

Description

This is Add, a member of class IInputMap.

1.2.22.1.2 IInputMap.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class IInputMap.

1.2.22.1.3 IInputMap.Down

File: TopazGameLib.pas (see page 367)

Delphi

```
function Down(
    const aAction: WideString
): Boolean;
```

Description

This is Down, a member of class IInputMap.

1.2.22.1.4 IInputMap.Load

```
function Load(
    aArchive: IArchive;
    const aFilename: WideString
): Boolean;
```

Description

This is Load, a member of class IInputMap.

1.2.22.1.5 IInputMap.Pressed

File: TopazGameLib.pas (see page 367)

Delphi

```
function Pressed(
    const aAction: WideString
): Boolean;
```

Description

This is Pressed, a member of class IInputMap.

1.2.22.1.6 IInputMap.Released

File: TopazGameLib.pas (see page 367)

Delphi

```
function Released(
    const aAction: WideString
): Boolean;
```

Description

This is Released, a member of class IInputMap.

1.2.22.1.7 IInputMap.Remove

File: TopazGameLib.pas (see page 367)

Delphi

```
function Remove(
    const aAction: WideString
): Boolean; overload;
```

Description

This is Remove, a member of class IInputMap.

1.2.22.1.8 IInputMap.Remove

File: TopazGameLib.pas (see page 367)

Delphi

```
function Remove(
    const aAction: WideString;
    aDevice: TInputDevice;
    aData: Integer
): Boolean; overload;
```

Description

This is Remove, a member of class IInputMap.

1.2.22.1.9 IInputMap.Save

File: TopazGameLib.pas (see page 367)

Delphi

```
function Save(
    const aFilename: WideString
): Boolean;
```

Description

This is Save, a member of class IInputMap.

1.2.23 ILog

Class Hierarchy

```
IBaseInterface → ILog
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ILog = interface(IBaseInterface);
```

Description

This is class ILog.

1.2.23.1 ILog Methods

The methods of the ILog class are listed here.

Methods

| = ♦ | Add (see page 152) | This is Add, a member of class ILog. |
|------------|------------------------|---|
| = ♦ | Close (see page 152) | This is Close, a member of class ILog. |
| = ♦ | Fatal (see page 153) | This is Fatal, a member of class ILog. |
| =♦ | Open (see page 153) | This is Open, a member of class ILog. |
| = ♦ | Opened (see page 153) | This is Opened, a member of class ILog. |

1.2.23.1.1 ILog.Add

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Add(
    const aMsg: WideString;
    const aArgs: array of const
);
```

Description

This is Add, a member of class ILog.

1.2.23.1.2 ILog.Close

```
procedure Close;
```

Description

This is Close, a member of class ILog.

1.2.23.1.3 ILog.Fatal

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Fatal(
    const aMsg: WideString;
    const aArgs: array of const
);
```

Description

This is Fatal, a member of class ILog.

1.2.23.1.4 ILog.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
function Open(
    const aFilename: WideString = ''
): Boolean;
```

Description

This is Open, a member of class ILog.

1.2.23.1.5 ILog.Opened

File: TopazGameLib.pas (see page 367)

Delphi

```
function Opened: Boolean;
```

Description

This is Opened, a member of class ILog.

1.2.24 ILua

Class Hierarchy

```
IBaseInterface → ILua
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ILua = interface(IBaseInterface);
```

Description

This is class ILua.

1.2.24.1 ILua Methods

The methods of the ILua class are listed here.

Methods

| =♦ | Call (see page 154) | This is Call, a member of class ILua. |
|------------|----------------------------------|---|
| = | Call (see page 154) | This is Call, a member of class ILua. |
| ≡ | CollectGarbage (see page 155) | This is CollectGarbage, a member of class ILua. |
| = | CompileToFile (see page 155) | This is CompileToFile, a member of class ILua. |
| ∉ ∳ | GetGCMemoryUsed (see page 155) | This is GetGCMemoryUsed, a member of class ILua. |
| =♦ | GetGCStepSize (see page 155) | This is GetGCStepSize, a member of class ILua. |
| =♦ | GetVariable (see page 155) | This is GetVariable, a member of class ILua. |
| ≡ | LoadBuffer (see page 156) | This is LoadBuffer, a member of class ILua. |
| = | LoadFile (see page 156) | This is LoadFile, a member of class ILua. |
| =♦ | LoadString (see page 156) | This is LoadString, a member of class ILua. |
| =♦ | PrepCall (see page 156) | This is PrepCall, a member of class ILua. |
| = | RegisterRoutine (see page 157) | This is RegisterRoutine, a member of class ILua. |
| =♦ | RegisterRoutine (see page 157) | This is RegisterRoutine, a member of class ILua. |
| =♦ | RegisterRoutines (see page 157) | This is RegisterRoutines, a member of class ILua. |
| = | RegisterRoutines (see page 157) | This is RegisterRoutines, a member of class ILua. |
| = | RegisterRoutines (see page 157) | This is RegisterRoutines, a member of class ILua. |
| = | RegisterRoutines (see page 158) | This is RegisterRoutines, a member of class ILua. |
| = | Reset (see page 158) | This is Reset, a member of class ILua. |
| ≡ | RoutineExist (see page 158) | This is RoutineExist, a member of class ILua. |
| =♦ | Run (see page 158) | This is Run, a member of class ILua. |
| ≡ | SetGCStepSize (see page 158) | This is SetGCStepSize, a member of class ILua. |
| =♦ | SetVariable (see page 159) | This is SetVariable, a member of class ILua. |
| ≡ | VariableExist (see page 159) | This is VariableExist, a member of class ILua. |

1.2.24.1.1 ILua.Call

File: TopazGameLib.pas (see page 367)

Delphi

```
function Call(
          aParamCount: Integer
): TLuaValue; overload;
```

Description

This is Call, a member of class ILua.

1.2.24.1.2 ILua.Call

File: TopazGameLib.pas (see page 367)

Delphi

```
function Call(
    const aName: WideString;
    const aParams: array of TLuaValue): TLuaValue; overload;
```

This is Call, a member of class ILua.

1.2.24.1.3 ILua.CollectGarbage

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure CollectGarbage;
```

Description

This is CollectGarbage, a member of class ILua.

1.2.24.1.4 ILua.CompileToFile

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure CompileToFile(
    aSourceFilename: WideString;
    aOutputFilename: WideString;
    aCleanOutput: Boolean
);
```

Description

This is CompileToFile, a member of class ILua.

1.2.24.1.5 ILua.GetGCMemoryUsed

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetGCMemoryUsed: Integer;
```

Description

This is GetGCMemoryUsed, a member of class ILua.

1.2.24.1.6 ILua.GetGCStepSize

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetGCStepSize: Integer;
```

Description

This is GetGCStepSize, a member of class ILua.

1.2.24.1.7 ILua.GetVariable

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetVariable(
    const aName: WideString;
    aType: TLuaValueType
): TLuaValue;
```

This is GetVariable, a member of class ILua.

1.2.24.1.8 ILua.LoadBuffer

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LoadBuffer(
    aData: Pointer;
    aSize: NativeUInt;
    aAutoRun: Boolean = True
):
```

Description

This is LoadBuffer, a member of class ILua.

1.2.24.1.9 ILua.LoadFile

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadFile(
    aArchive: IArchive;
    const aFilename: WideString;
    aAutoRun: Boolean = True
): Boolean;
```

Description

This is LoadFile, a member of class ILua.

1.2.24.1.10 ILua.LoadString

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure LoadString(
    const aData: WideString;
    aAutoRun: Boolean = True
);
```

Description

This is LoadString, a member of class ILua.

1.2.24.1.11 ILua.PrepCall

File: TopazGameLib.pas (see page 367)

Delphi

```
function PrepCall(
    const aName: WideString
): Boolean;
```

Description

This is PrepCall, a member of class ILua.

1.2.24.1.12 ILua.RegisterRoutine

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RegisterRoutine(
    const aName: WideString;
    aData: Pointer;
    aCode: Pointer
); overload;
```

Description

This is RegisterRoutine, a member of class ILua.

1.2.24.1.13 ILua.RegisterRoutine

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RegisterRoutine(
    const aName: WideString;
    aRoutine: TLuaFunction
); overload;
```

Description

This is RegisterRoutine, a member of class ILua.

1.2.24.1.14 ILua.RegisterRoutines

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RegisterRoutines(
    aClass: TClass
); overload;
```

Description

This is RegisterRoutines, a member of class ILua.

1.2.24.1.15 ILua.RegisterRoutines

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RegisterRoutines(
    aObject: TObject
); overload;
```

Description

This is RegisterRoutines, a member of class ILua.

1.2.24.1.16 ILua.RegisterRoutines

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RegisterRoutines(
    const aTables: WideString;
```

```
aClass: TClass;
  const aTableName: WideString = ''
); overload;
```

This is RegisterRoutines, a member of class ILua.

1.2.24.1.17 ILua.RegisterRoutines

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RegisterRoutines(
    const aTables: WideString;
    aObject: TObject;
    const aTableName: WideString = ''
); overload;
```

Description

This is RegisterRoutines, a member of class ILua.

1.2.24.1.18 ILua.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class ILua.

1.2.24.1.19 ILua.RoutineExist

File: TopazGameLib.pas (see page 367)

Delphi

```
function RoutineExist(
    const aName: WideString
): Boolean;
```

Description

This is RoutineExist, a member of class ILua.

1.2.24.1.20 ILua.Run

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Run;
```

Description

This is Run, a member of class ILua.

1.2.24.1.21 ILua.SetGCStepSize

```
procedure SetGCStepSize(
    aStep: Integer
);
```

Description

This is SetGCStepSize, a member of class ILua.

1.2.24.1.22 ILua.SetVariable

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetVariable(
    const aName: WideString;
    aValue: TLuaValue
);
```

Description

This is SetVariable, a member of class ILua.

1.2.24.1.23 ILua.VariableExist

File: TopazGameLib.pas (see page 367)

Delphi

```
function VariableExist(
    const aName: WideString
): Boolean;
```

Description

This is VariableExist, a member of class ILua.

1.2.25 ILuaContext

Class Hierarchy

ILuaContext

File: TopazGameLib.pas (see page 367)

Delphi

```
ILuaContext = interface;
```

Description

This is class ILuaContext.

1.2.25.1 ILuaContext Methods

The methods of the ILuaContext class are listed here.

Methods

| ≡♦ | ArgCount (see page 160) | This is ArgCount, a member of class ILuaContext. |
|-----------|----------------------------|--|
| ≡♦ | ClearStack (see page 160) | This is ClearStack, a member of class ILuaContext. |

| ≡∳ | GetStackType (see page 160) | This is GetStackType, a member of class ILuaContext. |
|-----------|------------------------------------|--|
| ≡∳ | GetTableFieldValue (see page 160) | This is GetTableFieldValue, a member of class ILuaContext. |
| = | GetTableIndexValue (see page 161) | This is GetTableIndexValue, a member of class ILuaContext. |
| ≡ | GetValue (see page 161) | This is GetValue, a member of class ILuaContext. |
| ≡∳ | PopStack (see page 161) | This is PopStack, a member of class ILuaContext. |
| ≡ | PushCount (see page 161) | This is PushCount, a member of class ILuaContext. |
| =♦ | PushValue (see page 161) | This is PushValue, a member of class ILuaContext. |
| ≡ | SetTableFieldValue (see page 162) | This is SetTableFieldValue, a member of class ILuaContext. |
| =♦ | SetTableIndexValue (see page 162) | This is SetTableIndexValue, a member of class ILuaContext. |

1.2.25.1.1 ILuaContext.ArgCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function ArgCount: Integer;
```

Description

This is ArgCount, a member of class ILuaContext.

1.2.25.1.2 ILuaContext.ClearStack

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ClearStack;
```

Description

This is ClearStack, a member of class ILuaContext.

1.2.25.1.3 ILuaContext.GetStackType

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetStackType(
    aIndex: Integer
): TLuaType;
```

Description

This is GetStackType, a member of class ILuaContext.

1.2.25.1.4 ILuaContext.GetTableFieldValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetTableFieldValue(
    const aName: WideString;
    aType: TLuaValueType;
    aIndex: Integer
): TLuaValue; overload;
```

This is GetTableFieldValue, a member of class ILuaContext.

1.2.25.1.5 ILuaContext.GetTableIndexValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetTableIndexValue(
    const aName: WideString;
    aType: TLuaValueType;
    aIndex: Integer;
    aKey: Integer
): TLuaValue;
```

Description

This is GetTableIndexValue, a member of class ILuaContext.

1.2.25.1.6 ILuaContext.GetValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetValue(
   aType: TLuaValueType;
   aIndex: Integer
): TLuaValue;
```

Description

This is GetValue, a member of class ILuaContext.

1.2.25.1.7 ILuaContext.PopStack

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure PopStack(
     aCount: Integer
);
```

Description

This is PopStack, a member of class ILuaContext.

1.2.25.1.8 ILuaContext.PushCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function PushCount: Integer;
```

Description

This is PushCount, a member of class ILuaContext.

1.2.25.1.9 ILuaContext.PushValue

```
procedure PushValue(
    aValue: TLuaValue
);
```

Description

This is PushValue, a member of class ILuaContext.

1.2.25.1.10 ILuaContext.SetTableFieldValue

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetTableFieldValue(
    const aName: WideString;
    aValue: TLuaValue;
    aIndex: Integer
); overload;
```

Description

This is SetTableFieldValue, a member of class ILuaContext.

1.2.25.1.11 ILuaContext.SetTableIndexValue

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetTableIndexValue(
    const aName: WideString;
    aValue: TLuaValue;
    aIndex: Integer;
    aKey: Integer
);
```

Description

This is SetTableIndexValue, a member of class ILuaContext.

1.2.26 IMail

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IMail = interface(IBaseInterface);
```

Description

This is class IMail.

1.2.26.1 IMail Methods

The methods of the IMail class are listed here.

Methods

| ≓ | Busy (see page 163) | This is Busy, a member of class IMail. |
|-----------|------------------------------|--|
| ≡♦ | GetLastError (see page 163) | This is GetLastError, a member of class IMail. |
| ≡♦ | Send (see page 163) | This is Send, a member of class IMail. |
| ≡♦ | Setup (see page 163) | This is Setup, a member of class IMail. |

1.2.26.1.1 IMail.Busy

File: TopazGameLib.pas (see page 367)

Delphi

```
function Busy: Boolean;
```

Description

This is Busy, a member of class IMail.

1.2.26.1.2 IMail.GetLastError

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetLastError: WideString;
```

Description

This is GetLastError, a member of class IMail.

1.2.26.1.3 IMail.Send

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Send(
    const aFromEmail: WideString;
    const aFromName: WideString;
    const aSubject: WideString;
    const aToEmail: WideString;
    const aBody: WideString
);
```

Description

This is Send, a member of class IMail.

1.2.26.1.4 IMail.Setup

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Setup(
    const aHost: WideString;
    const aUsername: WideString;
    const aPassword: WideString;
    aPort: Integer = MAIL_PORT_SMTPS
);
```

Description

This is Setup, a member of class IMail.

1.2.27 IMath

Class Hierarchy

IBaseInterface → IMath

File: TopazGameLib.pas (see page 367)

Delphi

IMath = interface(IBaseInterface);

Description

This is class IMath.

1.2.27.1 IMath Methods

The methods of the IMath class are listed here.

Methods

| ≡♦ | AngleCos (see page 165) | This is AngleCos, a member of class IMath. |
|------------|---------------------------------------|---|
| ≡♦ | AngleDifference (see page 165) | This is AngleDifference, a member of class IMath. |
| ≡ | AngleRotatePos (see page 165) | This is AngleRotatePos, a member of class IMath. |
| =♦ | AngleSin (see page 165) | This is AngleSin, a member of class IMath. |
| ≡♦ | CircleInRectangle (see page 165) | This is CircleInRectangle, a member of class IMath. |
| =♦ | CirclesOverlap (see page 166) | This is CirclesOverlap, a member of class IMath. |
| ≡♦ | ClipValueFloat (see page 166) | This is ClipValueFloat, a member of class IMath. |
| ≡ | ClipValueInt (see page 166) | This is ClipValueInt, a member of class IMath. |
| ≡ | EasePosition (see page 166) | This is EasePosition, a member of class IMath. |
| =♦ | EaseValue (see page 167) | This is EaseValue, a member of class IMath. |
| ≡ | GetRandomSeed (see page 167) | This is GetRandomSeed, a member of class IMath. |
| ≡ | Lerp (see page 167) | This is Lerp, a member of class IMath. |
| ≡ | LineIntersection (see page 167) | This is LineIntersection, a member of class IMath. |
| ≡ | PointInCircle (see page 168) | This is PointInCircle, a member of class IMath. |
| ≡ | PointInRectangle (see page 168) | This is PointInRectangle, a member of class IMath. |
| ≡♦ | PointInTriangle (see page 168) | This is PointInTriangle, a member of class IMath. |
| =♦ | RadiusOverlap (see page 168) | This is RadiusOverlap, a member of class IMath. |
| ≡ | RandomBool (see page 169) | This is RandomBool, a member of class IMath. |
| ≡ | RandomRange (see page 169) | This is RandomRange, a member of class IMath. |
| ≡ | RandomRange (see page 169) | This is RandomRange, a member of class IMath. |
| ≡ | Rectangle (see page 169) | This is Rectangle, a member of class IMath. |
| =∳ | RectangleIntersection (see page 170) | This is RectangleIntersection, a member of class IMath. |
| ≡∳ | RectanglesOverlap (see page 170) | This is RectanglesOverlap, a member of class IMath. |
| ≡ ∳ | SameSignFloat (see page 170) | This is SameSignFloat, a member of class IMath. |
| ≡♦ | SameSignInt (see page 170) | This is SameSignInt, a member of class IMath. |
| ≡ ∳ | SameValueExt (see page 171) | This is SameValueExt, a member of class IMath. |
| ≡ ∳ | SameValueFloat (see page 171) | This is SameValueFloat, a member of class IMath. |
| ∉♦ | SetRandomSeed (see page 171) | This is SetRandomSeed, a member of class IMath. |
| ≡ | SmoothMove (see page 171) | This is SmoothMove, a member of class IMath. |

Vector (see page 171)
This is Vector, a member of class IMath.

1.2.27.1.1 IMath.AngleCos

File: TopazGameLib.pas (see page 367)

Delphi

```
function AngleCos(
     aAngle: Integer
): Single;
```

Description

This is AngleCos, a member of class IMath.

1.2.27.1.2 IMath.AngleDifference

File: TopazGameLib.pas (see page 367)

Delphi

```
function AngleDifference(
    aSrcAngle: Single;
    aDestAngle: Single
): Single;
```

Description

This is AngleDifference, a member of class IMath.

1.2.27.1.3 IMath.AngleRotatePos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AngleRotatePos(
    aAngle: Single;
    var aX: Single;
    var aY: Single
);
```

Description

This is AngleRotatePos, a member of class IMath.

1.2.27.1.4 IMath.AngleSin

File: TopazGameLib.pas (see page 367)

Delphi

```
function AngleSin(
    aAngle: Integer
): Single;
```

Description

This is AngleSin, a member of class IMath.

1.2.27.1.5 IMath.CircleInRectangle

```
function CircleInRectangle(
    aCenter: TVector;
    aRadius: Single;
    aRect: TRectangle
): Boolean;
```

Description

This is CircleInRectangle, a member of class IMath.

1.2.27.1.6 IMath.CirclesOverlap

File: TopazGameLib.pas (see page 367)

Delphi

```
function CirclesOverlap(
    aCenter1: TVector;
    aRadius1: Single;
    aCenter2: TVector;
    aRadius2: Single
): Boolean;
```

Description

This is CirclesOverlap, a member of class IMath.

1.2.27.1.7 IMath.ClipValueFloat

File: TopazGameLib.pas (see page 367)

Delphi

```
function ClipValueFloat(
    var aValue: Single;
    aMin: Single;
    aMax: Single;
    aWrap: Boolean
): Single;
```

Description

This is ClipValueFloat, a member of class IMath.

1.2.27.1.8 IMath.ClipValueInt

File: TopazGameLib.pas (see page 367)

Delphi

```
function ClipValueInt(
    var aValue: Integer;
    aMin: Integer;
    aMax: Integer;
    aWrap: Boolean
): Integer;
```

Description

This is ClipValueInt, a member of class IMath.

1.2.27.1.9 IMath.EasePosition

```
function EasePosition(
    aStartPos: Double;
    aEndPos: Double;
    aCurrentPos: Double;
    aEaseType: TEaseType
): Double;
```

Description

This is EasePosition, a member of class IMath.

1.2.27.1.10 IMath.EaseValue

File: TopazGameLib.pas (see page 367)

Delphi

```
function EaseValue(
    aCurrentTime: Double;
    aStartValue: Double;
    aChangeInValue: Double;
    aDuration: Double;
    aEaseType: TEaseType
): Double;
```

Description

This is EaseValue, a member of class IMath.

1.2.27.1.11 IMath.GetRandomSeed

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetRandomSeed: Integer;
```

Description

This is GetRandomSeed, a member of class IMath.

1.2.27.1.12 IMath.Lerp

File: TopazGameLib.pas (see page 367)

Delphi

```
function Lerp(
    aFrom: Double;
    aTo: Double;
    aTime: Double
): Double;
```

Description

This is Lerp, a member of class IMath.

1.2.27.1.13 IMath.LineIntersection

File: TopazGameLib.pas (see page 367)

Delphi

```
function LineIntersection(
    ax1: Integer;
    ay1: Integer;
```

```
ax2: Integer;
ay2: Integer;
ax3: Integer;
ay3: Integer;
ax4: Integer;
ay4: Integer;
var ax: Integer;
var ay: Integer;
```

This is LineIntersection, a member of class IMath.

1.2.27.1.14 IMath.PointInCircle

File: TopazGameLib.pas (see page 367)

Delphi

```
function PointInCircle(
    aPoint: TVector;
    aCenter: TVector;
    aRadius: Single
): Boolean;
```

Description

This is PointInCircle, a member of class IMath.

1.2.27.1.15 IMath.PointInRectangle

File: TopazGameLib.pas (see page 367)

Delphi

```
function PointInRectangle(
    aPoint: TVector;
    aRect: TRectangle
): Boolean;
```

Description

This is PointInRectangle, a member of class IMath.

1.2.27.1.16 IMath.PointInTriangle

File: TopazGameLib.pas (see page 367)

Delphi

```
function PointInTriangle(
    aPoint: TVector;
    aP1: TVector;
    aP2: TVector;
    aP3: TVector
): Boolean;
```

Description

This is PointInTriangle, a member of class IMath.

1.2.27.1.17 IMath.RadiusOverlap

```
function RadiusOverlap(
    aRadius1: Single;
    ax1: Single;
    ay1: Single;
    aRadius2: Single;
    ax2: Single;
    ay2: Single;
    ay1: Single;
    ay2: Single;
    aShrinkFactor: Single
): Boolean;
```

Description

This is RadiusOverlap, a member of class IMath.

1.2.27.1.18 IMath.RandomBool

File: TopazGameLib.pas (see page 367)

Delphi

```
function RandomBool: Boolean;
```

Description

This is RandomBool, a member of class IMath.

1.2.27.1.19 IMath.RandomRange

File: TopazGameLib.pas (see page 367)

Delphi

```
function RandomRange(
    aMin: Integer;
    aMax: Integer
): Integer; overload;
```

Description

This is RandomRange, a member of class IMath.

1.2.27.1.20 IMath.RandomRange

File: TopazGameLib.pas (see page 367)

Delphi

```
function RandomRange(
    aMin: Single;
    aMax: Single
): Single; overload;
```

Description

This is RandomRange, a member of class IMath.

1.2.27.1.21 IMath.Rectangle

File: TopazGameLib.pas (see page 367)

Delphi

```
function Rectangle(
   ax: Single;
   ay: Single;
   awidth: Single;
```

```
aHeight: Single
): TRectangle;
```

This is Rectangle, a member of class IMath.

1.2.27.1.22 IMath.RectangleIntersection

File: TopazGameLib.pas (see page 367)

Delphi

```
function RectangleIntersection(
    aRect1: TRectangle;
    aRect2: TRectangle
): TRectangle;
```

Description

This is RectangleIntersection, a member of class IMath.

1.2.27.1.23 IMath.RectanglesOverlap

File: TopazGameLib.pas (see page 367)

Delphi

```
function RectanglesOverlap(
    aRect1: TRectangle;
    aRect2: TRectangle
): Boolean;
```

Description

This is RectanglesOverlap, a member of class IMath.

1.2.27.1.24 IMath.SameSignFloat

File: TopazGameLib.pas (see page 367)

Delphi

```
function SameSignFloat(
   aValue1: Single;
   aValue2: Single
): Boolean;
```

Description

This is SameSignFloat, a member of class IMath.

1.2.27.1.25 IMath.SameSignInt

File: TopazGameLib.pas (see page 367)

Delphi

```
function SameSignInt(
    aValue1: Integer;
    aValue2: Integer
): Boolean;
```

Description

This is SameSignInt, a member of class IMath.

1.2.27.1.26 IMath.SameValueExt

File: TopazGameLib.pas (see page 367)

Delphi

```
function SameValueExt(
    aA: Double;
    aB: Double;
    aEpsilon: Double = 0
): Boolean;
```

Description

This is SameValueExt, a member of class IMath.

1.2.27.1.27 IMath.SameValueFloat

File: TopazGameLib.pas (see page 367)

Delphi

```
function SameValueFloat(
    aA: Single;
    aB: Single;
    aEpsilon: Single = 0
): Boolean;
```

Description

This is SameValueFloat, a member of class IMath.

1.2.27.1.28 IMath.SetRandomSeed

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetRandomSeed(
    aValue: Integer
);
```

Description

This is SetRandomSeed, a member of class IMath.

1.2.27.1.29 IMath.SmoothMove

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SmoothMove(
    var aValue: Single;
    aAmount: Single;
    aMax: Single;
    aDrag: Single
);
```

Description

This is SmoothMove, a member of class IMath.

1.2.27.1.30 IMath. Vector

```
function Vector(
    aX: Single;
    aY: Single
): TVector;
```

Description

This is Vector, a member of class IMath.

1.2.28 IPathEditor

Class Hierarchy

```
IBaseInterface → IPathEditor
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IPathEditor = interface(IBaseInterface);
```

Description

This is class IPathEditor.

1.2.28.1 IPathEditor Methods

The methods of the IPathEditor class are listed here.

Methods

| ≡∳ | Show (see page 175) | This is Show, a member of class IPathEditor. |
|------------|-------------------------------|---|
| ≡ | SetInfo (see page 175) | This is SetInfo, a member of class IPathEditor. |
| ≡ | SetIcon (see page 175) | This is SetIcon, a member of class IPathEditor. |
| ≡ | Save (see page 175) | This is Save, a member of class IPathEditor. |
| ≡♦ | Reset (see page 175) | This is Reset, a member of class IPathEditor. |
| ≡♦ | RemovePath (see page 174) | This is RemovePath, a member of class IPathEditor. |
| ≡ | Load (see page 174) | This is Load, a member of class IPathEditor. |
| ≡ | GetPointCount (see page 174) | This is GetPointCount, a member of class IPathEditor. |
| ≡♦ | GetPoint (see page 174) | This is GetPoint, a member of class IPathEditor. |
| ≡♦ | GetPathCount (see page 173) | This is GetPathCount, a member of class IPathEditor. |
| ≡ | GetInfo (see page 173) | This is GetInfo, a member of class IPathEditor. |
| ≡ | ClearPath (see page 173) | This is ClearPath, a member of class IPathEditor. |
| ≡ | Clear (see page 173) | This is Clear, a member of class IPathEditor. |
| ≡ | AddPoint (see page 173) | This is AddPoint, a member of class IPathEditor. |
| ≡ • | AddPath (see page 172) | This is AddPath, a member of class IPathEditor. |

1.2.28.1.1 IPathEditor.AddPath

File: TopazGameLib.pas (see page 367)

Delphi

function AddPath: Integer;

This is AddPath, a member of class IPathEditor.

1.2.28.1.2 IPathEditor.AddPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
function AddPoint(
    aPathIndex: Integer;
    aPoint: TPointi
): Integer;
```

Description

This is AddPoint, a member of class IPathEditor.

1.2.28.1.3 IPathEditor.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class IPathEditor.

1.2.28.1.4 IPathEditor.ClearPath

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ClearPath(
     aPathIndex: Integer
);
```

Description

This is ClearPath, a member of class IPathEditor.

1.2.28.1.5 IPathEditor.GetInfo

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetInfo(
   aWidth: PInteger;
   aHeight: PInteger;
   aMargin: PInteger
);
```

Description

This is GetInfo, a member of class IPathEditor.

1.2.28.1.6 IPathEditor.GetPathCount

```
function GetPathCount: Integer;
```

Description

This is GetPathCount, a member of class IPathEditor.

1.2.28.1.7 IPathEditor.GetPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPoint(
    aPathIndex: Integer;
    aPointIndex: Integer
): TPointi;
```

Description

This is GetPoint, a member of class IPathEditor.

1.2.28.1.8 IPathEditor.GetPointCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPointCount(
    aPathIndex: Integer
): Integer;
```

Description

This is GetPointCount, a member of class IPathEditor.

1.2.28.1.9 IPathEditor.Load

File: TopazGameLib.pas (see page 367)

Delphi

```
function Load(
    aArchive: IArchive;
    aFilename: WideString
): Boolean;
```

Description

This is Load, a member of class IPathEditor.

1.2.28.1.10 IPathEditor.RemovePath

File: TopazGameLib.pas (see page 367)

Delphi

```
function RemovePath(
    aPathIndex: Integer
): Integer;
```

Description

This is RemovePath, a member of class IPathEditor.

1.2.28.1.11 IPathEditor.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class IPathEditor.

1.2.28.1.12 IPathEditor.Save

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Save(
    aFilename: WideString
);
```

Description

This is Save, a member of class IPathEditor.

1.2.28.1.13 IPathEditor.SetIcon

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetIcon(
    aArchive: IArchive;
    aFilename: WideString
);
```

Description

This is SetIcon, a member of class IPathEditor.

1.2.28.1.14 IPathEditor.SetInfo

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetInfo(
    aWidth: Integer;
    aHeight: Integer;
    aMargin: Integer
);
```

Description

This is SetInfo, a member of class IPathEditor.

1.2.28.1.15 IPathEditor.Show

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Show;
```

Description

This is Show, a member of class IPathEditor.

1.2.29 IPathEditorPath

Class Hierarchy

```
IBaseInterface → IPathEditorPath
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IPathEditorPath = interface(IBaseInterface);
```

Description

This is class IPathEditorPath.

1.2.29.1 IPathEditorPath Methods

The methods of the IPathEditorPath class are listed here.

Methods

| ≡♦ | GetLookAheadPos (see page 176) | This is GetLookAheadPos, a member of class IPathEditorPath. |
|-----------|---------------------------------|---|
| ≡♦ | GetPos (see page 176) | This is GetPos, a member of class IPathEditorPath. |
| ≡♦ | GetPos (see page 177) | This is GetPos, a member of class IPathEditorPath. |
| ≡♦ | Init (see page 177) | This is Init, a member of class IPathEditorPath. |
| ≡♦ | Reset (see page 177) | This is Reset, a member of class IPathEditorPath. |
| ≡♦ | Update (see page 177) | This is Update, a member of class IPathEditorPath. |

1.2.29.1.1 IPathEditorPath.GetLookAheadPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetLookAheadPos(
    aLookAhead: Integer;
    var aX: Single;
    var aY: Single
);
```

Description

This is GetLookAheadPos, a member of class IPathEditorPath.

1.2.29.1.2 IPathEditorPath.GetPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetPos(
   aIndex: Integer;
   var aX: Single;
   var aY: Single
); overload;
```

Description

This is GetPos, a member of class IPathEditorPath.

1.2.29.1.3 IPathEditorPath.GetPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetPos(
    aIndex: Integer;
    var aPos: TVector
); overload;
```

Description

This is GetPos, a member of class IPathEditorPath.

1.2.29.1.4 IPathEditorPath.Init

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Init(
    aPathIndex: Integer;
    aLoopNum: Integer
);
```

Description

This is Init, a member of class IPathEditorPath.

1.2.29.1.5 IPathEditorPath.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class IPathEditorPath.

1.2.29.1.6 IPathEditorPath.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
function Update(
    aLookAhead: Integer;
    aSpeed: Single;
    var aX: Single;
    var aY: Single;
    var aAngle: Single
): Boolean;
```

Description

This is Update, a member of class IPathEditorPath.

1.2.30 IPhysics

Class Hierarchy

IBaseInterface → IPhysics

File: TopazGameLib.pas (see page 367)

Delphi

IPhysics = interface(IBaseInterface);

Description

This is class IPhysics.

1.2.30.1 IPhysics Methods

The methods of the IPhysics class are listed here.

Methods

| =♦ | AddForce (see page 178) | This is AddForce, a member of class IPhysics. |
|------------|-------------------------------------|--|
| =♦ | AddTorque (see page 179) | This is AddTorque, a member of class IPhysics. |
| = ♦ | Clear (see page 179) | This is Clear, a member of class IPhysics. |
| =♦ | Close (see page 179) | This is Close, a member of class IPhysics. |
| =♦ | CreateCircleBody (see page 179) | This is CreateCircleBody, a member of class IPhysics. |
| =♦ | CreateRectangleBody (see page 180) | This is CreateRectangleBody, a member of class IPhysics. |
| = ♦ | DestroyBody (see page 180) | This is DestroyBody, a member of class IPhysics. |
| =♦ | DrawBodyShapes (see page 180) | This is DrawBodyShapes, a member of class IPhysics. |
| =♦ | GetBodyCount (see page 180) | This is GetBodyCount, a member of class IPhysics. |
| =♦ | GetBodyData (see page 180) | This is GetBodyData, a member of class IPhysics. |
| =♦ | GetBodyPosition (see page 181) | This is GetBodyPosition, a member of class IPhysics. |
| = ♦ | GetBodyRotation (see page 181) | This is GetBodyRotation, a member of class IPhysics. |
| = ♦ | GetBodyType (see page 181) | This is GetBodyType, a member of class IPhysics. |
| = ♦ | GetEnabled (see page 181) | This is GetEnabled, a member of class IPhysics. |
| = ♦ | GetFirstBody (see page 181) | This is GetFirstBody, a member of class IPhysics. |
| =♦ | GetNextBody (see page 182) | This is GetNextBody, a member of class IPhysics. |
| =♦ | GetUserData (see page 182) | This is GetUserData, a member of class IPhysics. |
| ≡ | Open (see page 182) | This is Open, a member of class IPhysics. |
| ≡ | Reset (see page 182) | This is Reset, a member of class IPhysics. |
| =♦ | SetBodyRotation (see page 182) | This is SetBodyRotation, a member of class IPhysics. |
| = ♦ | SetGravity (see page 183) | This is SetGravity, a member of class IPhysics. |
| = ♦ | SetUserData (see page 183) | This is SetUserData, a member of class IPhysics. |
| = ♦ | Update (see page 183) | This is Update, a member of class IPhysics. |
| =♦ | UpdateBodies (see page 183) | This is UpdateBodies, a member of class IPhysics. |

1.2.30.1.1 IPhysics.AddForce

```
procedure AddForce(
    aBody: TPhysicsBody;
    aX: Double;
    aY: Double
);
```

Description

This is AddForce, a member of class IPhysics.

1.2.30.1.2 IPhysics.AddTorque

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AddTorque(
    aBody: TPhysicsBody;
    aAmount: Double
);
```

Description

This is AddTorque, a member of class IPhysics.

1.2.30.1.3 IPhysics.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class IPhysics.

1.2.30.1.4 IPhysics.Close

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class IPhysics.

1.2.30.1.5 IPhysics.CreateCircleBody

File: TopazGameLib.pas (see page 367)

Delphi

```
function CreateCircleBody(
   aType: TPhysicsBodyType;
   aX: Double;
   aY: Double;
   aRadius: Double;
   aDensity: Double = 1.0;
   aFriction: Double = 0.3
): TPhysicsBody;
```

Description

This is CreateCircleBody, a member of class IPhysics.

1.2.30.1.6 IPhysics.CreateRectangleBody

File: TopazGameLib.pas (see page 367)

Delphi

```
function CreateRectangleBody(
   aType: TPhysicsBodyType;
   aX: Double;
   aY: Double;
   aWidth: Double;
   aHeight: Double;
   aDensity: Double = 1.0;
   aFriction: Double = 0.3
): TPhysicsBody;
```

Description

This is CreateRectangleBody, a member of class IPhysics.

1.2.30.1.7 IPhysics.DestroyBody

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DestroyBody(
    aBody: TPhysicsBody
);
```

Description

This is DestroyBody, a member of class IPhysics.

1.2.30.1.8 IPhysics.DrawBodyShapes

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawBodyShapes(
    aDrawDebug: Boolean
);
```

Description

This is DrawBodyShapes, a member of class IPhysics.

1.2.30.1.9 IPhysics.GetBodyCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetBodyCount: Integer;
```

Description

This is GetBodyCount, a member of class IPhysics.

1.2.30.1.10 IPhysics.GetBodyData

File: TopazGameLib.pas (see page 367)

```
function GetBodyData(
```

```
aBody: TPhysicsBody
): TPhysicsBodyData;
```

This is GetBodyData, a member of class IPhysics.

1.2.30.1.11 IPhysics.GetBodyPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetBodyPosition(
    aBody: TPhysicsBody;
    var aX: Double;
    var aY: Double
);
```

Description

This is GetBodyPosition, a member of class IPhysics.

1.2.30.1.12 IPhysics.GetBodyRotation

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetBodyRotation(
    aBody: TPhysicsBody
): Double;
```

Description

This is GetBodyRotation, a member of class IPhysics.

1.2.30.1.13 IPhysics.GetBodyType

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetBodyType(
    aBody: TPhysicsBody
): TPhysicsBodyType;
```

Description

This is GetBodyType, a member of class IPhysics.

1.2.30.1.14 IPhysics.GetEnabled

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetEnabled: Boolean;
```

Description

This is GetEnabled, a member of class IPhysics.

1.2.30.1.15 IPhysics.GetFirstBody

```
function GetFirstBody: TPhysicsBody;
```

Description

This is GetFirstBody, a member of class IPhysics.

1.2.30.1.16 IPhysics.GetNextBody

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetNextBody(
    aBody: TPhysicsBody
): TPhysicsBody;
```

Description

This is GetNextBody, a member of class IPhysics.

1.2.30.1.17 IPhysics.GetUserData

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetUserData(
    aBody: TPhysicsBody
): Pointer;
```

Description

This is GetUserData, a member of class IPhysics.

1.2.30.1.18 IPhysics.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Open;
```

Description

This is Open, a member of class IPhysics.

1.2.30.1.19 IPhysics.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class IPhysics.

1.2.30.1.20 IPhysics.SetBodyRotation

File: TopazGameLib.pas (see page 367)

```
procedure SetBodyRotation(
```

```
aBody: TPhysicsBody;
aAngle: Double
);
```

This is SetBodyRotation, a member of class IPhysics.

1.2.30.1.21 IPhysics.SetGravity

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetGravity(
    aX: Double;
    aY: Double
);
```

Description

This is SetGravity, a member of class IPhysics.

1.2.30.1.22 IPhysics.SetUserData

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetUserData(
    aBody: TPhysicsBody;
    aData: Pointer
);
```

Description

This is SetUserData, a member of class IPhysics.

1.2.30.1.23 IPhysics.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Update;
```

Description

This is Update, a member of class IPhysics.

1.2.30.1.24 IPhysics.UpdateBodies

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure UpdateBodies;
```

Description

This is UpdateBodies, a member of class IPhysics.

1.2.31 IPolygon

Class Hierarchy

```
IBaseInterface → IPolygon
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IPolygon = interface(IBaseInterface);
```

Description

This is class IPolygon.

1.2.31.1 IPolygon Methods

The methods of the IPolygon class are listed here.

Methods

| ≡♦ | AddLocalPoint (see page 184) | This is AddLocalPoint, a member of class IPolygon. |
|-----------|-----------------------------------|--|
| =♦ | CopyFrom (see page 184) | This is CopyFrom, a member of class IPolygon. |
| =♦ | GetLocalPoint (see page 185) | This is GetLocalPoint, a member of class IPolygon. |
| =♦ | GetPointCount (see page 185) | This is GetPointCount, a member of class IPolygon. |
| =♦ | GetSegmentVisible (see page 185) | This is GetSegmentVisible, a member of class IPolygon. |
| =♦ | GetWorldPoint (see page 185) | This is GetWorldPoint, a member of class IPolygon. |
| =♦ | Load (see page 185) | This is Load, a member of class IPolygon. |
| =♦ | Render (see page 186) | This is Render, a member of class IPolygon. |
| ≡ | Save (see page 186) | This is Save, a member of class IPolygon. |
| =♦ | SetSegmentVisible (see page 186) | This is SetSegmentVisible, a member of class IPolygon. |
| =♦ | Transform (see page 186) | This is Transform, a member of class IPolygon. |
| | | |

1.2.31.1.1 IPolygon.AddLocalPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure AddLocalPoint(
    aX: Single;
    aY: Single;
    avisible: Boolean
);
```

Description

This is AddLocalPoint, a member of class IPolygon.

1.2.31.1.2 IPolygon.CopyFrom

File: TopazGameLib.pas (see page 367)

```
procedure CopyFrom(
    aPolygon: IPolygon
);
```

This is CopyFrom, a member of class IPolygon.

1.2.31.1.3 IPolygon.GetLocalPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetLocalPoint(
    aIndex: Integer
): PVector;
```

Description

This is GetLocalPoint, a member of class IPolygon.

1.2.31.1.4 IPolygon.GetPointCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPointCount: Integer;
```

Description

This is GetPointCount, a member of class IPolygon.

1.2.31.1.5 IPolygon.GetSegmentVisible

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSegmentVisible(
   aIndex: Integer
): Boolean;
```

Description

This is GetSegmentVisible, a member of class IPolygon.

1.2.31.1.6 IPolygon.GetWorldPoint

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetWorldPoint(
   aIndex: Integer
): PVector;
```

Description

This is GetWorldPoint, a member of class IPolygon.

1.2.31.1.7 IPolygon.Load

File: TopazGameLib.pas (see page 367)

```
function Load(
    aArchive: IArchive;
    const aFilename: WideString
```

```
): Boolean;
```

This is Load, a member of class IPolygon.

1.2.31.1.8 IPolygon.Render

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Render(
   aX: Single;
   aY: Single;
   aScale: Single;
   aAngle: Single;
   aThickness: Integer;
   aColor: TColor;
   aOrigin: PVector;
   aHFlip: Boolean;
   aVFlip: Boolean
);
```

Description

This is Render, a member of class IPolygon.

1.2.31.1.9 IPolygon.Save

File: TopazGameLib.pas (see page 367)

Delphi

```
function Save(
    const aFilename: WideString
): Boolean;
```

Description

This is Save, a member of class IPolygon.

1.2.31.1.10 IPolygon.SetSegmentVisible

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetSegmentVisible(
    aIndex: Integer;
    aVisible: Boolean
);
```

Description

This is SetSegmentVisible, a member of class IPolygon.

1.2.31.1.11 IPolygon.Transform

File: TopazGameLib.pas (see page 367)

```
function Transform(
    ax: Single;
    ay: Single;
    ascale: Single;
    aAngle: Single;
```

```
aOrigin: PVector;
aHFlip: Boolean;
aVFlip: Boolean
): Boolean;
```

This is Transform, a member of class IPolygon.

1.2.32 IRenderTarget

Class Hierarchy

```
IBaseInterface → IRenderTarget
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IRenderTarget = interface(IBaseInterface);
```

Description

This is class IRenderTarget.

1.2.32.1 IRenderTarget Methods

The methods of the IRenderTarget class are listed here.

Methods

| =♦ | GetActive (see page 187) | This is GetActive, a member of class IRenderTarget. |
|------------|-----------------------------|---|
| =♦ | GetAngle (see page 187) | This is GetAngle, a member of class IRenderTarget. |
| = ♦ | GetPosition (see page 188) | This is GetPosition, a member of class IRenderTarget. |
| =♦ | GetRegion (see page 188) | This is GetRegion, a member of class IRenderTarget. |
| =♦ | GetSize (see page 188) | This is GetSize, a member of class IRenderTarget. |
| =♦ | Init (see page 188) | This is Init, a member of class IRenderTarget. |
| =♦ | SetActive (see page 189) | This is SetActive, a member of class IRenderTarget. |
| =♦ | SetAngle (see page 189) | This is SetAngle, a member of class IRenderTarget. |
| = ♦ | SetPosition (see page 189) | This is SetPosition, a member of class IRenderTarget. |
| =♦ | SetRegion (see page 189) | This is SetRegion, a member of class IRenderTarget. |
| ≡ | Show (see page 189) | This is Show, a member of class IRenderTarget. |
| | | |

1.2.32.1.1 IRenderTarget.GetActive

File: TopazGameLib.pas (see page 367)

Delphi

function GetActive: Boolean;

Description

This is GetActive, a member of class IRenderTarget.

1.2.32.1.2 IRenderTarget.GetAngle

```
function GetAngle: Single;
```

Description

This is GetAngle, a member of class IRenderTarget.

1.2.32.1.3 IRenderTarget.GetPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetPosition(
     var aPosition: TVector
):
```

Description

This is GetPosition, a member of class IRenderTarget.

1.2.32.1.4 IRenderTarget.GetRegion

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetRegion(
    var aRegion: TRectangle
);
```

Description

This is GetRegion, a member of class IRenderTarget.

1.2.32.1.5 IRenderTarget.GetSize

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetSize(
    var aSize: TRectangle
);
```

Description

This is GetSize, a member of class IRenderTarget.

1.2.32.1.6 IRenderTarget.Init

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Init(
    aX: Integer;
    aY: Integer;
    aWidth: Integer;
    aHeight: Integer
);
```

Description

This is Init, a member of class IRenderTarget.

1.2.32.1.7 IRenderTarget.SetActive

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetActive(
     aActive: Boolean
);
```

Description

This is SetActive, a member of class IRenderTarget.

1.2.32.1.8 IRenderTarget.SetAngle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetAngle(
     aAngle: Single
);
```

Description

This is SetAngle, a member of class IRenderTarget.

1.2.32.1.9 IRenderTarget.SetPosition

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetPosition(
    aX: Single;
    aY: Single
);
```

Description

This is SetPosition, a member of class IRenderTarget.

1.2.32.1.10 IRenderTarget.SetRegion

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetRegion(
    aX: Single;
    aY: Single;
    aWidth: Single;
    aHeight: Single
);
```

Description

This is SetRegion, a member of class IRenderTarget.

1.2.32.1.11 IRenderTarget.Show

File: TopazGameLib.pas (see page 367)

```
procedure Show;
```

This is Show, a member of class IRenderTarget.

1.2.33 IScreenshake

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

IScreenshake = interface(IBaseInterface);

Description

This is class IScreenshake.

1.2.33.1 IScreenshake Methods

The methods of the IScreenshake class are listed here.

Methods

| ≡♦ | Active (see page 190) | This is Active, a member of class IScreenshake. |
|------------|-------------------------|--|
| = ♦ | Clear (see page 190) | This is Clear, a member of class IScreenshake. |
| = ♦ | Process (see page 190) | This is Process, a member of class IScreenshake. |
| ≡♦ | Start (see page 191) | This is Start, a member of class IScreenshake. |

1.2.33.1.1 IScreenshake.Active

File: TopazGameLib.pas (see page 367)

Delphi

function Active: Boolean;

Description

This is Active, a member of class IScreenshake.

1.2.33.1.2 IScreenshake.Clear

File: TopazGameLib.pas (see page 367)

Delphi

procedure Clear;

Description

This is Clear, a member of class IScreenshake.

1.2.33.1.3 IScreenshake.Process

```
procedure Process(
    aSpeed: Single;
    aDeltaTime: Double
);
```

Description

This is Process, a member of class IScreenshake.

1.2.33.1.4 IScreenshake.Start

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Start(
    aDuration: Single;
    aMagnitude: Single
);
```

Description

This is Start, a member of class IScreenshake.

1.2.34 IScreenshot

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IScreenshot = interface(IBaseInterface);
```

Description

This is class IScreenshot.

1.2.34.1 IScreenshot Methods

The methods of the IScreenshot class are listed here.

Methods

| = ♦ | Init (see page 191) | This is Init, a member of class IScreenshot. |
|------------|-------------------------|---|
| = ♦ | Process (see page 192) | This is Process, a member of class IScreenshot. |
| ≡♦ | Take (see page 192) | This is Take, a member of class IScreenshot. |

1.2.34.1.1 IScreenshot.Init

File: TopazGameLib.pas (see page 367)

```
procedure Init(
    const aDir: WideString = '';
    const aBaseFilename: WideString = ''
);
```

This is Init, a member of class IScreenshot.

1.2.34.1.2 IScreenshot.Process

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Process;
```

Description

This is Process, a member of class IScreenshot.

1.2.34.1.3 IScreenshot.Take

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Take;
```

Description

This is Take, a member of class IScreenshot.

1.2.35 **IShader**

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

IShader = interface(IBaseInterface);

Description

This is class IShader.

1.2.35.1 IShader Methods

The methods of the IShader class are listed here.

Methods

| ≡♦ | Build (see page 193) | This is Build, a member of class IShader. |
|------------|---------------------------------|---|
| ≡ | Enable (see page 193) | This is Enable, a member of class IShader. |
| ≡♦ | Load (see page 193) | This is Load, a member of class IShader. |
| ≡♦ | Load (see page 193) | This is Load, a member of class IShader. |
| ≡♦ | Log (see page 193) | This is Log, a member of class IShader. |
| = ♦ | SetBoolUniform (see page 194) | This is SetBoolUniform, a member of class IShader. |
| =♦ | SetFloatUniform (see page 194) | This is SetFloatUniform, a member of class IShader. |
| = ♦ | SetFloatUniform (see page 194) | This is SetFloatUniform, a member of class IShader. |
| ≡⋄ | SetIntUniform (see page 194) | This is SetIntUniform, a member of class IShader. |

| ≡♦ | SetIntUniform (see page 195) | This is SetIntUniform, a member of class IShader. |
|------------|-----------------------------------|---|
| ≟ ♦ | SetTextureUniform (see page 195) | This is SetTextureUniform, a member of class IShader. |
| ≡♦ | SetVec2Uniform (see page 195) | This is SetVec2Uniform, a member of class IShader. |
| = ♦ | SetVec2Uniform (see page 195) | This is SetVec2Uniform, a member of class IShader. |

1.2.35.1.1 IShader.Build

File: TopazGameLib.pas (see page 367)

Delphi

```
function Build: Boolean;
```

Description

This is Build, a member of class IShader.

1.2.35.1.2 IShader.Enable

File: TopazGameLib.pas (see page 367)

Delphi

```
function Enable(
    aEnable: Boolean
): Boolean;
```

Description

This is Enable, a member of class IShader.

1.2.35.1.3 IShader.Load

File: TopazGameLib.pas (see page 367)

Delphi

```
function Load(
    aArchive: IArchive;
    aType: TShaderType;
    const aFilename: WideString
): Boolean; overload;
```

Description

This is Load, a member of class IShader.

1.2.35.1.4 IShader.Load

File: TopazGameLib.pas (see page 367)

Delphi

```
function Load(
   aType: TShaderType;
   const aSource: WideString
): Boolean; overload;
```

Description

This is Load, a member of class IShader.

1.2.35.1.5 IShader.Log

```
function Log: WideString;
Description
```

This is Log, a member of class IShader.

1.2.35.1.6 IShader.SetBoolUniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetBoolUniform(
    const aName: WideString;
    aValue: Boolean
): Boolean;
```

Description

This is SetBoolUniform, a member of class IShader.

1.2.35.1.7 IShader.SetFloatUniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetFloatUniform(
    const aName: WideString;
    aNumComponents: Integer;
    aValue: System.PSingle;
    aNumElements: Integer
): Boolean; overload;
```

Description

This is SetFloatUniform, a member of class IShader.

1.2.35.1.8 IShader.SetFloatUniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetFloatUniform(
    const aName: WideString;
    aValue: Single
): Boolean; overload;
```

Description

This is SetFloatUniform, a member of class IShader.

1.2.35.1.9 IShader.SetIntUniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetIntUniform(
    const aName: WideString;
    aValue: Integer
): Boolean; overload;
```

Description

This is SetIntUniform, a member of class IShader.

1.2.35.1.10 IShader.SetIntUniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetIntUniform(
    const aName: WideString;
    aNumComponents: Integer;
    aValue: PInteger;
    aNumElements: Integer
): Boolean; overload;
```

Description

This is SetIntUniform, a member of class IShader.

1.2.35.1.11 IShader.SetTextureUniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetTextureUniform(
    const aName: WideString;
    aTexture: ITexture
): Boolean;
```

Description

This is SetTextureUniform, a member of class IShader.

1.2.35.1.12 IShader.SetVec2Uniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetVec2Uniform(
    const aName: WideString;
    aX: Single;
    aY: Single
): Boolean; overload;
```

Description

This is SetVec2Uniform, a member of class IShader.

1.2.35.1.13 IShader.SetVec2Uniform

File: TopazGameLib.pas (see page 367)

Delphi

```
function SetVec2Uniform(
    const aName: WideString;
    aValue: TVector
): Boolean; overload;
```

Description

This is SetVec2Uniform, a member of class IShader.

1.2.36 **ISocial**

Class Hierarchy

```
IBaseInterface → ISocial
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ISocial = interface(IBaseInterface);
```

Description

This is class ISocial.

1.2.36.1 ISocial Methods

The methods of the ISocial class are listed here.

Methods

| = ♦ | Busy (see page 196) | This is Busy, a member of class ISocial. |
|------------|------------------------------|--|
| ≟ ♦ | Post (see page 196) | This is Post, a member of class ISocial. |
| ≟ ♦ | SaveAccounts (see page 196) | This is SaveAccounts, a member of class ISocial. |
| ≟ ♦ | Setup (see page 197) | This is Setup, a member of class ISocial. |

1.2.36.1.1 ISocial.Busy

File: TopazGameLib.pas (see page 367)

Delphi

```
function Busy: Boolean;
```

Description

This is Busy, a member of class ISocial.

1.2.36.1.2 | Social.Post

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Post(
    const aAccountId: WideString;
    const aMsg: WideString;
    const aMediaFilename: WideString = ''
);
```

Description

This is Post, a member of class ISocial.

1.2.36.1.3 ISocial.SaveAccounts

```
procedure SaveAccounts(
    const aFilename: WideString
);
```

Description

This is SaveAccounts, a member of class ISocial.

1.2.36.1.4 ISocial.Setup

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Setup(
    const aApiKey: WideString
);
```

Description

This is Setup, a member of class ISocial.

1.2.37 ISpeech

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
ISpeech = interface(IBaseInterface);
```

Description

This is class ISpeech.

1.2.37.1 ISpeech Methods

The methods of the ISpeech class are listed here.

Methods

| ≡⋄ | Active (see page 198) | This is Active, a member of class ISpeech. |
|------------|-----------------------------------|---|
| ≡♦ | ChangeVoice (see page 198) | This is ChangeVoice, a member of class ISpeech. |
| ≡♦ | Clear (see page 198) | This is Clear, a member of class ISpeech. |
| ≡♦ | GetRate (see page 198) | This is GetRate, a member of class ISpeech. |
| ≡♦ | GetVoice (see page 198) | This is GetVoice, a member of class ISpeech. |
| ≡♦ | GetVoiceAttribute (see page 199) | This is GetVoiceAttribute, a member of class ISpeech. |
| ≡♦ | GetVoiceCount (see page 199) | This is GetVoiceCount, a member of class ISpeech. |
| = ♦ | GetVolume (see page 199) | This is GetVolume, a member of class ISpeech. |
| ≡⋄ | Pause (see page 199) | This is Pause, a member of class ISpeech. |
| ≡⋄ | Reset (see page 199) | This is Reset, a member of class ISpeech. |
| ≡♦ | Resume (see page 199) | This is Resume, a member of class ISpeech. |
| ≡♦ | Say (see page 200) | This is Say, a member of class ISpeech. |
| ≡♦ | SetRate (see page 200) | This is SetRate, a member of class ISpeech. |

| ≡♦ | SetVolume (see page 200) | This is SetVolume, a member of class ISpeech. |
|------------|--------------------------------|--|
| ≟ ∳ | SubstituteWord (see page 200) | This is SubstituteWord, a member of class ISpeech. |

1.2.37.1.1 ISpeech.Active

File: TopazGameLib.pas (see page 367)

Delphi

```
function Active: Boolean;
```

Description

This is Active, a member of class ISpeech.

1.2.37.1.2 ISpeech.ChangeVoice

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ChangeVoice(
    aIndex: Integer
);
```

Description

This is ChangeVoice, a member of class ISpeech.

1.2.37.1.3 ISpeech.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class ISpeech.

1.2.37.1.4 ISpeech.GetRate

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetRate: Single;
```

Description

This is GetRate, a member of class ISpeech.

1.2.37.1.5 ISpeech.GetVoice

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetVoice: Integer;
```

Description

This is GetVoice, a member of class ISpeech.

1.2.37.1.6 ISpeech.GetVoiceAttribute

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetVoiceAttribute(
   aIndex: Integer;
   aAttribute: TSpeechVoiceAttribute
): WideString;
```

Description

This is GetVoiceAttribute, a member of class ISpeech.

1.2.37.1.7 ISpeech.GetVoiceCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetVoiceCount: Integer;
```

Description

This is GetVoiceCount, a member of class ISpeech.

1.2.37.1.8 ISpeech.GetVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetVolume: Single;
```

Description

This is GetVolume, a member of class ISpeech.

1.2.37.1.9 ISpeech.Pause

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Pause;
```

Description

This is Pause, a member of class ISpeech.

1.2.37.1.10 ISpeech.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class ISpeech.

1.2.37.1.11 ISpeech.Resume

```
procedure Resume;
```

Description

This is Resume, a member of class ISpeech.

1.2.37.1.12 ISpeech.Say

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Say(
    const aText: WideString;
    aPurge: Boolean
);
```

Description

This is Say, a member of class ISpeech.

1.2.37.1.13 ISpeech.SetRate

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetRate(
     aRate: Single
);
```

Description

This is SetRate, a member of class ISpeech.

1.2.37.1.14 ISpeech.SetVolume

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetVolume(
    aVolume: Single
);
```

Description

This is SetVolume, a member of class ISpeech.

1.2.37.1.15 ISpeech.SubstituteWord

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SubstituteWord(
    const aWord: WideString;
    const aSubstituteWord: WideString);
```

Description

This is SubstituteWord, a member of class ISpeech.

1.2.38 ISplashscreen

Class Hierarchy

```
IBaseInterface → ISplashscreen
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ISplashscreen = interface(IBaseInterface);
```

Description

This is class ISplashscreen.

1.2.38.1 ISplashscreen Methods

The methods of the ISplashscreen class are listed here.

Methods

| ≡ • | Clear (see page 201) | This is Clear, a member of class ISplashscreen. |
|------------|-------------------------------|---|
| =♦ | DrawText (see page 201) | This is DrawText, a member of class ISplashscreen. |
| =♦ | DrawTexture (see page 202) | This is DrawTexture, a member of class ISplashscreen. |
| =♦ | GetClearColor (see page 202) | This is GetClearColor, a member of class ISplashscreen. |
| =♦ | GetOption (see page 202) | This is GetOption, a member of class ISplashscreen. |
| ≡ | LoadFont (see page 202) | This is LoadFont, a member of class ISplashscreen. |
| ≡ | LoadFont (see page 203) | This is LoadFont, a member of class ISplashscreen. |
| ≡∳ | LoadTexture (see page 203) | This is LoadTexture, a member of class ISplashscreen. |
| ≡∳ | SetClearColor (see page 203) | This is SetClearColor, a member of class ISplashscreen. |
| ≡ | SetDefaults (see page 203) | This is SetDefaults, a member of class ISplashscreen. |
| ≡ | SetOption (see page 203) | This is SetOption, a member of class ISplashscreen. |
| ≡ | Show (see page 204) | This is Show, a member of class ISplashscreen. |
| | | |

1.2.38.1.1 ISplashscreen.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class ISplashscreen.

1.2.38.1.2 ISplashscreen.DrawText

File: TopazGameLib.pas (see page 367)

```
procedure DrawText(
    aX: Single;
    aY: Single;
    aColor: TColor;
    aAlign: THAlign;
```

```
const aMsg: WideString;
const aArgs: array of const
);
```

This is DrawText, a member of class ISplashscreen.

1.2.38.1.3 ISplashscreen.DrawTexture

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawTexture(
    aX: Single;
    aY: Single;
    aScale: Single;
    aAngle: Single;
    aColor: TColor;
    aHAligh: THAlign;
    aVAligh: TVAlign
);
```

Description

This is DrawTexture, a member of class ISplashscreen.

1.2.38.1.4 ISplashscreen.GetClearColor

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetClearColor: TColor;
```

Description

This is GetClearColor, a member of class ISplashscreen.

1.2.38.1.5 ISplashscreen.GetOption

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetOption: TSplashscreenOption;
```

Description

This is GetOption, a member of class ISplashscreen.

1.2.38.1.6 ISplashscreen.LoadFont

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadFont(
    aSize: Cardinal
): Boolean; overload;
```

Description

This is LoadFont, a member of class ISplashscreen.

1.2.38.1.7 ISplashscreen.LoadFont

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadFont(
    aArchive: IArchive;
    aSize: Cardinal;
    const aFilename: WideString
): Boolean; overload;
```

Description

This is LoadFont, a member of class ISplashscreen.

1.2.38.1.8 ISplashscreen.LoadTexture

File: TopazGameLib.pas (see page 367)

Delphi

```
function LoadTexture(
    aArchive: IArchive;
    const aFilename: WideString;
    aColorKey: PColor
): Boolean;
```

Description

This is LoadTexture, a member of class ISplashscreen.

1.2.38.1.9 ISplashscreen.SetClearColor

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetClearColor(
    aColor: TColor
);
```

Description

This is SetClearColor, a member of class ISplashscreen.

1.2.38.1.10 ISplashscreen.SetDefaults

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetDefaults;
```

Description

This is SetDefaults, a member of class ISplashscreen.

1.2.38.1.11 ISplashscreen.SetOption

File: TopazGameLib.pas (see page 367)

```
procedure SetOption(
     aOptions: TSplashscreenOption
);
```

This is SetOption, a member of class ISplashscreen.

1.2.38.1.12 ISplashscreen.Show

File: TopazGameLib.pas (see page 367)

Delphi

procedure Show;

Description

This is Show, a member of class ISplashscreen.

1.2.39 **ISprite**

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

ISprite = interface(IBaseInterface);

Description

This is class ISprite.

1.2.39.1 ISprite Methods

The methods of the ISprite class are listed here.

Methods

| ≡♦ | AddGroup (see page 205) | This is AddGroup, a member of class ISprite. |
|------------|--|--|
| = ♦ | AddImageFromGrid (see page 205) | This is AddImageFromGrid, a member of class ISprite. |
| ≡♦ | AddImageFromRect (see page 205) | This is AddImageFromRect, a member of class ISprite. |
| ≡♦ | Clear (see page 205) | This is Clear, a member of class ISprite. |
| ≡♦ | Drawlmage (see page 205) | This is Drawlmage, a member of class ISprite. |
| ≡♦ | GetGroupCount (see page 206) | This is GetGroupCount, a member of class ISprite. |
| ≡♦ | GetImageCount (see page 206) | This is GetImageCount, a member of class ISprite. |
| ≡♦ | GetImageHeight (see page 206) | This is GetImageHeight, a member of class ISprite. |
| ≡♦ | GetImageRect (see page 206) | This is GetImageRect, a member of class ISprite. |
| ≡♦ | GetImageTexture (see page 207) | This is GetImageTexture, a member of class ISprite. |
| ≡ | GetImageWidth (see page 207) | This is GetImageWidth, a member of class ISprite. |
| ≡♦ | GroupPolyPointCollide (see page 207) | This is GroupPolyPointCollide, a member of class ISprite. |
| ≡♦ | GroupPolyPointCollidePoint (see page 208) | This is GroupPolyPointCollidePoint, a member of class ISprite. |
| ≡♦ | GroupPolyPointTrace (see page 208) | This is GroupPolyPointTrace, a member of class ISprite. |
| =♦ | LoadPage (see page 208) | This is LoadPage, a member of class ISprite. |

1.2.39.1.1 ISprite.AddGroup

File: TopazGameLib.pas (see page 367)

Delphi

```
function AddGroup: Integer;
```

Description

This is AddGroup, a member of class ISprite.

1.2.39.1.2 ISprite.AddImageFromGrid

File: TopazGameLib.pas (see page 367)

Delphi

```
function AddImageFromGrid(
    aPage: Integer;
    aGroup: Integer;
    aGridX: Integer;
    aGridY: Integer;
    aGridWidth: Integer;
    aGridHeight: Integer
): Integer;
```

Description

This is AddImageFromGrid, a member of class ISprite.

1.2.39.1.3 ISprite.AddImageFromRect

File: TopazGameLib.pas (see page 367)

Delphi

```
function AddImageFromRect(
    aPage: Integer;
    aGroup: Integer;
    aRect: TRectangle
): Integer;
```

Description

This is AddImageFromRect, a member of class ISprite.

1.2.39.1.4 ISprite.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class ISprite.

1.2.39.1.5 ISprite.DrawImage

File: TopazGameLib.pas (see page 367)

```
procedure DrawImage(
    aNum: Integer;
```

```
aGroup: Integer;
aX: Single;
aY: Single;
aOrigin: PVector;
aScale: PVector;
aAngle: Single;
aColor: TColor;
aHFlip: Boolean;
aVFlip: Boolean;
aDrawPolyPoint: Boolean);
```

This is Drawlmage, a member of class ISprite.

1.2.39.1.6 ISprite.GetGroupCount

```
File: TopazGameLib.pas ( see page 367)
```

Delphi

```
function GetGroupCount: Integer;
```

Description

This is GetGroupCount, a member of class ISprite.

1.2.39.1.7 ISprite.GetImageCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetImageCount(
    aGroup: Integer
): Integer;
```

Description

This is GetImageCount, a member of class ISprite.

1.2.39.1.8 ISprite.GetImageHeight

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetImageHeight(
    aNum: Integer;
    aGroup: Integer
): Single;
```

Description

This is GetImageHeight, a member of class ISprite.

1.2.39.1.9 ISprite.GetImageRect

File: TopazGameLib.pas (see page 367)

```
function GetImageRect(
    aNum: Integer;
    aGroup: Integer
): TRectangle;
```

This is GetImageRect, a member of class ISprite.

1.2.39.1.10 ISprite.GetImageTexture

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetImageTexture(
    aNum: Integer;
    aGroup: Integer
): ITexture;
```

Description

This is GetImageTexture, a member of class ISprite.

1.2.39.1.11 ISprite.GetImageWidth

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetImageWidth(
    aNum: Integer;
    aGroup: Integer
): Single;
```

Description

This is GetImageWidth, a member of class ISprite.

1.2.39.1.12 ISprite.GroupPolyPointCollide

File: TopazGameLib.pas (see page 367)

Delphi

```
function GroupPolyPointCollide(
    aNum1: Integer;
    aGroup1: Integer;
   ax1: Single;
    aY1: Single;
    aScale1: Single;
    aAngle1: Single;
    aOrigin1: PVector;
    aHFlip1: Boolean;
    aVFlip1: Boolean;
    aSprite2: ISprite;
    aNum2: Integer;
    aGroup2: Integer;
   ax2: Single;
    aY2: Single;
    aScale2: Single;
    aAngle2: Single;
    aOrigin2: PVector;
    aHFlip2: Boolean;
    aVFlip2: Boolean;
    aShrinkFactor: Single;
    var aHitPos: TVector
): Boolean;
```

Description

This is GroupPolyPointCollide, a member of class ISprite.

1.2.39.1.13 ISprite.GroupPolyPointCollidePoint

File: TopazGameLib.pas (see page 367)

Delphi

```
function GroupPolyPointCollidePoint(
   aNum: Integer;
   aGroup: Integer;
   aX: Single;
   aY: Single;
   aScale: Single;
   aAngle: Single;
   aOrigin: PVector;
   aHFlip: Boolean;
   aVFlip: Boolean;
   aShrinkFactor: Single;
   var aPoint: TVector
): Boolean;
```

Description

This is GroupPolyPointCollidePoint, a member of class ISprite.

1.2.39.1.14 ISprite.GroupPolyPointTrace

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GroupPolyPointTrace(
    aGroup: Integer;
    aMju: Single = 6;
    aMaxStepBack: Integer = 12;
    aAlphaThreshold: Integer = 70;
    aOrigin: PVector = nil
);
```

Description

This is GroupPolyPointTrace, a member of class ISprite.

1.2.39.1.15 ISprite.LoadPage

File: TopazGameLib.pas (see page 367)

Delphi


```
function LoadPage(
    aArchive: IArchive;
    const aFilename: WideString;
    aColorKey: PColor
): Integer;
```

Description

This is LoadPage, a member of class ISprite.

1.2.40 IStarfield

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IStarfield = interface(IBaseInterface);
```

Description

This is class IStarfield.

1.2.40.1 IStarfield Methods

The methods of the IStarfield class are listed here.

Methods

| ≡♦ | GetVirtualPos (see page 209) | This is GetVirtualPos, a member of class IStarfield. |
|------------|-------------------------------|--|
| =♦ | Init (see page 209) | This is Init, a member of class IStarfield. |
| ≡⋄ | Render (see page 209) | This is Render, a member of class IStarfield. |
| ≡⋄ | SetVirtualPos (see page 210) | This is SetVirtualPos, a member of class IStarfield. |
| ≡⋄ | SetXSpeed (see page 210) | This is SetXSpeed, a member of class IStarfield. |
| ≡⋄ | SetYSpeed (see page 210) | This is SetYSpeed, a member of class IStarfield. |
| = ♦ | SetZSpeed (see page 210) | This is SetZSpeed, a member of class IStarfield. |
| ≡⋄ | Update (see page 211) | This is Update, a member of class IStarfield. |

1.2.40.1.1 IStarfield.GetVirtualPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetVirtualPos(
    var aX: Single;
    var aY: Single
);
```

Description

This is GetVirtualPos, a member of class IStarfield.

1.2.40.1.2 IStarfield.Init

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Init(
    aStarCount: Cardinal;
    aMinX: Single;
    aMinY: Single;
    aMinZ: Single;
    aMaxX: Single;
    aMaxY: Single;
    aMaxZ: Single;
    aViewScale: Single
);
```

Description

This is Init, a member of class IStarfield.

1.2.40.1.3 IStarfield.Render

```
procedure Render;
```

Description

This is Render, a member of class IStarfield.

1.2.40.1.4 IStarfield.SetVirtualPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetVirtualPos(
    aX: Single;
    aY: Single
);
```

Description

This is SetVirtualPos, a member of class IStarfield.

1.2.40.1.5 IStarfield.SetXSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetXSpeed(
    aSpeed: Single
):
```

Description

This is SetXSpeed, a member of class IStarfield.

1.2.40.1.6 IStarfield.SetYSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetYSpeed(
    aSpeed: Single
);
```

Description

This is SetYSpeed, a member of class IStarfield.

1.2.40.1.7 IStarfield.SetZSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetZSpeed(
    aSpeed: Single
);
```

Description

This is SetZSpeed, a member of class IStarfield.

1.2.40.1.8 IStarfield.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Update(
     aDeltaTime: Single
);
```

Description

This is Update, a member of class IStarfield.

1.2.41 IStartupDialog

Class Hierarchy

```
IBaseInterface → IStartupDialog
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IStartupDialog = interface(IBaseInterface);
```

Description

This is class IStartupDialog.

1.2.41.1 IStartupDialog Methods

The methods of the IStartupDialog class are listed here.

Methods

| ≡∳ | Hide (see page 211) | This is Hide, a member of class IStartupDialog. |
|------------|---------------------------------|--|
| ≡∳ | SetCaption (see page 212) | This is SetCaption, a member of class IStartupDialog. |
| ≡ | SetIcon (see page 212) | This is SetIcon, a member of class IStartupDialog. |
| ≡∳ | SetLicense (see page 212) | This is SetLicense, a member of class IStartupDialog. |
| =♦ | SetLicenseText (see page 212) | This is SetLicenseText, a member of class IStartupDialog. |
| =♦ | SetLogo (see page 212) | This is SetLogo, a member of class IStartupDialog. |
| =♦ | SetLogoClickUrl (see page 213) | This is SetLogoClickUrl, a member of class IStartupDialog. |
| ≡∳ | SetReadme (see page 213) | This is SetReadme, a member of class IStartupDialog. |
| ∉ ∳ | SetReadmeText (see page 213) | This is SetReadmeText, a member of class IStartupDialog. |
| =♦ | SetReleaseInfo (see page 213) | This is SetReleaseInfo, a member of class IStartupDialog. |
| =♦ | SetWordWrap (see page 214) | This is SetWordWrap, a member of class IStartupDialog. |
| =♦ | Show (see page 214) | This is Show, a member of class IStartupDialog. |
| | | |

1.2.41.1.1 IStartupDialog.Hide

File: TopazGameLib.pas (see page 367)

```
procedure Hide;
```

This is Hide, a member of class IStartupDialog.

1.2.41.1.2 IStartupDialog.SetCaption

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetCaption(
    const aCaption: WideString
);
```

Description

This is SetCaption, a member of class IStartupDialog.

1.2.41.1.3 IStartupDialog.SetIcon

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetIcon(
    aArchive: IArchive;
    const aFilename: WideString
);
```

Description

This is SetIcon, a member of class IStartupDialog.

1.2.41.1.4 IStartupDialog.SetLicense

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetLicense(
    aArchive: IArchive;
    const aFilename: WideString
);
```

Description

This is SetLicense, a member of class IStartupDialog.

1.2.41.1.5 IStartupDialog.SetLicenseText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetLicenseText(
    const aText: WideString
);
```

Description

This is SetLicenseText, a member of class IStartupDialog.

1.2.41.1.6 IStartupDialog.SetLogo

```
procedure SetLogo(
    aArchive: IArchive;
    const aFilename: WideString
);
```

Description

This is SetLogo, a member of class IStartupDialog.

1.2.41.1.7 IStartupDialog.SetLogoClickUrl

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetLogoClickUrl(
    const aURL: WideString
);
```

Description

This is SetLogoClickUrl, a member of class IStartupDialog.

1.2.41.1.8 IStartupDialog.SetReadme

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetReadme(
    aArchive: IArchive;
    const aFilename: WideString
):
```

Description

This is SetReadme, a member of class IStartupDialog.

1.2.41.1.9 IStartupDialog.SetReadmeText

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetReadmeText(
    const aText: WideString
);
```

Description

This is SetReadmeText, a member of class IStartupDialog.

1.2.41.1.10 IStartupDialog.SetReleaseInfo

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetReleaseInfo(
     const aReleaseInfo: WideString
);
```

Description

This is SetReleaseInfo, a member of class IStartupDialog.

1.2.41.1.11 IStartupDialog.SetWordWrap

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetWordWrap(
    aWrap: Boolean
);
```

Description

This is SetWordWrap, a member of class IStartupDialog.

1.2.41.1.12 IStartupDialog.Show

File: TopazGameLib.pas (see page 367)

Delphi

```
function Show: TStartupDialogState;
```

Description

This is Show, a member of class IStartupDialog.

1.2.42 ITexture

Class Hierarchy

```
IBaseInterface → ITexture
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ITexture = interface(IBaseInterface);
```

Description

This is class ITexture.

1.2.42.1 ITexture Methods

The methods of the ITexture class are listed here.

Methods

| = ♦ | Allocate (see page 215) | This is Allocate, a member of class ITexture. |
|------------|---------------------------|--|
| =♦ | Draw (see page 215) | This is Draw, a member of class ITexture. |
| ≡ | Draw (see page 215) | This is Draw, a member of class ITexture. |
| =♦ | DrawTiled (see page 215) | This is DrawTiled, a member of class ITexture. |
| = ♦ | GetPixel (see page 216) | This is GetPixel, a member of class ITexture. |
| =♦ | Height (see page 216) | This is Height, a member of class ITexture. |
| = ♦ | Load (see page 216) | This is Load, a member of class ITexture. |
| ≡ | Lock (see page 216) | This is Lock, a member of class ITexture. |
| =♦ | Release (see page 217) | This is Release, a member of class ITexture. |
| ≡ | SetPixel (see page 217) | This is SetPixel, a member of class ITexture. |
| =♦ | Unlock (see page 217) | This is Unlock, a member of class ITexture. |

Width (see page 217)
This is Width, a member of class ITexture.

1.2.42.1.1 ITexture. Allocate

File: TopazGameLib.pas (see page 367)

Delphi

```
function Allocate(
    aWidth: Integer;
    aHeight: Integer
): Boolean;
```

Description

This is Allocate, a member of class ITexture.

1.2.42.1.2 ITexture.Draw

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Draw(
    aX: Single;
    aY: Single;
    aRegion: PRectangle;
    aCenter: PVector;
    aScale: PVector;
    aAngle: Single;
    aColor: TColor;
    aHFlip: Boolean = False;
    aVFlip: Boolean = False
); overload;
```

Description

This is Draw, a member of class ITexture.

1.2.42.1.3 ITexture.Draw

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Draw(
    aX: Single;
    aY: Single;
    aScale: Single;
    aAngle: Single;
    aColor: TColor;
    aHAlign: THAlign;
    aVAlign: TVAlign;
    aHFlip: Boolean = False;
    aVFlip: Boolean = False
```

Description

This is Draw, a member of class ITexture.

1.2.42.1.4 ITexture.DrawTiled

File: TopazGameLib.pas (see page 367)

```
procedure DrawTiled(
```

```
aDeltaX: Single;
aDeltaY: Single
);
```

This is DrawTiled, a member of class ITexture.

1.2.42.1.5 ITexture.GetPixel

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPixel(
    aX: Integer;
    aY: Integer
): TColor;
```

Description

This is GetPixel, a member of class ITexture.

1.2.42.1.6 ITexture.Height

File: TopazGameLib.pas (see page 367)

Delphi

```
function Height: Single;
```

Description

This is Height, a member of class ITexture.

1.2.42.1.7 ITexture.Load

File: TopazGameLib.pas (see page 367)

Delphi

```
function Load(
    aArchive: IArchive;
    const aFilename: WideString;
    aColorKey: PColor
): Boolean;
```

Description

This is Load, a member of class ITexture.

1.2.42.1.8 ITexture.Lock

File: TopazGameLib.pas (see page 367)

Delphi

```
function Lock(
    aRegion: PRectangle;
    aData: PTextureData = nil
): Boolean;
```

Description

This is Lock, a member of class ITexture.

1.2.42.1.9 ITexture.Release

File: TopazGameLib.pas (see page 367)

Delphi

```
function Release: Boolean;
```

Description

This is Release, a member of class ITexture.

1.2.42.1.10 ITexture.SetPixel

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetPixel(
    aX: Integer;
    aY: Integer;
    aColor: TColor
);
```

Description

This is SetPixel, a member of class ITexture.

1.2.42.1.11 ITexture.Unlock

File: TopazGameLib.pas (see page 367)

Delphi

```
function Unlock: Boolean;
```

Description

This is Unlock, a member of class IT exture.

1.2.42.1.12 ITexture.Width

File: TopazGameLib.pas (see page 367)

Delphi

```
function Width: Single;
```

Description

This is Width, a member of class ITexture.

1.2.43 ITimer

Class Hierarchy

```
IBaseInterface → ITimer
```

File: TopazGameLib.pas (see page 367)

```
ITimer = interface(IBaseInterface);
```

This is class ITimer.

1.2.43.1 ITimer Methods

The methods of the ITimer class are listed here.

Methods

| ≡ | FrameElapsed (see page 218) | This is FrameElapsed, a member of class ITimer. |
|------------|-------------------------------------|--|
| ≡♦ | FrameSpeed (see page 218) | This is FrameSpeed, a member of class ITimer. |
| ≡♦ | GetDeltaTime (see page 218) | This is GetDeltaTime, a member of class ITimer. |
| =♦ | GetFixedUpdateSpeed (see page 219) | This is GetFixedUpdateSpeed, a member of class ITimer. |
| =♦ | GetFrameRate (see page 219) | This is GetFrameRate, a member of class ITimer. |
| = ♦ | GetUpdateSpeed (see page 219) | This is GetUpdateSpeed, a member of class ITimer. |
| = ♦ | Reset (see page 219) | This is Reset, a member of class ITimer. |
| =♦ | SetFixedUpdateSpeed (see page 219) | This is SetFixedUpdateSpeed, a member of class ITimer. |
| = ♦ | SetUpdateSpeed (see page 220) | This is SetUpdateSpeed, a member of class ITimer. |
| ≡♦ | Update (see page 220) | This is Update, a member of class ITimer. |
| | | |

1.2.43.1.1 ITimer.FrameElapsed

File: TopazGameLib.pas (see page 367)

Delphi

```
function FrameElapsed(
    var aTimer: Single;
    aFrames: Single
): Boolean;
```

Description

This is FrameElapsed, a member of class ITimer.

1.2.43.1.2 ITimer.FrameSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
function FrameSpeed(
    var aTimer: Single;
    aSpeed: Single
): Boolean;
```

Description

This is FrameSpeed, a member of class ITimer.

1.2.43.1.3 ITimer.GetDeltaTime

File: TopazGameLib.pas (see page 367)

Delphi

function GetDeltaTime: Double;

This is GetDeltaTime, a member of class ITimer.

1.2.43.1.4 ITimer.GetFixedUpdateSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetFixedUpdateSpeed: Single;
```

Description

This is GetFixedUpdateSpeed, a member of class ITimer.

1.2.43.1.5 ITimer.GetFrameRate

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetFrameRate: Cardinal;
```

Description

This is GetFrameRate, a member of class ITimer.

1.2.43.1.6 ITimer.GetUpdateSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetUpdateSpeed: Single;
```

Description

This is GetUpdateSpeed, a member of class ITimer.

1.2.43.1.7 ITimer.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset(
    aSpeed: Single = 0;
    aFixedSpeed: Single = 0
);
```

Description

This is Reset, a member of class ITimer.

1.2.43.1.8 ITimer.SetFixedUpdateSpeed

File: TopazGameLib.pas (see page 367)

```
procedure SetFixedUpdateSpeed(
    aSpeed: Single
);
```

This is SetFixedUpdateSpeed, a member of class ITimer.

1.2.43.1.9 ITimer.SetUpdateSpeed

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetUpdateSpeed(
    aSpeed: Single
);
```

Description

This is SetUpdateSpeed, a member of class ITimer.

1.2.43.1.10 ITimer.Update

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Update;
```

Description

This is Update, a member of class ITimer.

1.2.44 ITopaz

Class Hierarchy

```
IBaseInterface → ITopaz
```

File: TopazGameLib.pas (see page 367)

Delphi

```
ITopaz = interface(IBaseInterface);
```

Description

This is class ITopaz.

1.2.44.1 ITopaz Methods

The methods of the ITopaz class are listed here.

Methods

| ≡ | Async (see page 221) | This is Async, a member of class ITopaz. |
|-----------|----------------------------|---|
| ≡ | Audio (see page 221) | This is Audio, a member of class ITopaz. |
| ≡⋄ | CmdConsole (see page 221) | This is CmdConsole, a member of class ITopaz. |
| ≡⋄ | CmdLine (see page 222) | This is CmdLine, a member of class ITopaz. |
| ≡⋄ | Color (see page 222) | This is Color, a member of class ITopaz. |
| ≡ | Console (see page 222) | This is Console, a member of class ITopaz. |
| ≡⋄ | Dialogs (see page 222) | This is Dialogs, a member of class ITopaz. |
| ≡ | Game (see page 222) | This is Game, a member of class ITopaz. |

| ≡∳ | GameLoop (see page 222) | This is GameLoop, a member of class ITopaz. |
|-----------|-------------------------------|--|
| =♦ | Get (see page 223) | This is Get, a member of class ITopaz. |
| ≡ | GetVersionStr (see page 223) | This is GetVersionStr, a member of class ITopaz. |
| ≡ | GUI (see page 223) | This is GUI, a member of class ITopaz. |
| ≡ | Input (see page 223) | This is Input, a member of class ITopaz. |
| = | Log (see page 223) | This is Log, a member of class ITopaz. |
| ≡ | Lua (see page 224) | This is Lua, a member of class ITopaz. |
| =♦ | Math (see page 224) | This is Math, a member of class ITopaz. |
| =♦ | PathEditor (see page 224) | This is PathEditor, a member of class ITopaz. |
| =♦ | Physics (see page 224) | This is Physics, a member of class ITopaz. |
| = | Release (see page 224) | This is Release, a member of class ITopaz. |
| = | RunGame (see page 225) | This is RunGame, a member of class ITopaz. |
| =♦ | Screenshake (see page 225) | This is Screenshake, a member of class ITopaz. |
| =♦ | Screenshot (see page 225) | This is Screenshot, a member of class ITopaz. |
| =♦ | Speech (see page 225) | This is Speech, a member of class ITopaz. |
| =♦ | Splashscreen (see page 225) | This is Splashscreen, a member of class ITopaz. |
| ≡ | Timer (see page 225) | This is Timer, a member of class ITopaz. |
| =♦ | UserPath (see page 226) | This is UserPath, a member of class ITopaz. |
| =♦ | Util (see page 226) | This is Util, a member of class ITopaz. |
| = | Video (see page 226) | This is Video, a member of class ITopaz. |
| = | Window (see page 226) | This is Window, a member of class ITopaz. |
| | | |

1.2.44.1.1 ITopaz.Async

File: TopazGameLib.pas (see page 367)

Delphi

function Async: IAsync;

Description

This is Async, a member of class ITopaz.

1.2.44.1.2 ITopaz.Audio

File: TopazGameLib.pas (see page 367)

Delphi

function Audio: IAudio;

Description

This is Audio, a member of class ITopaz.

1.2.44.1.3 ITopaz.CmdConsole

File: TopazGameLib.pas (see page 367)

Delphi

function CmdConsole: ICmdConsole;

Description

This is CmdConsole, a member of class ITopaz.

1.2.44.1.4 ITopaz.CmdLine

File: TopazGameLib.pas (see page 367)

Delphi

function CmdLine: ICmdLine;

Description

This is CmdLine, a member of class ITopaz.

1.2.44.1.5 ITopaz.Color

File: TopazGameLib.pas (see page 367)

Delphi

function Color: IColor;

Description

This is Color, a member of class ITopaz.

1.2.44.1.6 ITopaz.Console

File: TopazGameLib.pas (see page 367)

Delphi

function Console: IConsole;

Description

This is Console, a member of class ITopaz.

1.2.44.1.7 ITopaz.Dialogs

File: TopazGameLib.pas (see page 367)

Delphi

function Dialogs: IDialogs;

Description

This is Dialogs, a member of class ITopaz.

1.2.44.1.8 ITopaz.Game

File: TopazGameLib.pas (see page 367)

Delphi

function Game: TCustomGame;

Description

This is Game, a member of class ITopaz.

1.2.44.1.9 ITopaz.GameLoop

```
procedure GameLoop;
```

Description

This is GameLoop, a member of class ITopaz.

1.2.44.1.10 ITopaz.Get

File: TopazGameLib.pas (see page 367)

Delphi

```
function Get(
    const aGUID: TGUID;
    const [ ref ] aInterface: IBaseInterface
): Boolean;
```

Description

This is Get, a member of class ITopaz.

1.2.44.1.11 ITopaz.GetVersionStr

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetVersionStr: WideString;
```

Description

This is GetVersionStr, a member of class ITopaz.

1.2.44.1.12 ITopaz.GUI

File: TopazGameLib.pas (see page 367)

Delphi

```
function GUI: IGUI;
```

Description

This is GUI, a member of class ITopaz.

1.2.44.1.13 ITopaz.Input

File: TopazGameLib.pas (see page 367)

Delphi

```
function Input: IInput;
```

Description

This is Input, a member of class ITopaz.

1.2.44.1.14 ITopaz.Log

File: TopazGameLib.pas (see page 367)

```
function Log: ILog;
```

This is Log, a member of class ITopaz.

1.2.44.1.15 ITopaz.Lua

File: TopazGameLib.pas (see page 367)

Delphi

```
function Lua: ILua;
```

Description

This is Lua, a member of class ITopaz.

1.2.44.1.16 ITopaz.Math

File: TopazGameLib.pas (see page 367)

Delphi

```
function Math: IMath;
```

Description

This is Math, a member of class ITopaz.

1.2.44.1.17 ITopaz.PathEditor

File: TopazGameLib.pas (see page 367)

Delphi

```
function PathEditor: IPathEditor;
```

Description

This is PathEditor, a member of class ITopaz.

1.2.44.1.18 ITopaz.Physics

File: TopazGameLib.pas (see page 367)

Delphi

```
function Physics: IPhysics;
```

Description

This is Physics, a member of class ITopaz.

1.2.44.1.19 ITopaz.Release

File: TopazGameLib.pas (see page 367)

Delphi

```
function Release(
    const [ ref ] aInterface: IBaseInterface
): Boolean;
```

Description

This is Release, a member of class ITopaz.

1.2.44.1.20 ITopaz.RunGame

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure RunGame(
    aGame: TCustomGameClass
);
```

Description

This is RunGame, a member of class ITopaz.

1.2.44.1.21 ITopaz.Screenshake

File: TopazGameLib.pas (see page 367)

Delphi

```
function Screenshake: IScreenshake;
```

Description

This is Screenshake, a member of class ITopaz.

1.2.44.1.22 ITopaz.Screenshot

File: TopazGameLib.pas (see page 367)

Delphi

```
function Screenshot: IScreenshot;
```

Description

This is Screenshot, a member of class ITopaz.

1.2.44.1.23 ITopaz.Speech

File: TopazGameLib.pas (see page 367)

Delphi

```
function Speech: ISpeech;
```

Description

This is Speech, a member of class ITopaz.

1.2.44.1.24 ITopaz.Splashscreen

File: TopazGameLib.pas (see page 367)

Delphi

```
function Splashscreen: ISplashscreen;
```

Description

This is Splashscreen, a member of class ITopaz.

1.2.44.1.25 ITopaz.Timer

```
function Timer: ITimer;
```

Description

This is Timer, a member of class ITopaz.

1.2.44.1.26 ITopaz.UserPath

File: TopazGameLib.pas (see page 367)

Delphi

```
function UserPath: IUserPath;
```

Description

This is UserPath, a member of class ITopaz.

1.2.44.1.27 ITopaz.Util

File: TopazGameLib.pas (see page 367)

Delphi

```
function Util: IUtil;
```

Description

This is Util, a member of class ITopaz.

1.2.44.1.28 ITopaz.Video

File: TopazGameLib.pas (see page 367)

Delphi

```
function Video: IVideo;
```

Description

This is Video, a member of class ITopaz.

1.2.44.1.29 ITopaz.Window

File: TopazGameLib.pas (see page 367)

Delphi


```
function Window: IWindow;
```

Description

This is Window, a member of class ITopaz.

1.2.45 ITreeMenu

Class Hierarchy



```
ITreeMenu = interface(IBaseInterface);
```

Description

This is class ITreeMenu.

1.2.45.1 ITreeMenu Methods

The methods of the ITreeMenu class are listed here.

Methods

| ≡∳ | AddItem (see page 227) | This is AddItem, a member of class ITreeMenu. |
|------------|------------------------------------|--|
| ≡∳ | BoldItem (see page 227) | This is BoldItem, a member of class ITreeMenu. |
| ≡∳ | BoldItemId (see page 228) | This is BoldItemId, a member of class ITreeMenu. |
| ≡∳ | Clear (see page 228) | This is Clear, a member of class ITreeMenu. |
| ≡∳ | First (see page 228) | This is First, a member of class ITreeMenu. |
| ≡∳ | GetCount (see page 228) | This is GetCount, a member of class ITreeMenu. |
| ≡∳ | GetLastSelectedId (see page 228) | This is GetLastSelectedId, a member of class ITreeMenu. |
| ≡ | GetSelectableCount (see page 229) | This is GetSelectableCount, a member of class ITreeMenu. |
| ≡∳ | InsertItem (see page 229) | This is InsertItem, a member of class ITreeMenu. |
| • | Selltem (see page 229) | This is Selltem, a member of class ITreeMenu. |
| • | SetStatus (see page 229) | This is SetStatus, a member of class ITreeMenu. |
| ≡∳ | SetTitle (see page 229) | This is SetTitle, a member of class ITreeMenu. |
| : ∳ | Show (see page 230) | This is Show, a member of class ITreeMenu. |
| ≡∳ | Sort (see page 230) | This is Sort, a member of class ITreeMenu. |

1.2.45.1.1 ITreeMenu.AddItem

File: TopazGameLib.pas (see page 367)

Delphi

```
function AddItem(
    aParent: Pointer;
    const aName: WideString;
    aId: Integer;
    aEnabled: Boolean
): Pointer;
```

Description

This is AddItem, a member of class ITreeMenu.

1.2.45.1.2 ITreeMenu.BoldItem

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure BoldItem(
    const aItem: WideString;
    aValue: Boolean
);
```

Description

This is BoldItem, a member of class ITreeMenu.

1.2.45.1.3 ITreeMenu.BoldItemId

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure BoldItemId(
    aId: Integer;
    aValue: Boolean
);
```

Description

This is BoldItemId, a member of class ITreeMenu.

1.2.45.1.4 ITreeMenu.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear;
```

Description

This is Clear, a member of class ITreeMenu.

1.2.45.1.5 ITreeMenu.First

File: TopazGameLib.pas (see page 367)

Delphi

```
function First(
    aParent: Pointer
): Integer;
```

Description

This is First, a member of class ITreeMenu.

1.2.45.1.6 ITreeMenu.GetCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetCount: Integer;
```

Description

This is GetCount, a member of class ITreeMenu.

1.2.45.1.7 ITreeMenu.GetLastSelectedId

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetLastSelectedId: Integer;
```

Description

This is GetLastSelectedId, a member of class ITreeMenu.

1.2.45.1.8 ITreeMenu.GetSelectableCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetSelectableCount: Integer;
```

Description

This is GetSelectableCount, a member of class ITreeMenu.

1.2.45.1.9 ITreeMenu.InsertItem

File: TopazGameLib.pas (see page 367)

Delphi

```
function InsertItem(
    aSibling: Pointer;
    const aName: WideString;
    aId: Integer;
    aEnabled: Boolean
): Pointer;
```

Description

This is InsertItem, a member of class ITreeMenu.

1.2.45.1.10 ITreeMenu.Selltem

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SelItem(
    ald: Integer
);
```

Description

This is Selltem, a member of class ITreeMenu.

1.2.45.1.11 ITreeMenu.SetStatus

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetStatus(
    const aTitle: WideString
);
```

Description

This is SetStatus, a member of class ITreeMenu.

1.2.45.1.12 ITreeMenu.SetTitle

File: TopazGameLib.pas (see page 367)

```
procedure SetTitle(
    const aTitle: WideString
);
```

This is SetTitle, a member of class ITreeMenu.

1.2.45.1.13 ITreeMenu.Show

File: TopazGameLib.pas (see page 367)

Delphi

```
function Show(
    aId: Integer
): Integer;
```

Description

This is Show, a member of class ITreeMenu.

1.2.45.1.14 ITreeMenu.Sort

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Sort(
    aParent: Pointer
);
```

Description

This is Sort, a member of class ITreeMenu.

1.2.46 IUserPath

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IUserPath = interface(IBaseInterface);
```

Description

This is class IUserPath.

1.2.46.1 IUserPath Methods

The methods of the IUserPath class are listed here.

Methods

| ≡♦ | CreateDirs (see page 231) | This is CreateDirs, a member of class IUserPath. |
|-----------|-----------------------------------|---|
| ≡♦ | GetAppId (see page 231) | This is GetAppId, a member of class IUserPath. |
| ≡♦ | GetAppIdPath (see page 231) | This is GetAppIdPath, a member of class IUserPath. |
| ≡♦ | GetConfigFilename (see page 231) | This is GetConfigFilename, a member of class IUserPath. |
| ≡♦ | GetLogFilename (see page 231) | This is GetLogFilename, a member of class IUserPath. |
| ≡♦ | GetOrgName (see page 232) | This is GetOrgName, a member of class IUserPath. |

| =♦ | GetPath (see page 232) | This is GetPath, a member of class IUserPath. |
|------------|----------------------------|--|
| =♦ | GetPath (see page 232) | This is GetPath, a member of class IUserPath. |
| = ♦ | GotoPath (see page 232) | This is GotoPath, a member of class IUserPath. |
| =♦ | Reset (see page 232) | This is Reset, a member of class IUserPath. |
| = ♦ | SetAppld (see page 233) | This is SetAppId, a member of class IUserPath. |
| =♦ | SetOrgName (see page 233) | This is SetOrgName, a member of class IUserPath. |

1.2.46.1.1 IUserPath.CreateDirs

File: TopazGameLib.pas (see page 367)

Delphi

function CreateDirs: Boolean;

Description

This is CreateDirs, a member of class IUserPath.

1.2.46.1.2 IUserPath.GetAppld

File: TopazGameLib.pas (see page 367)

Delphi

function GetAppId: WideString;

Description

This is GetAppId, a member of class IUserPath.

1.2.46.1.3 IUserPath.GetAppIdPath

File: TopazGameLib.pas (see page 367)

Delphi

function GetAppIdPath: WideString;

Description

This is GetAppIdPath, a member of class IUserPath.

1.2.46.1.4 IUserPath.GetConfigFilename

File: TopazGameLib.pas (see page 367)

Delphi

function GetConfigFilename: WideString;

Description

This is GetConfigFilename, a member of class IUserPath.

1.2.46.1.5 IUserPath.GetLogFilename

File: TopazGameLib.pas (see page 367)

Delphi

function GetLogFilename: WideString;

This is GetLogFilename, a member of class IUserPath.

1.2.46.1.6 IUserPath.GetOrgName

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetOrgName: WideString;
```

Description

This is GetOrgName, a member of class IUserPath.

1.2.46.1.7 IUserPath.GetPath

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPath: WideString; overload;
```

Description

This is GetPath, a member of class IUserPath.

1.2.46.1.8 IUserPath.GetPath

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPath(
    const aPath: WideString
): WideString; overload;
```

Description

This is GetPath, a member of class IUserPath.

1.2.46.1.9 IUserPath.GotoPath

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GotoPath;
```

Description

This is GotoPath, a member of class IUserPath.

1.2.46.1.10 IUserPath.Reset

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Reset;
```

Description

This is Reset, a member of class IUserPath.

1.2.46.1.11 IUserPath.SetAppId

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetAppId(
     const aId: WideString
);
```

Description

This is SetAppId, a member of class IUserPath.

1.2.46.1.12 IUserPath.SetOrgName

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetOrgName(
    const aName: WideString
);
```

Description

This is SetOrgName, a member of class IUserPath.

1.2.47 IUtil

Class Hierarchy

```
IBaseInterface → IUtil
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IUtil = interface(IBaseInterface);
```

Description

This is class IUtil.

1.2.47.1 IUtil Methods

The methods of the IUtil class are listed here.

Methods

| ≟ | DirExist (see page 234) | This is DirExist, a member of class IUtil. |
|-----------|----------------------------------|--|
| =♦ | FileCount (see page 234) | This is FileCount, a member of class IUtil. |
| =♦ | FileExist (see page 234) | This is FileExist, a member of class IUtil. |
| =♦ | Format (see page 234) | This is Format, a member of class IUtil. |
| ≡ | GetAppBasedPath (see page 235) | This is GetAppBasedPath, a member of class IUtil. |
| = | GetAppName (see page 235) | This is GetAppName, a member of class IUtil. |
| ≡ | GetAppPath (see page 235) | This is GetAppPath, a member of class IUtil. |
| = | GetCPUCount (see page 235) | This is GetCPUCount, a member of class IUtil. |
| = | GetDiskFreeSpace (see page 235) | This is GetDiskFreeSpace, a member of class IUtil. |

| = ♦ | GetFilename (see page 236) | This is GetFilename, a member of class IUtil. |
|------------|----------------------------------|--|
| ≡♦ | GetMemoryFree (see page 236) | This is GetMemoryFree, a member of class IUtil. |
| = ♦ | GetOSVersion (see page 236) | This is GetOSVersion, a member of class IUtil. |
| = ♦ | GetTime (see page 236) | This is GetTime, a member of class IUtil. |
| ≡♦ | GetVideoCardName (see page 236) | This is GetVideoCardName, a member of class IUtil. |
| ≡♦ | GotoURL (see page 237) | This is GotoURL, a member of class IUtil. |
| = ♦ | PadRight (see page 237) | This is PadRight, a member of class IUtil. |
| = ♦ | ReadAllText (see page 237) | This is ReadAllText, a member of class IUtil. |
| ≡♦ | RemoveQuotes (see page 237) | This is RemoveQuotes, a member of class IUtil. |

1.2.47.1.1 IUtil.DirExist

File: TopazGameLib.pas (see page 367)

Delphi

```
function DirExist(
    const aPath: WideString
): Boolean;
```

Description

This is DirExist, a member of class IUtil.

1.2.47.1.2 IUtil.FileCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function FileCount(
    const aPath: WideString;
    const aSearchMask: WideString
): Int64;
```

Description

This is FileCount, a member of class IUtil.

1.2.47.1.3 IUtil.FileExist

File: TopazGameLib.pas (see page 367)

Delphi

```
function FileExist(
    const aFilename: WideString
): Boolean;
```

Description

This is FileExist, a member of class IUtil.

1.2.47.1.4 IUtil.Format

File: TopazGameLib.pas (see page 367)

```
function Format(
    const aMsg: WideString;
    const aArgs: array of const
): WideString;
```

This is Format, a member of class IUtil.

1.2.47.1.5 IUtil.GetAppBasedPath

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAppBasedPath(
    const aFilename: WideString
): WideString;
```

Description

This is GetAppBasedPath, a member of class IUtil.

1.2.47.1.6 IUtil.GetAppName

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAppName: WideString;
```

Description

This is GetAppName, a member of class IUtil.

1.2.47.1.7 IUtil.GetAppPath

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetAppPath: WideString;
```

Description

This is GetAppPath, a member of class IUtil.

1.2.47.1.8 IUtil.GetCPUCount

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetCPUCount: Integer;
```

Description

This is GetCPUCount, a member of class IUtil.

1.2.47.1.9 IUtil.GetDiskFreeSpace

File: TopazGameLib.pas (see page 367)

```
procedure GetDiskFreeSpace(
    const aPath: WideString;
    var aFreeSpace: Int64;
    var aTotalSpace: Int64
);
```

This is GetDiskFreeSpace, a member of class IUtil.

1.2.47.1.10 IUtil.GetFilename

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetFilename(
    const aPath: WideString
): WideString;
```

Description

This is GetFilename, a member of class IUtil.

1.2.47.1.11 IUtil.GetMemoryFree

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetMemoryFree(
    var aAvailMem: UInt64;
    var aTotalMem: UInt64
);
```

Description

This is GetMemoryFree, a member of class IUtil.

1.2.47.1.12 IUtil.GetOSVersion

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetOSVersion: WideString;
```

Description

This is GetOSVersion, a member of class IUtil.

1.2.47.1.13 IUtil.GetTime

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetTime: Double;
```

Description

This is GetTime, a member of class IUtil.

1.2.47.1.14 IUtil.GetVideoCardName

File: TopazGameLib.pas (see page 367)

```
function GetVideoCardName: WideString;
```

This is GetVideoCardName, a member of class IUtil.

1.2.47.1.15 IUtil.GotoURL

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GotoURL(
     const aURL: WideString
):
```

Description

This is GotoURL, a member of class IUtil.

1.2.47.1.16 IUtil.PadRight

File: TopazGameLib.pas (see page 367)

Delphi

```
function PadRight(
    const aText: WideString;
    aTotalWidth: Integer;
    aPaddingChar: Char
): WideString;
```

Description

This is PadRight, a member of class IUtil.

1.2.47.1.17 IUtil.ReadAllText

File: TopazGameLib.pas (see page 367)

Delphi

```
function ReadAllText(
    const aFilename: WideString): WideString;
```

Description

This is ReadAllText, a member of class IUtil.

1.2.47.1.18 IUtil.RemoveQuotes

File: TopazGameLib.pas (see page 367)

Delphi

```
function RemoveQuotes(
    const aText: WideString
): WideString;
```

Description

This is RemoveQuotes, a member of class IUtil.

1.2.48 IVideo

Class Hierarchy

```
IBaseInterface → IVideo
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IVideo = interface(IBaseInterface);
```

Description

This is class IVideo.

1.2.48.1 IVideo Methods

The methods of the IVideo class are listed here.

Methods

| ≡∳ | Draw (see page 238) | This is Draw, a member of class IVideo. |
|-----------|-----------------------------|--|
| ≡ | GetFilename (see page 238) | This is GetFilename, a member of class IVideo. |
| ≡ | GetLooping (see page 239) | This is GetLooping, a member of class IVideo. |
| ≡ | GetPause (see page 239) | This is GetPause, a member of class IVideo. |
| ≡ | GetPlaying (see page 239) | This is GetPlaying, a member of class IVideo. |
| ≡ | GetSize (see page 239) | This is GetSize, a member of class IVideo. |
| ≡ | Load (see page 239) | This is Load, a member of class IVideo. |
| ≡ | Play (see page 240) | This is Play, a member of class IVideo. |
| ≡ | Rewind (see page 240) | This is Rewind, a member of class IVideo. |
| ≡ | Seek (see page 240) | This is Seek, a member of class IVideo. |
| ≡ | SetLoping (see page 240) | This is SetLoping, a member of class IVideo. |
| ≡ | SetPause (see page 240) | This is SetPause, a member of class IVideo. |
| ≡ | SetPlaying (see page 241) | This is SetPlaying, a member of class IVideo. |
| ≡ | Unload (see page 241) | This is Unload, a member of class IVideo. |

1.2.48.1.1 IVideo.Draw

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Draw(
    aX: Single;
    aY: Single;
    aScale: Single
);
```

Description

This is Draw, a member of class IVideo.

1.2.48.1.2 IVideo.GetFilename

```
function GetFilename: WideString;
```

Description

This is GetFilename, a member of class IVideo.

1.2.48.1.3 IVideo.GetLooping

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetLooping: Boolean;
```

Description

This is GetLooping, a member of class IVideo.

1.2.48.1.4 IVideo.GetPause

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPause: Boolean;
```

Description

This is GetPause, a member of class IVideo.

1.2.48.1.5 IVideo.GetPlaying

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetPlaying: Boolean;
```

Description

This is GetPlaying, a member of class IVideo.

1.2.48.1.6 IVideo.GetSize

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetSize(
    aWidth: System.PSingle;
    aHeight: System.PSingle
);
```

Description

This is GetSize, a member of class IVideo.

1.2.48.1.7 IVideo.Load

File: TopazGameLib.pas (see page 367)

```
function Load(
    aArchive: IArchive;
```

```
const aFilename: WideString
): Boolean;
```

This is Load, a member of class IVideo.

1.2.48.1.8 IVideo.Play

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Play(
    aArchive: IArchive;
    const aFilename: WideString;
    aLoop: Boolean;
    aVolume: Single
);
```

Description

This is Play, a member of class IVideo.

1.2.48.1.9 IVideo.Rewind

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Rewind;
```

Description

This is Rewind, a member of class IVideo.

1.2.48.1.10 IVideo.Seek

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Seek(
    aSeconds: Single
);
```

Description

This is Seek, a member of class IVideo.

1.2.48.1.11 IVideo.SetLoping

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetLoping(
    aLoop: Boolean
):
```

Description

This is SetLoping, a member of class IVideo.

1.2.48.1.12 IVideo.SetPause

```
procedure SetPause(
     aPause: Boolean
);
```

Description

This is SetPause, a member of class IVideo.

1.2.48.1.13 IVideo.SetPlaying

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetPlaying(
    aPlay: Boolean
);
```

Description

This is SetPlaying, a member of class IVideo.

1.2.48.1.14 IVideo.Unload

File: TopazGameLib.pas (see page 367)

Delphi


```
function Unload: Boolean;
```

Description

This is Unload, a member of class IVideo.

1.2.49 IVirtualFile

Class Hierarchy



File: TopazGameLib.pas (see page 367)

Delphi

```
IVirtualFile = interface(IBaseInterface);
```

Description

This is class IVirtualFile.

1.2.49.1 IVirtualFile Methods

The methods of the IVirtualFile class are listed here.

Methods

| =♦ | Delete (see page 242) | This is Delete, a member of class IVirtualFile. |
|-----------|------------------------------------|---|
| ≡⋄ | GetFilename (see page 242) | This is GetFilename, a member of class IVirtualFile. |
| ≡⋄ | GetSize (see page 242) | This is GetSize, a member of class IVirtualFile. |
| ≡♦ | GetVirtualFilename (see page 242) | This is GetVirtualFilename, a member of class IVirtualFile. |

| ≡♦ | Make (see page 242) | This is Make, a member of class IVirtualFile. |
|-----------|----------------------|---|
| =♦ | Save (see page 243) | This is Save, a member of class IVirtualFile. |

1.2.49.1.1 IVirtualFile.Delete

File: TopazGameLib.pas (see page 367)

Delphi

function Delete: Boolean;

Description

This is Delete, a member of class IVirtualFile.

1.2.49.1.2 IVirtualFile.GetFilename

File: TopazGameLib.pas (see page 367)

Delphi

function GetFilename: WideString;

Description

This is GetFilename, a member of class IVirtualFile.

1.2.49.1.3 IVirtualFile.GetSize

File: TopazGameLib.pas (see page 367)

Delphi

function GetSize: Int64;

Description

This is GetSize, a member of class IVirtualFile.

1.2.49.1.4 IVirtualFile.GetVirtualFilename

File: TopazGameLib.pas (see page 367)

Delphi

function GetVirtualFilename: WideString;

Description

This is GetVirtualFilename, a member of class IVirtualFile.

1.2.49.1.5 IVirtualFile.Make

File: TopazGameLib.pas (see page 367)

Delphi

```
function Make(
    const aFilename: WideString
): Boolean;
```

Description

This is Make, a member of class IVirtualFile.

1.2.49.1.6 IVirtualFile.Save

File: TopazGameLib.pas (see page 367)

Delphi

```
function Save(
    const aFilename: Widestring
): Boolean;
```

Description

This is Save, a member of class IVirtualFile.

1.2.50 IWindow

Class Hierarchy

```
IBaseInterface → IWindow
```

File: TopazGameLib.pas (see page 367)

Delphi

```
IWindow = interface(IBaseInterface);
```

Description

This is class IWindow.

1.2.50.1 IWindow Methods

The methods of the IWindow class are listed here.

Methods

| ≡♦ | Clear (see page 244) | This is Clear, a member of class IWindow. |
|------------|-------------------------------------|---|
| ≡ | Close (see page 244) | This is Close, a member of class IWindow. |
| ≡ | Dpi (see page 244) | This is Dpi, a member of class IWindow. |
| ≡♦ | DrawCircle (see page 244) | This is DrawCircle, a member of class IWindow. |
| ≡ | DrawFilledCircle (see page 245) | This is DrawFilledCircle, a member of class IWindow. |
| ≡ | DrawFilledPolygon (see page 245) | This is DrawFilledPolygon, a member of class IWindow. |
| ≡∳ | DrawFilledRectangle (see page 245) | This is DrawFilledRectangle, a member of class IWindow. |
| ≡♦ | DrawFilledTriangle (see page 245) | This is DrawFilledTriangle, a member of class IWindow. |
| = ♦ | DrawLine (see page 246) | This is DrawLine, a member of class IWindow. |
| ≡ | DrawPolygon (see page 246) | This is DrawPolygon, a member of class IWindow. |
| =♦ | DrawRectangle (see page 246) | This is DrawRectangle, a member of class IWindow. |
| ≡ | DrawTriangle (see page 247) | This is DrawTriangle, a member of class IWindow. |
| ≡♦ | GetBlendColor (see page 247) | This is GetBlendColor, a member of class IWindow. |
| ≡♦ | GetBlender (see page 247) | This is GetBlender, a member of class IWindow. |
| ≡ | GetTitle (see page 247) | This is GetTitle, a member of class IWindow. |
| =♦ | GetViewportSize (see page 247) | This is GetViewportSize, a member of class IWindow. |
| =♦ | Height (see page 248) | This is Height, a member of class IWindow. |
| = | Open (see page 248) | This is Open, a member of class IWindow. |
| ≡∳ | Opened (see page 248) | This is Opened, a member of class IWindow. |

| ≡∳ | ResetTransform (see page 248) | This is ResetTransform, a member of class IWindow. |
|-----------|---|---|
| =♦ | RestoreDefaultBlendMode (see page 248) | This is RestoreDefaultBlendMode, a member of class IWindow. |
| =♦ | Save (see page 249) | This is Save, a member of class IWindow. |
| ≡ | Scale (see page 249) | This is Scale, a member of class IWindow. |
| ≡ | SetBlendColor (see page 249) | This is SetBlendColor, a member of class IWindow. |
| ≡ | SetBlender (see page 249) | This is SetBlender, a member of class IWindow. |
| ≡ | SetBlendMode (see page 249) | This is SetBlendMode, a member of class IWindow. |
| ≡ | SetBlendModeColor (see page 250) | This is SetBlendModeColor, a member of class IWindow. |
| ≡ | SetPos (see page 250) | This is SetPos, a member of class IWindow. |
| ≡ | SetRenderTarget (see page 250) | This is SetRenderTarget, a member of class IWindow. |
| =∳ | SetTitle (see page 250) | This is SetTitle, a member of class IWindow. |
| ≡ | SetTransformPos (see page 251) | This is SetTransformPos, a member of class IWindow. |
| ≡∳ | Show (see page 251) | This is Show, a member of class IWindow. |
| ≡ | Width (see page 251) | This is Width, a member of class IWindow. |
| | | |

1.2.50.1.1 IWindow.Clear

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Clear(
    aColor: TColor
):
```

Description

This is Clear, a member of class IWindow.

1.2.50.1.2 IWindow.Close

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Close;
```

Description

This is Close, a member of class IWindow.

1.2.50.1.3 IWindow.Dpi

File: TopazGameLib.pas (see page 367)

Delphi

```
function Dpi: Integer;
```

Description

This is Dpi, a member of class IWindow.

1.2.50.1.4 IWindow.DrawCircle

File: TopazGameLib.pas (see page 367)

```
procedure DrawCircle(
```

```
aX: Single;
aY: Single;
aRadius: Single;
aThickness: Single;
aColor: TColor
);
```

This is DrawCircle, a member of class IWindow.

1.2.50.1.5 IWindow.DrawFilledCircle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawFilledCircle(
    aX: Single;
    aY: Single;
    aRadius: Single;
    aColor: TColor
);
```

Description

This is DrawFilledCircle, a member of class IWindow.

1.2.50.1.6 IWindow.DrawFilledPolygon

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawFilledPolygon(
    aVertices: System.PSingle;
    aVertexCount: Integer;
    aColor: TColor
);
```

Description

This is DrawFilledPolygon, a member of class IWindow.

1.2.50.1.7 IWindow.DrawFilledRectangle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawFilledRectangle(
    aX: Single;
    aY: Single;
    aWidth: Single;
    aHeight: Single;
    aColor: TColor
);
```

Description

This is DrawFilledRectangle, a member of class IWindow.

1.2.50.1.8 IWindow.DrawFilledTriangle

```
procedure DrawFilledTriangle(
    ax1: Single;
    ay1: Single;
    ax2: Single;
    ax2: Single;
    ax3: Single;
    ax3: Single;
    ax3: TColor
);
```

Description

This is DrawFilledTriangle, a member of class IWindow.

1.2.50.1.9 IWindow.DrawLine

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawLine(
   aX1: Single;
   aY1: Single;
   aX2: Single;
   aY2: Single;
   aY2: Single;
   aThickness: Single;
   aColor: TColor
);
```

Description

This is DrawLine, a member of class IWindow.

1.2.50.1.10 IWindow.DrawPolygon

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawPolygon(
    aVertices: System.PSingle;
    aVertexCount: Integer;
    aThickness: Single;
    aColor: TColor
);
```

Description

This is DrawPolygon, a member of class IWindow.

1.2.50.1.11 IWindow.DrawRectangle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawRectangle(
    aX: Single;
    aY: Single;
    aWidth: Single;
    aHeight: Single;
    aThickness: Single;
    aColor: TColor
);
```

Description

This is DrawRectangle, a member of class IWindow.

1.2.50.1.12 IWindow.DrawTriangle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure DrawTriangle(
   ax1: Single;
   ay1: Single;
   ax2: Single;
   ax2: Single;
   ax3: Single;
   ax3: Single;
   ax3: Single;
   aThickness: Single;
   aColor: TColor
);
```

Description

This is DrawTriangle, a member of class IWindow.

1.2.50.1.13 IWindow.GetBlendColor

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetBlendColor: TColor;
```

Description

This is GetBlendColor, a member of class IWindow.

1.2.50.1.14 IWindow.GetBlender

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure GetBlender(
    aOperation: PInteger;
    aSource: PInteger;
    aDestination: PInteger
);
```

Description

This is GetBlender, a member of class IWindow.

1.2.50.1.15 IWindow.GetTitle

File: TopazGameLib.pas (see page 367)

Delphi

```
function GetTitle: WideString;
```

Description

This is GetTitle, a member of class IWindow.

1.2.50.1.16 IWindow.GetViewportSize

```
procedure GetViewportSize(
    var aSize: TRectangle
);
```

Description

This is GetViewportSize, a member of class IWindow.

1.2.50.1.17 IWindow.Height

File: TopazGameLib.pas (see page 367)

Delphi

```
function Height: Integer;
```

Description

This is Height, a member of class IWindow.

1.2.50.1.18 IWindow.Open

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Open(
    aWidth: Integer;
    aHeight: Integer;
    const aTitle: WideString
);
```

Description

This is Open, a member of class IWindow.

1.2.50.1.19 IWindow.Opened

File: TopazGameLib.pas (see page 367)

Delphi

```
function Opened: Boolean;
```

Description

This is Opened, a member of class IWindow.

1.2.50.1.20 IWindow.ResetTransform

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure ResetTransform;
```

Description

This is ResetTransform, a member of class IWindow.

1.2.50.1.21 IWindow.RestoreDefaultBlendMode

```
procedure RestoreDefaultBlendMode;
```

Description

This is RestoreDefaultBlendMode, a member of class IWindow.

1.2.50.1.22 IWindow.Save

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Save(
     const aFilename: WideString
);
```

Description

This is Save, a member of class IWindow.

1.2.50.1.23 IWindow.Scale

File: TopazGameLib.pas (see page 367)

Delphi

```
function Scale: Single;
```

Description

This is Scale, a member of class IWindow.

1.2.50.1.24 IWindow.SetBlendColor

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetBlendColor(
    aColor: TColor
);
```

Description

This is SetBlendColor, a member of class IWindow.

1.2.50.1.25 IWindow.SetBlender

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetBlender(
    aOperation: Integer;
    aSource: Integer;
    aDestination: Integer
);
```

Description

This is SetBlender, a member of class IWindow.

1.2.50.1.26 IWindow.SetBlendMode

```
procedure SetBlendMode(
    aMode: TBlendMode);
```

Description

This is SetBlendMode, a member of class IWindow.

1.2.50.1.27 IWindow.SetBlendModeColor

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetBlendModeColor(
    aMode: TBlendModeColor;
    aColor: TColor
);
```

Description

This is SetBlendModeColor, a member of class IWindow.

1.2.50.1.28 IWindow.SetPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetPos(
    aX: Integer;
    aY: Integer
);
```

Description

This is SetPos, a member of class IWindow.

1.2.50.1.29 IWindow.SetRenderTarget

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetRenderTarget(
    aRenderTarget: IRenderTarget
);
```

Description

This is SetRenderTarget, a member of class IWindow.

1.2.50.1.30 IWindow.SetTitle

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetTitle(
    aTitle: WideString);
```

Description

This is SetTitle, a member of class IWindow.

1.2.50.1.31 IWindow.SetTransformPos

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure SetTransformPos(
    ax: Single;
    ay: Single
);
```

Description

This is SetTransformPos, a member of class IWindow.

1.2.50.1.32 IWindow.Show

File: TopazGameLib.pas (see page 367)

Delphi

```
procedure Show;
```

Description

This is Show, a member of class IWindow.

1.2.50.1.33 IWindow.Width

File: TopazGameLib.pas (see page 367)

Delphi

```
function Width: Integer;
```

Description

This is Width, a member of class IWindow.

1.3 Structs, Records, Enums

The following table lists structs, records, enums in this documentation.

Enumerations

| a ² | TAudioStatus (see page 252) | This is record TAudioStatus. |
|-----------------|-----------------------------------|-----------------------------------|
| a ²⁰ | TBlendMode (see page 253) | This is record TBlendMode. |
| a B | TBlendModeColor (see page 253) | This is record TBlendModeColor. |
| a | TCmdConsoleState (see page 253) | This is record TCmdConsoleState. |
| a | TEaseType (see page 254) | This is record TEaseType. |
| a | TGameClass (see page 254) | This is record TGameClass. |
| a | THAlign (see page 255) | This is record THAlign. |
| a | THighscoreAction (see page 256) | This is record THighscoreAction. |
| a | TInputDevice (see page 256) | This is record TInputDevice. |
| 1 | TLineIntersection (see page 256) | This is record TLineIntersection. |
| a | TLuaState (see page 256) | This is record TLuaState. |
| a | TLuaTable (see page 257) | This is record TLuaTable. |
| . | TLuaType (see page 257) | This is record TLuaType. |
| | | |

TAudioStatus

| a | TLuaValueType (see page 257) | This is record TLuaValueType. |
|----------|---------------------------------------|---------------------------------------|
| a | TMessageBox (see page 258) | This is record TMessageBox. |
| = | TMessageBoxResult (see page 258) | This is record TMessageBoxResult. |
| a | TPathEditorAction (see page 258) | This is record TPathEditorAction. |
| | TPhysicsBodyShape (see page 259) | This is record TPhysicsBodyShape. |
| a | TPhysicsBodyType (see page 259) | This is record TPhysicsBodyType. |
| _ | TPhysicsShapeType (see page 259) | This is record TPhysicsShapeType. |
| a | TSeek (see page 260) | This is record TSeek. |
| a | TShaderType (see page 260) | This is record TShaderType. |
| _ | TSpeechVoiceAttribute (see page 261) | This is record TSpeechVoiceAttribute. |
| _ | TSplashscreenOption (see page 261) | This is record TSplashscreenOption. |
| | TStartupDialogState (see page 261) | This is record TStartupDialogState. |
| | TVAlign (see page 262) | This is record TVAlign. |
| a | TVideoState (see page 262) | This is record TVideoState. |

Records

| * | TActorMessage (see page 252) | This is record TActorMessage. |
|-----------|----------------------------------|----------------------------------|
| \$ | TColor (see page 254) | This is record TColor. |
| \$ | TGameSettings (see page 255) | This is record TGameSettings. |
| \$ | TPhysicsBodyData (see page 258) | This is record TPhysicsBodyData. |
| \$ | TPointi (see page 260) | This is record TPointi. |
| \$ | TRange (see page 260) | This is record TRange. |
| % | TTextureData (see page 262) | This is record TTextureData. |

1.3.1 TActorMessage

File: TopazGameLib.pas (see page 367)

Delphi

```
TActorMessage = record
  Id: Integer;
  Data: Pointer;
  DataSize: Cardinal;
end;
```

Description

This is record TActorMessage.

1.3.2 TAudioStatus

File: TopazGameLib.pas (see page 367)

Delphi

```
TAudioStatus = (
   asStopped,
```

```
asPaused,
asPlaying
);
```

Description

This is record TAudioStatus.

1.3.3 TBlendMode

File: TopazGameLib.pas (see page 367)

Delphi

```
TBlendMode = (
  bmPreMultipliedAlpha,
  bmNonPreMultipliedAlpha,
  bmAdditiveAlpha,
  bmCopySrcToDest,
  bmMultiplySrcAndDest
);
```

Description

This is record TBlendMode.

1.3.4 TBlendModeColor

File: TopazGameLib.pas (see page 367)

Delphi

```
TBlendModeColor = (
  bmcNormal,
  bmcAvgSrcDest
);
```

Description

This is record TBlendModeColor.

1.3.5 TCmdConsoleState

File: TopazGameLib.pas (see page 367)

Delphi

```
TCmdConsoleState = (
    ccOpen,
    ccClose
);
```

Description

This is record TCmdConsoleState.

1.3.6 **TColor**

File: TopazGameLib.pas (see page 367)

Delphi

```
TColor = record
Alpha: Single;
Blue: Single;
Green: Single;
Red: Single;
```

Description

This is record TColor.

1.3.7 TEaseType

File: TopazGameLib.pas (see page 367)

Delphi

```
TEaseType = (
 etLinearTween,
  etInQuad,
  etOutQuad,
  etInOutQuad,
  etInCubic,
  etOutCubic
 etInOutCubic,
  etInQuart,
  etOutQuart,
  etInOutQuart,
  etInQuint,
  etOutQuint
  etInOutQuint,
  etInSine,
  etOutSine,
  etInOutSine,
  etInExpo,
  etOutExpo,
  etInOutExpo,
  etInCircle,
  etOutCircle,
  etInOutCircle
```

Description

This is record TEaseType.

1.3.8 TGameClass

File: TopazGameLib.pas (see page 367)

Delphi

```
TGameClass = (
gcCustom,
gcGame
```

);

Description

This is record TGameClass.

1.3.9 TGameSettings

File: TopazGameLib.pas (see page 367)

Delphi

```
TGameSettings = record
  WindowWidth: Integer;
  WindowHeight: Integer;
  WindowTitle: string;
  WindowClearColor: TColor;
  ConfigFilename: string;
  ArchiveFilename: string;
  FontSize: Cardinal;
  FontFilename: string;
  HudTextItemPadWidth: Integer;
 HudPosX: Integer;
HudPosY: Integer;
  HudLineSpace: Integer;
 SceneCount: Integer;
  SceneRenderAttr: TActorAttributeSet;
  SceneUpdateAttr: TActorAttributeSet;
  ShowStartupDialog: Boolean;
  StartupDialogCaption: string;
  StartupDialogIconFilename: string;
  StartupDialogLogoFilename: string;
  StartupDialogLogoClickURL: string;
  StartupDialogReadmeFilename: string;
  StartupDialogLicenseFilename: string;
  StartupDialogReleaseInfo: string;
  FrameRate: Single;
  FixedFrameRate: Single;
  OrgName: string;
  AppId: string;
end;
```

Description

This is record TGameSettings.

1.3.10 THAlign

File: TopazGameLib.pas (see page 367)

Delphi

```
THAlign = (
  haLeft,
  haCenter,
  haRight
)
```

Description

This is record THAlign.

1.3.11 THighscoreAction

File: TopazGameLib.pas (see page 367)

Delphi

```
THighscoreAction = (
  haClear,
  haList,
  haPost,
  haRemove
)
```

Description

This is record THighscoreAction.

1.3.12 TInputDevice

File: TopazGameLib.pas (see page 367)

Delphi

```
TInputDevice = (
  idKeyboard,
  idMouse,
  idJoystick
);
```

Description

This is record TInputDevice.

1.3.13 TLineIntersection

File: TopazGameLib.pas (see page 367)

Delphi

```
TLineIntersection = (
   liNone,
   liTrue,
   liParallel
);
```

Description

This is record TLineIntersection.

1.3.14 TLuaState

File: TopazGameLib.pas (see page 367)

Delphi

```
TLuaState = (
   lsOpen,
```

```
lsClose,
lsReset
);
```

Description

This is record TLuaState.

1.3.15 TLuaTable

File: TopazGameLib.pas (see page 367)

Delphi

```
TLuaTable = (
   LuaTable
);
```

Description

This is record TLuaTable.

1.3.16 TLuaType

File: TopazGameLib.pas (see page 367)

Delphi

```
TLuaType = (
  ltNone = -1,
  ltNil = 0,
  ltBoolean = 1,
  ltLightUserData = 2,
  ltNumber = 3,
  ltString = 4,
  ltTable = 5,
  ltFunction = 6,
  ltUserData = 7,
  ltThread = 8
```

Description

This is record TLuaType.

1.3.17 TLuaValueType

File: TopazGameLib.pas (see page 367)

Delphi

```
TLuaValueType = (
  vtInteger,
  vtDouble,
  vtString,
  vtTable,
  vtPointer,
  vtBoolean
);
```

Description

This is record TLuaValueType.

1.3.18 TMessageBox

File: TopazGameLib.pas (see page 367)

Delphi

```
TMessageBox = (
   mbWarn = 1,
   mbError = 2,
   mbOkCancel = 4,
   mbYesNo = 8,
   mbQuestion = 16
):
```

Description

This is record TMessageBox.

1.3.19 TMessageBoxResult

File: TopazGameLib.pas (see page 367)

Delphi

```
TMessageBoxResult = (
  mbrClosed = 0,
  mbrOkYes = 1,
  mbrCancelNo = 2
);
```

Description

This is record TMessageBoxResult.

1.3.20 TPathEditorAction

File: TopazGameLib.pas (see page 367)

Delphi

```
TPathEditorAction = (
  paLoad,
  paSave
);
```

Description

This is record TPathEditorAction.

1.3.21 TPhysicsBodyData

```
TPhysicsBodyData = record
   Shape: TPhysicsBodyShape;
   CircleRadius: Single;
   RectangleSize: TVector;
end;
```

Description

This is record TPhysicsBodyData.

1.3.22 TPhysicsBodyShape

File: TopazGameLib.pas (see page 367)

Delphi

```
TPhysicsBodyShape = (
  bsCircle,
  bsRectangle
);
```

Description

This is record TPhysicsBodyShape.

1.3.23 TPhysicsBodyType

File: TopazGameLib.pas (see page 367)

Delphi

```
TPhysicsBodyType = (
  pbStatic,
  pbKinematic,
  pbDynamic,
  pbInvalid
);
```

Description

This is record TPhysicsBodyType.

1.3.24 TPhysicsShapeType

File: TopazGameLib.pas (see page 367)

Delphi

```
TPhysicsShapeType = (
  psCircle,
  psPolygon,
  psInvalid
);
```

Description

This is record TPhysicsShapeType.

1.3.25 TPointi

File: TopazGameLib.pas (see page 367)

Delphi

```
TPointi = record
  X: Integer;
  Y: Integer;
end:
```

Description

This is record TPointi.

1.3.26 TRange

File: TopazGameLib.pas (see page 367)

Delphi

```
TRange = record
  MaxX: Single;
  MaxY: Single;
  MinX: Single;
  MinY: Single;
end:
```

Description

This is record TRange.

1.3.27 TSeek

File: TopazGameLib.pas (see page 367)

Delphi

```
TSeek = (
   skStart = 0,
   skCurrent = 1,
   skEnd = 2
);
```

Description

This is record TSeek.

1.3.28 TShaderType

File: TopazGameLib.pas (see page 367)

Delphi

```
TShaderType = (
   stVertex = 1,
   stFragment = 2
```

```
);
```

Description

This is record TShaderType.

1.3.29 TSpeechVoiceAttribute

File: TopazGameLib.pas (see page 367)

Delphi

```
TSpeechVoiceAttribute = (
  vaDescription,
  vaName,
  vaVendor,
  vaAge,
  vaGender,
  vaLanguage,
  vaId
):
```

Description

This is record TSpeechVoiceAttribute.

1.3.30 TSplashscreenOption

File: TopazGameLib.pas (see page 367)

Delphi

```
TSplashscreenOption = (
   soNone,
   soText,
   soTexture
);
```

Description

This is record TSplashscreenOption.

1.3.31 TStartupDialogState

File: TopazGameLib.pas (see page 367)

Delphi

```
TStartupDialogState = (
   sdsMore = 0,
   sdsRun = 1,
   sdsQuit = 2
);
```

Description

This is record TStartupDialogState.

1.3.32 TTextureData

File: TopazGameLib.pas (see page 367)

Delphi

```
TTextureData = record
  Memory: Pointer;
  Format: Integer;
  Pitch: Integer;
  PixelSize: Integer;
end:
```

Description

This is record TTextureData.

1.3.33 TVAlign

File: TopazGameLib.pas (see page 367)

Delphi

```
TVAlign = (
  vaTop,
  vaCenter,
  vaBottom
);
```

Description

This is record TVAlign.

1.3.34 TVideoState

File: TopazGameLib.pas (see page 367)

Delphi

```
TVideoState = (
  vsLoad,
  vsUnload,
  vsPlaying,
  vsPaused,
  vsFinished
```

Description

This is record TVideoState.

1.4 Types

The following table lists types in this documentation.

Types

| PActorMessage (see page 263) | This is type PActorMessage. |
|--|--------------------------------------|
| PColor (see page 263) | This is type PColor. |
| PGameSettings (see page 263) | This is type PGameSettings. |
| PPhysicsBodyData (see page 264) | This is type PPhysicsBodyData. |
| PPointi (see page 264) | This is type PPointi. |
| PRange (see page 264) | This is type PRange. |
| PRectangle (see page 264) | This is type PRectangle. |
| PTextureData (see page 265) | This is type PTextureData. |
| PVector (see page 265) | This is type PVector. |
| TActorAttributeSet (see page 265) | This is type TActorAttributeSet. |
| TActorSceneEvent (see page 265) | This is type TActorSceneEvent. |
| TAsyncProc (see page 265) | This is type TAsyncProc. |
| TBaseInterfaceClass (see page 266) | This is type TBaseInterfaceClass. |
| TCmdConsoleActionEvent (see page 266) | This is type TCmdConsoleActionEvent. |
| TCustomGameClass (see page 266) | This is type TCustomGameClass. |
| TLuaFunction (see page 266) | This is type TLuaFunction. |
| TPhysicsBody (see page 267) | This is type TPhysicsBody. |
| TStringArray (see page 267) | This is type TStringArray. |
| TSysCharSet (see page 267) | This is type TSysCharSet. |
| · | |

1.4.1 PActorMessage

File: TopazGameLib.pas (see page 367)

Delphi

PActorMessage = ^TActorMessage;

Description

This is type PActorMessage.

1.4.2 PColor

File: TopazGameLib.pas (see page 367)

Delphi

PColor = ^TColor;

Description

This is type PColor.

1.4.3 PGameSettings

PGameSettings = ^TGameSettings;

Description

This is type PGameSettings.

1.4.4 PPhysicsBodyData

File: TopazGameLib.pas (see page 367)

Delphi

```
PPhysicsBodyData = ^TPhysicsBodyData;
```

Description

This is type PPhysicsBodyData.

1.4.5 PPointi

File: TopazGameLib.pas (see page 367)

Delphi

```
PPointi = ^TPointi;
```

Description

This is type PPointi.

1.4.6 PRange

File: TopazGameLib.pas (see page 367)

Delphi

```
PRange = ^TRange;
```

Description

This is type PRange.

1.4.7 PRectangle

File: TopazGameLib.pas (see page 367)

Delphi

```
PRectangle = ^TRectangle;
```

Description

This is type PRectangle.

1.4.8 PTextureData

File: TopazGameLib.pas (see page 367)

Delphi

PTextureData = ^TTextureData;

Description

This is type PTextureData.

1.4.9 PVector

File: TopazGameLib.pas (see page 367)

Delphi

PVector = ^TVector;

Description

This is type PVector.

1.4.10 TActorAttributeSet

File: TopazGameLib.pas (see page 367)

Delphi

TActorAttributeSet = set of Byte;

Description

This is type TActorAttributeSet.

1.4.11 TActorSceneEvent

File: TopazGameLib.pas (see page 367)

Delphi

TActorSceneEvent = procedure (aSceneNum: Integer) of object;

Description

This is type TActorSceneEvent.

1.4.12 TAsyncProc

TAsyncProc = reference to procedure;

Description

This is type TAsyncProc.

1.4.13 TBaseInterfaceClass

File: TopazGameLib.pas (see page 367)

Delphi

TBaseInterfaceClass = class of TBaseInterface;

Description

This is type TBaseInterfaceClass.

1.4.14 TCmdConsoleActionEvent

File: TopazGameLib.pas (see page 367)

Delphi

TCmdConsoleActionEvent = procedure of object;

Description

This is type TCmdConsoleActionEvent.

1.4.15 TCustomGameClass

File: TopazGameLib.pas (see page 367)

Delphi

TCustomGameClass = class of TCustomGame;

Description

This is type TCustomGameClass.

1.4.16 TLuaFunction

File: TopazGameLib.pas (see page 367)

Delphi

TLuaFunction = procedure (aLua: ILuaContext) of object;

Description

This is type TLuaFunction.

1.4.17 TPhysicsBody

File: TopazGameLib.pas (see page 367)

Delphi

TPhysicsBody = type Pointer;

Description

This is type TPhysicsBody.

1.4.18 TStringArray

File: TopazGameLib.pas (see page 367)

Delphi

TStringArray = array of string;

Description

This is type TStringArray.

1.4.19 TSysCharSet

File: TopazGameLib.pas (see page 367)

Delphi

TSysCharSet = set of AnsiChar;

Description

This is type TSysCharSet.

1.5 Variables

The following table lists variables in this documentation.

Variables

Topaz (see page 267)

This is variable Topaz.

1.5.1 Topaz

File: TopazGameLib.pas (see page 367)

Delphi

Topaz: ITopaz = nil;

This is variable Topaz.

1.6 Constants

The following table lists constants in this documentation.

Constants

| ALICEBLUE (see page 276) | This is constant ALICEBLUE. |
|---|---|
| ANTIQUEWHITE (see page 276) | This is constant ANTIQUEWHITE. |
| AQUA (see page 277) | This is constant AQUA. |
| AQUAMARINE (see page 277) | This is constant AQUAMARINE. |
| AUDIO_BUFFER_COUNT (see page 277) | This is constant AUDIO BUFFER COUNT. |
| AUDIO_CHANNEL_COUNT (see page 277) | This is constant AUDIO_CHANNEL_COUNT. |
| AUDIO_DYNAMIC_CHANNEL (see page 278) | This is constant AUDIO_DYNAMIC_CHANNEL. |
| AUDIO_INVALID_INDEX (see page 278) | This is constant AUDIO_DIVALID_INDEX. |
| AZURE (see page 278) | This is constant AZURE. |
| BEIGE (see page 278) | This is constant AZONE. This is constant BEIGE. |
| BISQUE (see page 278) | This is constant BISQUE. |
| BLACK (see page 279) | This is constant BIACK. |
| BLANCHEDALMOND (see page 279) | This is constant BLACK. This is constant BLANCHEDALMOND. |
| , , , , | This is constant BLANK. |
| BLANK (see page 279) | |
| BLEND_ADD (see page 279) | This is constant BLEND_ADD. |
| BLEND_ALPHA (see page 280) | This is constant BLEND_ALPHA. |
| BLEND_CONST_COLOR (see page 280) | This is constant BLEND_CONST_COLOR. |
| BLEND_DEST_COLOR (see page 280) | This is constant BLEND_DEST_COLOR. |
| BLEND_DEST_MINUS_SRC (see page 280) | This is constant BLEND_DEST_MINUS_SRC. |
| BLEND_INVERSE_ALPHA (see page 280) | This is constant BLEND_INVERSE_ALPHA. |
| BLEND_INVERSE_CONST_COLOR (see page 281) | This is constant BLEND_INVERSE_CONST_COLOR. |
| BLEND_INVERSE_DEST_COLOR (see page 281) | This is constant BLEND_INVERSE_DEST_COLOR. |
| BLEND_INVERSE_SRC_COLOR (see page 281) | This is constant BLEND_INVERSE_SRC_COLOR. |
| BLEND_ONE (see page 281) | This is constant BLEND_ONE. |
| BLEND_SRC_COLOR (see page 282) | This is constant BLEND_SRC_COLOR. |
| BLEND_SRC_MINUS_DEST (see page 282) | This is constant BLEND_SRC_MINUS_DEST. |
| BLEND_ZERO (see page 282) | This is constant BLEND_ZERO. |
| BLUE (see page 282) | This is constant BLUE. |
| BLUEVIOLET (see page 282) | This is constant BLUEVIOLET. |
| BROWN (see page 283) | This is constant BROWN. |
| BURLYWOOD (see page 283) | This is constant BURLYWOOD. |
| CADETBLUE (see page 283) | This is constant CADETBLUE. |
| CFG_EXT (see page 283) | This is constant CFG_EXT. |
| CHARTREUSE (see page 284) | This is constant CHARTREUSE. |
| CHOCOLATE (see page 284) | This is constant CHOCOLATE. |
| COLORKEY (see page 284) | This is constant COLORKEY. |
| | |

| CORAL (see page 284) | This is constant CORAL. |
|--|---|
| CORNFLOWERBLUE (see page 284) | This is constant CORNFLOWERBLUE. |
| CORNSILK (see page 285) | This is constant CORNSILK. |
| CR (see page 285) | This is constant CR. |
| CRIMSON (see page 285) | This is constant CRIMSON. |
| CRLF (see page 285) | This is constant CRLF. |
| | This is constant CYAN. |
| CYAN (see page 286) DARKBLUE (see page 286) | This is constant DARKBLUE. |
| | |
| DARKCYAN (see page 286) | This is constant DARKCYAN. |
| DARKGOLDENROD (see page 286) | This is constant DARKGOLDENROD. |
| DARKGRAY (see page 286) | This is constant DARKGRAY. |
| DARKGREEN (see page 287) | This is constant DARKGREEN. |
| DARKGREY (see page 287) | This is constant DARKGREY. |
| DARKKHAKI (see page 287) | This is constant DARKKHAKI. |
| DARKMAGENTA (see page 287) | This is constant DARKMAGENTA. |
| DARKOLIVEGREEN (see page 288) | This is constant DARKOLIVEGREEN. |
| DARKORANGE (see page 288) | This is constant DARKORANGE. |
| DARKORCHID (see page 288) | This is constant DARKORCHID. |
| DARKRED (see page 288) | This is constant DARKRED. |
| DARKSALMON (see page 288) | This is constant DARKSALMON. |
| DARKSEAGREEN (see page 289) | This is constant DARKSEAGREEN. |
| DARKSLATEBLUE (see page 289) | This is constant DARKSLATEBLUE. |
| DARKSLATEBROWN (see page 289) | This is constant DARKSLATEBROWN. |
| DARKSLATEGRAY (see page 289) | This is constant DARKSLATEGRAY. |
| DARKSLATEGREY (see page 290) | This is constant DARKSLATEGREY. |
| DARKTURQUOISE (see page 290) | This is constant DARKTURQUOISE. |
| DARKVIOLET (see page 290) | This is constant DARKVIOLET. |
| DATABASE_DEFAULT_MYSQL_PORT (see page 290) | This is constant DATABASE_DEFAULT_MYSQL_PORT. |
| DEEPPINK (see page 290) | This is constant DEEPPINK. |
| DEEPSKYBLUE (see page 291) | This is constant DEEPSKYBLUE. |
| DEG2RAD (see page 291) | This is constant DEG2RAD. |
| DIMGRAY (see page 291) | This is constant DIMGRAY. |
| DIMGREY (see page 291) | This is constant DIMGREY. |
| DIMWHITE (see page 292) | This is constant DIMWHITE. |
| DODGERBLUE (see page 292) | This is constant DODGERBLUE. |
| EPSILON (see page 292) | This is constant EPSILON. |
| FALSE_TRUE_STR (see page 292) | This is constant FALSE_TRUE_STR. |
| FIREBRICK (see page 292) | This is constant FIREBRICK. |
| FLORALWHITE (see page 293) | This is constant FLORALWHITE. |
| FORESTGREEN (see page 293) | This is constant FORESTGREEN. |
| FUCHSIA (see page 293) | This is constant FUCHSIA. |
| GAINSBORO (see page 293) | This is constant GAINSBORO. |
| GHOSTWHITE (see page 294) | This is constant GHOSTWHITE. |
| GOLD (see page 294) | This is constant GOLD. |
| GOLDENROD (see page 294) | This is constant GOLDENROD. |
| GRAY (see page 294) | This is constant GRAY. |
| GREEN (see page 294) | This is constant GREEN. |
| GREENYELLOW (see page 295) | This is constant GREENYELLOW. |
| · · · · · · · · · · · · · · · · · | |

| ODEV (222 222 205) | This is constant ODEV |
|---|--|
| GREY (see page 295) | This is constant GREY. |
| GUI_DYNAMIC (see page 295) | This is constant GUI_DYNAMIC. |
| GUI_EDIT_FILTER_ASCII (see page 295) | This is constant GUI_EDIT_FILTER_ASCII. |
| GUI_EDIT_FILTER_BINARY (see page 296) | This is constant GUI_EDIT_FILTER_BINARY. |
| GUI_EDIT_FILTER_DECIMAL (see page 296) | This is constant GUI_EDIT_FILTER_DECIMAL. |
| GUI_EDIT_FILTER_DEFAULT (see page 296) | This is constant GUI_EDIT_FILTER_DEFAULT. |
| GUI_EDIT_FILTER_FLOAT (see page 296) | This is constant GUI_EDIT_FILTER_FLOAT. |
| GUI_EDIT_FILTER_HEX (see page 296) | This is constant GUI_EDIT_FILTER_HEX. |
| GUI_EDIT_FILTER_OCT (see page 297) | This is constant GUI_EDIT_FILTER_OCT. |
| GUI_STATIC (see page 297) | This is constant GUI_STATIC. |
| GUI_TEXT_CENTERED (see page 297) | This is constant GUI_TEXT_CENTERED. |
| GUI_TEXT_LEFT (see page 297) | This is constant GUI_TEXT_LEFT. |
| GUI_TEXT_RIGHT (see page 298) | This is constant GUI_TEXT_RIGHT. |
| GUI_THEME_BLUE (see page 298) | This is constant GUI_THEME_BLUE. |
| GUI_THEME_DARK (see page 298) | This is constant GUI_THEME_DARK. |
| GUI_THEME_DEFAULT (see page 298) | This is constant GUI_THEME_DEFAULT. |
| GUI_THEME_RED (see page 298) | This is constant GUI_THEME_RED. |
| GUI_THEME_WHITE (see page 299) | This is constant GUI_THEME_WHITE. |
| GUI_WINDOW_BACKGROUND (see page 299) | This is constant GUI_WINDOW_BACKGROUND. |
| GUI_WINDOW_BORDER (see page 299) | This is constant GUI_WINDOW_BORDER. |
| GUI_WINDOW_CLOSABLE (see page 299) | This is constant GUI_WINDOW_CLOSABLE. |
| GUI_WINDOW_DEFAULT (see page 300) | This is constant GUI_WINDOW_DEFAULT. |
| GUI_WINDOW_MINIMIZABLE (see page 300) | This is constant GUI_WINDOW_MINIMIZABLE. |
| GUI_WINDOW_MOVABLE (see page 300) | This is constant GUI_WINDOW_MOVABLE. |
| GUI_WINDOW_NO_INPUT (see page 300) | This is constant GUI_WINDOW_NO_INPUT. |
| GUI_WINDOW_NO_SCROLLBAR (see page | This is constant GUI_WINDOW_NO_SCROLLBAR. |
| 300) | |
| GUI_WINDOW_SCALABLE (see page 301) | This is constant GUI_WINDOW_SCALABLE. |
| GUI_WINDOW_SCALE_LEFT (see page 301) | This is constant GUI_WINDOW_SCALE_LEFT. |
| GUI_WINDOW_SCROLL_AUTO_HIDE (see page 301) | This is constant GUI_WINDOW_SCROLL_AUTO_HIDE. |
| GUI_WINDOW_TITLE (see page 301) | This is constant GUI_WINDOW_TITLE. |
| HONEYDEW (see page 302) | This is constant HONEYDEW. |
| HOTPINK (see page 302) | This is constant HOTPINK. |
| INDIANRED (see page 302) | This is constant INDIANRED. |
| INDIGO (see page 302) | This is constant INDIGO. |
| INI_EXT (see page 302) | This is constant INI_EXT. |
| IVORY (see page 303) | This is constant IVORY. |
| JOY_AXES_X (see page 303) | This is constant JOY_AXES_X. |
| JOY_AXES_Y (see page 303) | This is constant JOY_AXES_Y. |
| JOY_AXES_Z (see page 303) | This is constant JOY_AXES_Z. |
| JOY_BTN_A (see page 304) | This is constant JOY_BTN_A. |
| JOY_BTN_B (see page 304) | This is constant JOY_BTN_B. |
| JOY_BTN_BACK (see page 304) | This is constant JOY_BTN_BACK. |
| JOY_BTN_DDPAD (see page 304) | This is constant JOY_BTN_DDPAD. |
| JOY_BTN_LB (see page 304) | |
| , , , , | This is constant JOY_BTN_LB. This is constant JOY_BTN_LDBAD |
| JOY_BTN_LT (see page 305) | This is constant JOY_BTN_LT |
| JOY_BTN_LT (see page 305) | This is constant JOY_BTN_LT. |
| JOY_BTN_RB (see page 305) | This is constant JOY_BTN_RB. |

| IOV DTN DDDAD (| TITLE A A LOVE DEVELOPED A |
|---|--|
| JOY_BTN_RDPAD (see page 305) | This is constant JOY_BTN_RDPAD. |
| JOY_BTN_RT (see page 306) | This is constant JOY_BTN_RT. |
| JOY_BTN_START (see page 306) | This is constant JOY_BTN_START. |
| JOY_BTN_UDPAD (see page 306) | This is constant JOY_BTN_UDPAD. |
| JOY_BTN_X (see page 306) | This is constant JOY_BTN_X. |
| JOY_BTN_Y (see page 306) | This is constant JOY_BTN_Y. |
| JOY_STICK_LS (see page 307) | This is constant JOY_STICK_LS. |
| JOY_STICK_LT (see page 307) | This is constant JOY_STICK_LT. |
| JOY_STICK_RS (see page 307) | This is constant JOY_STICK_RS. |
| JOY_STICK_RT (see page 307) | This is constant JOY_STICK_RT. |
| KEYMOD_ACCENT1 (see page 308) | This is constant KEYMOD_ACCENT1. |
| KEYMOD_ACCENT2 (see page 308) | This is constant KEYMOD_ACCENT2. |
| KEYMOD_ACCENT3 (see page 308) | This is constant KEYMOD_ACCENT3. |
| KEYMOD_ACCENT4 (see page 308) | This is constant KEYMOD_ACCENT4. |
| KEYMOD_ALT (see page 308) | This is constant KEYMOD_ALT. |
| KEYMOD_CAPSLOCK (see page 309) | This is constant KEYMOD_CAPSLOCK. |
| KEYMOD_COMMAND (see page 309) | This is constant KEYMOD_COMMAND. |
| KEYMOD_CTRL (see page 309) | This is constant KEYMOD_CTRL. |
| KEYMOD_INALTSEQ (see page 309) | This is constant KEYMOD_INALTSEQ. |
| KEYMOD_LWIN (see page 310) | This is constant KEYMOD_LWIN. |
| KEYMOD_MENU (see page 310) | This is constant KEYMOD_MENU. |
| KEYMOD_NUMLOCK (see page 310) | This is constant KEYMOD_NUMLOCK. |
| KEYMOD_RWIN (see page 310) | This is constant KEYMOD_RWIN. |
| KEYMOD_SCROLOCK (see page 310) | This is constant KEYMOD_SCROLOCK. |
| KEYMOD_SHIFT (see page 311) | This is constant KEYMOD_SHIFT. |
| KEY_0 (see page 311) | This is constant KEY_0. |
| KEY_1 (see page 311) | This is constant KEY_1. |
| KEY_2 (see page 311) | This is constant KEY_2. |
| KEY_3 (see page 312) | This is constant KEY_3. |
| KEY_4 (see page 312) | This is constant KEY_4. |
| KEY_5 (see page 312) | This is constant KEY_5. |
| KEY_6 (see page 312) | This is constant KEY_6. |
| KEY_7 (see page 312) | This is constant KEY 7. |
| KEY_8 (see page 313) | This is constant KEY_8. |
| KEY_9 (see page 313) | This is constant KEY_9. |
| KEY_A (see page 313) | This is constant KEY_A. |
| KEY_ABNT_C1 (see page 313) | This is constant KEY_ABNT_C1. |
| KEY_ALT (see page 314) | This is constant KEY_ALT. |
| KEY_ALTGR (see page 314) | This is constant KEY_ALTGR. |
| KEY_AT (see page 314) | This is constant KEY_AT. |
| KEY_B (see page 314) | This is constant KEY_B. |
| KEY_BACK (see page 314) | |
| | This is constant KEY_BACK. |
| KEY_BACKQUOTE (see page 315) | This is constant KEY_BACKQUOTE. |
| | |
| KEY_BACKSLASH (see page 315) | This is constant KEY_BACKSLASH. |
| KEY_BACKSLASH (see page 315) KEY_BACKSLASH2 (see page 315) | This is constant KEY_BACKSLASH. This is constant KEY_BACKSLASH2. |
| KEY_BACKSLASH (see page 315) KEY_BACKSLASH2 (see page 315) KEY_BACKSPACE (see page 315) | This is constant KEY_BACKSLASH. This is constant KEY_BACKSLASH2. This is constant KEY_BACKSPACE. |
| KEY_BACKSLASH (see page 315) KEY_BACKSLASH2 (see page 315) KEY_BACKSPACE (see page 315) KEY_BUTTON_A (see page 316) | This is constant KEY_BACKSLASH. This is constant KEY_BACKSLASH2. This is constant KEY_BACKSPACE. This is constant KEY_BUTTON_A. |
| KEY_BACKSLASH (see page 315) KEY_BACKSLASH2 (see page 315) KEY_BACKSPACE (see page 315) | This is constant KEY_BACKSLASH. This is constant KEY_BACKSLASH2. This is constant KEY_BACKSPACE. |

| VEV DUTTON 12 (and page 246) | This is constant KEV PHITTON 1.2 |
|---------------------------------|-----------------------------------|
| KEY_BUTTON_L2 (see page 316) | This is constant KEY_BUTTON_L2. |
| KEY_BUTTON_R1 (see page 316) | This is constant KEY_BUTTON_R1. |
| KEY_BUTTON_R2 (see page 317) | This is constant KEY_BUTTON_R2. |
| KEY_BUTTON_X (see page 317) | This is constant KEY_BUTTON_X. |
| KEY_BUTTON_Y (see page 317) | This is constant KEY_BUTTON_Y. |
| KEY_C (see page 317) | This is constant KEY_C. |
| KEY_CAPSLOCK (see page 318) | This is constant KEY_CAPSLOCK. |
| KEY_CIRCUMFLEX (see page 318) | This is constant KEY_CIRCUMFLEX. |
| KEY_CLOSEBRACE (see page 318) | This is constant KEY_CLOSEBRACE. |
| KEY_COLON2 (see page 318) | This is constant KEY_COLON2. |
| KEY_COMMA (see page 318) | This is constant KEY_COMMA. |
| KEY_COMMAND (see page 319) | This is constant KEY_COMMAND. |
| KEY_CONVERT (see page 319) | This is constant KEY_CONVERT. |
| KEY_D (see page 319) | This is constant KEY_D. |
| KEY_DELETE (see page 319) | This is constant KEY_DELETE. |
| KEY_DOWN (see page 320) | This is constant KEY_DOWN. |
| KEY_DPAD_CENTER (see page 320) | This is constant KEY_DPAD_CENTER. |
| KEY_DPAD_DOWN (see page 320) | This is constant KEY_DPAD_DOWN. |
| KEY_DPAD_LEFT (see page 320) | This is constant KEY_DPAD_LEFT. |
| KEY_DPAD_RIGHT (see page 320) | This is constant KEY_DPAD_RIGHT. |
| KEY_DPAD_UP (see page 321) | This is constant KEY_DPAD_UP. |
| KEY_E (see page 321) | This is constant KEY_E. |
| KEY_END (see page 321) | This is constant KEY_END. |
| KEY_ENTER (see page 321) | This is constant KEY_ENTER. |
| KEY_EQUALS (see page 322) | This is constant KEY_EQUALS. |
| KEY_ESCAPE (see page 322) | This is constant KEY_ESCAPE. |
| KEY_F (see page 322) | This is constant KEY_F. |
| KEY_F1 (see page 322) | This is constant KEY_F1. |
| KEY_F10 (see page 322) | This is constant KEY_F10. |
| KEY_F11 (see page 323) | This is constant KEY_F11. |
| KEY_F12 (see page 323) | This is constant KEY_F12. |
| KEY_F2 (see page 323) | This is constant KEY_F2. |
| KEY_F3 (see page 323) | This is constant KEY_F3. |
| KEY_F4 (see page 324) | This is constant KEY_F4. |
| KEY_F5 (see page 324) | This is constant KEY_F5. |
| KEY_F6 (see page 324) | This is constant KEY_F6. |
| KEY_F7 (see page 324) | This is constant KEY_F7. |
| KEY_F8 (see page 324) | This is constant KEY_F8. |
| KEY_F9 (see page 325) | This is constant KEY_F9. |
| KEY_FULLSTOP (see page 325) | This is constant KEY_FULLSTOP. |
| KEY_G (see page 325) | This is constant KEY_G. |
| KEY_H (see page 325) | This is constant KEY_H. |
| KEY_HOME (see page 326) | This is constant KEY_HOME. |
| KEY_I (see page 326) | This is constant KEY_I. |
| KEY_INSERT (see page 326) | This is constant KEY_INSERT. |
| KEY_J (see page 326) | This is constant KEY_J. |
| KEY_K (see page 326) | This is constant KEY_K. |
| KEY_KANA (see page 327) | This is constant KEY_KANA. |
| KEY_KANJI (see page 327) | This is constant KEY_KANJI. |
| · - · · · · · · · · · · · · · · | |

| VEV 1 / 222 227) | This is constant VEV. I |
|----------------------------------|------------------------------------|
| KEY_L (see page 327) | This is constant KEY_L. |
| KEY_LCTRL (see page 327) | This is constant KEY_LCTRL. |
| KEY_LEFT (see page 328) | This is constant KEY_LEFT. |
| KEY_LSHIFT (see page 328) | This is constant KEY_LSHIFT. |
| KEY_LWIN (see page 328) | This is constant KEY_LWIN. |
| KEY_M (see page 328) | This is constant KEY_M. |
| KEY_MAX (see page 328) | This is constant KEY_MAX. |
| KEY_MENU (see page 329) | This is constant KEY_MENU. |
| KEY_MINUS (see page 329) | This is constant KEY_MINUS. |
| KEY_MODIFIERS (see page 329) | This is constant KEY_MODIFIERS. |
| KEY_N (see page 329) | This is constant KEY_N. |
| KEY_NOCONVERT (see page 330) | This is constant KEY_NOCONVERT. |
| KEY_NUMLOCK (see page 330) | This is constant KEY_NUMLOCK. |
| KEY_O (see page 330) | This is constant KEY_O. |
| KEY_OPENBRACE (see page 330) | This is constant KEY_OPENBRACE. |
| KEY_P (see page 330) | This is constant KEY_P. |
| KEY_PAD_0 (see page 331) | This is constant KEY_PAD_0. |
| KEY_PAD_1 (see page 331) | This is constant KEY_PAD_1. |
| KEY_PAD_2 (see page 331) | This is constant KEY_PAD_2. |
| KEY_PAD_3 (see page 331) | This is constant KEY_PAD_3. |
| KEY_PAD_4 (see page 332) | This is constant KEY_PAD_4. |
| KEY_PAD_5 (see page 332) | This is constant KEY_PAD_5. |
| KEY_PAD_6 (see page 332) | This is constant KEY_PAD_6. |
| KEY_PAD_7 (see page 332) | This is constant KEY_PAD_7. |
| KEY_PAD_8 (see page 332) | This is constant KEY_PAD_8. |
| KEY_PAD_9 (see page 333) | This is constant KEY_PAD_9. |
| KEY_PAD_ASTERISK (see page 333) | This is constant KEY_PAD_ASTERISK. |
| KEY_PAD_DELETE (see page 333) | This is constant KEY_PAD_DELETE. |
| KEY_PAD_ENTER (see page 333) | This is constant KEY_PAD_ENTER. |
| KEY_PAD_EQUALS (see page 334) | This is constant KEY_PAD_EQUALS. |
| KEY_PAD_MINUS (see page 334) | This is constant KEY_PAD_MINUS. |
| KEY_PAD_PLUS (see page 334) | This is constant KEY_PAD_PLUS. |
| KEY_PAD_SLASH (see page 334) | This is constant KEY_PAD_SLASH. |
| KEY_PAUSE (see page 334) | This is constant KEY_PAUSE. |
| KEY_PGDN (see page 335) | This is constant KEY_PGDN. |
| KEY_PGUP (see page 335) | This is constant KEY_PGUP. |
| KEY_PRINTSCREEN (see page 335) | This is constant KEY_PRINTSCREEN. |
| KEY_Q (see page 335) | This is constant KEY_Q. |
| KEY_QUOTE (see page 336) | This is constant KEY_QUOTE. |
| KEY_R (see page 336) | This is constant KEY_R. |
| KEY_RCTRL (see page 336) | This is constant KEY_RCTRL. |
| KEY_RIGHT (see page 336) | This is constant KEY_RIGHT. |
| KEY_RSHIFT (see page 336) | This is constant KEY_RSHIFT. |
| KEY_RWIN (see page 337) | This is constant KEY_RWIN. |
| KEY_S (see page 337) | This is constant KEY_S. |
| KEY_SCROLLLOCK (see page 337) | This is constant KEY_SCROLLLOCK. |
| KEY_SEARCH (see page 337) | This is constant KEY_SEARCH. |
| KEY_SELECT (see page 338) | This is constant KEY_SELECT. |
| KEY_SEMICOLON (see page 338) | This is constant KEY_SEMICOLON. |
| , , , | |

| IXEX OFMICOLONG (000) | This is assessed KEV, OFMICOLONG |
|--------------------------------------|--|
| KEY_SEMICOLON2 (see page 338) | This is constant KEY_SEMICOLON2. |
| KEY_SLASH (see page 338) | This is constant KEY_SLASH. |
| KEY_SPACE (see page 338) | This is constant KEY_SPACE. |
| KEY_START (see page 339) | This is constant KEY_START. |
| KEY_T (see page 339) | This is constant KEY_T. |
| KEY_TAB (see page 339) | This is constant KEY_TAB. |
| KEY_THUMBL (see page 339) | This is constant KEY_THUMBL. |
| KEY_THUMBR (see page 340) | This is constant KEY_THUMBR. |
| KEY_TILDE (see page 340) | This is constant KEY_TILDE. |
| KEY_U (see page 340) | This is constant KEY_U. |
| KEY_UNKNOWN (see page 340) | This is constant KEY_UNKNOWN. |
| KEY_UP (see page 340) | This is constant KEY_UP. |
| KEY_V (see page 341) | This is constant KEY_V. |
| KEY_VOLUME_DOWN (see page 341) | This is constant KEY_VOLUME_DOWN. |
| KEY_VOLUME_UP (see page 341) | This is constant KEY_VOLUME_UP. |
| KEY_W (see page 341) | This is constant KEY_W. |
| KEY_X (see page 342) | This is constant KEY_X. |
| KEY_Y (see page 342) | This is constant KEY_Y. |
| KEY_YEN (see page 342) | This is constant KEY_YEN. |
| KEY_Z (see page 342) | This is constant KEY_Z. |
| KHAKI (see page 342) | This is constant KHAKI. |
| LAVENDER (see page 343) | This is constant LAVENDER. |
| LAVENDERBLUSH (see page 343) | This is constant LAVENDERBLUSH. |
| LAWNGREEN (see page 343) | This is constant LAWNGREEN. |
| LEMONCHIFFON (see page 343) | This is constant LEMONCHIFFON. |
| LF (see page 344) | This is constant LF. |
| LIGHTBLUE (see page 344) | This is constant LIGHTBLUE. |
| LIGHTCORAL (see page 344) | This is constant LIGHTCORAL. |
| LIGHTCYAN (see page 344) | This is constant LIGHTCYAN. |
| LIGHTGOLDENRODYELLOW (see page 344) | This is constant LIGHTGOLDENRODYELLOW. |
| LIGHTGRAY (see page 345) | This is constant LIGHTGRAY. |
| LIGHTGREEN (see page 345) | This is constant LIGHTGREEN. |
| LIGHTGREY (see page 345) | This is constant LIGHTGREY. |
| LIGHTPINK (see page 345) | This is constant LIGHTPINK. |
| LIGHTSALMON (see page 346) | This is constant LIGHTSALMON. |
| LIGHTSEAGREEN (see page 346) | This is constant LIGHTSEAGREEN. |
| LIGHTSKYBLUE (see page 346) | This is constant LIGHTSKYBLUE. |
| LIGHTSLATEGRAY (see page 346) | This is constant LIGHTSLATEGRAY. |
| LIGHTSLATEGREY (see page 346) | This is constant LIGHTSLATEGREY. |
| LIGHTSTEELBLUE (see page 347) | This is constant LIGHTSTEELBLUE. |
| LIGHTYELLOW (see page 347) | This is constant LIGHTYELLOW. |
| LIME (see page 347) | This is constant LIME. |
| LIMEGREEN (see page 347) | This is constant LIMEGREEN. |
| LINEN (see page 348) | This is constant LINEN. |
| LOG_EXT (see page 348) | This is constant LOG_EXT. |
| LUAC_EXT (see page 348) | This is constant LUAC_EXT. |
| LUA_EXT (see page 348) | This is constant LUA_EXT. |
| MAGENTA (see page 348) | This is constant MAGENTA. |
| MAIL_PORT_SMTP (see page 349) | default non-ssl |
| (| |

| MAIL_PORT_SMTPS (see page 349) | default ssl |
|---|---|
| MAIL_PORT_SMTPS_ALT (see page 349) | alt ssl |
| MAROON (see page 349) | This is constant MAROON. |
| MAX_AXES (see page 350) | This is constant MAX_AXES. |
| MAX_BUTTONS (see page 350) | This is constant MAX BUTTONS. |
| MAX_STICKS (see page 350) | This is constant MAX_STICKS. |
| MEDIUMAQUAMARINE (see page 350) | This is constant MEDIUMAQUAMARINE. |
| MEDIUMBLUE (see page 350) | This is constant MEDIUMBLUE. |
| MEDIUMORCHID (see page 351) | This is constant MEDIUMORCHID. |
| MEDIUMPURPLE (see page 351) | This is constant MEDIUMPURPLE. |
| MEDIUMSEAGREEN (see page 351) | This is constant MEDIUMSEAGREEN. |
| MEDIUMSLATEBLUE (see page 351) | This is constant MEDIUMSLATEBLUE. |
| MEDIUMSPRINGGREEN (see page 352) | This is constant MEDIUMSPRINGGREEN. |
| MEDIUMTURQUOISE (see page 352) | This is constant MEDIUMTURQUOISE. |
| MEDIUMVIOLETRED (see page 352) | This is constant MEDIUMVIOLETRED. |
| MIDNIGHTBLUE (see page 352) | This is constant MIDNIGHTBLUE. |
| MINTCREAM (see page 352) | This is constant MINTCREAM. |
| MISTYROSE (see page 353) | This is constant MINTYCKEAW. This is constant MISTYROSE. |
| MOCCASIN (see page 353) | This is constant MIGTTROSE. This is constant MOCCASIN. |
| MOUSE_BUTTON_LEFT (see page 353) | This is constant MOUSE BUTTON LEFT. |
| | |
| MOUSE_BUTTON_BIGHT (see page 354) | This is constant MOUSE_BUTTON_MIDDLE. This is constant MOUSE_BUTTON_RIGHT. |
| MOUSE_BUTTON_RIGHT (see page 354) | This is constant NAN. |
| NAN (see page 354) NAVAJOWHITE (see page 354) | This is constant NAVAJOWHITE. |
| NAVY (see page 354) | This is constant NAVY. |
| OLDLACE (see page 354) | This is constant NAV1. This is constant OLDLACE. |
| OLIVE (see page 354) | This is constant OLIVE. |
| OLIVE (see page 355) OLIVEDRAB (see page 355) | This is constant OLIVE. This is constant OLIVEDRAB. |
| ORANGE (see page 355) | This is constant ORIVEDRAB. This is constant ORANGE. |
| ORANGERED (see page 355) | This is constant ORANGERED. |
| ORCHID (see page 356) | This is constant ORCHID. |
| OVERLAY1 (see page 356) | This is constant OVERLAY1. |
| OVERLAY? (see page 356) | This is constant OVERLAY1. This is constant OVERLAY2. |
| | This is constant OVERLATZ. This is constant PALEGOLDENROD. |
| PALEGOLDENROD (see page 356) | This is constant PALEGOLDENROD. This is constant PALEGREEN. |
| PALEGREEN (see page 356) PALETURQUOISE (see page 357) | |
| | This is constant PALETURQUOISE. This is constant PALEVIOLETRED. |
| PALEVIOLETRED (see page 357) | |
| PAPAYAWHIP (see page 357) | This is constant PAPAYAWHIP. This is constant PEACHPUFF. |
| PEACHPUFF (see page 357) | |
| PERU (see page 358) | This is constant PINIC |
| PINK (see page 358) | This is constant PINK. |
| PLUM (see page 358) | This is constant PLUM. |
| PNG_EXT (see page 358) | This is constant POW/DERPLUE |
| POWDERBLUE (see page 358) | This is constant PURPLE. |
| PURPLE (see page 359) | This is constant PURPLE. |
| RAD2DEG (see page 359) | This is constant RAD2DEG. |
| REBECCAPURPLE (see page 359) | This is constant REBECCAPURPLE. |
| RED (see page 359) | This is constant RED. |
| RED2 (see page 360) | This is constant RED2. |

| ROSYBROWN (see page 360) | This is constant ROSYBROWN. |
|-------------------------------|---------------------------------|
| ROYALBLUE (see page 360) | This is constant ROYALBLUE. |
| SADDLEBROWN (see page 360) | This is constant SADDLEBROWN. |
| SALMON (see page 360) | This is constant SALMON. |
| SANDYBROWN (see page 361) | This is constant SANDYBROWN. |
| SEAGREEN (see page 361) | This is constant SEAGREEN. |
| SEASHELL (see page 361) | This is constant SEASHELL. |
| SIENNA (see page 361) | This is constant SIENNA. |
| SILVER (see page 362) | This is constant SILVER. |
| SKYBLUE (see page 362) | This is constant SKYBLUE. |
| SLATEBLUE (see page 362) | This is constant SLATEBLUE. |
| SLATEGRAY (see page 362) | This is constant SLATEGRAY. |
| SLATEGREY (see page 362) | This is constant SLATEGREY. |
| SNOW (see page 363) | This is constant SNOW. |
| SPRINGGREEN (see page 363) | This is constant SPRINGGREEN. |
| SQLITE_EXT (see page 363) | This is constant SQLITE_EXT. |
| STEELBLUE (see page 363) | This is constant STEELBLUE. |
| TAN (see page 364) | This is constant TAN. |
| TEAL (see page 364) | This is constant TEAL. |
| THISTLE (see page 364) | This is constant THISTLE. |
| TOMATO (see page 364) | This is constant TOMATO. |
| TREEMENU_NONE (see page 364) | This is constant TREEMENU_NONE. |
| TREEMENU_QUIT (see page 365) | This is constant TREEMENU_QUIT. |
| TURQUOISE (see page 365) | This is constant TURQUOISE. |
| VIOLET (see page 365) | This is constant VIOLET. |
| WHEAT (see page 365) | This is constant WHEAT. |
| WHITE (see page 366) | This is constant WHITE. |
| WHITE2 (see page 366) | This is constant WHITE2. |
| WHITESMOKE (see page 366) | This is constant WHITESMOKE. |
| YELLOW (see page 366) | This is constant YELLOW. |
| YELLOWGREEN (see page 366) | This is constant YELLOWGREEN. |

1.6.1 ALICEBLUE

File: TopazGameLib.pas (see page 367)

Delphi

ALICEBLUE: TColor = (Red:\$F0/\$FF; Green:\$F8/\$FF; Blue:\$FF/\$FF; Alpha:\$FF/\$FF);

Description

This is constant ALICEBLUE.

1.6.2 ANTIQUEWHITE

ANTIQUEWHITE: TColor = (Red: \$FA/\$FF; Green: \$EB/\$FF; Blue: \$D7/\$FF; Alpha: \$FF/\$FF);

Description

This is constant ANTIQUEWHITE.

1.6.3 AQUA

File: TopazGameLib.pas (see page 367)

Delphi

```
AQUA: TColor = (Red:$00/$FF; Green:$FF/$FF; Blue:$FF/$FF; Alpha:$FF/$FF);
```

Description

This is constant AQUA.

1.6.4 AQUAMARINE

File: TopazGameLib.pas (see page 367)

Delphi

AQUAMARINE: TColor = (Red:\$7F/\$FF; Green:\$FF/\$FF; Blue:\$D4/\$FF; Alpha:\$FF/\$FF);

Description

This is constant AQUAMARINE.

1.6.5 AUDIO_BUFFER_COUNT

File: TopazGameLib.pas (see page 367)

Delphi

AUDIO_BUFFER_COUNT = 256;

Description

This is constant AUDIO_BUFFER_COUNT.

1.6.6 AUDIO_CHANNEL_COUNT

File: TopazGameLib.pas (see page 367)

Delphi

AUDIO_CHANNEL_COUNT = 16;

Description

This is constant AUDIO_CHANNEL_COUNT.

1.6.7 AUDIO_DYNAMIC_CHANNEL

File: TopazGameLib.pas (see page 367)

Delphi

```
AUDIO_DYNAMIC_CHANNEL = -1;
```

Description

This is constant AUDIO_DYNAMIC_CHANNEL.

1.6.8 AUDIO_INVALID_INDEX

File: TopazGameLib.pas (see page 367)

Delphi

```
AUDIO_INVALID_INDEX = -2;
```

Description

This is constant AUDIO_INVALID_INDEX.

1.6.9 AZURE

File: TopazGameLib.pas (see page 367)

Delphi

```
AZURE: TColor = (Red:$F0/$FF; Green:$FF/$FF; Blue:$FF/$FF; Alpha:$FF/$FF);
```

Description

This is constant AZURE.

1.6.10 BEIGE

File: TopazGameLib.pas (see page 367)

Delphi

```
BEIGE: TColor = (Red:$F5/$FF; Green:$F5/$FF; Blue:$DC/$FF; Alpha:$FF/$FF);
```

Description

This is constant BEIGE.

1.6.11 **BISQUE**

```
BISQUE: TColor = (Red: $FF/$FF; Green: $E4/$FF; Blue: $C4/$FF; Alpha: $FF/$FF);
```

Description

This is constant BISQUE.

1.6.12 BLACK

File: TopazGameLib.pas (see page 367)

Delphi

```
BLACK: TColor = (Red:$00/$FF; Green:$00/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant BLACK.

1.6.13 BLANCHEDALMOND

File: TopazGameLib.pas (see page 367)

Delphi

BLANCHEDALMOND: TColor = (Red:\$FF/\$FF; Green:\$EB/\$FF; Blue:\$CD/\$FF; Alpha:\$FF/\$FF);

Description

This is constant BLANCHEDALMOND.

1.6.14 **BLANK**

File: TopazGameLib.pas (see page 367)

Delphi

```
BLANK: TColor = (Red:$00; Green:$00; Blue:$00; Alpha:$00);
```

Description

This is constant BLANK.

1.6.15 **BLEND_ADD**

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND\_ADD = 0;
```

Description

This is constant BLEND_ADD.

1.6.16 BLEND_ALPHA

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_ALPHA = 2;
```

Description

This is constant BLEND_ALPHA.

1.6.17 BLEND_CONST_COLOR

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_CONST_COLOR = 8;
```

Description

This is constant BLEND_CONST_COLOR.

1.6.18 BLEND_DEST_COLOR

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_DEST_COLOR = 5;
```

Description

This is constant BLEND_DEST_COLOR.

1.6.19 BLEND_DEST_MINUS_SRC

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_DEST_MINUS_SRC = 2;
```

Description

This is constant BLEND_DEST_MINUS_SRC.

1.6.20 BLEND_INVERSE_ALPHA

```
BLEND_INVERSE_ALPHA = 3;
```

Description

This is constant BLEND_INVERSE_ALPHA.

1.6.21 BLEND_INVERSE_CONST_COLOR

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_INVERSE_CONST_COLOR = 9;
```

Description

This is constant BLEND_INVERSE_CONST_COLOR.

1.6.22 BLEND_INVERSE_DEST_COLOR

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_INVERSE_DEST_COLOR = 7;
```

Description

This is constant BLEND_INVERSE_DEST_COLOR.

1.6.23 BLEND_INVERSE_SRC_COLOR

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_INVERSE_SRC_COLOR = 6;
```

Description

This is constant BLEND_INVERSE_SRC_COLOR.

1.6.24 BLEND_ONE

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_ONE = 1;
```

Description

This is constant BLEND_ONE.

1.6.25 BLEND_SRC_COLOR

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_SRC_COLOR = 4;
```

Description

This is constant BLEND_SRC_COLOR.

1.6.26 BLEND_SRC_MINUS_DEST

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_SRC_MINUS_DEST = 1;
```

Description

This is constant BLEND_SRC_MINUS_DEST.

1.6.27 BLEND_ZERO

File: TopazGameLib.pas (see page 367)

Delphi

```
BLEND_ZERO = 0;
```

Description

This is constant BLEND_ZERO.

1.6.28 BLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
BLUE: TColor = (Red:$00/$FF; Green:$00/$FF; Blue:$FF/$FF; Alpha:$FF/$FF);
```

Description

This is constant BLUE.

1.6.29 BLUEVIOLET

```
BLUEVIOLET: TColor = (Red: $8A/$FF; Green: $2B/$FF; Blue: $E2/$FF; Alpha: $FF/$FF);
```

Description

This is constant BLUEVIOLET.

1.6.30 **BROWN**

File: TopazGameLib.pas (see page 367)

Delphi

```
BROWN: TColor = (Red:$A5/$FF; Green:$2A/$FF; Blue:$2A/$FF; Alpha:$FF/$FF);
```

Description

This is constant BROWN.

1.6.31 BURLYWOOD

File: TopazGameLib.pas (see page 367)

Delphi

```
BURLYWOOD: TColor = (Red:$DE/$FF; Green:$B8/$FF; Blue:$87/$FF; Alpha:$FF/$FF);
```

Description

This is constant BURLYWOOD.

1.6.32 CADETBLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
CADETBLUE: TColor = (Red:$5F/$FF; Green:$9E/$FF; Blue:$A0/$FF; Alpha:$FF/$FF);
```

Description

This is constant CADETBLUE.

1.6.33 CFG_EXT

File: TopazGameLib.pas (see page 367)

Delphi

```
CFG_EXT = 'cfg';
```

Description

This is constant CFG_EXT.

1.6.34 CHARTREUSE

File: TopazGameLib.pas (see page 367)

Delphi

CHARTREUSE: TColor = (Red:\$7F/\$FF; Green:\$FF/\$FF; Blue:\$00/\$FF; Alpha:\$FF/\$FF);

Description

This is constant CHARTREUSE.

1.6.35 CHOCOLATE

File: TopazGameLib.pas (see page 367)

Delphi

CHOCOLATE: TColor = (Red:\$D2/\$FF; Green:\$69/\$FF; Blue:\$1E/\$FF; Alpha:\$FF/\$FF);

Description

This is constant CHOCOLATE.

1.6.36 COLORKEY

File: TopazGameLib.pas (see page 367)

Delphi

COLORKEY: TColor = (Red:\$FF/\$FF; Green:\$00; Blue:\$FF/\$FF; Alpha:\$FF/\$FF);

Description

This is constant COLORKEY.

1.6.37 CORAL

File: TopazGameLib.pas (see page 367)

Delphi

CORAL: TColor = (Red:\$FF/\$FF; Green:\$7F/\$FF; Blue:\$50/\$FF; Alpha:\$FF/\$FF);

Description

This is constant CORAL.

1.6.38 CORNFLOWERBLUE

CORNFLOWERBLUE: TColor = (Red:\$64/\$FF; Green:\$95/\$FF; Blue:\$ED/\$FF; Alpha:\$FF/\$FF);

Description

This is constant CORNFLOWERBLUE.

1.6.39 CORNSILK

File: TopazGameLib.pas (see page 367)

Delphi

```
CORNSILK: TColor = (Red:\ff\fr; Green:\fr; Blue:\fr; Alpha:\fr;\fr;);
```

Description

This is constant CORNSILK.

1.6.40 CR

File: TopazGameLib.pas (see page 367)

Delphi

CR = #13;

Description

This is constant CR.

1.6.41 CRIMSON

File: TopazGameLib.pas (see page 367)

Delphi

```
CRIMSON: TColor = (Red:$DC/$FF; Green:$14/$FF; Blue:$3C/$FF; Alpha:$FF/$FF);
```

Description

This is constant CRIMSON.

1.6.42 CRLF

File: TopazGameLib.pas (see page 367)

Delphi

```
CRLF = #13#10;
```

Description

This is constant CRLF.

1.6.43 CYAN

File: TopazGameLib.pas (see page 367)

Delphi

CYAN: TColor = (Red: \$00/\$FF; Green: \$FF/\$FF; Blue: \$FF/\$FF; Alpha: \$FF/\$FF);

Description

This is constant CYAN.

1.6.44 DARKBLUE

File: TopazGameLib.pas (see page 367)

Delphi

DARKBLUE: TColor = (Red:\$00/\$FF; Green:\$00/\$FF; Blue:\$8B/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKBLUE.

1.6.45 DARKCYAN

File: TopazGameLib.pas (see page 367)

Delphi

DARKCYAN: TColor = (Red:\$00/\$FF; Green:\$8B/\$FF; Blue:\$8B/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKCYAN.

1.6.46 DARKGOLDENROD

File: TopazGameLib.pas (see page 367)

Delphi

DARKGOLDENROD: TColor = (Red:\$B8/\$FF; Green:\$86/\$FF; Blue:\$0B/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKGOLDENROD.

1.6.47 DARKGRAY

DARKGRAY: TColor = (Red:\$A9/\$FF; Green:\$A9/\$FF; Blue:\$A9/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKGRAY.

1.6.48 DARKGREEN

File: TopazGameLib.pas (see page 367)

Delphi

```
DARKGREEN: TColor = (Red:$00/$FF; Green:$64/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant DARKGREEN.

1.6.49 DARKGREY

File: TopazGameLib.pas (see page 367)

Delphi

```
DARKGREY: TColor = (Red:$A9/$FF; Green:$A9/$FF; Blue:$A9/$FF; Alpha:$FF/$FF);
```

Description

This is constant DARKGREY.

1.6.50 DARKKHAKI

File: TopazGameLib.pas (see page 367)

Delphi

```
DARKKHAKI: TColor = (Red:$BD/$FF; Green:$B7/$FF; Blue:$6B/$FF; Alpha:$FF/$FF);
```

Description

This is constant DARKKHAKI.

1.6.51 DARKMAGENTA

File: TopazGameLib.pas (see page 367)

Delphi

```
DARKMAGENTA: TColor = (Red:$8B/$FF; Green:$00/$FF; Blue:$8B/$FF; Alpha:$FF/$FF);
```

Description

This is constant DARKMAGENTA.

1.6.52 DARKOLIVEGREEN

File: TopazGameLib.pas (see page 367)

Delphi

DARKOLIVEGREEN: TColor = (Red:\$55/\$FF; Green:\$6B/\$FF; Blue:\$2F/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKOLIVEGREEN.

1.6.53 DARKORANGE

File: TopazGameLib.pas (see page 367)

Delphi

DARKORANGE: TColor = (Red:\$FF/\$FF; Green:\$8C/\$FF; Blue:\$00/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKORANGE.

1.6.54 DARKORCHID

File: TopazGameLib.pas (see page 367)

Delphi

DARKORCHID: TColor = (Red:\$99/\$FF; Green:\$32/\$FF; Blue:\$CC/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKORCHID.

1.6.55 DARKRED

File: TopazGameLib.pas (see page 367)

Delphi

DARKRED: TColor = (Red:\$8B/\$FF; Green:\$00/\$FF; Blue:\$00/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKRED.

1.6.56 DARKSALMON

DARKSALMON: TColor = (Red:\$E9/\$FF; Green:\$96/\$FF; Blue:\$7A/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKSALMON.

1.6.57 DARKSEAGREEN

File: TopazGameLib.pas (see page 367)

Delphi

DARKSEAGREEN: TColor = (Red:\$8F/\$FF; Green:\$BC/\$FF; Blue:\$8F/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKSEAGREEN.

1.6.58 DARKSLATEBLUE

File: TopazGameLib.pas (see page 367)

Delphi

DARKSLATEBLUE: TColor = (Red:\$48/\$FF; Green:\$3D/\$FF; Blue:\$8B/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKSLATEBLUE.

1.6.59 DARKSLATEBROWN

File: TopazGameLib.pas (see page 367)

Delphi

DARKSLATEBROWN: TColor = (Red:30/255; Green:31/255; Blue:30/255; Alpha:1);

Description

This is constant DARKSLATEBROWN.

1.6.60 DARKSLATEGRAY

File: TopazGameLib.pas (see page 367)

Delphi

DARKSLATEGRAY: TColor = (Red:\$2F/\$FF; Green:\$4F/\$FF; Blue:\$4F/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKSLATEGRAY.

1.6.61 DARKSLATEGREY

File: TopazGameLib.pas (see page 367)

Delphi

DARKSLATEGREY: TColor = (Red:\$2F/\$FF; Green:\$4F/\$FF; Blue:\$4F/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKSLATEGREY.

1.6.62 DARKTURQUOISE

File: TopazGameLib.pas (see page 367)

Delphi

DARKTURQUOISE: TColor = (Red:\$00/\$FF; Green:\$CE/\$FF; Blue:\$D1/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKTURQUOISE.

1.6.63 DARKVIOLET

File: TopazGameLib.pas (see page 367)

Delphi

DARKVIOLET: TColor = (Red:\$94/\$FF; Green:\$00/\$FF; Blue:\$D3/\$FF; Alpha:\$FF/\$FF);

Description

This is constant DARKVIOLET.

1.6.64 DATABASE_DEFAULT_MYSQL_PORT

File: TopazGameLib.pas (see page 367)

Delphi

DATABASE_DEFAULT_MYSQL_PORT = 3306;

Description

This is constant DATABASE_DEFAULT_MYSQL_PORT.

1.6.65 DEEPPINK

```
DEEPPINK: TColor = (Red:$FF/$FF; Green:$14/$FF; Blue:$93/$FF; Alpha:$FF/$FF);
```

Description

This is constant DEEPPINK.

1.6.66 DEEPSKYBLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
DEEPSKYBLUE: TColor = (Red:$00/$FF; Green:$BF/$FF; Blue:$FF/$FF; Alpha:$FF/$FF);
```

Description

This is constant DEEPSKYBLUE.

1.6.67 **DEG2RAD**

File: TopazGameLib.pas (see page 367)

Delphi

```
DEG2RAD = PI / 180.0;
```

Description

This is constant DEG2RAD.

1.6.68 DIMGRAY

File: TopazGameLib.pas (see page 367)

Delphi

```
DIMGRAY: TColor = (Red:$69/$FF; Green:$69/$FF; Blue:$69/$FF; Alpha:$FF/$FF);
```

Description

This is constant DIMGRAY.

1.6.69 DIMGREY

File: TopazGameLib.pas (see page 367)

Delphi

```
DIMGREY: TColor = (Red:$69/$FF; Green:$69/$FF; Blue:$69/$FF; Alpha:$FF/$FF);
```

Description

This is constant DIMGREY.

1.6.70 DIMWHITE

File: TopazGameLib.pas (see page 367)

Delphi

```
DIMWHITE: TColor = (Red:$10/$FF; Green:$10/$FF; Blue:$10/$FF; Alpha:$10/$FF);
```

Description

This is constant DIMWHITE.

1.6.71 DODGERBLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
DODGERBLUE: TColor = (Red:$1E/$FF; Green:$90/$FF; Blue:$FF/$FF; Alpha:$FF/$FF);
```

Description

This is constant DODGERBLUE.

1.6.72 EPSILON

File: TopazGameLib.pas (see page 367)

Delphi

```
EPSILON = 0.00001;
```

Description

This is constant EPSILON.

1.6.73 FALSE_TRUE_STR

File: TopazGameLib.pas (see page 367)

Delphi

```
FALSE_TRUE_STR: array[boolean] of string = ('FALSE','TRUE');
```

Description

This is constant FALSE_TRUE_STR.

1.6.74 FIREBRICK

FIREBRICK: TColor = (Red:\$B2/\$FF; Green:\$22/\$FF; Blue:\$22/\$FF; Alpha:\$FF/\$FF);

Description

This is constant FIREBRICK.

1.6.75 FLORALWHITE

File: TopazGameLib.pas (see page 367)

Delphi

```
FLORALWHITE: TColor = (Red:$FF/$FF; Green:$FA/$FF; Blue:$F0/$FF; Alpha:$FF/$FF);
```

Description

This is constant FLORALWHITE.

1.6.76 FORESTGREEN

File: TopazGameLib.pas (see page 367)

Delphi

FORESTGREEN: TColor = (Red:\$22/\$FF; Green:\$8B/\$FF; Blue:\$22/\$FF; Alpha:\$FF/\$FF);

Description

This is constant FORESTGREEN.

1.6.77 FUCHSIA

File: TopazGameLib.pas (see page 367)

Delphi

```
FUCHSIA: TColor = (Red:$FF/$FF; Green:$00/$FF; Blue:$FF/$FF; Alpha:$FF/$FF);
```

Description

This is constant FUCHSIA.

1.6.78 GAINSBORO

File: TopazGameLib.pas (see page 367)

Delphi

```
GAINSBORO: TColor = (Red:$DC/$FF; Green:$DC/$FF; Blue:$DC/$FF; Alpha:$FF/$FF);
```

Description

This is constant GAINSBORO.

1.6.79 GHOSTWHITE

File: TopazGameLib.pas (see page 367)

Delphi

```
GHOSTWHITE: TColor = (Red:$F8/$FF; Green:$F8/$FF; Blue:$FF/$FF; Alpha:$FF/$FF);
```

Description

This is constant GHOSTWHITE.

1.6.80 GOLD

File: TopazGameLib.pas (see page 367)

Delphi

```
GOLD: TColor = (Red: $FF/$FF; Green: $D7/$FF; Blue: $00/$FF; Alpha: $FF/$FF);
```

Description

This is constant GOLD.

1.6.81 GOLDENROD

File: TopazGameLib.pas (see page 367)

Delphi

```
GOLDENROD: TColor = (Red:$DA/$FF; Green:$A5/$FF; Blue:$20/$FF; Alpha:$FF/$FF);
```

Description

This is constant GOLDENROD.

1.6.82 GRAY

File: TopazGameLib.pas (see page 367)

Delphi

```
GRAY: TColor = (Red:$80/$FF; Green:$80/$FF; Blue:$80/$FF; Alpha:$FF/$FF);
```

Description

This is constant GRAY.

1.6.83 GREEN

```
GREEN: TColor = (Red:$00/$FF; Green:$80/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant GREEN.

1.6.84 GREENYELLOW

File: TopazGameLib.pas (see page 367)

Delphi

```
GREENYELLOW: TColor = (Red:$AD/$FF; Green:$FF/$FF; Blue:$2F/$FF; Alpha:$FF/$FF);
```

Description

This is constant GREENYELLOW.

1.6.85 GREY

File: TopazGameLib.pas (see page 367)

Delphi

```
GREY: TColor = (Red:$80/$FF; Green:$80/$FF; Blue:$80/$FF; Alpha:$FF/$FF);
```

Description

This is constant GREY.

1.6.86 GUI_DYNAMIC

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_DYNAMIC = 0;
```

Description

This is constant GUI_DYNAMIC.

1.6.87 GUI_EDIT_FILTER_ASCII

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_EDIT_FILTER_ASCII = 1;
```

Description

This is constant GUI_EDIT_FILTER_ASCII.

1.6.88 GUI_EDIT_FILTER_BINARY

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_EDIT_FILTER_BINARY = 6;
```

Description

This is constant GUI_EDIT_FILTER_BINARY.

1.6.89 GUI_EDIT_FILTER_DECIMAL

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_EDIT_FILTER_DECIMAL = 3;
```

Description

This is constant GUI_EDIT_FILTER_DECIMAL.

1.6.90 GUI_EDIT_FILTER_DEFAULT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_EDIT_FILTER_DEFAULT = 0;
```

Description

This is constant GUI_EDIT_FILTER_DEFAULT.

1.6.91 GUI_EDIT_FILTER_FLOAT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_EDIT_FILTER_FLOAT = 2;
```

Description

This is constant GUI_EDIT_FILTER_FLOAT.

1.6.92 GUI_EDIT_FILTER_HEX

```
GUI_EDIT_FILTER_HEX = 4;
```

Description

This is constant GUI_EDIT_FILTER_HEX.

1.6.93 GUI_EDIT_FILTER_OCT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_EDIT_FILTER_OCT = 5;
```

Description

This is constant GUI_EDIT_FILTER_OCT.

1.6.94 GUI_STATIC

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_STATIC = 1;
```

Description

This is constant GUI_STATIC.

1.6.95 GUI_TEXT_CENTERED

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_TEXT_CENTERED = 18;
```

Description

This is constant GUI_TEXT_CENTERED.

1.6.96 GUI_TEXT_LEFT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI\_TEXT\_LEFT = 17;
```

Description

This is constant GUI_TEXT_LEFT.

1.6.97 GUI_TEXT_RIGHT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_TEXT_RIGHT = 20;
```

Description

This is constant GUI_TEXT_RIGHT.

1.6.98 GUI_THEME_BLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_THEME_BLUE = 3;
```

Description

This is constant GUI_THEME_BLUE.

1.6.99 GUI_THEME_DARK

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_THEME_DARK = 4;
```

Description

This is constant GUI_THEME_DARK.

1.6.100 GUI_THEME_DEFAULT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_THEME_DEFAULT = 0;
```

Description

This is constant GUI_THEME_DEFAULT.

1.6.101 GUI_THEME_RED

```
GUI\_THEME\_RED = 2;
```

Description

This is constant GUI_THEME_RED.

1.6.102 GUI_THEME_WHITE

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_THEME_WHITE = 1;
```

Description

This is constant GUI_THEME_WHITE.

1.6.103 GUI_WINDOW_BACKGROUND

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_BACKGROUND = 256;
```

Description

This is constant GUI_WINDOW_BACKGROUND.

1.6.104 GUI_WINDOW_BORDER

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_BORDER = 1;
```

Description

This is constant GUI_WINDOW_BORDER.

1.6.105 GUI_WINDOW_CLOSABLE

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_CLOSABLE = 8;
```

Description

This is constant GUI_WINDOW_CLOSABLE.

1.6.106 GUI_WINDOW_DEFAULT

File: TopazGameLib.pas (see page 367)

Delphi

GUI_WINDOW_DEFAULT = GUI_WINDOW_BORDER or GUI_WINDOW_TITLE or GUI_WINDOW_SCROLL_AUTO_HIDE
or GUI_WINDOW_SCALABLE or GUI_WINDOW_MOVABLE;

Description

This is constant GUI_WINDOW_DEFAULT.

1.6.107 GUI_WINDOW_MINIMIZABLE

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_MINIMIZABLE = 16;
```

Description

This is constant GUI_WINDOW_MINIMIZABLE.

1.6.108 GUI_WINDOW_MOVABLE

File: TopazGameLib.pas (see page 367)

Delphi

GUI_WINDOW_MOVABLE = 2;

Description

This is constant GUI_WINDOW_MOVABLE.

1.6.109 GUI_WINDOW_NO_INPUT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_NO_INPUT = 1024;
```

Description

This is constant GUI_WINDOW_NO_INPUT.

1.6.110 GUI_WINDOW_NO_SCROLLBAR

```
GUI_WINDOW_NO_SCROLLBAR = 32;
```

Description

This is constant GUI_WINDOW_NO_SCROLLBAR.

1.6.111 GUI_WINDOW_SCALABLE

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_SCALABLE = 4;
```

Description

This is constant GUI_WINDOW_SCALABLE.

1.6.112 GUI_WINDOW_SCALE_LEFT

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_SCALE_LEFT = 512;
```

Description

This is constant GUI_WINDOW_SCALE_LEFT.

1.6.113 GUI_WINDOW_SCROLL_AUTO_HIDE

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_SCROLL_AUTO_HIDE = 128;
```

Description

This is constant GUI_WINDOW_SCROLL_AUTO_HIDE.

1.6.114 GUI_WINDOW_TITLE

File: TopazGameLib.pas (see page 367)

Delphi

```
GUI_WINDOW_TITLE = 64;
```

Description

This is constant GUI_WINDOW_TITLE.

1.6.115 HONEYDEW

File: TopazGameLib.pas (see page 367)

Delphi

HONEYDEW: TColor = (Red: \$F0/\$FF; Green: \$FF/\$FF; Blue: \$F0/\$FF; Alpha: \$FF/\$FF);

Description

This is constant HONEYDEW.

1.6.116 HOTPINK

File: TopazGameLib.pas (see page 367)

Delphi

HOTPINK: TColor = (Red:\$FF/\$FF; Green:\$69/\$FF; Blue:\$B4/\$FF; Alpha:\$FF/\$FF);

Description

This is constant HOTPINK.

1.6.117 INDIANRED

File: TopazGameLib.pas (see page 367)

Delphi

INDIANRED: TColor = (Red:\$CD/\$FF; Green:\$5C/\$FF; Blue:\$5C/\$FF; Alpha:\$FF/\$FF);

Description

This is constant INDIANRED.

1.6.118 INDIGO

File: TopazGameLib.pas (see page 367)

Delphi

INDIGO: TColor = (Red:\$4B/\$FF; Green:\$00/\$FF; Blue:\$82/\$FF; Alpha:\$FF/\$FF);

Description

This is constant INDIGO.

1.6.119 INI_EXT

```
INI_EXT = 'ini';
```

Description

This is constant INI_EXT.

1.6.120 IVORY

File: TopazGameLib.pas (see page 367)

Delphi

```
IVORY: TColor = (Red:$FF/$FF; Green:$FF/$FF; Blue:$F0/$FF; Alpha:$FF/$FF);
```

Description

This is constant IVORY.

1.6.121 **JOY_AXES_X**

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_AXES_X = 0;
```

Description

This is constant JOY_AXES_X.

1.6.122 **JOY_AXES_Y**

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_AXES_Y = 1;
```

Description

This is constant JOY_AXES_Y.

1.6.123 JOY_AXES_Z

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_AXES_Z = 2;
```

Description

This is constant JOY_AXES_Z.

1.6.124 **JOY_BTN_A**

File: TopazGameLib.pas (see page 367)

Delphi

 $JOY_BTN_A = 0;$

Description

This is constant JOY_BTN_A.

1.6.125 JOY_BTN_B

File: TopazGameLib.pas (see page 367)

Delphi

 $JOY_BTN_B = 1;$

Description

This is constant JOY_BTN_B.

1.6.126 JOY_BTN_BACK

File: TopazGameLib.pas (see page 367)

Delphi

JOY_BTN_BACK = 8;

Description

This is constant JOY_BTN_BACK.

1.6.127 JOY_BTN_DDPAD

File: TopazGameLib.pas (see page 367)

Delphi

JOY_BTN_DDPAD = 12;

Description

This is constant JOY_BTN_DDPAD.

1.6.128 **JOY_BTN_LB**

```
JOY_BTN_LB = 5;
```

Description

This is constant JOY_BTN_LB.

1.6.129 JOY_BTN_LDPAD

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_LDPAD = 11;
```

Description

This is constant JOY_BTN_LDPAD.

1.6.130 **JOY_BTN_LT**

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_LT = 7;
```

Description

This is constant JOY_BTN_LT.

1.6.131 **JOY_BTN_RB**

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_RB = 4;
```

Description

This is constant JOY_BTN_RB.

1.6.132 JOY_BTN_RDPAD

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_RDPAD = 10;
```

Description

This is constant JOY_BTN_RDPAD.

1.6.133 **JOY_BTN_RT**

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_RT = 6;
```

Description

This is constant JOY_BTN_RT.

1.6.134 JOY_BTN_START

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_START = 9;
```

Description

This is constant JOY_BTN_START.

1.6.135 JOY_BTN_UDPAD

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_UDPAD = 13;
```

Description

This is constant JOY_BTN_UDPAD.

1.6.136 JOY_BTN_X

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_BTN_X = 2;
```

Description

This is constant JOY_BTN_X.

1.6.137 JOY_BTN_Y

```
JOY_BTN_Y = 3;
```

Description

This is constant JOY_BTN_Y.

1.6.138 JOY_STICK_LS

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_STICK_LS = 0;
```

Description

This is constant JOY_STICK_LS.

1.6.139 JOY_STICK_LT

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_STICK_LT = 2;
```

Description

This is constant JOY_STICK_LT.

1.6.140 JOY_STICK_RS

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_STICK_RS = 1;
```

Description

This is constant JOY_STICK_RS.

1.6.141 JOY_STICK_RT

File: TopazGameLib.pas (see page 367)

Delphi

```
JOY_STICK_RT = 3;
```

Description

This is constant JOY_STICK_RT.

1.6.142 KEYMOD_ACCENT1

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_ACCENT1 = \$1000;

Description

This is constant KEYMOD_ACCENT1.

1.6.143 KEYMOD_ACCENT2

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_ACCENT2 = \$2000;

Description

This is constant KEYMOD_ACCENT2.

1.6.144 KEYMOD_ACCENT3

File: TopazGameLib.pas (see page 367)

Delphi

 $KEYMOD_ACCENT3 = $4000;$

Description

This is constant KEYMOD_ACCENT3.

1.6.145 KEYMOD ACCENT4

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_ACCENT4 = \$8000;

Description

This is constant KEYMOD_ACCENT4.

1.6.146 **KEYMOD_ALT**

 $KEYMOD_ALT = $0004;$

Description

This is constant KEYMOD_ALT.

1.6.147 KEYMOD_CAPSLOCK

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_CAPSLOCK = \$0400;

Description

This is constant KEYMOD_CAPSLOCK.

1.6.148 KEYMOD_COMMAND

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_COMMAND = \$0040;

Description

This is constant KEYMOD_COMMAND.

1.6.149 KEYMOD_CTRL

File: TopazGameLib.pas (see page 367)

Delphi

 $KEYMOD_CTRL = $0002;$

Description

This is constant KEYMOD_CTRL.

1.6.150 KEYMOD_INALTSEQ

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_INALTSEQ = \$0800;

Description

This is constant KEYMOD_INALTSEQ.

1.6.151 KEYMOD_LWIN

File: TopazGameLib.pas (see page 367)

Delphi

 $KEYMOD_LWIN = $0008;$

Description

This is constant KEYMOD_LWIN.

1.6.152 KEYMOD_MENU

File: TopazGameLib.pas (see page 367)

Delphi

 $KEYMOD_MENU = $0020;$

Description

This is constant KEYMOD_MENU.

1.6.153 KEYMOD_NUMLOCK

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_NUMLOCK = \$0200;

Description

This is constant KEYMOD_NUMLOCK.

1.6.154 KEYMOD RWIN

File: TopazGameLib.pas (see page 367)

Delphi

KEYMOD_RWIN = \$0010;

Description

This is constant KEYMOD_RWIN.

1.6.155 KEYMOD_SCROLOCK

```
KEYMOD_SCROLOCK = $0100;
```

Description

This is constant KEYMOD_SCROLOCK.

1.6.156 KEYMOD_SHIFT

File: TopazGameLib.pas (see page 367)

Delphi

```
KEYMOD_SHIFT = $0001;
```

Description

This is constant KEYMOD_SHIFT.

1.6.157 KEY_0

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_0 = 27;
```

Description

This is constant KEY_0.

1.6.158 KEY_1

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_1 = 28;
```

Description

This is constant KEY_1.

1.6.159 KEY_2

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_2 = 29;
```

Description

This is constant KEY_2.

1.6.160 KEY_3

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_3 = 30;$

Description

This is constant KEY_3.

1.6.161 KEY_4

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_4 = 31;$

Description

This is constant KEY_4.

1.6.162 KEY_5

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_5 = 32;$

Description

This is constant KEY_5.

1.6.163 KEY_6

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_6 = 33;$

Description

This is constant KEY_6.

1.6.164 KEY_7

 $KEY_7 = 34;$

Description

This is constant KEY_7.

1.6.165 KEY_8

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_8 = 35;$

Description

This is constant KEY_8.

1.6.166 KEY_9

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_9 = 36;$

Description

This is constant KEY_9.

1.6.167 KEY_A

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_A = 1;$

Description

This is constant KEY_A.

1.6.168 KEY_ABNT_C1

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_ABNT_C1 = 94;$

Description

This is constant KEY_ABNT_C1.

1.6.169 KEY_ALT

File: TopazGameLib.pas (see page 367)

Delphi

KEY_ALT = 219;

Description

This is constant KEY_ALT.

1.6.170 **KEY_ALTGR**

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_ALTGR = 220;$

Description

This is constant KEY_ALTGR.

1.6.171 KEY_AT

File: TopazGameLib.pas (see page 367)

Delphi

KEY_AT = 99;

Description

This is constant KEY_AT.

1.6.172 KEY B

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_B = 2;$

Description

This is constant KEY_B.

1.6.173 KEY_BACK

 $KEY_BACK = 107;$

Description

This is constant KEY_BACK.

1.6.174 KEY_BACKQUOTE

File: TopazGameLib.pas (see page 367)

Delphi

KEY_BACKQUOTE = 104;

Description

This is constant KEY_BACKQUOTE.

1.6.175 KEY_BACKSLASH

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_BACKSLASH = 70;$

Description

This is constant KEY_BACKSLASH.

1.6.176 KEY_BACKSLASH2

File: TopazGameLib.pas (see page 367)

Delphi

KEY_BACKSLASH2 = 71;

Description

This is constant KEY_BACKSLASH2.

1.6.177 KEY_BACKSPACE

File: TopazGameLib.pas (see page 367)

Delphi

KEY_BACKSPACE = 63;

Description

This is constant KEY_BACKSPACE.

1.6.178 KEY_BUTTON_A

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_BUTTON_A = 124;$

Description

This is constant KEY_BUTTON_A.

1.6.179 KEY_BUTTON_B

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_BUTTON_B = 125;$

Description

This is constant KEY_BUTTON_B.

1.6.180 KEY_BUTTON_L1

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_BUTTON_L1 = 120;$

Description

This is constant KEY_BUTTON_L1.

1.6.181 KEY_BUTTON_L2

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_BUTTON_L2 = 122;$

Description

This is constant KEY_BUTTON_L2.

1.6.182 **KEY_BUTTON_R1**

```
KEY_BUTTON_R1 = 121;
```

Description

This is constant KEY_BUTTON_R1.

1.6.183 **KEY_BUTTON_R2**

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_BUTTON_R2 = 123;
```

Description

This is constant KEY_BUTTON_R2.

1.6.184 KEY_BUTTON_X

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_BUTTON_X = 112;
```

Description

This is constant KEY_BUTTON_X.

1.6.185 KEY_BUTTON_Y

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_BUTTON_Y = 113;
```

Description

This is constant KEY_BUTTON_Y.

1.6.186 KEY_C

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_C = 3;
```

Description

This is constant KEY_C.

1.6.187 KEY_CAPSLOCK

File: TopazGameLib.pas (see page 367)

Delphi

KEY_CAPSLOCK = 226;

Description

This is constant KEY_CAPSLOCK.

1.6.188 KEY_CIRCUMFLEX

File: TopazGameLib.pas (see page 367)

Delphi

KEY_CIRCUMFLEX = 100;

Description

This is constant KEY_CIRCUMFLEX.

1.6.189 KEY_CLOSEBRACE

File: TopazGameLib.pas (see page 367)

Delphi

KEY_CLOSEBRACE = 66;

Description

This is constant KEY_CLOSEBRACE.

1.6.190 KEY_COLON2

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_COLON2 = 101;$

Description

This is constant KEY_COLON2.

1.6.191 **KEY_COMMA**

```
KEY\_COMMA = 72;
```

Description

This is constant KEY_COMMA.

1.6.192 **KEY_COMMAND**

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_COMMAND = 106;
```

Description

This is constant KEY_COMMAND.

1.6.193 KEY_CONVERT

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_CONVERT = 97;
```

Description

This is constant KEY_CONVERT.

1.6.194 KEY_D

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_D = 4;
```

Description

This is constant KEY_D.

1.6.195 KEY_DELETE

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_DELETE = 77;
```

Description

This is constant KEY_DELETE.

1.6.196 **KEY_DOWN**

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_DOWN = 85;$

Description

This is constant KEY_DOWN.

1.6.197 KEY_DPAD_CENTER

File: TopazGameLib.pas (see page 367)

Delphi

KEY_DPAD_CENTER = 111;

Description

This is constant KEY_DPAD_CENTER.

1.6.198 KEY_DPAD_DOWN

File: TopazGameLib.pas (see page 367)

Delphi

KEY_DPAD_DOWN = 115;

Description

This is constant KEY_DPAD_DOWN.

1.6.199 KEY_DPAD_LEFT

File: TopazGameLib.pas (see page 367)

Delphi

KEY_DPAD_LEFT = 116;

Description

This is constant KEY_DPAD_LEFT.

1.6.200 KEY_DPAD_RIGHT

```
KEY_DPAD_RIGHT = 117;
```

Description

This is constant KEY_DPAD_RIGHT.

1.6.201 KEY_DPAD_UP

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_DPAD_UP = 114;
```

Description

This is constant KEY_DPAD_UP.

1.6.202 KEY_E

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_E = 5;
```

Description

This is constant KEY_E.

1.6.203 KEY_END

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY\_END = 79;
```

Description

This is constant KEY_END.

1.6.204 KEY_ENTER

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY\_ENTER = 67;
```

Description

This is constant KEY_ENTER.

1.6.205 KEY_EQUALS

File: TopazGameLib.pas (see page 367)

Delphi

KEY_EQUALS = 62;

Description

This is constant KEY_EQUALS.

1.6.206 KEY_ESCAPE

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_ESCAPE = 59;$

Description

This is constant KEY_ESCAPE.

1.6.207 KEY_F

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F = 6;$

Description

This is constant KEY_F.

1.6.208 KEY_F1

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F1 = 47;$

Description

This is constant KEY_F1.

1.6.209 KEY_F10

 $KEY_F10 = 56;$

Description

This is constant KEY_F10.

1.6.210 KEY_F11

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F11 = 57;$

Description

This is constant KEY_F11.

1.6.211 KEY_F12

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F12 = 58;$

Description

This is constant KEY_F12.

1.6.212 KEY_F2

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F2 = 48;$

Description

This is constant KEY_F2.

1.6.213 KEY_F3

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F3 = 49;$

Description

This is constant KEY_F3.

1.6.214 KEY_F4

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F4 = 50;$

Description

This is constant KEY_F4.

1.6.215 KEY_F5

File: TopazGameLib.pas (see page 367)

Delphi

KEY_F5 = 51;

Description

This is constant KEY_F5.

1.6.216 KEY_F6

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F6 = 52;$

Description

This is constant KEY_F6.

1.6.217 KEY_F7

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_F7 = 53;$

Description

This is constant KEY_F7.

1.6.218 KEY_F8

```
KEY_F8 = 54;
```

Description

This is constant KEY_F8.

1.6.219 KEY_F9

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_F9 = 55;
```

Description

This is constant KEY_F9.

1.6.220 KEY_FULLSTOP

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_FULLSTOP = 73;
```

Description

This is constant KEY_FULLSTOP.

1.6.221 KEY_G

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_G = 7;
```

Description

This is constant KEY_G.

1.6.222 KEY_H

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_H = 8;
```

Description

This is constant KEY_H.

1.6.223 **KEY_HOME**

File: TopazGameLib.pas (see page 367)

Delphi

KEY_HOME = 78;

Description

This is constant KEY_HOME.

1.6.224 KEY_I

File: TopazGameLib.pas (see page 367)

Delphi

 $\mathbf{KEY}_{\mathbf{I}} = 9;$

Description

This is constant KEY_I.

1.6.225 KEY_INSERT

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_INSERT = 76;$

Description

This is constant KEY_INSERT.

1.6.226 KEY_J

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_J = 10;$

Description

This is constant KEY_J.

1.6.227 KEY_K

KEY_K = 11;

Description

This is constant KEY_K.

1.6.228 KEY_KANA

File: TopazGameLib.pas (see page 367)

Delphi

KEY_KANA = 96;

Description

This is constant KEY_KANA.

1.6.229 **KEY_KANJI**

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_KANJI = 102;$

Description

This is constant KEY_KANJI.

1.6.230 KEY_L

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_L = 12;$

Description

This is constant KEY_L.

1.6.231 KEY_LCTRL

File: TopazGameLib.pas (see page 367)

Delphi

KEY_LCTRL = 217;

Description

This is constant KEY_LCTRL.

1.6.232 **KEY_LEFT**

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY\_LEFT = 82;
```

Description

This is constant KEY_LEFT.

1.6.233 **KEY_LSHIFT**

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_LSHIFT = 215;
```

Description

This is constant KEY_LSHIFT.

1.6.234 KEY_LWIN

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_LWIN = 221;
```

Description

This is constant KEY_LWIN.

1.6.235 KEY_M

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_M = 13;
```

Description

This is constant KEY_M.

1.6.236 KEY_MAX

```
KEY_MAX = 227;
```

Description

This is constant KEY_MAX.

1.6.237 KEY_MENU

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_MENU = 223;
```

Description

This is constant KEY_MENU.

1.6.238 **KEY_MINUS**

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_MINUS = 61;
```

Description

This is constant KEY_MINUS.

1.6.239 KEY_MODIFIERS

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_MODIFIERS = 215;
```

Description

This is constant KEY_MODIFIERS.

1.6.240 KEY_N

File: TopazGameLib.pas (see page 367)

Delphi

```
\mathbf{KEY}_{\mathbf{N}} = 14;
```

Description

This is constant KEY_N.

1.6.241 KEY_NOCONVERT

File: TopazGameLib.pas (see page 367)

Delphi

KEY_NOCONVERT = 98;

Description

This is constant KEY_NOCONVERT.

1.6.242 KEY_NUMLOCK

File: TopazGameLib.pas (see page 367)

Delphi

KEY_NUMLOCK = 225;

Description

This is constant KEY_NUMLOCK.

1.6.243 KEY_O

File: TopazGameLib.pas (see page 367)

Delphi

KEY_O = 15;

Description

This is constant KEY_O.

1.6.244 KEY_OPENBRACE

File: TopazGameLib.pas (see page 367)

Delphi

KEY_OPENBRACE = 65;

Description

This is constant KEY_OPENBRACE.

1.6.245 KEY_P

 $KEY_P = 16;$

Description

This is constant KEY_P.

1.6.246 KEY_PAD_0

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_PAD_0 = 37;$

Description

This is constant KEY_PAD_0.

1.6.247 KEY_PAD_1

File: TopazGameLib.pas (see page 367)

Delphi

KEY_PAD_1 = 38;

Description

This is constant KEY_PAD_1.

1.6.248 KEY_PAD_2

File: TopazGameLib.pas (see page 367)

Delphi

KEY_PAD_2 = 39;

Description

This is constant KEY_PAD_2.

1.6.249 KEY_PAD_3

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_PAD_3 = 40;$

Description

This is constant KEY_PAD_3.

1.6.250 KEY_PAD_4

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_PAD_4 = 41;$

Description

This is constant KEY_PAD_4.

1.6.251 KEY_PAD_5

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_PAD_5 = 42i$

Description

This is constant KEY_PAD_5.

1.6.252 KEY_PAD_6

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_PAD_6 = 43;$

Description

This is constant KEY_PAD_6.

1.6.253 KEY_PAD_7

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_PAD_7 = 44;$

Description

This is constant KEY_PAD_7.

1.6.254 KEY_PAD_8

```
KEY_PAD_8 = 45;
```

Description

This is constant KEY_PAD_8.

1.6.255 KEY_PAD_9

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_PAD_9 = 46;
```

Description

This is constant KEY_PAD_9.

1.6.256 KEY_PAD_ASTERISK

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_PAD_ASTERISK = 87;
```

Description

This is constant KEY_PAD_ASTERISK.

1.6.257 KEY_PAD_DELETE

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_PAD_DELETE = 90;
```

Description

This is constant KEY_PAD_DELETE.

1.6.258 KEY_PAD_ENTER

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_PAD_ENTER = 91;
```

Description

This is constant KEY_PAD_ENTER.

1.6.259 KEY_PAD_EQUALS

File: TopazGameLib.pas (see page 367)

Delphi

KEY_PAD_EQUALS = 103;

Description

This is constant KEY_PAD_EQUALS.

1.6.260 KEY_PAD_MINUS

File: TopazGameLib.pas (see page 367)

Delphi

KEY_PAD_MINUS = 88;

Description

This is constant KEY_PAD_MINUS.

1.6.261 KEY_PAD_PLUS

File: TopazGameLib.pas (see page 367)

Delphi

KEY_PAD_PLUS = 89;

Description

This is constant KEY_PAD_PLUS.

1.6.262 KEY_PAD_SLASH

File: TopazGameLib.pas (see page 367)

Delphi

KEY_PAD_SLASH = 86;

Description

This is constant KEY_PAD_SLASH.

1.6.263 **KEY_PAUSE**

```
KEY_PAUSE = 93;
```

Description

This is constant KEY_PAUSE.

1.6.264 KEY_PGDN

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_PGDN = 81;
```

Description

This is constant KEY_PGDN.

1.6.265 KEY_PGUP

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_PGUP = 80;
```

Description

This is constant KEY_PGUP.

1.6.266 KEY_PRINTSCREEN

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_PRINTSCREEN = 92;
```

Description

This is constant KEY_PRINTSCREEN.

1.6.267 KEY_Q

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_Q = 17;
```

Description

This is constant KEY_Q.

1.6.268 KEY_QUOTE

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_QUOTE = 69;
```

Description

This is constant KEY_QUOTE.

1.6.269 KEY_R

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_R = 18;
```

Description

This is constant KEY_R.

1.6.270 KEY_RCTRL

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_RCTRL = 218;
```

Description

This is constant KEY_RCTRL.

1.6.271 **KEY_RIGHT**

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_RIGHT = 83;
```

Description

This is constant KEY_RIGHT.

1.6.272 KEY_RSHIFT

KEY_RSHIFT = 216;

Description

This is constant KEY_RSHIFT.

1.6.273 KEY_RWIN

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_RWIN = 222;$

Description

This is constant KEY_RWIN.

1.6.274 KEY_S

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_S = 19;$

Description

This is constant KEY_S.

1.6.275 KEY_SCROLLLOCK

File: TopazGameLib.pas (see page 367)

Delphi

KEY_SCROLLLOCK = 224;

Description

This is constant KEY_SCROLLLOCK.

1.6.276 KEY_SEARCH

File: TopazGameLib.pas (see page 367)

Delphi

KEY_SEARCH = 110;

Description

This is constant KEY_SEARCH.

1.6.277 **KEY_SELECT**

File: TopazGameLib.pas (see page 367)

Delphi

KEY_SELECT = 118;

Description

This is constant KEY_SELECT.

1.6.278 KEY_SEMICOLON

File: TopazGameLib.pas (see page 367)

Delphi

KEY_SEMICOLON = 68;

Description

This is constant KEY_SEMICOLON.

1.6.279 KEY_SEMICOLON2

File: TopazGameLib.pas (see page 367)

Delphi

KEY_SEMICOLON2 = 105;

Description

This is constant KEY_SEMICOLON2.

1.6.280 KEY_SLASH

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_SLASH = 74;$

Description

This is constant KEY_SLASH.

1.6.281 **KEY_SPACE**

```
KEY\_SPACE = 75;
```

Description

This is constant KEY_SPACE.

1.6.282 KEY_START

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY\_START = 119;
```

Description

This is constant KEY_START.

1.6.283 KEY_T

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_T = 20;
```

Description

This is constant KEY_T.

1.6.284 KEY_TAB

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY\_TAB = 64;
```

Description

This is constant KEY_TAB.

1.6.285 KEY_THUMBL

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_THUMBL = 126;
```

Description

This is constant KEY_THUMBL.

1.6.286 KEY_THUMBR

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_THUMBR = 127;$

Description

This is constant KEY_THUMBR.

1.6.287 **KEY_TILDE**

File: TopazGameLib.pas (see page 367)

Delphi

KEY_TILDE = 60;

Description

This is constant KEY_TILDE.

1.6.288 KEY_U

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_U = 21;$

Description

This is constant KEY_U.

1.6.289 KEY_UNKNOWN

File: TopazGameLib.pas (see page 367)

Delphi

KEY_UNKNOWN = 128;

Description

This is constant KEY_UNKNOWN.

1.6.290 KEY_UP

```
KEY_UP = 84;
```

Description

This is constant KEY_UP.

1.6.291 KEY_V

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_V = 22;
```

Description

This is constant KEY_V.

1.6.292 KEY_VOLUME_DOWN

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_VOLUME_DOWN = 109;
```

Description

This is constant KEY_VOLUME_DOWN.

1.6.293 KEY_VOLUME_UP

File: TopazGameLib.pas (see page 367)

Delphi

```
KEY_VOLUME_UP = 108;
```

Description

This is constant KEY_VOLUME_UP.

1.6.294 KEY_W

File: TopazGameLib.pas (see page 367)

Delphi

```
\mathbf{KEY}_{\mathbf{W}} = 23;
```

Description

This is constant KEY_W.

1.6.295 KEY_X

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_X = 24;$

Description

This is constant KEY_X.

1.6.296 KEY_Y

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_Y = 25;$

Description

This is constant KEY_Y.

1.6.297 KEY_YEN

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_YEN = 95;$

Description

This is constant KEY_YEN.

1.6.298 KEY_Z

File: TopazGameLib.pas (see page 367)

Delphi

 $KEY_Z = 26;$

Description

This is constant KEY_Z.

1.6.299 KHAKI

KHAKI: TColor = (Red:\$F0/\$FF; Green:\$E6/\$FF; Blue:\$8C/\$FF; Alpha:\$FF/\$FF);

Description

This is constant KHAKI.

1.6.300 LAVENDER

File: TopazGameLib.pas (see page 367)

Delphi

LAVENDER: TColor = (Red: \$E6/\$FF; Green: \$E6/\$FF; Blue: \$FA/\$FF; Alpha: \$FF/\$FF);

Description

This is constant LAVENDER.

1.6.301 LAVENDERBLUSH

File: TopazGameLib.pas (see page 367)

Delphi

LAVENDERBLUSH: TColor = (Red: \$FF/\$FF; Green: \$F0/\$FF; Blue: \$F5/\$FF; Alpha: \$FF/\$FF);

Description

This is constant LAVENDERBLUSH.

1.6.302 LAWNGREEN

File: TopazGameLib.pas (see page 367)

Delphi

LAWNGREEN: TColor = (Red:\$7C/\$FF; Green:\$FC/\$FF; Blue:\$00/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LAWNGREEN.

1.6.303 LEMONCHIFFON

File: TopazGameLib.pas (see page 367)

Delphi

LEMONCHIFFON: TColor = (Red:\$FF/\$FF; Green:\$FA/\$FF; Blue:\$CD/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LEMONCHIFFON.

1.6.304 LF

File: TopazGameLib.pas (see page 367)

Delphi

LF= #10;

Description

This is constant LF.

1.6.305 LIGHTBLUE

File: TopazGameLib.pas (see page 367)

Delphi

LIGHTBLUE: TColor = (Red:\$AD/\$FF; Green:\$D8/\$FF; Blue:\$E6/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTBLUE.

1.6.306 LIGHTCORAL

File: TopazGameLib.pas (see page 367)

Delphi

LIGHTCORAL: TColor = (Red:\$F0/\$FF; Green:\$80/\$FF; Blue:\$80/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTCORAL.

1.6.307 LIGHTCYAN

File: TopazGameLib.pas (see page 367)

Delphi

LIGHTCYAN: TColor = (Red:\$E0/\$FF; Green:\$FF/\$FF; Blue:\$FF/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTCYAN.

1.6.308 LIGHTGOLDENRODYELLOW

LIGHTGOLDENRODYELLOW: TColor = (Red:\FA/\FF; Green:\FA/\FF; Blue:\FD2/\FF; Alpha:\FF/\FF);

Description

This is constant LIGHTGOLDENRODYELLOW.

1.6.309 LIGHTGRAY

File: TopazGameLib.pas (see page 367)

Delphi

```
LIGHTGRAY: TColor = (Red: $D3/$FF; Green: $D3/$FF; Blue: $D3/$FF; Alpha: $FF/$FF);
```

Description

This is constant LIGHTGRAY.

1.6.310 LIGHTGREEN

File: TopazGameLib.pas (see page 367)

Delphi

```
LIGHTGREEN: TColor = (Red:$90/$FF; Green:$EE/$FF; Blue:$90/$FF; Alpha:$FF/$FF);
```

Description

This is constant LIGHTGREEN.

1.6.311 LIGHTGREY

File: TopazGameLib.pas (see page 367)

Delphi

```
LIGHTGREY: TColor = (Red: $D3/$FF; Green: $D3/$FF; Blue: $D3/$FF; Alpha: $FF/$FF);
```

Description

This is constant LIGHTGREY.

1.6.312 LIGHTPINK

File: TopazGameLib.pas (see page 367)

Delphi

```
LIGHTPINK: TColor = (Red:$FF/$FF; Green:$B6/$FF; Blue:$C1/$FF; Alpha:$FF/$FF);
```

Description

This is constant LIGHTPINK.

1.6.313 LIGHTSALMON

File: TopazGameLib.pas (see page 367)

Delphi

LIGHTSALMON: TColor = (Red:\$FF/\$FF; Green:\$A0/\$FF; Blue:\$7A/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTSALMON.

1.6.314 LIGHTSEAGREEN

File: TopazGameLib.pas (see page 367)

Delphi

LIGHTSEAGREEN: TColor = (Red:\$20/\$FF; Green:\$B2/\$FF; Blue:\$AA/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTSEAGREEN.

1.6.315 LIGHTSKYBLUE

File: TopazGameLib.pas (see page 367)

Delphi

LIGHTSKYBLUE: TColor = (Red:\$87/\$FF; Green:\$CE/\$FF; Blue:\$FA/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTSKYBLUE.

1.6.316 LIGHTSLATEGRAY

File: TopazGameLib.pas (see page 367)

Delphi

LIGHTSLATEGRAY: TColor = (Red:\$77/\$FF; Green:\$88/\$FF; Blue:\$99/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTSLATEGRAY.

1.6.317 LIGHTSLATEGREY

LIGHTSLATEGREY: TColor = (Red:\$77/\$FF; Green:\$88/\$FF; Blue:\$99/\$FF; Alpha:\$FF/\$FF);

Description

This is constant LIGHTSLATEGREY.

1.6.318 LIGHTSTEELBLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
LIGHTSTEELBLUE: TColor = (Red:$B0/$FF; Green:$C4/$FF; Blue:$DE/$FF; Alpha:$FF/$FF);
```

Description

This is constant LIGHTSTEELBLUE.

1.6.319 LIGHTYELLOW

File: TopazGameLib.pas (see page 367)

Delphi

```
LIGHTYELLOW: TColor = (Red: $FF/$FF; Green: $FF/$FF; Blue: $E0/$FF; Alpha: $FF/$FF);
```

Description

This is constant LIGHTYELLOW.

1.6.320 LIME

File: TopazGameLib.pas (see page 367)

Delphi

```
LIME: TColor = (Red:$00/$FF; Green:$FF/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant LIME.

1.6.321 LIMEGREEN

File: TopazGameLib.pas (see page 367)

Delphi

```
LIMEGREEN: TColor = (Red:$32/$FF; Green:$CD/$FF; Blue:$32/$FF; Alpha:$FF/$FF);
```

Description

This is constant LIMEGREEN.

1.6.322 LINEN

File: TopazGameLib.pas (see page 367)

Delphi

```
LINEN: TColor = (Red:$FA/$FF; Green:$F0/$FF; Blue:$E6/$FF; Alpha:$FF/$FF);
```

Description

This is constant LINEN.

1.6.323 LOG_EXT

File: TopazGameLib.pas (see page 367)

Delphi

```
LOG_EXT = 'log';
```

Description

This is constant LOG_EXT.

1.6.324 LUAC_EXT

File: TopazGameLib.pas (see page 367)

Delphi

```
LUAC_EXT = 'luac';
```

Description

This is constant LUAC_EXT.

1.6.325 LUA_EXT

File: TopazGameLib.pas (see page 367)

Delphi

```
LUA_EXT = 'lua';
```

Description

This is constant LUA_EXT.

1.6.326 MAGENTA

MAGENTA: TColor = (Red: \$FF/\$FF; Green: \$00/\$FF; Blue: \$FF/\$FF; Alpha: \$FF/\$FF);

Description

This is constant MAGENTA.

1.6.327 MAIL_PORT_SMTP

File: TopazGameLib.pas (see page 367)

Delphi

```
MAIL_PORT_SMTP = 25;
```

Description

default non-ssl

1.6.328 MAIL_PORT_SMTPS

File: TopazGameLib.pas (see page 367)

Delphi

```
MAIL_PORT_SMTPS = 587;
```

Description

default ssl

1.6.329 MAIL_PORT_SMTPS_ALT

File: TopazGameLib.pas (see page 367)

Delphi

```
MAIL_PORT_SMTPS_ALT = 465;
```

Description

alt ssl

1.6.330 MAROON

File: TopazGameLib.pas (see page 367)

Delphi

```
MAROON: TColor = (Red:$80/$FF; Green:$00/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant MAROON.

1.6.331 MAX_AXES

File: TopazGameLib.pas (see page 367)

Delphi

 $MAX_AXES = 3;$

Description

This is constant MAX_AXES.

1.6.332 MAX_BUTTONS

File: TopazGameLib.pas (see page 367)

Delphi

 $MAX_BUTTONS = 32;$

Description

This is constant MAX_BUTTONS.

1.6.333 MAX_STICKS

File: TopazGameLib.pas (see page 367)

Delphi

MAX_STICKS = 16;

Description

This is constant MAX_STICKS.

1.6.334 MEDIUMAQUAMARINE

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMAQUAMARINE: TColor = (Red:\$66/\$FF; Green:\$CD/\$FF; Blue:\$AA/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMAQUAMARINE.

1.6.335 MEDIUMBLUE

MEDIUMBLUE: TColor = (Red: \$00/\$FF; Green: \$00/\$FF; Blue: \$CD/\$FF; Alpha: \$FF/\$FF);

Description

This is constant MEDIUMBLUE.

1.6.336 MEDIUMORCHID

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMORCHID: TColor = (Red:\$BA/\$FF; Green:\$55/\$FF; Blue:\$D3/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMORCHID.

1.6.337 MEDIUMPURPLE

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMPURPLE: TColor = (Red:\$93/\$FF; Green:\$70/\$FF; Blue:\$DB/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMPURPLE.

1.6.338 MEDIUMSEAGREEN

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMSEAGREEN: TColor = (Red:\$3C/\$FF; Green:\$B3/\$FF; Blue:\$71/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMSEAGREEN.

1.6.339 MEDIUMSLATEBLUE

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMSLATEBLUE: TColor = (Red:\$7B/\$FF; Green:\$68/\$FF; Blue:\$EE/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMSLATEBLUE.

1.6.340 MEDIUMSPRINGGREEN

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMSPRINGGREEN: TColor = (Red:\$00/\$FF; Green:\$FA/\$FF; Blue:\$9A/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMSPRINGGREEN.

1.6.341 MEDIUMTURQUOISE

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMTURQUOISE: TColor = (Red:\$48/\$FF; Green:\$D1/\$FF; Blue:\$CC/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMTURQUOISE.

1.6.342 MEDIUMVIOLETRED

File: TopazGameLib.pas (see page 367)

Delphi

MEDIUMVIOLETRED: TColor = (Red:\$C7/\$FF; Green:\$15/\$FF; Blue:\$85/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MEDIUMVIOLETRED.

1.6.343 MIDNIGHTBLUE

File: TopazGameLib.pas (see page 367)

Delphi

MIDNIGHTBLUE: TColor = (Red:\$19/\$FF; Green:\$19/\$FF; Blue:\$70/\$FF; Alpha:\$FF/\$FF);

Description

This is constant MIDNIGHTBLUE.

1.6.344 MINTCREAM

MINTCREAM: TColor = (Red: \$F5/\$FF; Green: \$FF/\$FF; Blue: \$FA/\$FF; Alpha: \$FF/\$FF);

Description

This is constant MINTCREAM.

1.6.345 MISTYROSE

File: TopazGameLib.pas (see page 367)

Delphi

```
MISTYROSE: TColor = (Red:$FF/$FF; Green:$E4/$FF; Blue:$E1/$FF; Alpha:$FF/$FF);
```

Description

This is constant MISTYROSE.

1.6.346 MOCCASIN

File: TopazGameLib.pas (see page 367)

Delphi

```
MOCCASIN: TColor = (Red: $FF/$FF; Green: $E4/$FF; Blue: $B5/$FF; Alpha: $FF/$FF);
```

Description

This is constant MOCCASIN.

1.6.347 MOUSE_BUTTON_LEFT

File: TopazGameLib.pas (see page 367)

Delphi

```
MOUSE_BUTTON_LEFT = 1;
```

Description

This is constant MOUSE_BUTTON_LEFT.

1.6.348 MOUSE_BUTTON_MIDDLE

File: TopazGameLib.pas (see page 367)

Delphi

```
MOUSE_BUTTON_MIDDLE = 3;
```

Description

This is constant MOUSE_BUTTON_MIDDLE.

1.6.349 MOUSE_BUTTON_RIGHT

File: TopazGameLib.pas (see page 367)

Delphi

MOUSE_BUTTON_RIGHT = 2;

Description

This is constant MOUSE_BUTTON_RIGHT.

1.6.350 NAN

File: TopazGameLib.pas (see page 367)

Delphi

NAN = 0.0 / 0.0;

Description

This is constant NAN.

1.6.351 NAVAJOWHITE

File: TopazGameLib.pas (see page 367)

Delphi

NAVAJOWHITE: TColor = (Red:\\$FF/\\$FF; Green:\\$DE/\\$FF; Blue:\\$AD/\\$FF; Alpha:\\$FF/\\$FF);

Description

This is constant NAVAJOWHITE.

1.6.352 NAVY

File: TopazGameLib.pas (see page 367)

Delphi

NAVY: TColor = (Red:\$00/\$FF; Green:\$00/\$FF; Blue:\$80/\$FF; Alpha:\$FF/\$FF);

Description

This is constant NAVY.

1.6.353 OLDLACE

OLDLACE: TColor = (Red:\$FD/\$FF; Green:\$F5/\$FF; Blue:\$E6/\$FF; Alpha:\$FF/\$FF);

Description

This is constant OLDLACE.

1.6.354 OLIVE

File: TopazGameLib.pas (see page 367)

Delphi

```
OLIVE: TColor = (Red:$80/$FF; Green:$80/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant OLIVE.

1.6.355 OLIVEDRAB

File: TopazGameLib.pas (see page 367)

Delphi

```
OLIVEDRAB: TColor = (Red: $6B/$FF; Green: $8E/$FF; Blue: $23/$FF; Alpha: $FF/$FF);
```

Description

This is constant OLIVEDRAB.

1.6.356 **ORANGE**

File: TopazGameLib.pas (see page 367)

Delphi

```
ORANGE: TColor = (Red:$FF/$FF; Green:$A5/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant ORANGE.

1.6.357 ORANGERED

File: TopazGameLib.pas (see page 367)

Delphi

```
ORANGERED: TColor = (Red:$FF/$FF; Green:$45/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant ORANGERED.

1.6.358 ORCHID

File: TopazGameLib.pas (see page 367)

Delphi

```
ORCHID: TColor = (Red:$DA/$FF; Green:$70/$FF; Blue:$D6/$FF; Alpha:$FF/$FF);
```

Description

This is constant ORCHID.

1.6.359 OVERLAY1

File: TopazGameLib.pas (see page 367)

Delphi

```
OVERLAY1: TColor = (Red:$00/$FF; Green:$20/$FF; Blue:$29/$FF; Alpha:$B4/$FF);
```

Description

This is constant OVERLAY1.

1.6.360 OVERLAY2

File: TopazGameLib.pas (see page 367)

Delphi

```
OVERLAY2: TColor = (Red:$01/$FF; Green:$1B/$FF; Blue:$01/$FF; Alpha:255/$FF);
```

Description

This is constant OVERLAY2.

1.6.361 PALEGOLDENROD

File: TopazGameLib.pas (see page 367)

Delphi

```
PALEGOLDENROD: TColor = (Red:$EE/$FF; Green:$E8/$FF; Blue:$AA/$FF; Alpha:$FF/$FF);
```

Description

This is constant PALEGOLDENROD.

1.6.362 PALEGREEN

PALEGREEN: TColor = (Red:\$98/\$FF; Green:\$FB/\$FF; Blue:\$98/\$FF; Alpha:\$FF/\$FF);

Description

This is constant PALEGREEN.

1.6.363 PALETURQUOISE

File: TopazGameLib.pas (see page 367)

Delphi

PALETURQUOISE: TColor = (Red:\$AF/\$FF; Green:\$EE/\$FF; Blue:\$EE/\$FF; Alpha:\$FF/\$FF);

Description

This is constant PALETURQUOISE.

1.6.364 PALEVIOLETRED

File: TopazGameLib.pas (see page 367)

Delphi

PALEVIOLETRED: TColor = (Red:\$DB/\$FF; Green:\$70/\$FF; Blue:\$93/\$FF; Alpha:\$FF/\$FF);

Description

This is constant PALEVIOLETRED.

1.6.365 PAPAYAWHIP

File: TopazGameLib.pas (see page 367)

Delphi

PAPAYAWHIP: TColor = (Red: \$FF/\$FF; Green: \$EF/\$FF; Blue: \$D5/\$FF; Alpha: \$FF/\$FF);

Description

This is constant PAPAYAWHIP.

1.6.366 PEACHPUFF

File: TopazGameLib.pas (see page 367)

Delphi

PEACHPUFF: TColor = (Red:\$FF/\$FF; Green:\$DA/\$FF; Blue:\$B9/\$FF; Alpha:\$FF/\$FF);

Description

This is constant PEACHPUFF.

1.6.367 PERU

File: TopazGameLib.pas (see page 367)

Delphi

```
PERU: TColor = (Red: $CD/$FF; Green: $85/$FF; Blue: $3F/$FF; Alpha: $FF/$FF);
```

Description

This is constant PERU.

1.6.368 PINK

File: TopazGameLib.pas (see page 367)

Delphi

```
PINK: TColor = (Red: $FF/$FF; Green: $C0/$FF; Blue: $CB/$FF; Alpha: $FF/$FF);
```

Description

This is constant PINK.

1.6.369 PLUM

File: TopazGameLib.pas (see page 367)

Delphi

```
PLUM: TColor = (Red:$DD/$FF; Green:$A0/$FF; Blue:$DD/$FF; Alpha:$FF/$FF);
```

Description

This is constant PLUM.

1.6.370 PNG_EXT

File: TopazGameLib.pas (see page 367)

Delphi

```
PNG_EXT = 'png';
```

Description

This is constant PNG_EXT.

1.6.371 POWDERBLUE

Delphi

POWDERBLUE: TColor = (Red:\$B0/\$FF; Green:\$E0/\$FF; Blue:\$E6/\$FF; Alpha:\$FF/\$FF);

Description

This is constant POWDERBLUE.

1.6.372 PURPLE

File: TopazGameLib.pas (see page 367)

Delphi

```
PURPLE: TColor = (Red:$80/$FF; Green:$00/$FF; Blue:$80/$FF; Alpha:$FF/$FF);
```

Description

This is constant PURPLE.

1.6.373 RAD2DEG

File: TopazGameLib.pas (see page 367)

Delphi

RAD2DEG = 180.0 / PI;

Description

This is constant RAD2DEG.

1.6.374 REBECCAPURPLE

File: TopazGameLib.pas (see page 367)

Delphi

```
REBECCAPURPLE: TColor = (Red:$66/$FF; Green:$33/$FF; Blue:$99/$FF; Alpha:$FF/$FF);
```

Description

This is constant REBECCAPURPLE.

1.6.375 RED

File: TopazGameLib.pas (see page 367)

Delphi

```
RED: TColor = (Red:$FF/$FF; Green:$00/$FF; Blue:$00/$FF; Alpha:$FF/$FF);
```

Description

This is constant RED.

1.6.376 RED2

File: TopazGameLib.pas (see page 367)

Delphi

RED2: TColor = (Red:\$7E/\$FF; Green:\$32/\$FF; Blue:\$3F/\$FF; Alpha:255/\$FF);

Description

This is constant RED2.

1.6.377 ROSYBROWN

File: TopazGameLib.pas (see page 367)

Delphi

ROSYBROWN: TColor = (Red:\$BC/\$FF; Green:\$8F/\$FF; Blue:\$8F/\$FF; Alpha:\$FF/\$FF);

Description

This is constant ROSYBROWN.

1.6.378 ROYALBLUE

File: TopazGameLib.pas (see page 367)

Delphi

ROYALBLUE: TColor = (Red:\$41/\$FF; Green:\$69/\$FF; Blue:\$E1/\$FF; Alpha:\$FF/\$FF);

Description

This is constant ROYALBLUE.

1.6.379 SADDLEBROWN

File: TopazGameLib.pas (see page 367)

Delphi

SADDLEBROWN: TColor = (Red:\$8B/\$FF; Green:\$45/\$FF; Blue:\$13/\$FF; Alpha:\$FF/\$FF);

Description

This is constant SADDLEBROWN.

1.6.380 **SALMON**

File: TopazGameLib.pas (see page 367)

Delphi

SALMON: TColor = (Red:\$FA/\$FF; Green:\$80/\$FF; Blue:\$72/\$FF; Alpha:\$FF/\$FF);

Description

This is constant SALMON.

1.6.381 SANDYBROWN

File: TopazGameLib.pas (see page 367)

Delphi

SANDYBROWN: TColor = (Red:\$F4/\$FF; Green:\$A4/\$FF; Blue:\$60/\$FF; Alpha:\$FF/\$FF);

Description

This is constant SANDYBROWN.

1.6.382 SEAGREEN

File: TopazGameLib.pas (see page 367)

Delphi

SEAGREEN: TColor = (Red:\$2E/\$FF; Green:\$8B/\$FF; Blue:\$57/\$FF; Alpha:\$FF/\$FF);

Description

This is constant SEAGREEN.

1.6.383 **SEASHELL**

File: TopazGameLib.pas (see page 367)

Delphi

SEASHELL: TColor = (Red:\ff/\ff; Green:\ff5/\ff; Blue:\ff; Alpha:\ff/\ff);

Description

This is constant SEASHELL.

1.6.384 SIENNA

File: TopazGameLib.pas (see page 367)

Delphi

SIENNA: TColor = (Red:\$A0/\$FF; Green:\$52/\$FF; Blue:\$2D/\$FF; Alpha:\$FF/\$FF);

Description

This is constant SIENNA.

1.6.385 SILVER

File: TopazGameLib.pas (see page 367)

Delphi

```
SILVER: TColor = (Red:$C0/$FF; Green:$C0/$FF; Blue:$C0/$FF; Alpha:$FF/$FF);
```

Description

This is constant SILVER.

1.6.386 **SKYBLUE**

File: TopazGameLib.pas (see page 367)

Delphi

```
SKYBLUE: TColor = (Red:$87/$FF; Green:$CE/$FF; Blue:$EB/$FF; Alpha:$FF/$FF);
```

Description

This is constant SKYBLUE.

1.6.387 SLATEBLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
SLATEBLUE: TColor = (Red:$6A/$FF; Green:$5A/$FF; Blue:$CD/$FF; Alpha:$FF/$FF);
```

Description

This is constant SLATEBLUE.

1.6.388 SLATEGRAY

File: TopazGameLib.pas (see page 367)

Delphi

```
SLATEGRAY: TColor = (Red:$70/$FF; Green:$80/$FF; Blue:$90/$FF; Alpha:$FF/$FF);
```

Description

This is constant SLATEGRAY.

1.6.389 SLATEGREY

File: TopazGameLib.pas (see page 367)

Delphi

```
SLATEGREY: TColor = (Red:$70/$FF; Green:$80/$FF; Blue:$90/$FF; Alpha:$FF/$FF);
```

Description

This is constant SLATEGREY.

1.6.390 SNOW

File: TopazGameLib.pas (see page 367)

Delphi

```
SNOW: TColor = (Red:$FF/$FF; Green:$FA/$FF; Blue:$FA/$FF; Alpha:$FF/$FF);
```

Description

This is constant SNOW.

1.6.391 SPRINGGREEN

File: TopazGameLib.pas (see page 367)

Delphi

```
SPRINGGREEN: TColor = (Red:$00/$FF; Green:$FF/$FF; Blue:$7F/$FF; Alpha:$FF/$FF);
```

Description

This is constant SPRINGGREEN.

1.6.392 **SQLITE_EXT**

File: TopazGameLib.pas (see page 367)

Delphi

```
SQLITE_EXT = 'db';
```

Description

This is constant SQLITE_EXT.

1.6.393 STEELBLUE

File: TopazGameLib.pas (see page 367)

Delphi

```
STEELBLUE: TColor = (Red:$46/$FF; Green:$82/$FF; Blue:$B4/$FF; Alpha:$FF/$FF);
```

Description

This is constant STEELBLUE.

1.6.394 TAN

File: TopazGameLib.pas (see page 367)

Delphi

```
TAN: TColor = (Red:$D2/$FF; Green:$B4/$FF; Blue:$8C/$FF; Alpha:$FF/$FF);
```

Description

This is constant TAN.

1.6.395 TEAL

File: TopazGameLib.pas (see page 367)

Delphi

```
TEAL: TColor = (Red:$00/$FF; Green:$80/$FF; Blue:$80/$FF; Alpha:$FF/$FF);
```

Description

This is constant TEAL.

1.6.396 THISTLE

File: TopazGameLib.pas (see page 367)

Delphi

```
THISTLE: TColor = (Red:$D8/$FF; Green:$BF/$FF; Blue:$D8/$FF; Alpha:$FF/$FF);
```

Description

This is constant THISTLE.

1.6.397 TOMATO

File: TopazGameLib.pas (see page 367)

Delphi

```
TOMATO: TColor = (Red:$FF/$FF; Green:$63/$FF; Blue:$47/$FF; Alpha:$FF/$FF);
```

Description

This is constant TOMATO.

1.6.398 TREEMENU_NONE

File: TopazGameLib.pas (see page 367)

Delphi

```
TREEMENU_NONE = -1;
```

Description

This is constant TREEMENU_NONE.

1.6.399 TREEMENU_QUIT

File: TopazGameLib.pas (see page 367)

Delphi

```
TREEMENU_QUIT = -2;
```

Description

This is constant TREEMENU_QUIT.

1.6.400 TURQUOISE

File: TopazGameLib.pas (see page 367)

Delphi

```
TURQUOISE: TColor = (Red:$40/$FF; Green:$E0/$FF; Blue:$D0/$FF; Alpha:$FF/$FF);
```

Description

This is constant TURQUOISE.

1.6.401 VIOLET

File: TopazGameLib.pas (see page 367)

Delphi

```
VIOLET: TColor = (Red:$EE/$FF; Green:$82/$FF; Blue:$EE/$FF; Alpha:$FF/$FF);
```

Description

This is constant VIOLET.

1.6.402 WHEAT

File: TopazGameLib.pas (see page 367)

Delphi

```
WHEAT: TColor = (Red:$F5/$FF; Green:$DE/$FF; Blue:$B3/$FF; Alpha:$FF/$FF);
```

Description

This is constant WHEAT.

1.6.403 WHITE

File: TopazGameLib.pas (see page 367)

Delphi

```
WHITE: TColor = (Red: $FF/$FF; Green: $FF/$FF; Blue: $FF/$FF; Alpha: $FF/$FF);
```

Description

This is constant WHITE.

1.6.404 WHITE2

File: TopazGameLib.pas (see page 367)

Delphi

```
WHITE2: TColor = (Red: $F5/$FF; Green: $F5/$FF; Blue: $F5/$FF; Alpha: $FF/$FF);
```

Description

This is constant WHITE2.

1.6.405 WHITESMOKE

File: TopazGameLib.pas (see page 367)

Delphi

```
WHITESMOKE: TColor = (Red: $F5/$FF; Green: $F5/$FF; Blue: $F5/$FF; Alpha: $FF/$FF);
```

Description

This is constant WHITESMOKE.

1.6.406 YELLOW

File: TopazGameLib.pas (see page 367)

Delphi

```
YELLOW: TColor = (Red:\$FF/\$FF; Green:\$FF/\$FF; Blue:\$00/\$FF; Alpha:\$FF/\$FF);
```

Description

This is constant YELLOW.

1.6.407 YELLOWGREEN

File: TopazGameLib.pas (see page 367)

Delphi

YELLOWGREEN: TColor = (Red:\$9A/\$FF; Green:\$CD/\$FF; Blue:\$32/\$FF; Alpha:\$FF/\$FF);

Description

This is constant YELLOWGREEN.

1.7 Files

The following table lists files in this documentation.

Units

| T 0 1" (00T) | T1 |
|----------------------------------|--------------------------------|
| TopazGameLib.pas (see page 367) | This is file TopazGameLib.pas. |

1.7.1 TopazGameLib.pas

This is file TopazGameLib.pas.

Classes

| 4 3 | TActor (see page 12) | This is class TActor. |
|------------|-------------------------------|-------------------------------|
| 43 | TBaseInterface (see page 20) | This is class TBaseInterface. |
| 43 | TBaseObject (see page 21) | This is class TBaseObject. |
| 4\$ | TCustomGame (see page 21) | This is class TCustomGame. |
| 4\$ | TEntityActor (see page 31) | This is class TEntityActor. |
| 4\$ | TGame (see page 34) | This is class TGame. |

Constants

| ALICEBLUE (see page 276) | This is constant ALICEBLUE. |
|---------------------------------------|---|
| ANTIQUEWHITE (see page 276) | This is constant ANTIQUEWHITE. |
| AQUA (see page 277) | This is constant AQUA. |
| AQUAMARINE (see page 277) | This is constant AQUAMARINE. |
| AUDIO_BUFFER_COUNT (see page 277) | This is constant AUDIO_BUFFER_COUNT. |
| AUDIO_CHANNEL_COUNT (see page 277) | This is constant AUDIO_CHANNEL_COUNT. |
| AUDIO_DYNAMIC_CHANNEL (see page 278) | This is constant AUDIO_DYNAMIC_CHANNEL. |
| AUDIO_INVALID_INDEX (see page 278) | This is constant AUDIO_INVALID_INDEX. |
| AZURE (see page 278) | This is constant AZURE. |
| BEIGE (see page 278) | This is constant BEIGE. |
| BISQUE (see page 278) | This is constant BISQUE. |
| BLACK (see page 279) | This is constant BLACK. |
| BLANCHEDALMOND (see page 279) | This is constant BLANCHEDALMOND. |
| BLANK (see page 279) | This is constant BLANK. |
| BLEND_ADD (see page 279) | This is constant BLEND_ADD. |
| BLEND_ALPHA (see page 280) | This is constant BLEND_ALPHA. |
| BLEND_CONST_COLOR (see page 280) | This is constant BLEND_CONST_COLOR. |
| BLEND_DEST_COLOR (see page 280) | This is constant BLEND_DEST_COLOR. |
| BLEND_DEST_MINUS_SRC (see page 280) | This is constant BLEND_DEST_MINUS_SRC. |
| BLEND_INVERSE_ALPHA (see page 280) | This is constant BLEND_INVERSE_ALPHA. |

| BLEND_INVERSE_CONST_COLOR (see page 281) | This is constant BLEND_INVERSE_CONST_COLOR. |
|---|--|
| BLEND_INVERSE_DEST_COLOR (see page 281) | This is constant BLEND_INVERSE_DEST_COLOR. |
| BLEND_INVERSE_SRC_COLOR (see page 281) | This is constant BLEND_INVERSE_SRC_COLOR. |
| BLEND_ONE (see page 281) | This is constant BLEND_ONE. |
| BLEND_SRC_COLOR (see page 282) | This is constant BLEND_SRC_COLOR. |
| BLEND_SRC_MINUS_DEST (see page 282) | This is constant BLEND_SRC_MINUS_DEST. |
| BLEND_ZERO (see page 282) | This is constant BLEND_ZERO. |
| BLUE (see page 282) | This is constant BLUE. |
| BLUEVIOLET (see page 282) | This is constant BLUEVIOLET. |
| BROWN (see page 283) | This is constant BROWN. |
| BURLYWOOD (see page 283) | This is constant BURLYWOOD. |
| CADETBLUE (see page 283) | This is constant CADETBLUE. |
| CFG_EXT (see page 283) | This is constant CFG_EXT. |
| CHARTREUSE (see page 284) | This is constant CHARTREUSE. |
| CHOCOLATE (see page 284) | This is constant CHOCOLATE. |
| COLORKEY (see page 284) | This is constant COLORKEY. |
| CORAL (see page 284) | This is constant CORAL. |
| CORNFLOWERBLUE (see page 284) | This is constant CORNFLOWERBLUE. |
| CORNSILK (see page 285) | This is constant CORNSILK. |
| CR (see page 285) | This is constant CR. |
| CRIMSON (see page 285) | This is constant CRIMSON. |
| CRLF (see page 285) | This is constant CRLF. |
| CYAN (see page 286) | This is constant CYAN. |
| DARKBLUE (see page 286) | This is constant DARKBLUE. |
| DARKCYAN (see page 286) | This is constant DARKCYAN. |
| DARKGOLDENROD (see page 286) | This is constant DARKGOLDENROD. |
| DARKGRAY (see page 286) | This is constant DARKGRAY. |
| DARKGREEN (see page 287) | This is constant DARKGREEN. |
| DARKGREY (see page 287) | This is constant DARKGREY. |
| | This is constant DARKKHAKI. |
| DARKKHAKI (see page 287) | This is constant DARKMAGENTA. |
| DARKMAGENTA (see page 287) | |
| DARKOLIVEGREEN (see page 288) | This is constant DARKOLIVEGREEN. This is constant DARKORANGE. |
| DARKORANGE (see page 288) | |
| DARKORCHID (see page 288) | This is constant DARKORCHID. |
| DARKRED (see page 288) | This is constant DARKRED. |
| DARKSALMON (see page 288) | This is constant DARKSALMON. |
| DARKSEAGREEN (see page 289) | This is constant DARKSEAGREEN. |
| DARKSLATEBLUE (see page 289) | This is constant DARKSLATEBLUE. |
| DARKSLATEBROWN (see page 289) | This is constant DARKSLATEBROWN. |
| DARKSLATEGRAY (see page 289) | This is constant DARKSLATEGRAY. |
| DARKSLATEGREY (see page 290) | This is constant DARKSLATEGREY. |
| DARKTURQUOISE (see page 290) | This is constant DARKTURQUOISE. |
| DARKVIOLET (see page 290) | This is constant DARKVIOLET. |
| DATABASE_DEFAULT_MYSQL_PORT (see page 290) | This is constant DATABASE_DEFAULT_MYSQL_PORT. |
| DEEPPINK (see page 290) | This is constant DEEPPINK. |
| DEEPSKYBLUE (see page 291) | This is constant DEEPSKYBLUE. |

| DEG2RAD (see page 291) | This is constant DEG2RAD. |
|---|--|
| DIMGRAY (see page 291) | This is constant DIMGRAY. |
| DIMGREY (see page 291) | This is constant DIMGREY. |
| DIMWHITE (see page 291) | This is constant DIMWHITE. |
| DODGERBLUE (see page 292) | This is constant DOMOWITE. |
| EPSILON (see page 292) | This is constant EPSILON. |
| FALSE_TRUE_STR (see page 292) | This is constant ET SILON. This is constant FALSE_TRUE_STR. |
| FIREBRICK (see page 292) | This is constant FREBRICK. |
| FLORALWHITE (see page 293) | This is constant FICEALWHITE. |
| | This is constant FEORALWITTE. This is constant FORESTGREEN. |
| FORESTGREEN (see page 293) | This is constant FUCHSIA. |
| FUCHSIA (see page 293) | This is constant FOCHSIA. This is constant GAINSBORO. |
| GAINSBORO (see page 293) | This is constant GAINSBORO. This is constant GHOSTWHITE. |
| GHOSTWHITE (see page 294) | |
| GOLD (see page 294) | This is constant COLDENBOD |
| GOLDENROD (see page 294) | This is constant CDAY |
| GRAY (see page 294) | This is constant GRAY. This is constant GREEN. |
| GREEN (see page 294) | |
| GREENYELLOW (see page 295) | This is constant CREV |
| GREY (see page 295) | This is constant CLIL DYNAMIC |
| GUI_DYNAMIC (see page 295) | This is constant GUI_DYNAMIC. |
| GUI_EDIT_FILTER_ASCII (see page 295) | This is constant GUI_EDIT_FILTER_ASCII. |
| GUI_EDIT_FILTER_BINARY (see page 296) | This is constant GUI_EDIT_FILTER_BINARY. |
| GUI_EDIT_FILTER_DECIMAL (see page 296) | This is constant GUI_EDIT_FILTER_DECIMAL. |
| GUI_EDIT_FILTER_DEFAULT (see page 296) | This is constant GUI_EDIT_FILTER_DEFAULT. |
| GUI_EDIT_FILTER_FLOAT (see page 296) | This is constant GUI_EDIT_FILTER_FLOAT. |
| GUI_EDIT_FILTER_HEX (see page 296) | This is constant GUI_EDIT_FILTER_HEX. |
| GUI_EDIT_FILTER_OCT (see page 297) | This is constant GUI_EDIT_FILTER_OCT. |
| GUI_STATIC (see page 297) | This is constant GUI_STATIC. |
| GUI_TEXT_CENTERED (see page 297) | This is constant GUI_TEXT_CENTERED. |
| GUI_TEXT_LEFT (see page 297) | This is constant GUI_TEXT_LEFT. |
| GUI_TEXT_RIGHT (see page 298) | This is constant GUI_TEXT_RIGHT. |
| GUI_THEME_BLUE (see page 298) | This is constant GUI_THEME_BLUE. |
| GUI_THEME_DARK (see page 298) | This is constant GUI_THEME_DARK. |
| GUI_THEME_DEFAULT (see page 298) | This is constant GUI_THEME_DEFAULT. |
| GUI_THEME_RED (see page 298) | This is constant GUI_THEME_RED. |
| GUI_THEME_WHITE (see page 299) | This is constant GUI_THEME_WHITE. |
| GUI_WINDOW_BACKGROUND (see page 299) | |
| GUI_WINDOW_BORDER (see page 299) | This is constant GUI_WINDOW_BORDER. |
| GUI_WINDOW_CLOSABLE (see page 299) | This is constant GUI_WINDOW_CLOSABLE. |
| GUI_WINDOW_DEFAULT (see page 300) | This is constant GUI_WINDOW_DEFAULT. |
| GUI_WINDOW_MINIMIZABLE (see page 300) | This is constant GUI_WINDOW_MINIMIZABLE. |
| GUI_WINDOW_MOVABLE (see page 300) | This is constant GUI_WINDOW_MOVABLE. |
| GUI_WINDOW_NO_INPUT (see page 300) | This is constant GUI_WINDOW_NO_INPUT. |
| GUI_WINDOW_NO_SCROLLBAR (see page 300) | This is constant GUI_WINDOW_NO_SCROLLBAR. |
| GUI_WINDOW_SCALABLE (see page 301) | This is constant GUI_WINDOW_SCALABLE. |
| GUI_WINDOW_SCALE_LEFT (see page 301) | This is constant GUI_WINDOW_SCALE_LEFT. |
| GUI_WINDOW_SCROLL_AUTO_HIDE (see page 301) | This is constant GUI_WINDOW_SCROLL_AUTO_HIDE. |

| CHI WINDOW TITLE (and page 201) | This is constant CLIL WINDOW, TITLE |
|----------------------------------|--|
| GUI_WINDOW_TITLE (see page 301) | This is constant GUI_WINDOW_TITLE. |
| HONEYDEW (see page 302) | This is constant HONEYDEW. |
| HOTPINK (see page 302) | This is constant HOTPINK. This is constant INDIANRED. |
| INDICO (see page 302) | |
| INDIGO (see page 302) | This is constant INDIGO. |
| INI_EXT (see page 302) | This is constant INI_EXT. |
| IVORY (see page 303) | This is constant IOV AVES V |
| JOY_AXES_X (see page 303) | This is constant JOY_AXES_X. |
| JOY_AXES_Y (see page 303) | This is constant JOY_AXES_Y. |
| JOY_AXES_Z (see page 303) | This is constant JOY_AXES_Z. |
| JOY_BTN_A (see page 304) | This is constant JOY_BTN_A. |
| JOY_BTN_B (see page 304) | This is constant JOY_BTN_B. |
| JOY_BTN_BACK (see page 304) | This is constant JOY_BTN_BACK. |
| JOY_BTN_DDPAD (see page 304) | This is constant JOY_BTN_DDPAD. |
| JOY_BTN_LB (see page 304) | This is constant JOY_BTN_LB. |
| JOY_BTN_LDPAD (see page 305) | This is constant JOY_BTN_LDPAD. |
| JOY_BTN_LT (see page 305) | This is constant JOY_BTN_LT. |
| JOY_BTN_RB (see page 305) | This is constant JOY_BTN_RB. |
| JOY_BTN_RDPAD (see page 305) | This is constant JOY_BTN_RDPAD. |
| JOY_BTN_RT (see page 306) | This is constant JOY_BTN_RT. |
| JOY_BTN_START (see page 306) | This is constant JOY_BTN_START. |
| JOY_BTN_UDPAD (see page 306) | This is constant JOY_BTN_UDPAD. |
| JOY_BTN_X (see page 306) | This is constant JOY_BTN_X. |
| JOY_BTN_Y (see page 306) | This is constant JOY_BTN_Y. |
| JOY_STICK_LS (see page 307) | This is constant JOY_STICK_LS. |
| JOY_STICK_LT (see page 307) | This is constant JOY_STICK_LT. |
| JOY_STICK_RS (see page 307) | This is constant JOY_STICK_RS. |
| JOY_STICK_RT (see page 307) | This is constant JOY_STICK_RT. |
| KEYMOD_ACCENT1 (see page 308) | This is constant KEYMOD_ACCENT1. |
| KEYMOD_ACCENT2 (see page 308) | This is constant KEYMOD_ACCENT2. |
| KEYMOD_ACCENT3 (see page 308) | This is constant KEYMOD_ACCENT3. |
| KEYMOD_ACCENT4 (see page 308) | This is constant KEYMOD_ACCENT4. |
| KEYMOD_ALT (see page 308) | This is constant KEYMOD_ALT. |
| KEYMOD_CAPSLOCK (see page 309) | This is constant KEYMOD_CAPSLOCK. |
| KEYMOD_COMMAND (see page 309) | This is constant KEYMOD_COMMAND. |
| KEYMOD_CTRL (see page 309) | This is constant KEYMOD_CTRL. |
| KEYMOD_INALTSEQ (see page 309) | This is constant KEYMOD_INALTSEQ. |
| KEYMOD_LWIN (see page 310) | This is constant KEYMOD_LWIN. |
| KEYMOD_MENU (see page 310) | This is constant KEYMOD_MENU. |
| KEYMOD_NUMLOCK (see page 310) | This is constant KEYMOD_NUMLOCK. |
| KEYMOD_RWIN (see page 310) | This is constant KEYMOD_RWIN. |
| KEYMOD_SCROLOCK (see page 310) | This is constant KEYMOD_SCROLOCK. |
| KEYMOD_SHIFT (see page 311) | This is constant KEYMOD_SHIFT. |
| KEY_0 (see page 311) | This is constant KEY_0. |
| KEY_1 (see page 311) | This is constant KEY_1. |
| KEY_2 (see page 311) | This is constant KEY_2. |
| KEY_3 (see page 312) | This is constant KEY_3. |
| KEY_4 (see page 312) | This is constant KEY_4. |
| KEY_5 (see page 312) | This is constant KEY_5. |
| · · · · · · | |

| VEV C / 222 2272 242) | This is sometest VEV C |
|---------------------------------|-----------------------------------|
| KEY_6 (see page 312) | This is constant KEY_6. |
| KEY_7 (see page 312) | This is constant KEY_7. |
| KEY_8 (see page 313) | This is constant KEY_8. |
| KEY_9 (see page 313) | This is constant KEY_9. |
| KEY_A (see page 313) | This is constant KEY_A. |
| KEY_ABNT_C1 (see page 313) | This is constant KEY_ABNT_C1. |
| KEY_ALT (see page 314) | This is constant KEY_ALT. |
| KEY_ALTGR (see page 314) | This is constant KEY_ALTGR. |
| KEY_AT (see page 314) | This is constant KEY_AT. |
| KEY_B (see page 314) | This is constant KEY_B. |
| KEY_BACK (see page 314) | This is constant KEY_BACK. |
| KEY_BACKQUOTE (see page 315) | This is constant KEY_BACKQUOTE. |
| KEY_BACKSLASH (see page 315) | This is constant KEY_BACKSLASH. |
| KEY_BACKSLASH2 (see page 315) | This is constant KEY_BACKSLASH2. |
| KEY_BACKSPACE (see page 315) | This is constant KEY_BACKSPACE. |
| KEY_BUTTON_A (see page 316) | This is constant KEY_BUTTON_A. |
| KEY_BUTTON_B (see page 316) | This is constant KEY_BUTTON_B. |
| KEY_BUTTON_L1 (see page 316) | This is constant KEY_BUTTON_L1. |
| KEY_BUTTON_L2 (see page 316) | This is constant KEY_BUTTON_L2. |
| KEY_BUTTON_R1 (see page 316) | This is constant KEY_BUTTON_R1. |
| KEY_BUTTON_R2 (see page 317) | This is constant KEY_BUTTON_R2. |
| KEY_BUTTON_X (see page 317) | This is constant KEY_BUTTON_X. |
| KEY_BUTTON_Y (see page 317) | This is constant KEY_BUTTON_Y. |
| KEY_C (see page 317) | This is constant KEY_C. |
| KEY_CAPSLOCK (see page 318) | This is constant KEY_CAPSLOCK. |
| KEY_CIRCUMFLEX (see page 318) | This is constant KEY_CIRCUMFLEX. |
| KEY_CLOSEBRACE (see page 318) | This is constant KEY_CLOSEBRACE. |
| KEY_COLON2 (see page 318) | This is constant KEY_COLON2. |
| KEY_COMMA (see page 318) | This is constant KEY_COMMA. |
| KEY_COMMAND (see page 319) | This is constant KEY_COMMAND. |
| KEY_CONVERT (see page 319) | This is constant KEY_CONVERT. |
| KEY_D (see page 319) | This is constant KEY_D. |
| KEY_DELETE (see page 319) | This is constant KEY_DELETE. |
| KEY_DOWN (see page 320) | This is constant KEY_DOWN. |
| KEY_DPAD_CENTER (see page 320) | This is constant KEY_DPAD_CENTER. |
| KEY_DPAD_DOWN (see page 320) | This is constant KEY_DPAD_DOWN. |
| KEY_DPAD_LEFT (see page 320) | This is constant KEY_DPAD_LEFT. |
| KEY_DPAD_RIGHT (see page 320) | This is constant KEY_DPAD_RIGHT. |
| KEY_DPAD_UP (see page 321) | This is constant KEY_DPAD_UP. |
| KEY_E (see page 321) | This is constant KEY_E. |
| KEY_END (see page 321) | This is constant KEY_END. |
| KEY_ENTER (see page 321) | This is constant KEY_ENTER. |
| KEY_EQUALS (see page 322) | This is constant KEY_EQUALS. |
| KEY_ESCAPE (see page 322) | This is constant KEY_ESCAPE. |
| KEY_F (see page 322) | This is constant KEY_F. |
| KEY_F1 (see page 322) | This is constant KEY_F1. |
| KEY_F10 (see page 322) | This is constant KEY_F10. |
| KEY_F11 (see page 323) | This is constant KEY_F11. |
| KEY_F12 (see page 323) | This is constant KEY_F12. |
| , | |

| KEV E2 (200 page 222) | This is constant VEV_E2 |
|----------------------------------|------------------------------------|
| KEY_F2 (see page 323) | This is constant KEY_F2. |
| KEY_F3 (see page 323) | This is constant KEY_F3. |
| KEY_F4 (see page 324) | This is constant KEY_F4. |
| KEY_F5 (see page 324) | This is constant KEY_F5. |
| KEY_F6 (see page 324) | This is constant KEY_F6. |
| KEY_F7 (see page 324) | This is constant KEY_F7. |
| KEY_F8 (see page 324) | This is constant KEY_F8. |
| KEY_F9 (see page 325) | This is constant KEY_F9. |
| KEY_FULLSTOP (see page 325) | This is constant KEY_FULLSTOP. |
| KEY_G (see page 325) | This is constant KEY_G. |
| KEY_H (see page 325) | This is constant KEY_H. |
| KEY_HOME (see page 326) | This is constant KEY_HOME. |
| KEY_I (see page 326) | This is constant KEY_I. |
| KEY_INSERT (see page 326) | This is constant KEY_INSERT. |
| KEY_J (see page 326) | This is constant KEY_J. |
| KEY_K (see page 326) | This is constant KEY_K. |
| KEY_KANA (see page 327) | This is constant KEY_KANA. |
| KEY_KANJI (see page 327) | This is constant KEY_KANJI. |
| KEY_L (see page 327) | This is constant KEY_L. |
| KEY_LCTRL (see page 327) | This is constant KEY_LCTRL. |
| KEY_LEFT (see page 328) | This is constant KEY_LEFT. |
| KEY_LSHIFT (see page 328) | This is constant KEY_LSHIFT. |
| KEY_LWIN (see page 328) | This is constant KEY_LWIN. |
| KEY_M (see page 328) | This is constant KEY_M. |
| KEY_MAX (see page 328) | This is constant KEY_MAX. |
| KEY_MENU (see page 329) | This is constant KEY_MENU. |
| KEY_MINUS (see page 329) | This is constant KEY_MINUS. |
| KEY_MODIFIERS (see page 329) | This is constant KEY_MODIFIERS. |
| KEY_N (see page 329) | This is constant KEY_N. |
| KEY_NOCONVERT (see page 330) | This is constant KEY_NOCONVERT. |
| KEY_NUMLOCK (see page 330) | This is constant KEY_NUMLOCK. |
| KEY_O (see page 330) | This is constant KEY_O. |
| KEY_OPENBRACE (see page 330) | This is constant KEY_OPENBRACE. |
| KEY_P (see page 330) | This is constant KEY_P. |
| KEY_PAD_0 (see page 331) | This is constant KEY_PAD_0. |
| KEY_PAD_1 (see page 331) | This is constant KEY_PAD_1. |
| KEY_PAD_2 (see page 331) | This is constant KEY_PAD_2. |
| KEY_PAD_3 (see page 331) | This is constant KEY_PAD_3. |
| KEY_PAD_4 (see page 332) | This is constant KEY_PAD_4. |
| KEY_PAD_5 (see page 332) | This is constant KEY_PAD_5. |
| KEY_PAD_6 (see page 332) | This is constant KEY_PAD_6. |
| KEY_PAD_7 (see page 332) | This is constant KEY_PAD_7. |
| KEY_PAD_8 (see page 332) | This is constant KEY_PAD_8. |
| KEY_PAD_9 (see page 333) | This is constant KEY_PAD_9. |
| KEY_PAD_ASTERISK (see page 333) | This is constant KEY_PAD_ASTERISK. |
| KEY_PAD_DELETE (see page 333) | This is constant KEY_PAD_DELETE. |
| KEY_PAD_ENTER (see page 333) | This is constant KEY_PAD_ENTER. |
| KEY_PAD_EQUALS (see page 334) | This is constant KEY_PAD_EQUALS. |
| KEY_PAD_MINUS (see page 334) | This is constant KEY_PAD_MINUS. |
| | |

| KEY_PAD_PLUS (see page 334) | This is constant KEY_PAD_PLUS. |
|--------------------------------------|--|
| | |
| KEY_PAD_SLASH (see page 334) | This is constant KEY_PAD_SLASH. |
| KEY_PAUSE (see page 334) | This is constant KEY_PAUSE. |
| KEY_PGDN (see page 335) | This is constant KEY_PGDN. |
| KEY_PGUP (see page 335) | This is constant KEY_PGUP. |
| KEY_PRINTSCREEN (see page 335) | This is constant KEY_PRINTSCREEN. |
| KEY_Q (see page 335) | This is constant KEY_Q. |
| KEY_QUOTE (see page 336) | This is constant KEY_QUOTE. |
| KEY_R (see page 336) | This is constant KEY_R. |
| KEY_RCTRL (see page 336) | This is constant KEY_RCTRL. |
| KEY_RIGHT (see page 336) | This is constant KEY_RIGHT. |
| KEY_RSHIFT (see page 336) | This is constant KEY_RSHIFT. |
| KEY_RWIN (see page 337) | This is constant KEY_RWIN. |
| KEY_S (see page 337) | This is constant KEY_S. |
| KEY_SCROLLLOCK (see page 337) | This is constant KEY_SCROLLLOCK. |
| KEY_SEARCH (see page 337) | This is constant KEY_SEARCH. |
| KEY_SELECT (see page 338) | This is constant KEY_SELECT. |
| KEY_SEMICOLON (see page 338) | This is constant KEY_SEMICOLON. |
| KEY_SEMICOLON2 (see page 338) | This is constant KEY_SEMICOLON2. |
| KEY_SLASH (see page 338) | This is constant KEY_SLASH. |
| KEY_SPACE (see page 338) | This is constant KEY_SPACE. |
| KEY_START (see page 339) | This is constant KEY_START. |
| KEY_T (see page 339) | This is constant KEY_T. |
| KEY_TAB (see page 339) | This is constant KEY_TAB. |
| KEY_THUMBL (see page 339) | This is constant KEY_THUMBL. |
| KEY_THUMBR (see page 340) | This is constant KEY_THUMBR. |
| KEY_TILDE (see page 340) | This is constant KEY_TILDE. |
| KEY_U (see page 340) | This is constant KEY_U. |
| KEY_UNKNOWN (see page 340) | This is constant KEY_UNKNOWN. |
| KEY_UP (see page 340) | This is constant KEY_UP. |
| KEY_V (see page 341) | This is constant KEY_V. |
| KEY_VOLUME_DOWN (see page 341) | This is constant KEY_VOLUME_DOWN. |
| KEY_VOLUME_UP (see page 341) | This is constant KEY_VOLUME_UP. |
| KEY_W (see page 341) | This is constant KEY_W. |
| KEY_X (see page 342) | This is constant KEY_X. |
| KEY_Y (see page 342) | This is constant KEY_Y. |
| KEY_YEN (see page 342) | This is constant KEY_YEN. |
| KEY_Z (see page 342) | This is constant KEY_Z. |
| KHAKI (see page 342) | This is constant KHAKI. |
| LAVENDER (see page 343) | This is constant LAVENDER. |
| LAVENDERBLUSH (see page 343) | This is constant LAVENDERBLUSH. |
| LAWNGREEN (see page 343) | This is constant LAWNGREEN. |
| LEMONCHIFFON (see page 343) | This is constant LEMONCHIFFON. |
| LF (see page 344) | This is constant LF. |
| LIGHTBLUE (see page 344) | This is constant LIGHTBLUE. |
| LIGHTCORAL (see page 344) | This is constant LIGHTCORAL. |
| LIGHTCYAN (see page 344) | This is constant LIGHTCYAN. |
| LIGHTGOLDENRODYELLOW (see page 344) | This is constant LIGHTGOLDENRODYELLOW. |
| LIGHTGRAY (see page 345) | This is constant LIGHTGRAY. |
| (pg) | |

| LIGHTGREEN (see page 345) | This is constant LIGHTGREEN. |
|-------------------------------------|---------------------------------------|
| LIGHTGREY (see page 345) | This is constant LIGHTGREY. |
| LIGHTPINK (see page 345) | This is constant LIGHTPINK. |
| LIGHTSALMON (see page 346) | This is constant LIGHTSALMON. |
| LIGHTSEAGREEN (see page 346) | This is constant LIGHTSEAGREEN. |
| LIGHTSKYBLUE (see page 346) | This is constant LIGHTSKYBLUE. |
| LIGHTSLATEGRAY (see page 346) | This is constant LIGHTSLATEGRAY. |
| LIGHTSLATEGREY (see page 346) | This is constant LIGHTSLATEGREY. |
| LIGHTSTEELBLUE (see page 347) | This is constant LIGHTSTEELBLUE. |
| LIGHTYELLOW (see page 347) | This is constant LIGHTYELLOW. |
| LIME (see page 347) | This is constant LIME. |
| LIMEGREEN (see page 347) | This is constant LIMEGREEN. |
| LINEN (see page 348) | This is constant LINEN. |
| LOG_EXT (see page 348) | This is constant LOG_EXT. |
| LUAC_EXT (see page 348) | This is constant LUAC_EXT. |
| LUA_EXT (see page 348) | This is constant LUA_EXT. |
| MAGENTA (see page 348) | This is constant MAGENTA. |
| MAIL_PORT_SMTP (see page 349) | default non-ssl |
| MAIL_PORT_SMTPS (see page 349) | default ssl |
| MAIL_PORT_SMTPS_ALT (see page 349) | alt ssl |
| MAROON (see page 349) | This is constant MAROON. |
| MAX_AXES (see page 350) | This is constant MAX_AXES. |
| MAX_BUTTONS (see page 350) | This is constant MAX_BUTTONS. |
| MAX_STICKS (see page 350) | This is constant MAX_STICKS. |
| MEDIUMAQUAMARINE (see page 350) | This is constant MEDIUMAQUAMARINE. |
| MEDIUMBLUE (see page 350) | This is constant MEDIUMBLUE. |
| MEDIUMORCHID (see page 351) | This is constant MEDIUMORCHID. |
| MEDIUMPURPLE (see page 351) | This is constant MEDIUMPURPLE. |
| MEDIUMSEAGREEN (see page 351) | This is constant MEDIUMSEAGREEN. |
| MEDIUMSLATEBLUE (see page 351) | This is constant MEDIUMSLATEBLUE. |
| MEDIUMSPRINGGREEN (see page 352) | This is constant MEDIUMSPRINGGREEN. |
| MEDIUMTURQUOISE (see page 352) | This is constant MEDIUMTURQUOISE. |
| MEDIUMVIOLETRED (see page 352) | This is constant MEDIUMVIOLETRED. |
| MIDNIGHTBLUE (see page 352) | This is constant MIDNIGHTBLUE. |
| MINTCREAM (see page 352) | This is constant MINTCREAM. |
| MISTYROSE (see page 353) | This is constant MISTYROSE. |
| MOCCASIN (see page 353) | This is constant MOCCASIN. |
| MOUSE_BUTTON_LEFT (see page 353) | This is constant MOUSE_BUTTON_LEFT. |
| MOUSE_BUTTON_MIDDLE (see page 353) | This is constant MOUSE_BUTTON_MIDDLE. |
| MOUSE_BUTTON_RIGHT (see page 354) | This is constant MOUSE_BUTTON_RIGHT. |
| NAN (see page 354) | This is constant NAN. |
| NAVAJOWHITE (see page 354) | This is constant NAVAJOWHITE. |
| NAVY (see page 354) | This is constant NAVY. |
| OLDLACE (see page 354) | This is constant OLDLACE. |
| OLIVE (see page 355) | This is constant OLIVE. |
| OLIVEDRAB (see page 355) | This is constant OLIVEDRAB. |
| ORANGE (see page 355) | This is constant ORANGE. |
| ORANGERED (see page 355) | This is constant ORANGERED. |
| ORCHID (see page 356) | This is constant ORCHID. |

| OVERLAY1 (see page 356) | This is constant OVERLAY1. |
|-------------------------------|--|
| OVERLAY2 (see page 356) | This is constant OVERLAY2. |
| PALEGOLDENROD (see page 356) | This is constant PALEGOLDENROD. |
| PALEGREEN (see page 356) | This is constant PALEGREEN. |
| PALETURQUOISE (see page 357) | This is constant PALETURQUOISE. |
| PALEVIOLETRED (see page 357) | This is constant PALEVIOLETRED. |
| PAPAYAWHIP (see page 357) | This is constant PAPAYAWHIP. |
| PEACHPUFF (see page 357) | This is constant PEACHPUFF. |
| PERU (see page 358) | This is constant PERU. |
| PINK (see page 358) | This is constant PINK. |
| PLUM (see page 358) | This is constant PIVIV. This is constant PLUM. |
| PNG_EXT (see page 358) | This is constant PLOW. This is constant PNG_EXT. |
| POWDERBLUE (see page 358) | This is constant POWDERBLUE. |
| PURPLE (see page 359) | This is constant PURPLE. |
| RAD2DEG (see page 359) | This is constant PORT EE. This is constant RAD2DEG. |
| REBECCAPURPLE (see page 359) | This is constant REBECCAPURPLE. |
| RED (see page 359) | This is constant REDECCAPORPLE. This is constant RED. |
| RED2 (see page 360) | This is constant RED. This is constant RED2. |
| ROSYBROWN (see page 360) | This is constant ROSYBROWN. |
| · · · · · · | This is constant ROYALBLUE. |
| ROYALBLUE (see page 360) | |
| SADDLEBROWN (see page 360) | This is constant SALMON. |
| SALMON (see page 360) | This is constant SALMON. |
| SANDYBROWN (see page 361) | This is constant SANDYBROWN. |
| SEAGREEN (see page 361) | This is constant SEAGREEN. |
| SEASHELL (see page 361) | This is constant SEASHELL. |
| SIENNA (see page 361) | This is constant SIENNA. |
| SILVER (see page 362) | This is constant SILVER. |
| SKYBLUE (see page 362) | This is constant SKYBLUE. |
| SLATEBLUE (see page 362) | This is constant SLATEBLUE. |
| SLATEGRAY (see page 362) | This is constant SLATEGRAY. |
| SLATEGREY (see page 362) | This is constant SLATEGREY. |
| SNOW (see page 363) | This is constant SNOW. |
| SPRINGGREEN (see page 363) | This is constant SPRINGGREEN. |
| SQLITE_EXT (see page 363) | This is constant SQLITE_EXT. |
| STEELBLUE (see page 363) | This is constant STEELBLUE. |
| TAN (see page 364) | This is constant TAN. |
| TEAL (see page 364) | This is constant TEAL. |
| THISTLE (see page 364) | This is constant THISTLE. |
| TOMATO (see page 364) | This is constant TOMATO. |
| TREEMENU_NONE (see page 364) | This is constant TREEMENU_NONE. |
| TREEMENU_QUIT (see page 365) | This is constant TREEMENU_QUIT. |
| TURQUOISE (see page 365) | This is constant TURQUOISE. |
| VIOLET (see page 365) | This is constant VIOLET. |
| WHEAT (see page 365) | This is constant WHEAT. |
| WHITE (see page 366) | This is constant WHITE. |
| WHITE2 (see page 366) | This is constant WHITE2. |
| WHITESMOKE (see page 366) | This is constant WHITESMOKE. |
| YELLOW (see page 366) | This is constant YELLOW. |
| YELLOWGREEN (see page 366) | This is constant YELLOWGREEN. |

Enumerations

| a | TAudioStatus (see page 252) | This is record TAudioStatus. |
|----------------|---------------------------------------|---------------------------------------|
| a | TBlendMode (see page 253) | This is record TBlendMode. |
| a | TBlendModeColor (see page 253) | This is record TBlendModeColor. |
| a | TCmdConsoleState (see page 253) | This is record TCmdConsoleState. |
| a | TEaseType (see page 254) | This is record TEaseType. |
| a | TGameClass (see page 254) | This is record TGameClass. |
| a | THAlign (see page 255) | This is record THAlign. |
| a | THighscoreAction (see page 256) | This is record THighscoreAction. |
| a | TInputDevice (see page 256) | This is record TInputDevice. |
| a | TLineIntersection (see page 256) | This is record TLineIntersection. |
| a | TLuaState (see page 256) | This is record TLuaState. |
| a | TLuaTable (see page 257) | This is record TLuaTable. |
| a | TLuaType (see page 257) | This is record TLuaType. |
| a | TLuaValueType (see page 257) | This is record TLuaValueType. |
| a | TMessageBox (see page 258) | This is record TMessageBox. |
| 3 | TMessageBoxResult (see page 258) | This is record TMessageBoxResult. |
| a | TPathEditorAction (see page 258) | This is record TPathEditorAction. |
| 3 | TPhysicsBodyShape (see page 259) | This is record TPhysicsBodyShape. |
| a | TPhysicsBodyType (see page 259) | This is record TPhysicsBodyType. |
| 3 | TPhysicsShapeType (see page 259) | This is record TPhysicsShapeType. |
| a | TSeek (see page 260) | This is record TSeek. |
| . | TShaderType (see page 260) | This is record TShaderType. |
| 3 | TSpeechVoiceAttribute (see page 261) | This is record TSpeechVoiceAttribute. |
| a ⁹ | TSplashscreenOption (see page 261) | This is record TSplashscreenOption. |
| a 9 | TStartupDialogState (see page 261) | This is record TStartupDialogState. |
| 3 | TVAlign (see page 262) | This is record TVAlign. |
| = | TVideoState (see page 262) | This is record TVideoState. |
| | - | |

Interfaces

| ~ ○ | IActorList (see page 67) | This is class IActorList. |
|------------|-------------------------------|-------------------------------|
| ⊶0 | IActorScene (see page 70) | This is class IActorScene. |
| - 0 | IArchive (see page 72) | This is class IArchive. |
| ~ ○ | IAsync (see page 75) | This is class IAsync. |
| ~O | IAudio (see page 76) | This is class IAudio. |
| ~ 0 | IBaseInterface (see page 88) | This is class IBaseInterface. |
| ~ ○ | IBuffer (see page 88) | This is class IBuffer. |
| ~ ○ | ICamera (see page 91) | This is class ICamera. |
| ~ 0 | ICmdConsole (see page 95) | This is class ICmdConsole. |
| ~O | ICmdLine (see page 98) | This is class ICmdLine. |
| ~ 0 | IColor (see page 101) | This is class IColor. |
| ~ 0 | IConfigFile (see page 103) | This is class IConfigFile. |
| ⊶0 | IConsole (see page 107) | This is class IConsole. |
| ⊶0 | IDatabase (see page 110) | This is class IDatabase. |

| ~ ○ | IDialogs (see page 116) | This is class IDialogs. |
|------------|---------------------------------------|---|
| ⊶ 0 | IEntity (see page 118) | This is class IEntity. |
| O | IFont (see page 131) | This is class IFont. |
| ⊶ 0 | IGUI (see page 133) | This is class If U.I. |
| O | IHighscores (see page 140) | This is class IHighscores. |
| o-O | IInAppPurchase (see page 143) | This is class in ignscores. This is class InAppPurchase. |
| o-O | | This is class linappruichase. This is class linput. |
| o-O | Ilnput (see page 145) | • |
| ·-O | IInputMap (see page 149) | This is class IInputMap. |
| o | ILog (see page 152) | This is class ILog. |
| | ILua (see page 153) | This is class ILua. |
| ⊶0 | ILuaContext (see page 159) | This is class ILuaContext. |
| ⊶0 | IMail (see page 162) | This is class IMail. |
| ~ ○ | IMath (see page 164) | This is class IMath. |
| ~ ○ | IPathEditor (see page 172) | This is class IPathEditor. |
| ~ 0 | IPathEditorPath (see page 176) | This is class IPathEditorPath. |
| ⊶0 | IPhysics (see page 178) | This is class IPhysics. |
| ~ ○ | IPolygon (see page 184) | This is class IPolygon. |
| ⊶0 | IRenderTarget (see page 187) | This is class IRenderTarget. |
| ~ ○ | IScreenshake (see page 190) | This is class IScreenshake. |
| ⊶0 | IScreenshot (see page 191) | This is class IScreenshot. |
| ⊶0 | IShader (see page 192) | This is class IShader. |
| ~ ○ | ISocial (see page 196) | This is class ISocial. |
| ~ ○ | ISpeech (see page 197) | This is class ISpeech. |
| ~ ○ | ISplashscreen (see page 201) | This is class ISplashscreen. |
| ~ ○ | ISprite (see page 204) | This is class ISprite. |
| ~ ○ | IStarfield (see page 208) | This is class IStarfield. |
| 0 | IStartupDialog (see page 211) | This is class IStartupDialog. |
| 0 | ITexture (see page 214) | This is class ITexture. |
| 0 | ITimer (see page 217) | This is class ITimer. |
| ~ ○ | ITopaz (see page 220) | This is class ITopaz. |
| ~ ○ | ITreeMenu (see page 226) | This is class ITreeMenu. |
| ~ ○ | IUserPath (see page 230) | This is class IUserPath. |
| ⊶0 | IUtil (see page 233) | This is class IUtil. |
| 0 | IVideo (see page 238) | This is class IVideo. |
| ⊶0 | IVirtualFile (see page 241) | This is class IVirtualFile. |
| ⊶0 | IWindow (see page 243) | This is class IWindow. |
| į. | \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | |

Records

| * | TActorMessage (see page 252) | This is record TActorMessage. |
|----------|----------------------------------|----------------------------------|
| % | TColor (see page 254) | This is record TColor. |
| * | TGameSettings (see page 255) | This is record TGameSettings. |
| * | THighscore (see page 50) | This is class THighscore. |
| % | TLuaValue (see page 52) | This is class TLuaValue. |
| % | TPhysicsBodyData (see page 258) | This is record TPhysicsBodyData. |
| % | TPointi (see page 260) | This is record TPointi. |
| % | TRange (see page 260) | This is record TRange. |
| * | TRectangle (see page 56) | This is class TRectangle. |
| * | TTextureData (see page 262) | This is record TTextureData. |
| * | TVector (see page 58) | This is class TVector. |

Types

| PActorMessage (see page 263) | This is type PActorMessage. |
|--|--------------------------------------|
| PColor (see page 263) | This is type PColor. |
| PGameSettings (see page 263) | This is type PGameSettings. |
| PPhysicsBodyData (see page 264) | This is type PPhysicsBodyData. |
| PPointi (see page 264) | This is type PPointi. |
| PRange (see page 264) | This is type PRange. |
| PRectangle (see page 264) | This is type PRectangle. |
| PTextureData (see page 265) | This is type PTextureData. |
| PVector (see page 265) | This is type PVector. |
| TActorAttributeSet (see page 265) | This is type TActorAttributeSet. |
| TActorSceneEvent (see page 265) | This is type TActorSceneEvent. |
| TAsyncProc (see page 265) | This is type TAsyncProc. |
| TBaseInterfaceClass (see page 266) | This is type TBaseInterfaceClass. |
| TCmdConsoleActionEvent (see page 266) | This is type TCmdConsoleActionEvent. |
| TCustomGameClass (see page 266) | This is type TCustomGameClass. |
| TLuaFunction (see page 266) | This is type TLuaFunction. |
| TPhysicsBody (see page 267) | This is type TPhysicsBody. |
| TStringArray (see page 267) | This is type TStringArray. |
| TSysCharSet (see page 267) | This is type TSysCharSet. |
| | |

Variables

| Topaz (see page 267) | This is variable Topaz. |
|-----------------------|-------------------------|

Index

A

ALICEBLUE 276

ALICEBLUE constant 276
ANTIQUEWHITE 276

ANTIQUEWHITE constant 276

AQUA 277

AQUA constant 277 AQUAMARINE 277

AQUAMARINE constant 277
AUDIO_BUFFER_COUNT 277

AUDIO_BUFFER_COUNT constant 277

AUDIO_CHANNEL_COUNT 277

AUDIO_CHANNEL_COUNT constant 277
AUDIO_DYNAMIC_CHANNEL 278

AUDIO_DYNAMIC_CHANNEL constant 278

AUDIO_INVALID_INDEX 278

AUDIO_INVALID_INDEX constant 278

AZURE 278

AZURE constant 278

BEIGE 278

BEIGE constant 278

BISQUE 278

BISQUE constant 278

BLACK 279

BLACK constant 279
BLANCHEDALMOND 279

BLANCHEDALMOND constant 279

BLANK 279

BLANK constant 279 BLEND_ADD 279

BLEND_ADD constant 279

BLEND_ALPHA 280

BLEND_ALPHA constant 280 BLEND_CONST_COLOR 280

BLEND_CONST_COLOR constant 280

BLEND_DEST_COLOR 280

BLEND_DEST_COLOR constant 280
BLEND_DEST_MINUS_SRC 280

BLEND_DEST_MINUS_SRC constant 280

BLEND_INVERSE_ALPHA 280

BLEND_INVERSE_ALPHA constant 280 BLEND_INVERSE_CONST_COLOR 281

BLEND_INVERSE_CONST_COLOR constant 281

BLEND_INVERSE_DEST_COLOR 281

BLEND_INVERSE_DEST_COLOR constant 281

BLEND_INVERSE_SRC_COLOR 281

BLEND_INVERSE_SRC_COLOR constant 281

BLEND_ONE 281

BLEND_ONE constant 281 BLEND_SRC_COLOR 282

BLEND_SRC_COLOR constant 282
BLEND_SRC_MINUS_DEST 282

BLEND_SRC_MINUS_DEST constant 282

BLEND_ZERO 282

BLEND_ZERO constant 282

BLUE 282

BLUE constant 282 BLUEVIOLET 282

BLUEVIOLET constant 282

BROWN 283

BROWN constant 283
BURLYWOOD 283

BURLYWOOD constant 283

CADETBLUE 283

CADETBLUE constant 283

CFG_EXT 283

CFG_EXT constant 283 CHARTREUSE 284

CHARTREUSE constant 284

CHOCOLATE 284

CHOCOLATE constant 284

COLORKEY 284

COLORKEY constant 284

CORAL 284

CORAL constant 284
CORNFLOWERBLUE 284

CORNFLOWERBLUE constant 284

CORNSILK 285

CORNSILK constant 285

CR 285

CR constant 285

CRIMSON 285 DARKSLATEGREY 290

CRIMSON constant 285 DARKSLATEGREY constant 290

CRLF 285 DARKTURQUOISE 290

CRLF constant 285 DARKTURQUOISE constant 290

CYAN 286 DARKVIOLET 290

CYAN constant 286 DARKVIOLET constant 290

Classes 12 DATABASE_DEFAULT_MYSQL_PORT 290

Constants 268 DATABASE_DEFAULT_MYSQL_PORT constant 290

DARKBLUE 286 DEEPPINK 290

DARKBLUE constant 286

DEEPPINK constant 290

DARKCYAN 286

DEEPSKYBLUE 291

DARKCYAN constant 286 DEEPSKYBLUE constant 291

DARKGOLDENROD 286 DEG2RAD 291

DARKGOLDENROD constant 286 DEG2RAD constant 291

DARKGRAY 286 DIMGRAY 291

DARKGRAY constant 286 DIMGRAY constant 291

DARKGREEN 287 DIMGREY 291

DARKGREEN constant 287 DIMGREY constant 291

DARKGREY 287 DIMWHITE 292

DARKGREY constant 287

DARKKHAKI 287

DODGERBLUE 292

DARKKHAKI constant 287 DODGERBLUE constant 292

DARKMAGENTA 287 EPSILON 292

DARKMAGENTA constant 287 EPSILON constant 292
DARKOLIVEGREEN 288 FALSE_TRUE_STR 292

DARKOLIVEGREEN constant 288 FALSE_TRUE_STR constant 292

DARKORANGE 288 FIREBRICK 292

DARKORANGE constant 288 FIREBRICK constant 292
DARKORCHID 288 FLORALWHITE 293

DARKORCHID constant 288 FLORALWHITE constant 293

DARKRED 288 FORESTGREEN 293

DARKRED constant 288 FORESTGREEN constant 293

DARKSALMON 288 FUCHSIA 293

DARKSALMON constant 288 FUCHSIA constant 293

DARKSEAGREEN 289 Files 367

DARKSEAGREEN constant 289 GAINSBORO 293

DARKSLATEBLUE 289 GAINSBORO constant 293

DARKSLATEBLUE constant 289 GHOSTWHITE 294

DARKSLATEBROWN 289 GHOSTWHITE constant 294

DARKSLATEBROWN constant 289 GOLD 294

DARKSLATEGRAY 289 GOLD constant 294
DARKSLATEGRAY constant 289 GOLDENROD 294

GUI_THEME_DEFAULT constant 298

GUI_THEME_RED constant 298

GUI_THEME_RED 298

GUI_THEME_WHITE 299

GOLDENROD constant 294 GUI_THEME_WHITE constant 299 GUI_WINDOW_BACKGROUND 299 **GRAY 294** GUI_WINDOW_BACKGROUND constant 299 **GRAY** constant 294 GREEN 294 GUI_WINDOW_BORDER 299 GUI_WINDOW_BORDER constant 299 **GREEN constant 294 GREENYELLOW 295** GUI_WINDOW_CLOSABLE 299 **GREENYELLOW constant 295** GUI_WINDOW_CLOSABLE constant 299 **GREY 295** GUI_WINDOW_DEFAULT 300 GUI_WINDOW_DEFAULT constant 300 **GREY** constant 295 **GUI DYNAMIC 295** GUI_WINDOW_MINIMIZABLE 300 GUI_DYNAMIC constant 295 GUI_WINDOW_MINIMIZABLE constant 300 GUI_EDIT_FILTER_ASCII 295 GUI_WINDOW_MOVABLE 300 GUI_WINDOW_MOVABLE constant 300 GUI_EDIT_FILTER_ASCII constant 295 GUI_WINDOW_NO_INPUT 300 GUI_EDIT_FILTER_BINARY 296 GUI_EDIT_FILTER_BINARY constant 296 GUI_WINDOW_NO_INPUT constant 300 GUI_EDIT_FILTER_DECIMAL 296 GUI_WINDOW_NO_SCROLLBAR 300 GUI_EDIT_FILTER_DECIMAL constant 296 GUI_WINDOW_NO_SCROLLBAR constant 300 GUI_EDIT_FILTER_DEFAULT 296 GUI_WINDOW_SCALABLE 301 GUI_EDIT_FILTER_DEFAULT constant 296 GUI_WINDOW_SCALABLE constant 301 GUI_EDIT_FILTER_FLOAT 296 GUI_WINDOW_SCALE_LEFT 301 GUI_EDIT_FILTER_FLOAT constant 296 GUI_WINDOW_SCALE_LEFT constant 301 GUI_EDIT_FILTER_HEX 296 GUI_WINDOW_SCROLL_AUTO_HIDE 301 GUI_EDIT_FILTER_HEX constant 296 GUI_WINDOW_SCROLL_AUTO_HIDE constant 301 GUI_EDIT_FILTER_OCT 297 GUI_WINDOW_TITLE 301 GUI_EDIT_FILTER_OCT constant 297 GUI_WINDOW_TITLE constant 301 **GUI STATIC 297 HONEYDEW 302 HONEYDEW** constant 302 GUI_STATIC constant 297 GUI_TEXT_CENTERED 297 **HOTPINK 302** GUI_TEXT_CENTERED constant 297 **HOTPINK** constant 302 GUI_TEXT_LEFT 297 IActorList 67 IActorList interface 67 GUI_TEXT_LEFT constant 297 GUI_TEXT_RIGHT 298 Add 67 GUI_TEXT_RIGHT constant 298 CheckCollision 68 GUI_THEME_BLUE 298 Clean 68 GUI_THEME_BLUE constant 298 Clear 68 GUI_THEME_DARK 298 ForEach 68 GUI THEME DARK constant 298 GetCount 68 GUI_THEME_DEFAULT 298 IActorList methods 67

Remove 69

Render 69

Update 69

SendMessage 69

С

ExtractFiles 73

about IActorList interface 67 FileExist 74 IActorList.Add 67 IArchive methods 73 IActorList.CheckCollision 68 IsValid 74 IActorList.Clean 68 Open 74, 75 IActorList.Clear 68 Opened 75 IActorList.ForEach 68 about IArchive interface 72 IActorList.GetCount 68 IArchive.Build 73 IActorList.Remove 69 IArchive.Close 73 IActorList.Render 69 IArchive.ExtractFile 73 IArchive.ExtractFileToBuffer 74 IActorList.SendMessage 69 IActorList.Update 69 IArchive.ExtractFiles 73 IActorScene 70 IArchive.FileExist 74 IActorScene interface 70 IArchive.IsValid 74 Alloc 70 IArchive.Open 74, 75 Clean 70 IArchive.Opened 75 Clear 71 IAsync 75 ClearAll 71 IAsync interface 75 Dealloc 71 Busy 75 GetCount 71 Enter 76 GetList 71 IAsync methods 75 IActorScene methods 70 Leave 76 Render 72 Process 76 **Run 76** SendMessage 72 about IAsync interface 75 Update 72 about IActorScene interface 70 IAsync.Busy 75 IActorScene.Alloc 70 IAsync.Enter 76 IActorScene.Clean 70 IAsync.Leave 76 IActorScene.Clear 71 IAsync.Process 76 IActorScene.ClearAll 71 IAsync.Run 76 IActorScene.Dealloc 71 IAudio 76 IActorScene.GetCount 71 IAudio interface 76 IActorScene.GetList 71 Close 78 IActorScene.Render 72 GetChannelAttenuation 78 IActorScene.SendMessage 72 GetChannelLoop 78 IActorScene.Update 72 GetChannelMinDistance 78 IArchive 72 GetChannelPitch 79 IArchive interface 72 GetChannelPosition 79 Build 73 GetChannelRelativeToListener 79 Close 73 GetChannelReserved 79 ExtractFile 73 GetChannelStatus 80 ExtractFileToBuffer 74 GetChannelVolume 80

GetListenerGlobalVolume 80

GetListenerPosition 80 IAudio.GetChannelReserved 79
GetMusicLoop 80 IAudio.GetChannelStatus 80
GetMusicStatus 81 IAudio.GetChannelVolume 80

GetMusicVolume 81 IAudio.GetListenerGlobalVolume 80
IAudio methods 77 IAudio.GetListenerPosition 80
LoadMusic 81 IAudio.GetMusicLoop 80
LoadSound 81 IAudio.GetMusicStatus 81
Open 81 IAudio.GetMusicVolume 81

Pause 82 IAudio.LoadMusic 81
PauseAllMusic 82 IAudio.LoadSound 81
PauseChannel 82 IAudio.Open 81
PauseMusic 82 IAudio.Pause 82

PlayMusic 82, 83

PlaySound 83

Reset 83

SetChannelAttenuation 83

IAudio.PauseAllMusic 82

IAudio.PauseChannel 82

IAudio.PauseMusic 82

IAudio.PlayMusic 82, 83

SetChannelLoop 84

IAudio.PlaySound 83

SetChannelMinDistance 84 IAudio.Reset 83

SetChannelPitch 84 IAudio.SetChannelAttenuation 83
SetChannelPosition 84 IAudio.SetChannelLoop 84

SetChannelRelativeToListener 85 IAudio.SetChannelMinDistance 84

SetChannelReserved 85 IAudio.SetChannelPitch 84
SetChannelVolume 85 IAudio.SetChannelPosition 84

SetListenerGlobalVolume 85 IAudio.SetChannelRelativeToListener 85

SetListenerPosition 85IAudio.SetChannelReserved 85SetMusicLoop 86IAudio.SetChannelVolume 85

SetMusicOffset 86 IAudio.SetListenerGlobalVolume 85
SetMusicVolume 86 IAudio.SetListenerPosition 85
StopAllChannels 86 IAudio.SetMusicLoop 86
StopChannel 86 IAudio.SetMusicOffset 86

StopChannel 86 IAudio.SetMusicOffset 86
StopMusic 87 IAudio.SetMusicVolume 86
UnloadAllMusic 87 IAudio.StopAllChannels 86
UnloadMusic 87 IAudio.StopChannel 86
UnloadSound 87 IAudio.StopMusic 87

about IAudio interface 76 IAudio.UnloadAllMusic 87
IAudio.Close 78 IAudio.UnloadMusic 87

IAudio.GetChannelAttenuation 78IAudio.UnloadSound 87IAudio.GetChannelLoop 78IBaseInterface 88

IAudio.GetChannelMinDistance 78 IBaseInterface interface 88

IAudio.GetChannelPitch 79 about IBaseInterface interface 88

IAudio.GetChannelPosition 79 IBuffer 88

Addio. Cetorial inteli osition 79

IAudio.GetChannelRelativeToListener 79 IBuffer interface 88

ICamera methods 91

Init 93

SetPos 94

SetRotation 94

Allocate 89 SetScale 94 Eof 89 SetSize 94 GetPosition 89 about ICamera interface 91 IBuffer methods 88 ICamera. Activate 92 LoadFromFile 89 ICamera.Clear 92 LoadFromResource 89 ICamera.GetPos 92 Memory 90 ICamera.GetRotation 92 Read 90 ICamera.GetScale 93 ICamera.GetScreenToWorldPos 93 ReadString 90 ICamera.GetSize 93 Release 90 SaveToFile 90 ICamera.GetWorldToScreenPos 93 SetPosition 91 ICamera.Init 93 ICamera.SetPos 94 Size 91 ICamera.SetRotation 94 Write 91 about IBuffer interface 88 ICamera.SetScale 94 IBuffer.Allocate 89 ICamera.SetSize 94 IBuffer.Eof 89 ICmdConsole 95 IBuffer.GetPosition 89 ICmdConsole interface 95 IBuffer.LoadFromFile 89 AddCommand 95 IBuffer.LoadFromResource 89 AddTextLine 96 IBuffer.Memory 90 ClearCommands 96 IBuffer.Read 90 Close 96 IBuffer.ReadString 90 Enable 96 IBuffer.Release 90 GetActive 96 IBuffer.SaveToFile 90 ICmdConsole methods 95 IBuffer.SetPosition 91 LoadFont 97 IBuffer.Size 91 Open 97 IBuffer.Write 91 ParamCount 97 ICamera 91 ParamStr 97 ICamera interface 91 Render 97 SetSlideSpeed 98 Activate 92 Clear 92 SetToggleKey 98 GetPos 92 Toggle 98 GetRotation 92 Update 98 GetScale 93 about ICmdConsole interface 95 GetScreenToWorldPos 93 ICmdConsole.AddCommand 95 GetSize 93 ICmdConsole.AddTextLine 96 GetWorldToScreenPos 93 ICmdConsole.ClearCommands 96

ICmdConsole.Close 96

ICmdConsole.Enable 96

ICmdConsole.GetActive 96

ICmdConsole.LoadFont 97

ICmdConsole.Open 97 IConfigFile 103 ICmdConsole.ParamCount 97 IConfigFile interface 103 ICmdConsole.ParamStr 97 Close 103 ICmdConsole.Render 97 GetSectionValue 104 ICmdConsole.SetSlideSpeed 98 GetSectionValues 104 ICmdConsole.SetToggleKey 98 GetValue 104, 105 ICmdConsole.Toggle 98 IConfigFile methods 103 ICmdConsole.Update 98 Open 105 ICmdLine 98 Opened 106 ICmdLine interface 98 RemoveKey 106 AddAParam 99 RemoveSection 106 AddParams 99 SetValue 106, 107 ClearParams 99 Update 107 GetParam 100 about IConfigFile interface 103 GetParamValue 100 IConfigFile.Close 103 IConfigFile.GetSectionValue 104 ICmdLine methods 99 ParamCount 100 IConfigFile.GetSectionValues 104 ParamStr 100 IConfigFile.GetValue 104, 105 IConfigFile.Open 105 Reset 101 about ICmdLine interface 98 IConfigFile.Opened 106 ICmdLine.AddAParam 99 IConfigFile.RemoveKey 106 ICmdLine.AddParams 99 IConfigFile.RemoveSection 106 ICmdLine.ClearParams 99 IConfigFile.SetValue 106, 107 ICmdLine.GetParam 100 IConfigFile.Update 107 ICmdLine.GetParamValue 100 IConsole 107 ICmdLine.ParamCount 100 IConsole interface 107 ICmdLine.ParamStr 100 AtStartup 108 ICmdLine.Reset 101 IConsole methods 108 IColor 101 IsPresent 108 IColor interface 101 Pause 108 Print 109 Equal 101 Fade 102 PrintLn 109 FromByte 102 WaitForInput 110 FromFloat 102 about IConsole interface 107 FromName 102 IConsole.AtStartup 108 IColor methods 101 IConsole.IsPresent 108 about IColor interface 101 IConsole.Pause 108 IColor.Equal 101 IConsole.Print 109 IConsole.PrintLn 109 IColor.Fade 102 IColor.FromByte 102 IConsole.WaitForInput 110 IColor.FromFloat 102 IDatabase 110 IColor.FromName 102 IDatabase interface 110

AddSQLText 111 IDatabase.GetLastError 113 Bof 111 IDatabase.GetMacro 113 IDatabase.GetParam 113 ClearSQLText 111 Close 111 IDatabase.GetSQLText 114 Connected 112 IDatabase.Last 114 Delete 112 IDatabase.Next 114 Eof 112 IDatabase.Open 114 IDatabase.Prior 114 Execute 112 IDatabase.RecordCount 115 ExecuteSQL 112 IDatabase.RecordNo 115 FieldCount 112 First 113 IDatabase.SetField 115 GetField 113 IDatabase.SetMacro 115 IDatabase.SetParam 115 GetLastError 113 IDatabase.SetSQLText 116 GetMacro 113 GetParam 113 IDatabase.SetupMySQL 116 GetSQLText 114 IDatabase.SetupSQLite 116 IDatabase methods 110 IDialogs 116 Last 114 IDialogs interface 116 Next 114 ContactUs 117 Open 114 DirOpen 117 Prior 114 Feedback 117 RecordCount 115 FileOpen 118 RecordNo 115 FileSave 118 SetField 115 IDialogs methods 117 SetMacro 115 MessageBox 118 SetParam 115 about IDialogs interface 116 SetSQLText 116 IDialogs.ContactUs 117 SetupMySQL 116 IDialogs.DirOpen 117 SetupSQLite 116 IDialogs.Feedback 117 about IDatabase interface 110 IDialogs.FileOpen 118 IDatabase.AddSQLText 111 IDialogs.FileSave 118 IDatabase.Bof 111 IDialogs.MessageBox 118 IDatabase.ClearSQLText 111 IEntity 118 IDatabase.Close 111 IEntity interface 118 IDatabase.Connected 112 CollidePolyPoint 120 IDatabase.Delete 112 CollidePolyPointPoint 120 IDatabase.Eof 112 GetAngle 120 IDatabase.Execute 112 GetAngleOffset 121 IDatabase.ExecuteSQL 112 GetColor 121 IDatabase.FieldCount 112 GetDir 121 IDatabase.First 113 GetFirstFrame 121 IDatabase.GetField 113 GetFlipMode 121

GetFrame 121 ThrustToPos 130
GetFrameFPS 122 TracePolyPoint 131

GetGroup 122 about IEntity interface 118

GetHeight 122 IEntity.CollidePolyPoint 120

GetLastFrame 122 IEntity.CollidePolyPointPoint 120

GetLoopFrame 122 IEntity.GetAngle 120
GetPos 123 IEntity.GetAngleOffset 121

GetRadius 123 IEntity.GetColor 121
GetRenderPolyPoint 123 IEntity.GetDir 121

GetScale 123

GetShrinkFactor 123

GetSprite 123

GetWidth 124

IEntity.GetFirstFrame 121

IEntity.GetFlipMode 121

IEntity.GetFrame 121

IEntity.GetFrameFPS 122

IEntity methods 119

IEntity.GetGroup 122

Init 124 IEntity.GetHeight 122
IsFullyVisible 124 IEntity.GetLastFrame 122
IsVisible 124 IEntity.GetLoopFrame 122

NextFrame 125 IEntity.GetPos 123
Overlap 125 IEntity.GetRadius 123

PrevFrame 125 IEntity.GetRenderPolyPoint 123

Render 125 IEntity.GetScale 123

RenderAt 126 IEntity.GetShrinkFactor 123
RotateAbs 126 IEntity.GetSprite 123

RotateRel 126 IEntity.GetWidth 124

RotateToAngle 126 IEntity.Init 124

RotateToPos 126

RotateToPosAt 127

RotateToPosAt 127

SetAngleOffset 127

SetColor 127

SetFlipMode 127

IEntity.IsFullyVisible 124

IEntity.IsVisible 124

IEntity.NextFrame 125

IEntity.Overlap 125

SetFlipMode 127

IEntity.PrevFrame 125

SetFilpMode 127

SetFrame 128

SetFrameFPS 128

SetFrameRange 128

SetFrameRange 128

SetLoopFrame 128

IEntity.Render 125

IEntity.RenderAt 126

IEntity.RotateAbs 126

SetLoopFrame 128

IEntity.RotateRel 126

SetPosAbs 128

SetPosRel 129

IEntity.RotateToAngle 126

SetRenderPolyPoint 129

IEntity.RotateToPos 126

IEntity.RotateToPosAt 127

SetScaleAbs 129

SetScaleRel 129

SetScaleRel 129

SetShrinkFactor 130

IEntity.SetColor 127

IEntity.SetFlipMode 127

Thrust 130

IEntity.SetFrame 128

ThrustAngle 130 IEntity.SetFrameFPS 128

IEntity.SetFrameRange 128 InputEnd 136 IEntity.SetLoopFrame 128 LayoutRowBegin 137 IEntity.SetPosAbs 128 LayoutRowDynamic 137 IEntity.SetPosRel 129 LayoutRowEnd 137 IEntity.SetRenderPolyPoint 129 LayoutRowPush 137 IEntity.SetScaleAbs 129 LayoutRowStatic 138 IEntity.SetScaleRel 129 Open 138 IEntity.SetShrinkFactor 130 Option 138 IEntity.Thrust 130 Progress 138 IEntity.ThrustAngle 130 Render 138 IEntity.ThrustToPos 130 SetStyle 139 IEntity.TracePolyPoint 131 Slider 139 IFont 131 Value 139 IFont interface 131 WindowBegin 140 GetLineHeight 131 WindowEnd 140 GetTextWidth 132 aAlign 134 IFont methods 131 aTitle 134 Load 132 about IGUI interface 133 LoadBuiltIn 132 **IGUI.& 135** LoadDefault 132 IGUI.Button 135 PrintText 132, 133 IGUI.Checkbox 135 Unload 133 IGUI.Clear 135 about IFont interface 131 IGUI.Close 136 IFont.GetLineHeight 131 IGUI.Combobox 136 IFont.GetTextWidth 132 IGUI.Edit 136 IFont.Load 132 IGUI.InputBegin 136 IFont.LoadBuiltIn 132 IGUI.InputEnd 136 IFont.LoadDefault 132 IGUI.LayoutRowBegin 137 IFont.PrintText 132, 133 IGUI.LayoutRowDynamic 137 IFont.Unload 133 IGUI.LayoutRowEnd 137 **IGUI 133** IGUI.LayoutRowPush 137 IGUI interface 133 IGUI.LayoutRowStatic 138 & 135 IGUI.Open 138 Button 135 IGUI.Option 138 Checkbox 135 IGUI.Progress 138 Clear 135 IGUI.Render 138 Close 136 IGUI.SetStyle 139 Combobox 136 IGUI.Slider 139 Edit 136 IGUI.Value 139 IGUI constants 134 IGUI.WindowBegin 140 IGUI methods 134 IGUI.WindowEnd 140 InputBegin 136 IGUI.aAlign 134

| IGUI.aTitle 134 | IInAppPurchase.GetId 145 | |
|------------------------------------|---------------------------------|--|
| IHighscores 140 | IInAppPurchase.GetLastError 145 | |
| IHighscores interface 140 | IInAppPurchase.GetStatus 145 | |
| Busy 141 | lInput 145 | |
| Clear 141 | IInput interface 145 | |
| ClearResults 141 | Clear 146 | |
| GetLastError 141 | GetMouseInfo 146 | |
| GetResult 141 | IInput methods 145 | |
| GetResultCount 142 | JoystickDown 146 | |
| IHighscores methods 140 | JoystickPosition 147 | |
| List 142 | JoystickPressed 147 | |
| Post 142 | JoystickReleased 147 | |
| Remove 143 | KeyCode 147 | |
| Setup 143 | KeyCodeRepeat 147 | |
| about IHighscores interface 140 | KeyDown 148 | |
| IHighscores.Busy 141 | KeyPressed 148 | |
| IHighscores.Clear 141 | KeyReleased 148 | |
| IHighscores.ClearResults 141 | MouseDown 148 | |
| IHighscores.GetLastError 141 | MousePressed 148 | |
| IHighscores.GetResult 141 | MouseReleased 149 | |
| IHighscores.GetResultCount 142 | MouseSetPos 149 | |
| IHighscores.List 142 | Update 149 | |
| IHighscores.Post 142 | about IInput interface 145 | |
| IHighscores.Remove 143 | IInput.Clear 146 | |
| IHighscores.Setup 143 | IInput.GetMouseInfo 146 | |
| IInAppPurchase 143 | IInput.JoystickDown 146 | |
| IInAppPurchase interface 143 | IInput.JoystickPosition 147 | |
| Busy 144 | IInput.JoystickPressed 147 | |
| Buy 144 | IInput.JoystickReleased 147 | |
| GetAmount 144 | IInput.KeyCode 147 | |
| GetCurrency 144 | IInput.KeyCodeRepeat 147 | |
| GetDescription 144 | IInput.KeyDown 148 | |
| Getld 145 | IInput.KeyPressed 148 | |
| GetLastError 145 | IInput.KeyReleased 148 | |
| GetStatus 145 | IInput.MouseDown 148 | |
| IInAppPurchase methods 143 | IInput.MousePressed 148 | |
| about IInAppPurchase interface 143 | IInput.MouseReleased 149 | |
| IInAppPurchase.Busy 144 | IInput.MouseSetPos 149 | |
| IInAppPurchase.Buy 144 | IInput.Update 149 | |
| IInAppPurchase.GetAmount 144 | IInputMap 149 | |
| IInAppPurchase.GetCurrency 144 | IInputMap interface 149 | |
| IInAppPurchase.GetDescription 144 | Add 150 | |

| Clear 150 | LoadString 156 |
|-----------------------------------|--------------------------------|
| Down 150 | PrepCall 156 |
| IInputMap methods 150 | RegisterRoutine 157 |
| Load 150 | RegisterRoutines 157, 158 |
| Pressed 151 | Reset 158 |
| Released 151 | RoutineExist 158 |
| Remove 151 | Run 158 |
| Save 152 | SetGCStepSize 158 |
| about IInputMap interface 149 | SetVariable 159 |
| IInputMap.Add 150 | VariableExist 159 |
| IInputMap.Clear 150 | about ILua interface 153 |
| IInputMap.Down 150 | ILua.Call 154 |
| IInputMap.Load 150 | ILua.CollectGarbage 155 |
| IInputMap.Pressed 151 | ILua.CompileToFile 155 |
| IInputMap.Released 151 | ILua.GetGCMemoryUsed 155 |
| IInputMap.Remove 151 | ILua.GetGCStepSize 155 |
| IInputMap.Save 152 | ILua.GetVariable 155 |
| ILog 152 | ILua.LoadBuffer 156 |
| ILog interface 152 | ILua.LoadFile 156 |
| Add 152 | ILua.LoadString 156 |
| Close 152 | ILua.PrepCall 156 |
| Fatal 153 | ILua.RegisterRoutine 157 |
| ILog methods 152 | ILua.RegisterRoutines 157, 158 |
| Open 153 | ILua.Reset 158 |
| Opened 153 | ILua.RoutineExist 158 |
| about ILog interface 152 | ILua.Run 158 |
| ILog.Add 152 | ILua.SetGCStepSize 158 |
| ILog.Close 152 | ILua.SetVariable 159 |
| ILog.Fatal 153 | ILua.VariableExist 159 |
| ILog.Open 153 | ILuaContext 159 |
| ILog.Opened 153 | ILuaContext interface 159 |
| ILua 153 | ArgCount 160 |
| ILua interface 153 | ClearStack 160 |
| Call 154 | GetStackType 160 |
| CollectGarbage 155 | GetTableFieldValue 160 |
| CompileToFile 155 | GetTableIndexValue 161 |
| GetGCMemoryUsed 155 | GetValue 161 |
| GetGCStepSize 155 | ILuaContext methods 159 |
| · | |
| GetVariable 155 ILua methods 154 | PopStack 161 PushCount 161 |
| | PushCount 161 PushValue 161 |
| LoadBuffer 156 | |
| LoadFile 156 | SetTableFieldValue 162 |

SetTableIndexValue 162 PointInRectangle 168 about ILuaContext interface 159 PointInTriangle 168 ILuaContext.ArgCount 160 RadiusOverlap 168 ILuaContext.ClearStack 160 RandomBool 169 ILuaContext.GetStackType 160 RandomRange 169 ILuaContext.GetTableFieldValue 160 Rectangle 169 ILuaContext.GetTableIndexValue 161 RectangleIntersection 170 ILuaContext.GetValue 161 RectanglesOverlap 170 ILuaContext.PopStack 161 SameSignFloat 170 ILuaContext.PushCount 161 SameSignInt 170 ILuaContext.PushValue 161 SameValueExt 171 ILuaContext.SetTableFieldValue 162 SameValueFloat 171 ILuaContext.SetTableIndexValue 162 SetRandomSeed 171 IMail 162 SmoothMove 171 IMail interface 162 Vector 171 **Busy 163** about IMath interface 164 GetLastError 163 IMath.AngleCos 165 IMail methods 162 IMath.AngleDifference 165 Send 163 IMath.AngleRotatePos 165 Setup 163 IMath.AngleSin 165 about IMail interface 162 IMath.CircleInRectangle 165 IMail.Busy 163 IMath.CirclesOverlap 166 IMail.GetLastError 163 IMath.ClipValueFloat 166 IMail.Send 163 IMath.ClipValueInt 166 IMail.Setup 163 IMath.EasePosition 166 IMath 164 IMath.EaseValue 167 IMath interface 164 IMath.GetRandomSeed 167 AngleCos 165 IMath.Lerp 167 AngleDifference 165 IMath.LineIntersection 167 AngleRotatePos 165 IMath.PointInCircle 168 AngleSin 165 IMath.PointInRectangle 168 CircleInRectangle 165 IMath.PointInTriangle 168 CirclesOverlap 166 IMath.RadiusOverlap 168 ClipValueFloat 166 IMath.RandomBool 169 ClipValueInt 166 IMath.RandomRange 169 EasePosition 166 IMath.Rectangle 169 EaseValue 167 IMath.RectangleIntersection 170 GetRandomSeed 167 IMath.RectanglesOverlap 170 IMath methods 164 IMath.SameSignFloat 170 Lerp 167 IMath.SameSignInt 170 IMath.SameValueExt 171 LineIntersection 167 PointInCircle 168 IMath.SameValueFloat 171

IMath.SetRandomSeed 171 IPathEditor.Show 175 IPathEditorPath 176 IMath.SmoothMove 171 IPathEditorPath interface 176 IMath. Vector 171 **INDIANRED 302** GetLookAheadPos 176 INDIANRED constant 302 GetPos 176, 177 INDIGO 302 IPathEditorPath methods 176 INDIGO constant 302 Init 177 INI_EXT 302 Reset 177 INI_EXT constant 302 Update 177 IPathEditor 172 about IPathEditorPath interface 176 IPathEditor interface 172 IPathEditorPath.GetLookAheadPos 176 AddPath 172 IPathEditorPath.GetPos 176, 177 AddPoint 173 IPathEditorPath.Init 177 IPathEditorPath.Reset 177 Clear 173 ClearPath 173 IPathEditorPath.Update 177 GetInfo 173 IPhysics 178 GetPathCount 173 IPhysics interface 178 GetPoint 174 AddForce 178 GetPointCount 174 AddTorque 179 IPathEditor methods 172 Clear 179 Load 174 Close 179 RemovePath 174 CreateCircleBody 179 CreateRectangleBody 180 Reset 175 **Save 175** DestroyBody 180 SetIcon 175 DrawBodyShapes 180 SetInfo 175 GetBodyCount 180 **Show 175** GetBodyData 180 about IPathEditor interface 172 GetBodyPosition 181 IPathEditor.AddPath 172 GetBodyRotation 181 IPathEditor.AddPoint 173 GetBodyType 181 IPathEditor.Clear 173 GetEnabled 181 IPathEditor.ClearPath 173 GetFirstBody 181 IPathEditor.GetInfo 173 GetNextBody 182 IPathEditor.GetPathCount 173 GetUserData 182 IPathEditor.GetPoint 174 IPhysics methods 178 IPathEditor.GetPointCount 174 Open 182 IPathEditor.Load 174 Reset 182 IPathEditor.RemovePath 174 SetBodyRotation 182 IPathEditor.Reset 175 SetGravity 183 IPathEditor.Save 175 SetUserData 183 IPathEditor.SetIcon 175 Update 183 IPathEditor.SetInfo 175 UpdateBodies 183

about IPhysics interface 178 IPolygon.GetLocalPoint 185 IPolygon.GetPointCount 185 IPhysics.AddForce 178 IPhysics.AddTorque 179 IPolygon.GetSegmentVisible 185 IPhysics.Clear 179 IPolygon.GetWorldPoint 185 IPhysics.Close 179 IPolygon.Load 185 IPhysics.CreateCircleBody 179 IPolygon.Render 186 IPhysics.CreateRectangleBody 180 IPolygon.Save 186 IPhysics.DestroyBody 180 IPolygon.SetSegmentVisible 186 IPhysics.DrawBodyShapes 180 IPolygon.Transform 186 IPhysics.GetBodyCount 180 IRenderTarget 187 IPhysics.GetBodyData 180 IRenderTarget interface 187 IPhysics.GetBodyPosition 181 GetActive 187 IPhysics.GetBodyRotation 181 GetAngle 187 IPhysics.GetBodyType 181 GetPosition 188 IPhysics.GetEnabled 181 GetRegion 188 IPhysics.GetFirstBody 181 GetSize 188 IRenderTarget methods 187 IPhysics.GetNextBody 182 IPhysics.GetUserData 182 Init 188 IPhysics.Open 182 SetActive 189 IPhysics.Reset 182 SetAngle 189 IPhysics.SetBodyRotation 182 SetPosition 189 IPhysics.SetGravity 183 SetRegion 189 IPhysics.SetUserData 183 **Show 189** IPhysics.Update 183 about IRenderTarget interface 187 IPhysics.UpdateBodies 183 IRenderTarget.GetActive 187 IPolygon 184 IRenderTarget.GetAngle 187 IPolygon interface 184 IRenderTarget.GetPosition 188 AddLocalPoint 184 IRenderTarget.GetRegion 188 IRenderTarget.GetSize 188 CopyFrom 184 GetLocalPoint 185 IRenderTarget.Init 188 GetPointCount 185 IRenderTarget.SetActive 189 GetSegmentVisible 185 IRenderTarget.SetAngle 189 GetWorldPoint 185 IRenderTarget.SetPosition 189 IPolygon methods 184 IRenderTarget.SetRegion 189 Load 185 IRenderTarget.Show 189 Render 186 IScreenshake 190 **Save 186** IScreenshake interface 190 SetSegmentVisible 186 Active 190 Transform 186 Clear 190 about IPolygon interface 184 IScreenshake methods 190 IPolygon.AddLocalPoint 184 Process 190 IPolygon.CopyFrom 184 Start 191

about IScreenshake interface 190 SaveAccounts 196 IScreenshake. Active 190 Setup 197 IScreenshake.Clear 190 about ISocial interface 196 IScreenshake.Process 190 ISocial.Busy 196 IScreenshake.Start 191 ISocial.Post 196 IScreenshot 191 ISocial.SaveAccounts 196 IScreenshot interface 191 ISocial.Setup 197 IScreenshot methods 191 ISpeech 197 Init 191 ISpeech interface 197 Process 192 Active 198 Take 192 ChangeVoice 198 about IScreenshot interface 191 Clear 198 IScreenshot.Init 191 GetRate 198 IScreenshot.Process 192 GetVoice 198 IScreenshot.Take 192 GetVoiceAttribute 199 GetVoiceCount 199 IShader 192 IShader interface 192 GetVolume 199 Build 193 ISpeech methods 197 Enable 193 Pause 199 IShader methods 192 Reset 199 Load 193 Resume 199 Log 193 Say 200 SetBoolUniform 194 SetRate 200 SetFloatUniform 194 SetVolume 200 SetIntUniform 194, 195 SubstituteWord 200 SetTextureUniform 195 about ISpeech interface 197 SetVec2Uniform 195 ISpeech.Active 198 about IShader interface 192 ISpeech.ChangeVoice 198 IShader.Build 193 ISpeech.Clear 198 IShader.Enable 193 ISpeech.GetRate 198 IShader.Load 193 ISpeech.GetVoice 198 IShader.Log 193 ISpeech.GetVoiceAttribute 199 IShader.SetBoolUniform 194 ISpeech.GetVoiceCount 199 IShader.SetFloatUniform 194 ISpeech.GetVolume 199 IShader.SetIntUniform 194, 195 ISpeech.Pause 199 IShader.SetTextureUniform 195 ISpeech.Reset 199 IShader.SetVec2Uniform 195 ISpeech.Resume 199 ISocial 196 ISpeech.Say 200 ISocial interface 196 ISpeech.SetRate 200 **Busy 196** ISpeech.SetVolume 200 ISocial methods 196 ISpeech.SubstituteWord 200 Post 196 ISplashscreen 201

ISprite methods 204

LoadPage 208 ISplashscreen interface 201 Clear 201 about ISprite interface 204 DrawText 201 ISprite.AddGroup 205 DrawTexture 202 ISprite.AddImageFromGrid 205 GetClearColor 202 ISprite.AddImageFromRect 205 GetOption 202 ISprite.Clear 205 ISplashscreen methods 201 ISprite.DrawImage 205 LoadFont 202, 203 ISprite.GetGroupCount 206 LoadTexture 203 ISprite.GetImageCount 206 SetClearColor 203 ISprite.GetImageHeight 206 SetDefaults 203 ISprite.GetImageRect 206 SetOption 203 ISprite.GetImageTexture 207 Show 204 ISprite.GetImageWidth 207 about ISplashscreen interface 201 ISprite.GroupPolyPointCollide 207 ISplashscreen.Clear 201 ISprite.GroupPolyPointCollidePoint 208 ISprite.GroupPolyPointTrace 208 ISplashscreen.DrawText 201 ISplashscreen.DrawTexture 202 ISprite.LoadPage 208 ISplashscreen.GetClearColor 202 IStarfield 208 ISplashscreen.GetOption 202 IStarfield interface 208 ISplashscreen.LoadFont 202, 203 GetVirtualPos 209 ISplashscreen.LoadTexture 203 IStarfield methods 209 ISplashscreen.SetClearColor 203 Init 209 ISplashscreen.SetDefaults 203 Render 209 SetVirtualPos 210 ISplashscreen.SetOption 203 ISplashscreen.Show 204 SetXSpeed 210 ISprite 204 SetYSpeed 210 ISprite interface 204 SetZSpeed 210 AddGroup 205 Update 211 AddImageFromGrid 205 about IStarfield interface 208 AddImageFromRect 205 IStarfield.GetVirtualPos 209 Clear 205 IStarfield.Init 209 Drawlmage 205 IStarfield.Render 209 GetGroupCount 206 IStarfield.SetVirtualPos 210 GetImageCount 206 IStarfield.SetXSpeed 210 GetImageHeight 206 IStarfield.SetYSpeed 210 GetImageRect 206 IStarfield.SetZSpeed 210 GetImageTexture 207 IStarfield.Update 211 GetImageWidth 207 IStartupDialog 211 GroupPolyPointCollide 207 IStartupDialog interface 211 GroupPolyPointCollidePoint 208 Hide 211 GroupPolyPointTrace 208 IStartupDialog methods 211

SetCaption 212

SetIcon 212 ITexture.Height 216 SetLicense 212 ITexture.Load 216 SetLicenseText 212 ITexture.Lock 216 SetLogo 212 ITexture.Release 217 SetLogoClickUrl 213 ITexture.SetPixel 217 SetReadme 213 ITexture.Unlock 217 SetReadmeText 213 ITexture.Width 217 SetReleaseInfo 213 ITimer 217 SetWordWrap 214 ITimer interface 217 **Show 214** FrameElapsed 218 about IStartupDialog interface 211 FrameSpeed 218 IStartupDialog.Hide 211 GetDeltaTime 218 IStartupDialog.SetCaption 212 GetFixedUpdateSpeed 219 IStartupDialog.SetIcon 212 GetFrameRate 219 IStartupDialog.SetLicense 212 GetUpdateSpeed 219 ITimer methods 218 IStartupDialog.SetLicenseText 212 Reset 219 IStartupDialog.SetLogo 212 IStartupDialog.SetLogoClickUrl 213 SetFixedUpdateSpeed 219 IStartupDialog.SetReadme 213 SetUpdateSpeed 220 IStartupDialog.SetReadmeText 213 Update 220 IStartupDialog.SetReleaseInfo 213 about ITimer interface 217 IStartupDialog.SetWordWrap 214 ITimer.FrameElapsed 218 IStartupDialog.Show 214 ITimer.FrameSpeed 218 ITexture 214 ITimer.GetDeltaTime 218 ITexture interface 214 ITimer.GetFixedUpdateSpeed 219 ITimer.GetFrameRate 219 Allocate 215 Draw 215 ITimer.GetUpdateSpeed 219 DrawTiled 215 ITimer.Reset 219 GetPixel 216 ITimer.SetFixedUpdateSpeed 219 Height 216 ITimer.SetUpdateSpeed 220 ITexture methods 214 ITimer.Update 220 Load 216 ITopaz 220 Lock 216 ITopaz interface 220 Release 217 Async 221 SetPixel 217 Audio 221 CmdConsole 221 Unlock 217 Width 217 CmdLine 222 about ITexture interface 214 Color 222 ITexture.Allocate 215 Console 222 ITexture.Draw 215 Dialogs 222 ITexture.DrawTiled 215 **GUI 223** ITexture.GetPixel 216 Game 222

Window 226

GameLoop 222 ITopaz.Screenshake 225 Get 223 ITopaz.Screenshot 225 GetVersionStr 223 ITopaz.Speech 225 ITopaz methods 220 ITopaz.Splashscreen 225

Input 223 ITopaz.Timer 225 Log 223 ITopaz.UserPath 226 Lua 224 ITopaz.Util 226 Math 224 ITopaz. Video 226 PathEditor 224 ITopaz.Window 226 Physics 224 ITreeMenu 226

Release 224 ITreeMenu interface 226 RunGame 225 AddItem 227

Screenshake 225 BoldItem 227 Screenshot 225 BoldItemId 228 Speech 225 Clear 228 Splashscreen 225 First 228

Timer 225 GetCount 228 UserPath 226 GetLastSelectedId 228 **Util 226** GetSelectableCount 229 Video 226 ITreeMenu methods 227

InsertItem 229

Sort 230

about ITopaz interface 220 Selltem 229 ITopaz. Async 221 SetStatus 229 ITopaz. Audio 221 SetTitle 229 ITopaz.CmdConsole 221 **Show 230**

ITopaz.CmdLine 222 ITopaz.Color 222 about ITreeMenu interface 226

ITopaz.Console 222 ITreeMenu.AddItem 227 ITopaz.Dialogs 222 ITreeMenu.BoldItem 227 ITopaz.GUI 223 ITreeMenu.BoldItemId 228 ITopaz.Game 222 ITreeMenu.Clear 228

ITopaz.GameLoop 222 ITreeMenu.First 228 ITopaz.Get 223 ITreeMenu.GetCount 228

ITopaz.GetVersionStr 223 ITreeMenu.GetLastSelectedId 228

ITreeMenu.GetSelectableCount 229 ITopaz.Input 223 ITreeMenu.InsertItem 229 ITopaz.Log 223

ITopaz.Lua 224 ITreeMenu.Selltem 229 ITopaz.Math 224 ITreeMenu.SetStatus 229 ITopaz.PathEditor 224 ITreeMenu.SetTitle 229 ITopaz.Physics 224 ITreeMenu.Show 230 ITopaz.Release 224 ITreeMenu.Sort 230

ITopaz.RunGame 225 IUserPath 230 IUserPath interface 230 IUtil methods 233 CreateDirs 231 PadRight 237 GetAppld 231 ReadAllText 237 GetAppIdPath 231 RemoveQuotes 237 GetConfigFilename 231 about IUtil interface 233 IUtil.DirExist 234 GetLogFilename 231 GetOrgName 232 IUtil.FileCount 234 GetPath 232 IUtil.FileExist 234 GotoPath 232 IUtil.Format 234 IUserPath methods 230 IUtil.GetAppBasedPath 235 Reset 232 IUtil.GetAppName 235 SetAppld 233 IUtil.GetAppPath 235 IUtil.GetCPUCount 235 SetOrgName 233 IUtil.GetDiskFreeSpace 235 about IUserPath interface 230 IUserPath.CreateDirs 231 IUtil.GetFilename 236 IUserPath.GetAppId 231 IUtil.GetMemoryFree 236 IUserPath.GetAppIdPath 231 IUtil.GetOSVersion 236 IUserPath.GetConfigFilename 231 IUtil.GetTime 236 IUtil.GetVideoCardName 236 IUserPath.GetLogFilename 231 IUserPath.GetOrgName 232 IUtil.GotoURL 237 IUserPath.GetPath 232 IUtil.PadRight 237 IUserPath.GotoPath 232 IUtil.ReadAllText 237 IUserPath.Reset 232 IUtil.RemoveQuotes 237 **IVORY 303** IUserPath.SetAppId 233 IUserPath.SetOrgName 233 **IVORY** constant 303 IVideo 238 IUtil 233 IVideo interface 238 IUtil interface 233 DirExist 234 **Draw 238** FileCount 234 GetFilename 238 FileExist 234 GetLooping 239 Format 234 GetPause 239 GetAppBasedPath 235 GetPlaying 239 GetAppName 235 GetSize 239 GetAppPath 235 IVideo methods 238 GetCPUCount 235 Load 239 GetDiskFreeSpace 235 Play 240 GetFilename 236 Rewind 240 GetMemoryFree 236 Seek 240 GetOSVersion 236 SetLoping 240 GetTime 236 SetPause 240 GetVideoCardName 236 SetPlaying 241 GotoURL 237 Unload 241

about IVideo interface 238 DrawPolygon 246 IVideo.Draw 238 DrawRectangle 246 IVideo.GetFilename 238 DrawTriangle 247 IVideo.GetLooping 239 GetBlendColor 247 IVideo.GetPause 239 GetBlender 247 IVideo.GetPlaying 239 GetTitle 247 IVideo.GetSize 239 GetViewportSize 247 IVideo.Load 239 Height 248 IVideo.Play 240 IWindow methods 243 IVideo.Rewind 240 Open 248 IVideo.Seek 240 Opened 248 IVideo.SetLoping 240 ResetTransform 248 IVideo.SetPause 240 RestoreDefaultBlendMode 248 IVideo.SetPlaying 241 **Save 249** IVideo.Unload 241 Scale 249 IVirtualFile 241 SetBlendColor 249 IVirtualFile interface 241 SetBlendMode 249 Delete 242 SetBlendModeColor 250 SetBlender 249 GetFilename 242 GetSize 242 SetPos 250 GetVirtualFilename 242 SetRenderTarget 250 IVirtualFile methods 241 SetTitle 250 Make 242 SetTransformPos 251 Save 243 Show 251 about IVirtualFile interface 241 Width 251 IVirtualFile.Delete 242 about IWindow interface 243 IVirtualFile.GetFilename 242 IWindow.Clear 244 IVirtualFile.GetSize 242 IWindow.Close 244 IVirtualFile.GetVirtualFilename 242 IWindow.Dpi 244 IVirtualFile.Make 242 IWindow.DrawCircle 244 IVirtualFile.Save 243 IWindow.DrawFilledCircle 245 IWindow 243 IWindow.DrawFilledPolygon 245 IWindow interface 243 IWindow.DrawFilledRectangle 245 Clear 244 IWindow.DrawFilledTriangle 245 Close 244 IWindow.DrawLine 246 **Dpi 244** IWindow.DrawPolygon 246 DrawCircle 244 IWindow.DrawRectangle 246 DrawFilledCircle 245 IWindow.DrawTriangle 247 DrawFilledPolygon 245 IWindow.GetBlendColor 247 DrawFilledRectangle 245 IWindow.GetBlender 247

IWindow.GetTitle 247

IWindow.GetViewportSize 247

DrawFilledTriangle 245

DrawLine 246

u

IWindow.Height 248 JOY_BTN_RT 306

IWindow.Open 248 JOY_BTN_RT constant 306
IWindow.Opened 248 JOY_BTN_START 306

IWindow.ResetTransform 248 JOY_BTN_START constant 306

IWindow.RestoreDefaultBlendMode 248 JOY_BTN_UDPAD 306

IWindow.Save 249

JOY_BTN_UDPAD constant 306

IWindow.Scale 249

JOY_BTN_X 306

IWindow.SetBlendColor 249 JOY_BTN_X constant 306

IWindow.SetBlendMode 249 JOY_BTN_Y 306

IWindow.SetBlendModeColor 250JOY_BTN_Y constant 306IWindow.SetBlender 249JOY_STICK_LS 307

IWindow.SetPos 250 JOY_STICK_LS constant 307

IWindow.SetRenderTarget 250

JOY_STICK_LT 307

IWindow.SetTitle 250 JOY_STICK_LT constant 307

window.Setfille 250 JOY_STICK_LT constant 507

IWindow.SetTransformPos 251 JOY_STICK_RS 307

IWindow.Show 251 JOY_STICK_RS constant 307

IWindow.Width 251 JOY_STICK_RT 307

Interfaces 66 JOY_STICK_RT constant 307
JOY_AXES_X 303 KEYMOD_ACCENT1 308

JOY_AXES_X constant 303 KEYMOD_ACCENT1 constant 308

JOY_AXES_Y 303 KEYMOD_ACCENT2 308

JOY_AXES_Y constant 303 KEYMOD_ACCENT2 constant 308

JOY_AXES_Z 303 KEYMOD_ACCENT3 308

JOY_AXES_Z constant 303 KEYMOD_ACCENT3 constant 308

JOY_BTN_A 304 KEYMOD_ACCENT4 308

JOY_BTN_A constant 304 KEYMOD_ACCENT4 constant 308

JOY_BTN_B 304 KEYMOD_ALT 308

JOY_BTN_B constant 304 KEYMOD_ALT constant 308
JOY_BTN_BACK 304 KEYMOD_CAPSLOCK 309

JOY_BTN_BACK constant 304 KEYMOD_CAPSLOCK constant 309

JOY_BTN_DDPAD 304 KEYMOD_COMMAND 309

JOY_BTN_DDPAD constant 304 KEYMOD_COMMAND constant 309

JOY_BTN_LB 304 KEYMOD_CTRL 309

JOY_BTN_LB constant 304 KEYMOD_CTRL constant 309
JOY_BTN_LDPAD 305 KEYMOD_INALTSEQ 309

JOY_BTN_LDPAD constant 305 KEYMOD_INALTSEQ constant 309

JOY_BTN_LT 305 KEYMOD_LWIN 310

JOY_BTN_LT constant 305 KEYMOD_LWIN constant 310

JOY_BTN_RB 305 KEYMOD_MENU 310

JOY_BTN_RB constant 305

KEYMOD_MENU constant 310

JOY_BTN_RDPAD 305

KEYMOD_NUMLOCK 310

JOY_BTN_RDPAD constant 305 KEYMOD_NUMLOCK constant 310

KEY_BACK constant 314

KEY_BACKQUOTE 315

KEY_BACKQUOTE constant 315

| 2 | Topaz Game Library |
|------------------------------|-----------------------------|
| KEYMOD_RWIN 310 | KEY_BACKSLASH 315 |
| KEYMOD_RWIN constant 310 | KEY_BACKSLASH constant 315 |
| KEYMOD_SCROLOCK 310 | _ KEY_BACKSLASH2 315 |
| KEYMOD_SCROLOCK constant 310 | KEY_BACKSLASH2 constant 315 |
| KEYMOD_SHIFT 311 | KEY_BACKSPACE 315 |
| KEYMOD_SHIFT constant 311 | KEY_BACKSPACE constant 315 |
| KEY_0 311 | KEY_BUTTON_A 316 |
| KEY_0 constant 311 | KEY_BUTTON_A constant 316 |
| KEY_1 311 | KEY_BUTTON_B 316 |
| KEY_1 constant 311 | KEY_BUTTON_B constant 316 |
| KEY_2 311 | KEY_BUTTON_L1 316 |
| KEY_2 constant 311 | KEY_BUTTON_L1 constant 316 |
| KEY_3 312 | KEY_BUTTON_L2 316 |
| KEY_3 constant 312 | KEY_BUTTON_L2 constant 316 |
| KEY_4 312 | KEY_BUTTON_R1 316 |
| KEY_4 constant 312 | KEY_BUTTON_R1 constant 316 |
| KEY_5 312 | KEY_BUTTON_R2 317 |
| KEY_5 constant 312 | KEY_BUTTON_R2 constant 317 |
| KEY_6 312 | KEY_BUTTON_X 317 |
| KEY_6 constant 312 | KEY_BUTTON_X constant 317 |
| KEY_7 312 | KEY_BUTTON_Y 317 |
| KEY_7 constant 312 | KEY_BUTTON_Y constant 317 |
| KEY_8 313 | KEY_C 317 |
| KEY_8 constant 313 | KEY_C constant 317 |
| KEY_9 313 | KEY_CAPSLOCK 318 |
| KEY_9 constant 313 | KEY_CAPSLOCK constant 318 |
| KEY_A 313 | KEY_CIRCUMFLEX 318 |
| KEY_A constant 313 | KEY_CIRCUMFLEX constant 318 |
| KEY_ABNT_C1 313 | KEY_CLOSEBRACE 318 |
| KEY_ABNT_C1 constant 313 | KEY_CLOSEBRACE constant 318 |
| KEY_ALT 314 | KEY_COLON2 318 |
| KEY_ALT constant 314 | KEY_COLON2 constant 318 |
| KEY_ALTGR 314 | KEY_COMMA 318 |
| KEY_ALTGR constant 314 | KEY_COMMA constant 318 |
| KEY_AT 314 | KEY_COMMAND 319 |
| KEY_AT constant 314 | KEY_COMMAND constant 319 |
| KEY_B 314 | KEY_CONVERT 319 |
| KEY_B constant 314 | KEY_CONVERT constant 319 |
| KEY_BACK 314 | KEY_D 319 |

KEY_D constant 319

KEY_DELETE constant 319

KEY_DELETE 319

KEY_MAX constant 328

KEY_MENU constant 329

KEY_MENU 329

KEY_F5 constant 324

KEY_F6 constant 324

KEY_F6 324

| 2 | Topaz Game Library |
|------------------------------|---------------------------|
| KEY DOWN 320 | KEY_F7 324 |
| KEY_DOWN constant 320 | KEY_F7 constant 324 |
| KEY DPAD CENTER 320 | KEY F8 324 |
| KEY_DPAD_CENTER constant 320 | KEY_F8 constant 324 |
| KEY_DPAD_DOWN 320 | KEY F9 325 |
| KEY_DPAD_DOWN constant 320 | KEY_F9 constant 325 |
| KEY_DPAD_LEFT 320 | KEY_FULLSTOP 325 |
| KEY_DPAD_LEFT constant 320 | KEY_FULLSTOP constant 325 |
| KEY_DPAD_RIGHT 320 | _ KEY_G 325 |
| KEY_DPAD_RIGHT constant 320 | KEY_G constant 325 |
| KEY_DPAD_UP 321 | KEY_H 325 |
| KEY_DPAD_UP constant 321 | KEY_H constant 325 |
| KEY_E 321 | KEY_HOME 326 |
| KEY_E constant 321 | KEY_HOME constant 326 |
| KEY_END 321 | KEY_I 326 |
| KEY_END constant 321 | KEY_I constant 326 |
| KEY_ENTER 321 | KEY_INSERT 326 |
| KEY_ENTER constant 321 | KEY_INSERT constant 326 |
| KEY_EQUALS 322 | KEY_J 326 |
| KEY_EQUALS constant 322 | KEY_J constant 326 |
| KEY_ESCAPE 322 | KEY_K 326 |
| KEY_ESCAPE constant 322 | KEY_K constant 326 |
| KEY_F 322 | KEY_KANA 327 |
| KEY_F constant 322 | KEY_KANA constant 327 |
| KEY_F1 322 | KEY_KANJI 327 |
| KEY_F1 constant 322 | KEY_KANJI constant 327 |
| KEY_F10 322 | KEY_L 327 |
| KEY_F10 constant 322 | KEY_L constant 327 |
| KEY_F11 323 | KEY_LCTRL 327 |
| KEY_F11 constant 323 | KEY_LCTRL constant 327 |
| KEY_F12 323 | KEY_LEFT 328 |
| KEY_F12 constant 323 | KEY_LEFT constant 328 |
| KEY_F2 323 | KEY_LSHIFT 328 |
| KEY_F2 constant 323 | KEY_LSHIFT constant 328 |
| KEY_F3 323 | KEY_LWIN 328 |
| KEY_F3 constant 323 | KEY_LWIN constant 328 |
| KEY_F4 324 | KEY_M 328 |
| KEY_F4 constant 324 | KEY_M constant 328 |
| KEY_F5 324 | KEY_MAX 328 |

KEY_PAD_DELETE 333

KEY_PAD_ENTER 333

KEY_PAD_DELETE constant 333

KEY_PAD_ENTER constant 333

| 2 | Topaz Game Library |
|-------------------------------|------------------------------|
| KEY_MINUS 329 | KEY_PAD_EQUALS 334 |
| KEY_MINUS constant 329 | KEY_PAD_EQUALS constant 334 |
| KEY_MODIFIERS 329 | KEY_PAD_MINUS 334 |
| KEY_MODIFIERS constant 329 | KEY_PAD_MINUS constant 334 |
| KEY_N 329 | KEY_PAD_PLUS 334 |
| KEY_N constant 329 | KEY_PAD_PLUS constant 334 |
| KEY_NOCONVERT 330 | KEY_PAD_SLASH 334 |
| KEY_NOCONVERT constant 330 | KEY_PAD_SLASH constant 334 |
| KEY_NUMLOCK 330 | KEY_PAUSE 334 |
| KEY_NUMLOCK constant 330 | KEY_PAUSE constant 334 |
| KEY_O 330 | KEY_PGDN 335 |
| KEY_O constant 330 | KEY_PGDN constant 335 |
| KEY_OPENBRACE 330 | KEY_PGUP 335 |
| KEY_OPENBRACE constant 330 | KEY_PGUP constant 335 |
| KEY_P 330 | KEY_PRINTSCREEN 335 |
| KEY_P constant 330 | KEY_PRINTSCREEN constant 335 |
| KEY_PAD_0 331 | KEY_Q 335 |
| KEY_PAD_0 constant 331 | KEY_Q constant 335 |
| KEY_PAD_1 331 | KEY_QUOTE 336 |
| KEY_PAD_1 constant 331 | KEY_QUOTE constant 336 |
| KEY_PAD_2 331 | KEY_R 336 |
| KEY_PAD_2 constant 331 | KEY_R constant 336 |
| KEY_PAD_3 331 | KEY_RCTRL 336 |
| KEY_PAD_3 constant 331 | KEY_RCTRL constant 336 |
| KEY_PAD_4 332 | KEY_RIGHT 336 |
| KEY_PAD_4 constant 332 | KEY_RIGHT constant 336 |
| KEY_PAD_5 332 | KEY_RSHIFT 336 |
| KEY_PAD_5 constant 332 | KEY_RSHIFT constant 336 |
| KEY_PAD_6 332 | KEY_RWIN 337 |
| KEY_PAD_6 constant 332 | KEY_RWIN constant 337 |
| KEY_PAD_7 332 | KEY_S 337 |
| KEY_PAD_7 constant 332 | KEY_S constant 337 |
| KEY_PAD_8 332 | KEY_SCROLLLOCK 337 |
| KEY_PAD_8 constant 332 | KEY_SCROLLLOCK constant 337 |
| KEY_PAD_9 333 | KEY_SEARCH 337 |
| KEY_PAD_9 constant 333 | KEY_SEARCH constant 337 |
| KEY_PAD_ASTERISK 333 | KEY_SELECT 338 |
| KEY_PAD_ASTERISK constant 333 | KEY_SELECT constant 338 |
| KEY DAD DELETE 222 | KEN CEMICOLON 220 |

KEY_SEMICOLON 338

KEY_SEMICOLON2 338

KEY_SEMICOLON constant 338

KEY_SEMICOLON2 constant 338

у

KEY_SLASH 338 LAVENDERBLUSH 343

KEY_SLASH constant 338 LAVENDERBLUSH constant 343

KEY_SPACE 338 LAWNGREEN 343

KEY_SPACE constant 338 LAWNGREEN constant 343
KEY_START 339 LEMONCHIFFON 343

KEY_START constant 339 LEMONCHIFFON constant 343

KEY_T 339 LF 344

KEY_T constant 339 LF constant 344
KEY_TAB 339 LIGHTBLUE 344

KEY_TAB constant 339 LIGHTBLUE constant 344 KEY_THUMBL 339 LIGHTCORAL 344

KEY_THUMBL constant 339 LIGHTCORAL constant 344

KEY_THUMBR 340 LIGHTCYAN 344

KEY_THUMBR constant 340 LIGHTCYAN constant 344

KEY_TILDE 340 LIGHTGOLDENRODYELLOW 344

KEY_TILDE constant 340 LIGHTGOLDENRODYELLOW constant 344

KEY_U 340 LIGHTGRAY 345

KEY_U constant 340 LIGHTGRAY constant 345 KEY_UNKNOWN 340 LIGHTGREEN 345

KEY_UNKNOWN constant 340 LIGHTGREEN constant 345

KEY_UP 340 LIGHTGREY 345

KEY_UP constant 340 LIGHTGREY constant 345

KEY_V 341 LIGHTPINK 345

KEY_V constant 341 LIGHTPINK constant 345 KEY_VOLUME_DOWN 341 LIGHTSALMON 346

KEY_VOLUME_DOWN constant 341 LIGHTSALMON constant 346

KEY_VOLUME_UP 341 LIGHTSEAGREEN 346

KEY_VOLUME_UP constant 341 LIGHTSEAGREEN constant 346

KEY_W 341 LIGHTSKYBLUE 346

KEY_W constant 341 LIGHTSKYBLUE constant 346
KEY_X 342 LIGHTSLATEGRAY 346

KEY_X constant 342 LIGHTSLATEGRAY constant 346

KEY Y 342 LIGHTSLATEGREY 346

KEY_Y constant 342 LIGHTSLATEGREY constant 346

KEY YEN 342 LIGHTSTEELBLUE 347

KEY_YEN constant 342 LIGHTSTEELBLUE constant 347

KEY Z 342 LIGHTYELLOW 347

KEY_Z constant 342 LIGHTYELLOW constant 347

KHAKI 342 LIME 347

KHAKI constant 342 LIME constant 347 LAVENDER 343 LIMEGREEN 347

LAVENDER constant 343 LIMEGREEN constant 347

LINEN 348 MEDIUMVIOLETRED constant 352

LINEN constant 348 MIDNIGHTBLUE 352

LOG EXT 348 MIDNIGHTBLUE constant 352

LOG_EXT constant 348 MINTCREAM 352

LUAC_EXT 348 MINTCREAM constant 352

LUAC_EXT constant 348 MISTYROSE 353

LUA_EXT 348 MISTYROSE constant 353

LUA_EXT constant 348 MOCCASIN 353

LuaTable enumeration member 257 MOCCASIN constant 353
MAGENTA 348 MOUSE_BUTTON_LEFT 353

MAGENTA constant 348 MOUSE_BUTTON_LEFT constant 353

MAIL_PORT_SMTP 349 MOUSE_BUTTON_MIDDLE 353

MAIL_PORT_SMTP constant 349 MOUSE_BUTTON_MIDDLE constant 353

MAIL_PORT_SMTPS 349 MOUSE_BUTTON_RIGHT 354

MAIL_PORT_SMTPS constant 349 MOUSE_BUTTON_RIGHT constant 354

MAIL_PORT_SMTPS_ALT 349 NAN 354

MAIL_PORT_SMTPS_ALT constant 349 NAN constant 354

MAROON 349 NAVAJOWHITE 354

MAROON constant 349 NAVAJOWHITE constant 354

MAX_AXES 350 NAVY 354

MAX_AXES constant 350 NAVY constant 354
MAX_BUTTONS 350 OLDLACE 354

MAX_BUTTONS constant 350 OLDLACE constant 354

MAX STICKS 350 OLIVE 355

MAX_STICKS constant 350

MEDIUMAQUAMARINE 350

OLIVE constant 355

OLIVEDRAB 355

MEDIUMAQUAMARINE constant 350 OLIVEDRAB constant 355

MEDIUMBLUE 350 ORANGE 355

MEDIUMBLUE constant 350 ORANGE constant 355
MEDIUMORCHID 351 ORANGERED 355

MEDIUMORCHID constant 351 ORANGERED constant 355

MEDIUMPURPLE 351 ORCHID 356

MEDIUMPURPLE constant 351 ORCHID constant 356

MEDIUMSEAGREEN 351 OVERLAY1 356

MEDIUMSEAGREEN constant 351 OVERLAY1 constant 356

MEDIUMSLATEBLUE 351 OVERLAY2 356

MEDIUMSLATEBLUE constant 351 OVERLAY2 constant 356
MEDIUMSPRINGGREEN 352 PALEGOLDENROD 356

MEDIUMSPRINGGREEN constant 352 PALEGOLDENROD constant 356

MEDIUMTURQUOISE 352 PALEGREEN 356

MEDIUMTURQUOISE constant 352 PALEGREEN constant 356
MEDIUMVIOLETRED 352 PALETURQUOISE 357

PALETURQUOISE constant 357 RED constant 359

PALEVIOLETRED 357 RED2 360

PALEVIOLETRED constant 357 RED2 constant 360 PAPAYAWHIP 357 ROSYBROWN 360

PAPAYAWHIP constant 357 ROSYBROWN constant 360

PActorMessage 263 ROYALBLUE 360

PActorMessage type 263 ROYALBLUE constant 360

PColor 263 SADDLEBROWN 360

PColor type 263 SADDLEBROWN constant 360

PEACHPUFF 357 SALMON 360

PEACHPUFF constant 357 SALMON constant 360
PERU 358 SANDYBROWN 361

PERU constant 358 SANDYBROWN constant 361

PGameSettings 263 SEAGREEN 361

PGameSettings type 263 SEAGREEN constant 361

PINK 358 SEASHELL 361

PINK constant 358 SEASHELL constant 361

PLUM 358 SIENNA 361

PLUM constant 358 SIENNA constant 361

PNG_EXT 358 SILVER 362

PNG_EXT constant 358 SILVER constant 362

POWDERBLUE 358 SKYBLUE 362

POWDERBLUE constant 358 SKYBLUE constant 362

PPhysicsBodyData 264 SLATEBLUE 362

PPhysicsBodyData type 264 SLATEBLUE constant 362

PPointi 264 SLATEGRAY 362

PPointi type 264 SLATEGRAY constant 362

PRange 264 SLATEGREY 362

PRange type 264 SLATEGREY constant 362

PRectangle 264 SNOW 363

PRectangle type 264 SNOW constant 363
PTextureData 265 SPRINGGREEN 363

PTextureData type 265 SPRINGGREEN constant 363

PURPLE 359 SQLITE_EXT 363

PURPLE constant 359 SQLITE_EXT constant 363

PVector 265 STEELBLUE 363

PVector type 265 STEELBLUE constant 363
RAD2DEG 359 Structs, Records, Enums 251

RAD2DEG constant 359 Symbol Reference 1

REBECCAPURPLE 359 TAN 364

REBECCAPURPLE constant 359 TAN constant 364

RED 359 TActor 12

TActor.CanCollide 19

TActor.Children 19

TActor class 12 TActor.Collide 15 ActorList 18 TActor.Create 15 Attribute 18 TActor.Destroy 15 Attributes 18 TActor.FActorList 13 AttributesAreSet 15 TActor.FAttributes 13 CanCollide 19 TActor.FCanCollide 13 Children 19 TActor.FChildren 13 Collide 15 TActor.FNext 13 TActor.FOwner 14 Create 15 TActor.FPrev 14 Destroy 15 FActorList 13 TActor.FTerminated 14 FAttributes 13 TActor.GetAttribute 15 FCanCollide 13 TActor.GetAttributes 16 FChildren 13 TActor.Next 19 FNext 13 TActor.OnCollide 16 FOwner 14 TActor.OnMessage 16 FPrev 14 TActor.OnRender 16 FTerminated 14 TActor.OnUpdate 16 GetAttribute 15 TActor.OnVisit 17 GetAttributes 16 TActor.Overlap 17 Next 19 TActor.Owner 19 OnCollide 16 TActor.Prev 19 TActor.SetAttribute 17 OnMessage 16 TActor.SetAttributes 18 OnRender 16 OnUpdate 16 TActor.Terminated 20 OnVisit 17 TActorAttributeSet 265 Overlap 17 TActorAttributeSet type 265 Owner 19 TActorMessage 252 Prev 19 TActorMessage record 252 SetAttribute 17 TActorSceneEvent 265 SetAttributes 18 TActorSceneEvent type 265 TActor fields 12 TAsyncProc 265 TActor methods 14 TAsyncProc type 265 **TActor properties 18** TAudioStatus 252 TAudioStatus enumeration 252 Terminated 20 about TActor class 12 TBaseInterface 20 TActor.ActorList 18 TBaseInterface class 20 TActor.Attribute 18 Create 20 TActor.Attributes 18 Destroy 20 TActor.AttributesAreSet 15 TBaseInterface methods 20

about TBaseInterface class 20

TBaseInterface.Create 20

TCmdConsoleState 253

TBaseInterface.Destroy 20 OnPathEditorTest 27

TBaseInterfaceClass 266 OnPhysicsDrawBodyShapes 27

TBaseInterfaceClass type 266 OnPhysicsUpdateBody 27

TBaseObject 21 OnPostShowWindow 27 TBaseObject class 21 OnPreShowWindow 27

Create 21 OnProcessIMGUI 28 Destroy 21 OnReady 28

TBaseObject methods 21 OnRender 28 about TBaseObject class 21 OnRenderHUD 28

TBaseObject.Create 21 OnRun 28

TBaseObject.Destroy 21 OnScreenshot 29 TBlendMode 253 OnSendMail 29

TBlendMode enumeration 253 OnSetupStartupDialog 29

TBlendModeColor 253 OnShowWindow 29 TBlendModeColor enumeration 253 OnShutdown 29 TCmdConsoleActionEvent 266 OnSocialPost 30

TCmdConsoleActionEvent type 266 OnSpeechWord 30

OnStartup 30 TCmdConsoleState enumeration 253 OnStartupDialogMore 30

TColor 254 OnStartupDialogRun 30

TColor record 254 OnUpdate 31 TCustomGame 21 OnVideoState 31 TCustomGame class 21 SetTerminated 31

Create 23 TCustomGame methods 22 Destroy 23 about TCustomGame class 21

GetGameClass 23 TCustomGame.Create 23 GetSettings 23 TCustomGame.Destroy 23

GetTerminated 23 TCustomGame.GetGameClass 23 OnAfterRenderScene 24 TCustomGame.GetSettings 23 OnBeforeRenderScene 24 TCustomGame.GetTerminated 23

TCustomGame.OnAfterRenderScene 24 OnBuildArchiveProgress 24 OnClearWindow 24 TCustomGame.OnBeforeRenderScene 24

OnCmdConsoleState 24 TCustomGame.OnBuildArchiveProgress 24 OnDisposeActor 25 TCustomGame.OnClearWindow 24

OnDone 25 TCustomGame.OnCmdConsoleState 24

OnFixedUpdate 25 TCustomGame.OnDisposeActor 25 OnGetSettings 25 TCustomGame.OnDone 25

OnHighscoreAction 25 TCustomGame.OnFixedUpdate 25 OnInAppPurchase 26 TCustomGame.OnGetSettings 25 OnInit 26 TCustomGame.OnHighscoreAction 25

OnLuaState 26 TCustomGame.OnInAppPurchase 26

OnPathEditorAction 26 TCustomGame.OnInit 26 TCustomGame.OnLuaState 26 TEntityActor methods 32
TCustomGame.OnPathEditorAction 26 TEntityActor properties 34
TCustomGame.OnPathEditorTest 27 about TEntityActor class 31

TCustomGame.OnPhysicsDrawBodyShapes 27 TEntityActor.Collide 32
TCustomGame.OnPhysicsUpdateBody 27 TEntityActor.Create 32
TCustomGame.OnPostShowWindow 27 TEntityActor.Destroy 32
TCustomGame.OnPreShowWindow 27 TEntityActor.Entity 34
TCustomGame.OnProcessIMGUI 28 TEntityActor.FEntity 32
TCustomGame.OnReady 28 TEntityActor.Init 33

TCustomGame.OnRender 28 TEntityActor.OnRender 33
TCustomGame.OnRenderHUD 28 TEntityActor.Overlap 33

TCustomGame.OnRun 28 TGame 34

TCustomGame.OnScreenshot 29 TGame class 34
TCustomGame.OnSendMail 29 Archive 39
TCustomGame.OnSetupStartupDialog 29 ConfigFile 39

TCustomGame.OnShowWindow 29

TCustomGame.OnShutdown 29

TCustomGame.OnSocialPost 30

TCustomGame.OnSpeechWord 30

TCustomGame.OnSpeechWord 30

TCustomGame.OnStartup 30

FFont 35

TCustomGame.OnStartupDialogMore 30 FHud 35
TCustomGame.OnStartupDialogRun 30 FInputMap 36
TCustomGame.OnUpdate 31 FMouseDelta 36

TCustomGame.OnVideoState 31 FMousePos 36
TCustomGame.SetTerminated 31 FMousePressure 36

TCustomGameClass 266 FScene 36
TCustomGameClass type 266 FSettings 37
TEAL 364 FSprite 37

TEAL constant 364 FStartupDialog 37
TEaseType 254 FTerminated 37

TEaseType enumeration 254 Font 39

TEntityActor 31 GetGameClass 40
TEntityActor class 31 GetMouseDelta 40
Collide 32 GetMousePos 40

Create 32 GetMousePressure 40

Destroy 32 GetSettings 40
Entity 34 GetTerminated 41

FEntity 32 HudText 41
Init 33 HudTextItem 41
OnRender 33 InputMap 41

Overlap 33 OnAfterRenderScene 41
TEntityActor fields 31 OnBeforeRenderScene 42

OnBuildArchiveProgress 42 TGame fields 35
OnClearWindow 42 TGame methods 37
OnCmdConsoleState 42 TGame records 34
OnDisposeActor 42 about TGame class 34

OnDone 43

OnFixedUpdate 43

OnGetSettings 43

OnHighscoreAction 43

OnInAppPurchase 43

TGame.ConfigFile 39

TGame.Create 39

TGame.Destroy 39

TGame.FArchive 35

OnInAppPurchase 43 TGame.FArchive 35
OnInit 44 TGame.FConfigFile 35
OnLuaState 44 TGame.FFont 35
OnPathEditorAction 44 TGame.FHud 35

OnPathEditorTest 44 TGame.FInputMap 36
OnPhysicsDrawBodyShapes 44 TGame.FMouseDelta 36
OnPhysicsUpdateBody 45 TGame.FMousePos 36
OnPostShowWindow 45 TGame.FMousePressure 36

OnPreShowWindow 45 TGame.FScene 36
OnProcessIMGUI 45 TGame.FSettings 37
OnReady 45 TGame.FSprite 37

OnRender 46 TGame.FStartupDialog 37
OnRenderHUD 46 TGame.FTerminated 37

OnRun 46 TGame.Font 39

OnScreenshot 46 TGame.GetGameClass 40
OnSendMail 46 TGame.GetMouseDelta 40
OnSetupStartupDialog 47 TGame.GetMousePos 40
OnShowWindow 47 TGame.GetMousePressure 40

OnSocialPost 47 TGame.GetTerminated 41

TGame.GetTerminated 41

OnSpeechWord 47 TGame.HudText 41
OnStartup 48 TGame.HudTextItem 41
OnStartupDialogMore 48 TGame.InputMap 41

OnStartupDialogRun 48 TGame.OnAfterRenderScene 41
OnUpdate 48 TGame.OnBeforeRenderScene 42
OnVideoState 48 TGame.OnBuildArchiveProgress 42

ResetHudPos 49 TGame.OnClearWindow 42
Scene 49 TGame.OnCmdConsoleState 42
SetHudLineSpace 49 TGame.OnDisposeActor 42

SetHudPos 49 TGame.OnDone 43

SetHudTextItemPadWidth 49 TGame.OnFixedUpdate 43
SetTerminated 50 TGame.OnGetSettings 43
Sprite 50 TGame.OnHighscoreAction 43

StartupDialog 50 TGame.OnInAppPurchase 43

TGame.OnInit 44 THISTLE constant 364

TGame.OnLuaState 44 THighscore 50

TGame.OnPathEditorAction 44

TGame.OnPathEditorTest 44

TGame.OnPhysicsDrawBodyShapes 44

TGame.OnPhysicsUpdateBody 45

TGame.OnPostShowWindow 45

TGame.OnPreShowWindow 45

TGame.OnProcessIMGUI 45

TGame.OnReady 45

TGame.OnRender 46

TGame.OnRenderHUD 46

TGame.OnRun 46

TGame.OnScreenshot 46

TGame.OnSendMail 46

TGame.OnSetupStartupDialog 47

TGame.OnShowWindow 47

TGame.OnShutdown 47

TGame.OnSocialPost 47

TGame.OnSpeechWord 47

TGame.OnStartup 48

TGame.OnStartupDialogMore 48

TGame.OnStartupDialogRun 48

TGame.OnUpdate 48

TGame.OnVideoState 48

TGame.ResetHudPos 49

TGame.Scene 49

TGame.SetHudLineSpace 49

TGame.SetHudPos 49

TGame.SetHudTextItemPadWidth 49

TGame.SetTerminated 50

TGame.Sprite 50

TGame.StartupDialog 50

TGame.THud 34

TGame.THud record 34

TGameClass 254

TGameClass enumeration 254

TGameSettings 255

TGameSettings record 255

THAlign 255

THAlign enumeration 255

THISTLE 364

THighscore record 50

Duration 51

Equal 52

Level 51

Location 51

Name 51

Score 52 Skill 52

THighscore fields 51

THighscore operators 52

about THighscore record 50

THighscore. Duration 51

THighscore. Equal 52

THighscore.Level 51

THighscore.Location 51

THighscore.Name 51

THighscore.Score 52

THighscore.Skill 52

THighscoreAction 256

THighscoreAction enumeration 256

TInputDevice 256

TInputDevice enumeration 256

TLineIntersection 256

TLineIntersection enumeration 256

TLuaFunction 266

TLuaFunction type 266

TLuaState 256

TLuaState enumeration 256

TLuaTable 257

TLuaTable enumeration 257

TLuaType 257

TLuaType enumeration 257

TLuaValue 52

TLuaValue record 52

AsBoolean 53

AsInteger 53

AsNumber 53

AsPointer 53

AsString 54

AsTable 54

AsType 54

Implicit 54, 55, 56

TLuaValue fields 53

TLuaValue operators 54

about TLuaValue record 52

TLuaValue. As Boolean 53

TLuaValue. AsInteger 53

TLuaValue.AsNumber 53

TLuaValue.AsPointer 53

TLuaValue. AsString 54

TLuaValue.AsTable 54

TLuaValue.AsType 54

TLuaValue.Implicit 54, 55, 56

TLuaValueType 257

TLuaValueType enumeration 257

TMessageBox 258

TMessageBox enumeration 258

TMessageBoxResult 258

TMessageBoxResult enumeration 258

TOMATO 364

TOMATO constant 364

TPathEditorAction 258

TPathEditorAction enumeration 258

TPhysicsBody 267

TPhysicsBody type 267

TPhysicsBodyData 258

TPhysicsBodyData record 258

TPhysicsBodyShape 259

TPhysicsBodyShape enumeration 259

TPhysicsBodyType 259

TPhysicsBodyType enumeration 259

TPhysicsShapeType 259

TPhysicsShapeType enumeration 259

TPointi 260

TPointi record 260

TREEMENU_NONE 364

TREEMENU_NONE constant 364

TREEMENU_QUIT 365

TREEMENU_QUIT constant 365

TRange 260

TRange record 260

TRectangle 56

TRectangle record 56

Assign 57, 58

Clear 58

Create 58

Height 56

Intersect 58

TRectangle fields 56

TRectangle methods 57

Width 57

X 57

Y 57

about TRectangle record 56

TRectangle. Assign 57, 58

TRectangle.Clear 58

TRectangle.Create 58

TRectangle.Height 56

TRectangle.Intersect 58

TRectangle.Width 57

TRectangle.X 57

TRectangle.Y 57

TSeek 260

TSeek enumeration 260

TShaderType 260

TShaderType enumeration 260

TSpeechVoiceAttribute 261

TSpeechVoiceAttribute enumeration 261

TSplashscreenOption 261

TSplashscreenOption enumeration 261

TStartupDialogState 261

TStartupDialogState enumeration 261

TStringArray 267

TStringArray type 267

TSysCharSet 267

TSysCharSet type 267

TTextureData 262

TTextureData record 262

TURQUOISE 365

TURQUOISE constant 365

TVAlign 262

TVAlign enumeration 262

TVector 58

TVector record 58

WHEAT 365

YELLOW 366

TVector fields 59

about TVector record 58

TVector.Divide 63

TVector.DivideBy 63

Add 60 TVector.Project 65 TVector.Scale 65 Angle 60 TVector.Subtract 65 Assign 61 Clear 62 TVector.Thrust 65 Create 62 TVector.Vec2 65 Distance 63 TVector.W 59 Divide 63 TVector.X 59 DivideBy 63 TVector.Y 59 DotProduct 63 TVector.Z 59 TVideoState 262 Magnitude 63

MagnitudeSquared 64 TVideoState enumeration 262

MagnitudeTruncate 64 Topaz 267

Multiply 64 Topaz variable 267 Negate 64 TopazGameLib.pas 367 Normalize 64 Types 262

VIOLET 365 Project 65

Scale 65 VIOLET constant 365 Subtract 65 Variables 267

TVector methods 60 WHEAT constant 365

Thrust 65 WHITE 366

Vec2 65 WHITE constant 366 W 59 **WHITE2 366**

X 59 WHITE2 constant 366 Y 59 WHITESMOKE 366

Z 59 WHITESMOKE constant 366

TVector.Add 60 YELLOW constant 366

YELLOWGREEN 366 TVector.Angle 60

YELLOWGREEN constant 366 TVector.Assign 61 TVector.Clear 62 asPaused enumeration member 252 TVector.Create 62 asPlaying enumeration member 252

TVector.Distance 63 asStopped enumeration member 252

TVector.DotProduct 63 bmAdditiveAlpha enumeration member 253

TVector.Magnitude 63 bmCopySrcToDest enumeration member 253 TVector.MagnitudeSquared 64 bmMultiplySrcAndDest enumeration member 253

B

TVector.MagnitudeTruncate 64 bmNonPreMultipliedAlpha enumeration member 253 TVector.Multiply 64 bmPreMultipliedAlpha enumeration member 253

TVector.Negate 64 bmcAvgSrcDest enumeration member 253

TVector.Normalize 64 bmcNormal enumeration member 253 bsCircle enumeration member 259 bsRectangle enumeration member 259

C

ccClose enumeration member 253 ccOpen enumeration member 253

Е

etInCircle enumeration member 254 etInCubic enumeration member 254 etInExpo enumeration member 254 etInOutCircle enumeration member 254 etInOutCubic enumeration member 254 etInOutExpo enumeration member 254 etInOutQuad enumeration member 254 etInOutQuart enumeration member 254 etInOutQuint enumeration member 254 etInOutSine enumeration member 254 etInQuad enumeration member 254 etInQuart enumeration member 254 etInQuint enumeration member 254 etInSine enumeration member 254 etLinearTween enumeration member 254 etOutCircle enumeration member 254 etOutCubic enumeration member 254 etOutExpo enumeration member 254 etOutQuad enumeration member 254 etOutQuart enumeration member 254 etOutQuint enumeration member 254 etOutSine enumeration member 254

G

gcCustom enumeration member 254 gcGame enumeration member 254

н

haCenter enumeration member 255 haClear enumeration member 256 haLeft enumeration member 255 haList enumeration member 256 haPost enumeration member 256 haRemove enumeration member 256 haRight enumeration member 255

ı

idJoystick enumeration member 256 idKeyboard enumeration member 256 idMouse enumeration member 256

н

liNone enumeration member 256 liParallel enumeration member 256 liTrue enumeration member 256 IsClose enumeration member 256 IsOpen enumeration member 256 IsReset enumeration member 256 ItBoolean enumeration member 257 ItFunction enumeration member 257 ItLightUserData enumeration member 257 ItNil enumeration member 257 ItNone enumeration member 257 ItNumber enumeration member 257 ItString enumeration member 257 ItTable enumeration member 257 ItThread enumeration member 257 ItUserData enumeration member 257

M

mbError enumeration member 258
mbOkCancel enumeration member 258
mbQuestion enumeration member 258
mbWarn enumeration member 258
mbYesNo enumeration member 258
mbrCancelNo enumeration member 258
mbrClosed enumeration member 258
mbrOkYes enumeration member 258

P

paLoad enumeration member 258 paSave enumeration member 258 pbDynamic enumeration member 259 pbInvalid enumeration member 259 pbKinematic enumeration member 259 pbStatic enumeration member 259 psCircle enumeration member 259 psInvalid enumeration member 259 psPolygon enumeration member 259

S

sdsMore enumeration member 261
sdsQuit enumeration member 261
sdsRun enumeration member 261
skCurrent enumeration member 260
skEnd enumeration member 260
skStart enumeration member 260
soNone enumeration member 261
soText enumeration member 261
stFragment enumeration member 260
stVertex enumeration member 260

V

vaAge enumeration member 261 vaBottom enumeration member 262 vaCenter enumeration member 262 vaDescription enumeration member 261 vaGender enumeration member 261 vald enumeration member 261 vaLanguage enumeration member 261 vaName enumeration member 261 vaTop enumeration member 262 vaVendor enumeration member 261 vsFinished enumeration member 262 vsLoad enumeration member 262 vsPaused enumeration member 262 vsPlaying enumeration member 262 vsUnload enumeration member 262 vtBoolean enumeration member 257 vtDouble enumeration member 257 vtInteger enumeration member 257 vtPointer enumeration member 257 vtString enumeration member 257 vtTable enumeration member 257