Canopy structural complexity as a continental predictor of primary production: Using NEON to transform understanding of forest structure-function

Emerging Frontiers No. 1550657

Jeff Atkins, Robert Fahey, Chris Gough, and Brady Hardiman



PURDUE UNIVERSITY



### Physical structure and carbon cycling at the continental scale



### Physical structure and carbon cycling at the continental scale

- Canopy structural complexity (CSC) varies at the continental scale
- Beyond LAI
- Scaling and model integration
- Cross-platform comparison


Physical Structure Resource
Acquisition
+
Efficiency

Production

We are using NEON, LTER, Ameriflux, and other field station sites to examine how and why ecosystem structure relates **PMSP** HMWF SRNA ODEXF BRPR to forest net primary production. UNDE ARGO HOWL **UMBS** TREE HBEF BEXF WILL ARNO OAOP GRMF момо BWRA RICE MLBS ORNL DUKE **GSMT SEXF** SRNL ACSF OSBS Northing (m) Easting (m) neen National Ecological Observatory Network


We are using NEON, LTER, Ameriflux, and other field station sites to examine how and why ecosystem structure relates HMWF UNDE to forest net primary production. UMBS TREE ARNO RICE MLBS GSMT **I**ALL OSBS Northing (m) Easting (m) neon National Ecological Observatory Network

Let's talk about CSC, baby




Credit: ian.umces.edu/imagelibrary

Let's talk about CSC, baby




Credit: ian.umces.edu/imagelibrary

Let's talk about CSC, baby




Credit: ian.umces.edu/imagelibrary



### Rugosity

- Metric of canopy complexity
- Arrangement of leaves, rather than amount (LAI)
- LAI saturates, while Rugosity continues to increase with stand age

### Portable Canopy LiDAR (PCL)



Reigl 3100VHS-FLP - A near-infrared pulsed laser firing at 2000 Hz





#### A Portable Airborne Laser System for Forest Inventory

Ross Nelson, Geoffrey Parker, and Milton Hom

Abstract A simple were first ap

Forests 2013, 4(3), 537-552; doi:10.3390/14030537

Open Access

Article

Agricultural

Canopy Structural Changes Following Widespread Mortality of Canopy Dominant Trees

Contents list

Brady S. Hardiman 1.º, Gil Bohrer 2, Christopher M. Gough 3 and Peter S. Curtis 4

- Agricultura
  - Department of Earth and the Environment, Boston University, Boston, MA 02215, USA
  - Department of Civil, Environmental and Geodetic Science, The Ohio State University, Columbus, OH 43210, USA
  - Department of Biology and Environmental Studies, Virginia Commonwealth University, Richmond, VA 23294, USA.
  - 4 Dispartment of Feederican Ecologic and Organismal Register. The Obio State University Columbus. CBI 43710-1564.

journal homepage

Canopy-structure effects on surface roughness parameters: Observations in a Great Lakes mixed-deciduous forest



Kyle D. Maurer<sup>a</sup>, Brady S. Hardiman<sup>b</sup>, Christoph S. Vogel<sup>c</sup>, Gil Bohrer<sup>a,\*</sup>

Ecology, 92(9), 2011, pp. 1818-1827 © 2011 by the Ecological Society of America sity, Columbus, OH 43210, USA

The role of canopy structural complexity in woo production of a maturing northern deciduo

BRADY S. HARDIMAN, 1.3 GR. BOHRER, 2 CHRISTOPHER M. GOUGH, 1,3 CHRISTOPH S. VOG

Department of Evolution, Ecology, and Organismal Biology, Ohio State University, Colin Department of Civil and Environmental Engineering and Geodetic Science, Ohio State University Department of Biology, Virginia Commonwealth University, Richmond, Virginia 4 University of Michigan Biological Station, Pellston, Michigan 49769



Available online at www.sciencedirect.com



Forest Ecology and Management 189 (2004) 307-315

Forest Ecology and Management

www.elsenier.com/incate/fereco


The canopy surface and stand development: assessing forest canopy structure and complexity with near-surface altimetry


Geoffrey G. Parker .. , Mary E. Russb


"Smithoman Environmental Research Contro, P.O. Ros 28, Edgewater, MD 20187, USA "College of Life Sciences, 1219 Symon, University of Maryland, College Park, MD 20142, USA

Received 11 March 2003; secrived in revised form 20 May 2005; accepted 1 September 2003

#### 2016 Field Season












### Ordway-Swisher Biological Station






### **Great Smoky Mountains**







### Arnot Forest






**fPAR** 








Greater than 94% of variance in fPAR from LAI, Deep Gaps, and Porosity

### Scaling and model integration






Scaling (e.g. Landsat, etc.)




Model Integration (e.g. ED2)

### Scaling and model integration


B53J-07: Comparison of Aerial and Terrestrial Remote Sensing Techniques for Quantifying Forest Canopy Structural Complexity and Estimating Net Primary Productivity




B53I-0624: Canopy structural complexity influences forest canopy reflectance: linking terrestrial lidar with Landsat observations












### CSC and NPP relationships?









Award No. 1550657

#### Special thanks . . .

Cynthia Scheuermann, the Gough lab (Ellen, Ben, Jeff-Ben), Courtney Meier, Tim Morin, Atticus Stovall, Jason Tallant, Jan van Aardt, Kyla Dhalin, Shawn and Tony, Tim Fahey, Brenden McNeil, Cynthia Ragland, Michael Cramer, Gary Belovsky, Eric Nagy and all at MLBS, UMBS, Krista Teixeira, Ty Lindberg, SCBI, Hank Shugart, Stephen Costes and OSBS, Josh Mantooth, Mike Dietze, Kevin Burns and Treehaven, Alan Strahler and the TLS RCN, the VCU Rice Rivers Center and many, many others.





Questions?























We are using NEON, LTER, Ameriflux, and field station sites to examine how and why ecosystem structure relates to forest net primary production.

