SYNAPSE EDGE INTELLIGENCE

Analyst Incident Workflow

The human-in-the-loop view. How a Signal Horizon analyst turns a spiking dashboard into a deployed rule — four stages, each anchored in real UI surfaces and API endpoints. Loops back continuously.

4	<5m	<15m	Canary
WORKFLOW STAGES	ALERT → TRIAGE	TRIAGE → RULE	DEPLOY POSTURE

THE LOOP — ALERT · TRIAGE · TUNE · DEPLOY

STAGE 01
Alert
SIGNAL SURFACED

"Something just spiked. Is it real?"

- Overview page shows category spike
- Live map flags a new geo cluster
- WarRoom pings oncall
- Campaign detection fires on 3rd IP

TARGET · FIRST EYES < 5 MIN

STAGE 02
Triage
SCOPE & BLAST RADIUS

"Who else is hit? What's the pattern?"

- Actor / Session / Campaign drilldown
- Request timeline + JA4 fingerprints
- SocSearch pivots across related IPs
- Sigma hunt confirms similar activity

GOAL · UNDERSTAND IMPACT

STAGE 03
Tune
RULE AUTHORING

"What's the minimal rule that catches this?"

- Draft a runtime rule with TTL
- Dry-run via synapse evaluate
- Check against benign traffic samples
- Add playbook entry for recurrence

REVIEW · MINIMIZE FALSE POSITIVES

STAGE 04
Deploy
PROGRESSIVE ROLLOUT

"Ship it — safely."

- Canary via RolloutOrchestrator
- Health-gated batch expansion
- Watch Overview for false-positive rate
- Instant rollback via state store

ROLLOUT · 1% → 100% GATED

TOOLS PER STAGE — REAL HORIZON SURFACES

01 · ALERT
- OverviewPage /overview
- WarRoomPage /warroom
- LiveMapPage /soc/live-map
- ScenariosPage /scenarios

02 · TRIAGE
- ActorDetailPage /soc/actors/:id
- SessionDetailPage /soc/sessions/:id
- CampaignDetailPage /soc/campaigns/:id
- RequestTimeline /hunting/request
- SocSearchPage /soc/search

03 · TUNE
- HuntingPage /hunting
- hunt-sigma API POST /api/hunt/sigma
- synapse rule-add CLI + API
- PlaybooksPage /playbooks

04 · DEPLOY
- RolloutOrchestrator BullMQ
- FleetCommander reload · drain
- DeploymentStateStore blue/green
- AutopilotPage /autopilot

RESPONSE ACTIONS — WHAT AN ANALYST CAN DO

BLOCK IP	Add to blocklist via POST /api/blocklist — expires on TTL or manual release.
RELEASE	Un-block a false positive via synapse release <ip>. Risk score carried over.
RUNTIME RULE	Add an in-memory WAF rule with TTL — synapse rule-add <json> 3600. Survives reload if persisted.
SIGMA HUNT	Scope a hypothesis across historical data — POST /api/hunt/sigma. Backed by ClickHouse.
CONFIG TUNE	Adjust thresholds on the fly — synapse config-set challenge_threshold=35.
PLAYBOOK	Attach an automated response to a signal class via POST /api/playbooks.
WAR ROOM	Open a collaborative incident room — timeline, evidence, shared context.
ROLLBACK	Revert a deploy via DeploymentStateStore blue/green swap. Instant.

The loop never closes

Every deployed rule is also a new source of telemetry. False positives bubble back into Overview, rule hits feed risk scoring, and campaign detections re-arm enforcement in-process. Analysts don't ship rules and walk away — they watch the next alert to confirm the previous one was handled. This infographic is itself a cycle: the "Deploy" step always feeds back into "Alert".

Four stages. One continuous loop. Humans on the keyboard.
Surface, scope, author, ship — then watch. Every rule deployed is the next rule's telemetry.