

API Documentation - NOEST Public API

General Information

Property	Value
Base URL	<code>https://app.noest-dz.com</code>
Format	JSON
Authentication	Bearer Token (api_token)

Authentication

All endpoints require authentication via:

- **Header:** `Authorization: Bearer {api_token}`
- **Parameter:** `user_guid` (Partner GUID provided by NOEST)

The `api_token` and `user_guid` credentials are provided by NOEST when your account is created.

Order Management

1. Create an Order

Create a single order.

Endpoint

```
POST /api/public/create/order
```

Headers

```
Authorization: Bearer {token}  
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
<code>user_guid</code>	string	Yes	Partner GUID provided by NOEST
<code>reference</code>	string	No	Order reference (min: 5 characters)
<code>client</code>	string	Yes	Customer full name (max: 255 characters)

Parameter	Type	Required	Description
phone	string	Yes	Phone number (9-10 digits)
phone_2	string	No	Secondary phone number (9-10 digits)
adresse	string	Yes	Delivery address (max: 255 characters)
wilaya_id	integer	Conditional	Wilaya ID (1-58). Required if zip_code is not provided
commune	string	Conditional	Commune name. Required if zip_code and stop_desk are not provided
montant	numeric	Yes	Order amount
remarque	string	No	Remarks (max: 255 characters)
produit	string	Yes	Product name/reference, Multiple products separated by comma
type_id	integer	Yes	Delivery type: 1=Delivery, 2=Exchange, 3=Pick-up
poids	numeric	No	Package weight (according to partner limit)
stop_desk	integer	Yes	Delivery to relay point: 0=Home, 1=Stop desk
station_expedition	integer	No	Expedition station Code (feature must be enabled on your account)
station_code	string	Conditional	Station code. Required if stop_desk=1
stock	integer	No	Order with stock: 0=No, 1=Yes
quantite	string	Conditional	Quantities separated by comma. Required if stock=1
shop_name	string	No	Shop name (max: 255 characters)
zip_code	string	No	Postal code (replaces wilaya_id and commune)
remboursement	integer	No	Reimbursement type: 0=No, 1=Yes (amount < 0: refund, amount > 0: collection)

Request Example

```
{
  "user_guid": "abc123-def456-ghi789",
  "reference": "REF12345",
  "client": "Ahmed Ahmed",
  "phone": "0550505050",
  "phone_2": "0660606060",
  "adresse": "Rue des Martyrs, Bab Ezzouar",
  "wilaya_id": 16,
  "commune": "Bab Ezzouar",
```

```

"montant": 3500,
"produit": "Smartphone Samsung Galaxy",
"type_id": 1,
"poids": 0.5,
"stop_desk": 0,
"remarque": "Call before delivery"
}

```

Success Response

```

{
  "success": true,
  "tracking": "ECS1234567890",
  "reference": "REF001",
  "regional_hub_name": "W",
  "wilaya_rank": "16B"
}

```

Common Error Messages

Error	Description
account_suspended	Partner account suspended
commune inexistante ou non activée	The specified commune does not exist in the database
zip_code invalide	Invalid postal code
Le code de wilaya est different de code de station	Mismatch between wilaya and station code
Aucune commune liee a la station choisie	No commune associated with the station
Il faut choisir un code de station valide	Invalid station code
Module stopdesk désactivé pour cette wilaya	Stop desk not available for this wilaya
montant doit être inferieur à X	Amount exceeds the allowed limit

2. Create Bulk Orders

Create multiple orders in a single request.

Endpoint

POST /api/public/create/orders

Headers

Authorization: Bearer {token}
Content-Type: application/json

Parameters

Parameter	Type	Required	Description
user_guid	string	Yes	Partner GUID
orders	array	Yes	Array of orders (min: 1, max: 100)

Order Structure

See the same parameters as single order creation.

Request Example

```
{
  "user_guid": "abc123-def456-ghi789",
  "orders": [
    {
      "reference": "REF001",
      "client": "Ahmed Ahmed",
      "phone": "0550000000",
      "adresse": "Rue des Martyrs, Bab Ezzouar",
      "wilaya_id": 16,
      "commune": "Bab Ezzouar",
      "montant": 3500,
      "produit": "Smartphone Samsung",
      "type_id": 1,
      "stop_desk": 0,
      "poids": 0.5
    },
    {
      "reference": "REF002",
      "client": "Fatima Fatima",
      "phone": "0770000000",
      "adresse": "Cité 300 logements",
      "zip_code": "16000",
      "montant": 2000,
      "produit": "Bluetooth Earphones",
      "type_id": 1,
      "stop_desk": 0
    }
  ]
}
```

```

    }
  ]
}

```

Success Response

```

{
  "success": true,
  "passed": {
    "0": {
      "success": true,
      "tracking": "TRK123456789"
    },
    "1": {
      "success": true,
      "tracking": "TRK987654321"
    }
  },
  "failed": {}
}

```

Response with Errors

```

{
  "success": false,
  "passed": {
    "0": {
      "success": true,
      "tracking": "TRK123456789"
    }
  },
  "failed": {
    "1": {
      "reference": "Order reference (if sent)",
      "phone": ["The phone field is required."],
      "commune": ["The selected commune is invalid."]
    }
  }
}

```

Possible Errors Table

Errors can be classified into two categories: **validation errors** and **custom business errors**.

Validation Errors

Field	Error	Description
user_guid	The user_guid field is required.	Missing GUID
user_guid	The selected user_guid is invalid.	GUID does not exist
client	The client field is required.	Customer name missing
client	The client field may not be greater than 255 characters.	Name too long
phone	The phone field is required.	Phone number missing
phone	The phone field must be between 9 and 10 digits.	Invalid phone format
phone_2	The phone_2 field must be between 9 and 10 digits.	Invalid secondary phone format
adresse	The adresse field is required.	Address missing
adresse	The adresse field may not be greater than 255 characters.	Address too long
wilaya_id	The wilaya_id field is required.	Wilaya missing (if zip_code absent)
wilaya_id	The wilaya_id field must be an integer.	Invalid type
wilaya_id	The wilaya_id field must be between 1 and 58.	Wilaya ID out of range
commune	The commune field is required.	Commune missing (if zip_code and stop_desk absent)
commune	The selected commune is invalid.	Commune does not exist
montant	The montant field is required.	Amount missing
montant	The montant field must be numeric.	Invalid amount format
remarque	The remarque field may not be greater than 255 characters.	Remarks too long
shop_name	The shop_name field may not be greater than 255 characters.	Shop name too long
produit	The produit field is required.	Product missing
type_id	The type_id field is required.	Order type missing
type_id	The type_id field must be between 1 and 3.	Invalid type (must be 1, 2 or 3)
poids	The poids field must be numeric.	Invalid weight format
poids	The poids field must be at least 0.	Negative weight
poids	The poids field may not be greater than X.	Weight exceeds allowed limit

Field	Error	Description
stop_desk	The stop_desk field is required.	Stop desk missing
stop_desk	The stop_desk field must be between 0 and 1.	Invalid value (must be 0 or 1)
stock	The stock field must be between 0 and 1.	Invalid value (must be 0 or 1)
quantite	The quantite field is required.	Quantities missing (if stock=1)
zip_code	The selected zip_code is invalid.	Postal code does not exist
paypart_ref	The paypart_ref field may not be greater than 255 characters.	Payment reference too long
station_code	The station_code field is required.	Station code missing (if stop_desk=1)
reference	The reference field must be at least 5 characters.	Reference too short
remboursement	The remboursement field must be between 0 and 1.	Invalid value (must be 0 or 1)

Custom Business Errors

Error Code	Message	HTTP	Description
account_suspended	Compte suspendu	422	Partner account is suspended
duplicate_order	Colis déjà existant	200	An order with this reference already exists
inactive_commune	commune inexistante ou non activée	422	The specified commune does not exist or is not active
zip_code	zip_code invalide.	200	The provided postal code is invalid
max_amount_exceeded	montant doit être inférieur à X	422	Amount exceeds partner's allowed limit
stopdesk_disabled	Module stopdesk désactivé pour cette wilaya	422	Stop desk is not available for this wilaya
station_expedition	La station d'expédition n'est pas valide	200	Invalid expedition station code
station_code	Le code de wilaya est différent de code de station	200	Mismatch between wilaya and station code

Error Code	Message	HTTP	Description
<code>station_code</code>	Aucune commune liee a la station choisie.	200	No commune is associated with this station
<code>station_code</code>	Il faut choisir un code de station valide.	200	The provided station code is invalid
<code>disabled_module</code>	Module de stockage désactivé	422	Stock management module is disabled for this partner
<code>wrong_quantities</code>	Le nombre des quantités saisi n'est pas identique au nombre des produits	422	Number of quantities $\neq$ number of products
<code>invalid_product</code>	Le produit avec la référence X n'existe pas ou désactivé	422	The specified product does not exist or is disabled
<code>out_of_stock</code>	Stock indisponible	422	Insufficient stock for requested quantity
<code>already_validated</code>	Commande déjà validée	422	Order has already been validated

3. Validate an Order

Validate a created order. After validation, the order becomes visible to logistics and can no longer be modified or deleted.

Endpoint

```
POST /api/public/valid/order
```

Headers

```
Authorization: Bearer {token}
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
<code>user_guid</code>	string	Yes	Partner GUID
<code>tracking</code>	string	Yes	Order tracking code

Request Example

```
{
  "user_guid": "abc123-def456-ghi789",
  "tracking": "TRK123456789"
}
```

Success Response

```
{
  "success": true
}
```

Common Error Messages

Error	Description
Commande introuvable	Order does not exist or does not belong to the partner
Commande déjà validée	Order has already been validated
Stock insuffisant	Insufficient stock to validate the order (if <code>stock=1</code>)

4. Validate Bulk Orders

Validate multiple orders in a single request.

Endpoint

```
POST /api/public/valid/orders
```

Headers

```
Authorization: Bearer {token}
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
<code>user_guid</code>	string	Yes	Partner GUID
<code>trackings</code>	array	Yes	Array of tracking codes (max: 100)

Request Example

Simple format (array of strings):

```
{
  "user_guid": "abc123-def456-ghi789",
  "trackings": [
    "TRK123456789",
    "TRK987654321",
    "TRK555666777"
  ]
}
```

Success Response

```
{
  "success": true,
  "passed": {
    "TRK123456789": true,
    "TRK987654321": true,
    "TRK555666777": true
  },
  "failed": {}
}
```

Response with Errors

```
{
  "success": false,
  "passed": {
    "TRK123456789": true
  },
  "failed": {
    "TRK987654321": {
      "tracking": ["The selected tracking is invalid."]
    },
    "TRK555666777": "Insufficient stock for this order"
  }
}
```

5. Update an Order

Creates an **order modification request** for an existing order.

 **Important:**

- **tracking** is required.
- Allowed changes depend on the current order state.
- Wilaya cannot be changed through this endpoint.

Endpoint

```
POST /api/public/update/order
```

Headers

```
Authorization: Bearer {token}  
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
tracking	string	Yes	Order tracking code
tel	string	No	New phone number (10 digits)
adresse	string	No	New address (used with commune)
wilaya	integer	No	Must match the current order wilaya (otherwise error)
commune	string	No	New commune (required together with adresse)
montant	numeric	No	New amount
type	integer	No	New shipment type (1-3)
stop_desk	integer	No	New delivery mode (0=Home, 1=Stop desk)
code_station	string	No	Required if stop_desk=1 when switching to stop desk

Business Rules

- If the order is **En livraison** (in delivery), only **type** and **montant** can be changed.
- For home delivery, **commune** and **adresse** must be provided together.
- For stop desk (**stop_desk=1**), **code_station** is required and must belong to the same wilaya as the order.
- If no valid editable field is provided, the request is rejected.

Request Example

```
{  
  "tracking": "TRK123456789",  
}
```

```

"tel": "0551234567",
"stop_desk": 1,
"code_station": "16B",
"montant": 4000
}

```

Success Response

```

{
  "success": true,
  "message": "La demande a été envoyée avec succès !"
}

```

Common Error Messages

Error	Description
Commande non trouvée dans l'étape de modification	Order does not exist, has already been shipped, or does not belong to the partner
Vous ne pouvez pas modifier la wilaya de cette commande	Provided wilaya differs from the order wilaya
Le code station est obligatoire pour une livraison stop desk	stop_desk=1 without code_station
Station non trouvée dans la wilaya de cette commande	Station is invalid for the order wilaya
Il faut saisir l'adresse de cette commande	commune provided without adresse
Il faut saisir la commune de cette commande	adresse provided without commune
Aucune demande de modification !	No valid modification was detected

5.1. Update an Order Before Expedition

Directly modifies an existing order that has **not yet been shipped**. Unlike endpoint 5, this applies changes immediately without creating a modification request.

⚠ Important:

- **tracking** is required and must belong to the authenticated partner.
- The order must not have been shipped yet.
- Only the fields provided will be updated; omitted fields remain unchanged.

Endpoint

POST /api/public/update/order/before/expedition

Headers

Authorization: Bearer {token}
Content-Type: application/json

Parameters

Parameter	Type	Required	Description
tracking	string	Yes	Order tracking code
reference	string	No	Order reference
client	string	No	Customer full name
tel	string	No	Primary phone number (10 digits)
tel2	string	No	Secondary phone number (10 digits)
adresse	string	No	Delivery address
wilaya	numeric	No	Wilaya ID
commune	string	No	Commune name
montant	numeric	No	Order amount
remarque	string	No	Remarks (max: 255 characters)
product	string	No	Product name/reference
type	integer	No	Shipment type (1=Delivery, 2=Exchange, 3=Pick-up)
poids	string	No	Package weight
stop_desk	integer	No	Delivery mode (0=Home, 1=Stop desk)

Request Example

```
{  
  "tracking": "TRK123456789",  
  "client": "Ahmed Ahmed",  
  "tel": "0550000000",  
  "montant": 4500,  
  "adresse": "Rue des Martyrs, Bab Ezzouar",  
  "commune": "Bab Ezzouar"  
}
```

Success Response

```
{
  "success": true
}
```

Error Response

```
{
  "success": false,
  "message": "Commande non trouvée dans l'étape de modification"
}
```

Common Error Messages

Error	Description
Commande non trouvée dans l'étape de modification	Order not found, already shipped, or does not belong to the partner

6. Delete an Order

Delete an unvalidated order.

 **Important:** Only unvalidated orders can be deleted.

Endpoint

```
POST /api/public/delete/order
```

Headers

```
Authorization: Bearer {token}
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
user_guid	string	Yes	Partner GUID
tracking	string	Yes	Order tracking code

Request Example

```
{
  "user_guid": "abc123-def456-ghi789",
  "tracking": "TRK123456789"
}
```

Success Response

```
{
  "success": true
}
```

Error Response

```
{
  "success": false
}
```

7. Add a Remark

Add an update or remark to an order.

Endpoint

```
POST /api/public/add/maj
```

Headers

```
Authorization: Bearer {token}
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
tracking	string	Yes	Order tracking code
content	string	Yes	Remark content (max: 255 characters)

Request Example

```
{
  "tracking": "TRK123456789",
  "content": "Customer prefers afternoon delivery"
}
```

Success Response

```
{
  "success": true,
  "message": "Mise a jour avec success"
}
```

Common Error Messages

Error	Description
Commande inexistante	Order does not exist or does not belong to the partner

8. Request a New Delivery Attempt

Request a new delivery attempt for an order.

Endpoint

```
POST /api/public/ask/new-tentative
```

Headers

```
Authorization: Bearer {token}
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
tracking	string	Yes	Order tracking code

Request Example

```
{  
  "tracking": "TRK123456789"  
}
```

Success Response

```
{  
  "success": true  
}
```

9. Request a Return

Request the return of an order to the partner.

Endpoint

```
POST /api/public/ask/return
```

Headers

```
Authorization: Bearer {token}  
Content-Type: application/json
```

Parameters

Parameter	Type	Required	Description
tracking	string	Yes	Order tracking code

Request Example

```
{  
  "tracking": "TRK123456789"  
}
```

Success Response

```
{  
  "success": true  
}
```

10. Download Delivery Slip

Download the order label (delivery slip) in PDF format.

Endpoint

```
GET /api/public/get/order/label
```

Headers

```
Authorization: Bearer {token}
```

Parameters (Query String)

Parameter	Type	Required	Description
tracking	string	Yes	Order tracking code

Request Example

```
GET /api/public/get/order/label?tracking=TRK123456789
```

Response

Returns a downloadable PDF file containing the delivery label.

Order Tracking

11. Get Information for Multiple Orders

Retrieve detailed information and history for multiple orders.

Endpoint

POST /api/public/get/trackings/info

Headers

Authorization: Bearer {token}
Content-Type: application/json

Parameters

Parameter	Type	Required	Description
trackings	array	Yes	Array of tracking codes

Request Example

```
{
  "trackings": [
    "TRK123456789",
    "TRK987654321"
  ]
}
```

Success Response

```
{
  "TRK123456789": {
    "OrderInfo": {
      "tracking": "TRK123456789",
      "reference": "REF0001",
      "client": "Ahmed Benali",
      "phone": "0550505050",
      "phone_2": null,
      "adresse": "Bab Ezzouar, Alger",
      "wilaya_id": 16,
      "commune": "Bab Ezzouar",
      "montant": "3500.00",
      "remarque": "",
      "produit": "Smartphone Samsung",
      "driver_name": "Driver 001",
      "driver_tel": "0550000000",
      "type_id": 1,
      "stop_desk": 0,
      "created_at": "2024-01-15T12:45:04.000000Z"
    },
  },
}
```

```

"recipientName": "Ahmed Benali",
"shippedBy": "Electronics Store",
"originCity": 16,
"destLocationCity": 16,
"activity": [
  {
    "event": "Uploaded to system",
    "causer": "PARTNER",
    "badge-class": "badge-success",
    "by": "Electronics Store",
    "name": "",
    "driver": "",
    "fdr": "",
    "date": "2024-01-15 12:45:04"
  },
  {
    "event": "Validated",
    "causer": "PARTNER",
    "badge-class": "badge-success",
    "by": "Electronics Store",
    "name": "",
    "driver": "",
    "fdr": "",
    "date": "2024-01-15 13:20:15"
  }
],
"deliveryAttempts": [],
},
"TRK987654321": {
  "OrderInfo": {
    "tracking": "TRK987654321",
    "reference": "REF0002",
    "client": "Fatima Zahra",
    "phone": "0660606060",
    "phone_2": null,
    "adresse": "Cité 300 logements",
    "wilaya_id": 16,
    "commune": "Dar El Beida",
    "montant": "2000.00",
    "remarque": "",
    "produit": "Bluetooth Earphones",
    "driver_name": "Driver 002",
    "driver_tel": "0551111111",
    "type_id": 1,
    "stop_desk": 0,
    "created_at": "2024-01-15T14:30:22.000000Z"
  },
  "recipientName": "Fatima Zahra",
  "shippedBy": "Electronics Store",
  "originCity": 16,
  "destLocationCity": 16,
  "activity": [
    {
      "event": "Return dispatched to partner",

```

```
        "event_key": "return_dispatched_to_partenaire",
        "causer": "NOEST",
        "badge-class": "badge-primary",
        "by": "",
        "name": "",
        "driver": "",
        "fdr": "",
        "date": "2024-01-20 10:18:12"
    }
],
"deliveryAttempts": []
}
```

Error Response

```
{
  "message": "Trackings not found"
}
```

Note: Orders are searched in both active and archived orders.

 Event List

Complete list of possible events in an order's history:

Event Key	Event	Description
upload	Uploaded to system	Order created
customer_validation	Validated	Order validated by partner
validation_collect_colis	Package Picked Up	Package collected from partner
validation_reception_admin	Reception validated	Reception validated by admin
validation_reception	Picked up by driver	Package taken over by driver
fdr_activated	Out for delivery	Route sheet activated
sent_to_redispatch	Sent for redispatch	Being reassigned
nouvel_tentative_asked_by_customer	New attempt requested by seller	New attempt requested

Event Key	Event	Description
return_asked_by_customer	Return requested by partner	Return requested
return_asked_by_hub	Return in transit	Return in progress
retour_dispatched_to_partenaires	Return dispatched to partner	Return shipped to partner
return_dispatched_to_partenaire	Return dispatched to partner	Return shipped to partner
colis_retour_transmit_to_partner	Return package transmitted to partner	Return transmitted
colis_pickup_transmit_to_partner	Pick-UP transmitted to partner	Pick-up transmitted
annulation_dispatch_retour	Return transmission to partner cancelled	Transmission cancelled
cancel_return_dispatched_to_partenaire	Return transmission cancelled	Cancellation
livraison_echoue_recu	Return received by partner	Return received
return_validated_by_partener	Return validated by partner	Return confirmed
return_redispatched_to_livraison	Return put back for delivery	New attempt
return_dispatched_to_warehouse	Return dispatched to warehouse	Sent to warehouse
pickedup	Pick-Up collected	Pick-up completed
valid_return_pickup	Pick-Up validated	Pick-up confirmed
pickup_picked_recu	Pick-Up received by partner	Pick-up received
colis_suspendu	Suspended	Order suspended
livre	Delivered	Order delivered
livred	Delivered	Order delivered
versement_admin_cust	Amount transmitted to partner	Payment transmitted
versement_admin_cust_canceled	Payment cancelled	Payment cancelled
versement_hub_cust_canceled	Payment cancelled	Payment cancelled

Event Key	Event	Description
validation_reception_cash_by_partener	Amount received by partner	Payment received
exchange_valide	Exchange validated	Exchange confirmed
exchange_valid_by_hub	Exchange validated by hub	Exchange confirmed
ask_to_delete_by_admin	Deletion requested	Deletion requested by admin
ask_to_delete_by_hub	Deletion requested	Deletion requested by hub
edited_informations	Information modified	Info modification
edit_price	Price modified	Amount modified
edit_wilaya	Wilaya change	Wilaya modified
extra_fee	Package surcharge	Additional fees
mise_a_jour	Delivery attempt	Attempt made

Reference Data

12. List of Offices (Stations/Stop Desk)

Retrieve the list of all available delivery points (Stop Desk).

Endpoint

```
GET /api/public/desks
```

Headers

```
Authorization: Bearer {token}
```

Request Example

```
GET /api/public/desks
```

Success Response

```
{
  "01A": {
    "code": "1A",
    "name": "Adrar",
    "address": "Cité les palmier en face l'hopital",
    "map": "",
    "phones": {
      "0": "0550602181",
      "1": "0561623531",
      "2": "",
      "3": ""
    },
    "email": "adrar@noest-dz.com"
  },
  "02A": {
    "code": "2A",
    "name": "Chlef",
    "address": "Rue Lac des Forêts (À côté du CNRC)",
    "map": "",
    "phones": {
      "0": "0770582116",
      "1": "0561686360",
      "2": "",
      "3": ""
    },
    "email": "chlef@noest-dz.com"
  }
}
```

13. List of Delivery Fees

Retrieve the partner's customized pricing grid.

Endpoint

```
GET /api/public/fees
```

Headers

```
Authorization: Bearer {token}
```

Request Example

GET /api/public/fees

Success Response

```
{
  "tarifs": {
    "return": {
      "16": {
        "tarif_id": 400,
        "wilaya_id": 16,
        "tarif": "300",
        "tarif_stopdesk": "300"
      },
      "9": {
        "tarif_id": 400,
        "wilaya_id": 9,
        "tarif": "300",
        "tarif_stopdesk": "300"
      }
    },
    "delivery": {
      "16": {
        "tarif_id": 399,
        "wilaya_id": 16,
        "tarif": "700",
        "tarif_stopdesk": "300"
      },
      "9": {
        "tarif_id": 399,
        "wilaya_id": 9,
        "tarif": "800",
        "tarif_stopdesk": "350"
      }
    }
  }
}
```

Structure:

- **return**: Return fees per wilaya
- **delivery**: Delivery fees per wilaya
- **tarif**: Home delivery price (in DZD)
- **tarif_stopdesk**: Relay point price (in DZD)

14. List of Communes

Retrieve the list of deliverable communes, optionally filtered by wilaya.

Endpoint

```
GET /api/public/get/communes/{wilaya_id}
```

Headers

```
Authorization: Bearer {token}
```

Parameters

Parameter	Type	Required	Description
<code>wilaya_id</code>	integer	No	Wilaya ID (1-58) to filter

Request Example

All communes:

```
GET /api/public/get/communes
```

Communes of a specific wilaya:

```
GET /api/public/get/communes/5
```

Success Response

```
[
  {
    "nom": "Batna",
    "wilaya_id": 5,
    "code_postal": "05001",
    "is_active": 1
  },
  {
    "nom": "Ghassira",
    "wilaya_id": 5,
    "code_postal": "05002",
    "is_active": 1
  },
  {
    "nom": "Maafa",
    "wilaya_id": 5,
```

```

    "code_postal": "05003",
    "is_active": 1
  },
  {
    "nom": "Merouana",
    "wilaya_id": 5,
    "code_postal": "05004",
    "is_active": 1
  },
  {
    "nom": "Seriana",
    "wilaya_id": 5,
    "code_postal": "05005",
    "is_active": 1
  }
]

```

15. List of Wilayas

Retrieve the list of all Algerian wilayas.

Endpoint

```
GET /api/public/get/wilayas
```

Headers

```
Authorization: Bearer {token}
```

Request Example

```
GET /api/public/get/wilayas
```

Success Response

```

[
  {
    "code": 1,
    "nom": "Adrar",
    "is_active": 1
  },
  {

```

```

    "code": 2,
    "nom": "Chlef",
    "is_active": 1
  },
  {
    "code": 3,
    "nom": "Laghouat",
    "is_active": 1
  },
  {
    "code": 4,
    "nom": "Oum El Bouaghi",
    "is_active": 1
  },
  {
    "code": 5,
    "nom": "Batna",
    "is_active": 1
  }
]

```

Important Notes

Limits and Constraints

- **Bulk creation:** Maximum 100 orders per request
- **Bulk validation:** Maximum 100 trackings per request
- **Rate limiting:** 60 requests per minute by default
- **Authentication:** Bearer token required for all endpoints
- **Timeout:** 30 seconds timeout per request

Error Handling

- If at least one order fails in a bulk operation, **success** will be **false**
- Keys in **passed** and **failed** correspond to array indices for creation
- Keys in **passed** and **failed** correspond to trackings for validation
- Validation errors return HTTP 422 code with details

Recommended Workflow

1. **Create an order** with **POST** `/api/public/create/order` or `/create/orders`
2. **Verify information** if necessary
3. **Modify** with **POST** `/api/public/update/order` (if not validated)
4. **Validate** with **POST** `/api/public/valid/order` or `/valid/orders`
5. **Download label** with **GET** `/api/public/get/order/label`
6. **Track** with **POST** `/api/public/get/trackings/info`

Stop Desk

- If `stop_desk=1`, the `station_code` field becomes mandatory
- The station code must match the destination wilaya
- Use `/api/public/desks` to get the list of available codes

Expedition station

- The `station_expedition` field allows you to send a specific expedition station for the order
- This feature must be explicitly enabled for your partner account; otherwise the value will be rejected

Postal Code (zip_code)

- If `zip_code` is provided, it automatically replaces `wilaya_id` and `commune`
- The postal code must exist in the database
- Use `/api/public/get/communes` to get valid postal codes

Stock

- If `stock=1`, the `quantite` field becomes mandatory
- Product references must be separated by commas in the `produit` field
- Corresponding quantities must be separated by commas in `quantite`
- Example: `produit="PROD001,PROD002"` and `quantite="2,3"`

Order Types

- **Type 1 (Delivery):** Standard delivery with collection
- **Type 2 (Exchange):** Product exchange with customer
- **Type 3 (Pick-up):** Package collection from customer (amount forced to 0)

Refund/Collection

- If `remboursement=1` and `montant < 0`: Refund request to customer
- If `remboursement=1` and `montant > 0`: Collection request from customer
- This feature must be enabled for your account

Support

For any questions or technical issues, contact NOEST support:

- **Email:** api@noest-dz.com
-

Version: 2.3 **Last updated:** May 2026