

# Table of Contents

Definitions .....	1
Actions .....	1
JavaClass .....	1
JavaEnumField .....	3
JavaEnumFields .....	4
JavaField .....	5
JavaFields .....	6
MavenClasspathResponse .....	7
ModifierList .....	7
StringList .....	7

# Definitions

## Actions

Type : object

## JavaClass

Name	Schema
<b>actions</b> <i>optional</i>	<a href="#">Actions</a>
<b>anonymous</b> <i>optional</i>	boolean
<b>annotation</b> <i>optional</i>	boolean
<b>annotations</b> <i>optional</i>	<a href="#">StringList</a>
<b>arrayDimensions</b> <i>optional</i>	integer (int32)
<b>arraySize</b> <i>optional</i>	integer (int32)
<b>canonicalClassName</b> <i>optional</i>	string
<b>className</b> <i>optional</i>	string
<b>collectionClassName</b> <i>optional</i>	string
<b>collectionType</b> <i>optional</i>	enum (ALL, ARRAY, LIST, MAP, NONE)
<b>docId</b> <i>optional</i>	string

Name	Schema
<b>enumeration</b> <i>optional</i>	boolean
<b>fieldType</b> <i>optional</i>	enum (ANY, ANY_DATE, BIG_INTEGER, BOOLEAN, BYTE, BYTE_ARRAY, CHAR, COMPLEX, DATE, DATE_TIME, DATE_TIME_TZ, DATE_TZ, DECIMAL, DOUBLE, FLOAT, INTEGER, LONG, NONE, NUMBER, SHORT, STRING, TIME, TIME_TZ, UNSIGNED_BYTE, UNSIGNED_INTEGER, UNSIGNED_LONG, UNSIGNED_SHORT, UNSUPPORTED)
<b>format</b> <i>optional</i>	string
<b>getMethod</b> <i>optional</i>	string
<b>index</b> <i>optional</i>	integer (int32)
<b>interface</b> <i>optional</i>	boolean
<b>javaEnumFields</b> <i>required</i>	<a href="#">JavaEnumFields</a>
<b>javaFields</b> <i>required</i>	<a href="#">JavaFields</a>
<b>localClass</b> <i>optional</i>	boolean
<b>memberClass</b> <i>optional</i>	boolean
<b>modifiers</b> <i>required</i>	<a href="#">ModifierList</a>
<b>name</b> <i>optional</i>	string
<b>packageName</b> <i>optional</i>	string

Name	Schema
<b>parameterizedTypes</b> <i>optional</i>	<a href="#">StringList</a>
<b>path</b> <i>optional</i>	string
<b>primitive</b> <i>optional</i>	boolean
<b>required</b> <i>optional</i>	boolean
<b>setMethod</b> <i>optional</i>	string
<b>status</b> <i>optional</i>	enum (SUPPORTED, UNSUPPORTED, CACHED, ERROR, NOT_FOUND, BLACK_LIST)
<b>synthetic</b> <i>optional</i>	boolean
<b>uri</b> <i>optional</i>	string
<b>value</b> <i>optional</i>	object

## JavaEnumField

Name	Schema
<b>actions</b> <i>optional</i>	<a href="#">Actions</a>
<b>arrayDimensions</b> <i>optional</i>	integer (int32)
<b>arraySize</b> <i>optional</i>	integer (int32)
<b>className</b> <i>optional</i>	string

Name	Schema
<b>collectionType</b> <i>optional</i>	enum (ALL, ARRAY, LIST, MAP, NONE)
<b>docId</b> <i>optional</i>	string
<b>fieldType</b> <i>optional</i>	enum (ANY, ANY_DATE, BIG_INTEGER, BOOLEAN, BYTE, BYTE_ARRAY, CHAR, COMPLEX, DATE, DATE_TIME, DATE_TIME_TZ, DATE_TZ, DECIMAL, DOUBLE, FLOAT, INTEGER, LONG, NONE, NUMBER, SHORT, STRING, TIME, TIME_TZ, UNSIGNED_BYTE, UNSIGNED_INTEGER, UNSIGNED_LONG, UNSIGNED_SHORT, UNSUPPORTED)
<b>format</b> <i>optional</i>	string
<b>index</b> <i>optional</i>	integer (int32)
<b>name</b> <i>optional</i>	string
<b>ordinal</b> <i>optional</i>	integer (int32)
<b>path</b> <i>optional</i>	string
<b>required</b> <i>optional</i>	boolean
<b>status</b> <i>optional</i>	enum (SUPPORTED, UNSUPPORTED, CACHED, ERROR, NOT_FOUND, BLACK_LIST)
<b>value</b> <i>optional</i>	object

## JavaEnumFields

Name	Schema
<b>javaEnumField</b> <i>optional</i>	< <a href="#">JavaEnumField</a> > array

## JavaField

Name	Schema
<b>actions</b> <i>optional</i>	<a href="#">Actions</a>
<b>annotations</b> <i>optional</i>	<a href="#">StringList</a>
<b>arrayDimensions</b> <i>optional</i>	integer (int32)
<b>arraySize</b> <i>optional</i>	integer (int32)
<b>canonicalClassName</b> <i>optional</i>	string
<b>className</b> <i>optional</i>	string
<b>collectionClassName</b> <i>optional</i>	string
<b>collectionType</b> <i>optional</i>	enum (ALL, ARRAY, LIST, MAP, NONE)
<b>docId</b> <i>optional</i>	string
<b>fieldType</b> <i>optional</i>	enum (ANY, ANY_DATE, BIG_INTEGER, BOOLEAN, BYTE, BYTE_ARRAY, CHAR, COMPLEX, DATE, DATE_TIME, DATE_TIME_TZ, DATE_TZ, DECIMAL, DOUBLE, FLOAT, INTEGER, LONG, NONE, NUMBER, SHORT, STRING, TIME, TIME_TZ, UNSIGNED_BYTE, UNSIGNED_INTEGER, UNSIGNED_LONG, UNSIGNED_SHORT, UNSUPPORTED)

Name	Schema
<b>format</b> <i>optional</i>	string
<b>getMethod</b> <i>optional</i>	string
<b>index</b> <i>optional</i>	integer (int32)
<b>modifiers</b> <i>required</i>	<a href="#">ModifierList</a>
<b>name</b> <i>optional</i>	string
<b>parameterizedTypes</b> <i>optional</i>	<a href="#">StringList</a>
<b>path</b> <i>optional</i>	string
<b>primitive</b> <i>optional</i>	boolean
<b>required</b> <i>optional</i>	boolean
<b>setMethod</b> <i>optional</i>	string
<b>status</b> <i>optional</i>	enum (SUPPORTED, UNSUPPORTED, CACHED, ERROR, NOT_FOUND, BLACK_LIST)
<b>synthetic</b> <i>optional</i>	boolean
<b>value</b> <i>optional</i>	object

## JavaFields

Name	Schema
<b>javaField</b> <i>optional</i>	< <a href="#">JavaField</a> > array

## MavenClasspathResponse

Name	Schema
<b>classpath</b> <i>optional</i>	string
<b>errorMessage</b> <i>optional</i>	string
<b>executionTime</b> <i>optional</i>	integer (int64)

## ModifierList

Name	Schema
<b>modifier</b> <i>optional</i>	< enum (ALL, ABSTRACT, FINAL, INTERFACE, NATIVE, PACKAGE_PRIVATE, PUBLIC, PROTECTED, PRIVATE, STATIC, STRICT, SYNCHRONIZED, TRANSIENT, VOLATILE, NONE) > array

## StringList

Name	Schema
<b>string</b> <i>optional</i>	< string > array