sopra steria



WHITEPAPER · DRAFT

Introducing Claude at Sopra Steria: What We Have Learned

Five mistakes from rolling out Claude to 552 employees, and a 90-day plan to scale it in your organisation

BY

Atle Rønningen
Head of Cloud & AI

Tobias Aabel
CISO

Anders Eide
AI Architect

Draft v0.1 · October 2026

Contents

01 Executive summary

02 Where we started

03 What the data shows

04 Five mistakes we made

05 Security and governance: what we would set up first

06 What we would do differently

07 How you can use our learnings

08 Where we are going

09 How Sopra Steria can help

> **About this draft.** This is a working draft in English. The document is classified C1 (public).

01

Executive summary

Sopra Steria Norway gave 552 employees access to Claude during 2026, and 86 % of Enterprise seats are in use every month. Depth is the harder result: 37 % of Enterprise seats are used too little to be worth their licence. We know why, and the fix is cheap if it is planned from day one.

Four lessons carry this paper:

1

Enablement runs for as long as the platform does.

One round of hands-on training in agentic AI, paired with a clear seat rule, more than halved the share of users in the lowest usage band within a month. It came months after rollout and could have come in the first weeks.

2

Use cases come before seats.

Seats handed out in batches without a task produced most of our idle licences: one in seven Enterprise seats showed no use in October.

3

Security and configuration come before scale.

We set the right security conditions and put them in place after seats had grown. Connected systems, where most of the value lies, waited for them.

4

Measure value from the first week.

We saw spend from month one and per-user activity much later. A reach, activation and depth scorecard shows the problem months sooner.

Connecting Claude to the systems people work in is our next step and our strongest hypothesis for deeper use.

The rest of the paper shows the evidence, the five mistakes behind it, the security conditions that decide value, and a 90-day plan you can apply in your own organisation.

02

Where we started

Sopra Steria Norway is a consulting and technology company of 3,700 employees. During 2026 we gave 552 of them access to Claude, 15 % of the workforce, across three agreements, each chosen for one user group.

Agreement	Agreement	Agreement
Claude Enterprise	**Claude Team, product teams**	**Claude Team, pre-sales**
Who uses it	**Who uses it**	**Who uses it**
Business functions: resourcing, knowledge, bids and offers, finance, HR, and marketing and communications	Developers and product teams	Bid and sales teams in pre-sales and go-to-market

Enterprise holds most of the seats, and the measures in this paper cover Enterprise seats unless stated otherwise. Sweden and Denmark follow, and the wider Sopra Steria group has around 52,000 employees in close to 30 countries, so these lessons set the plan for a much larger rollout.


03

What the data shows

People pick Claude up quickly, then many stay shallow. We track adoption on three measures. Activation looks healthy; depth is where the work lies.

Measure	What it counts	October 2026
Reach	Seats on all agreements as a share of all employees	**15 %**
Activation	Enterprise seats with any use in the month	**86 %**
Depth	Enterprise seats whose metered use is worth more than the seat's licence	**63 %**

The 37 % below the depth line are one in seven seats with no use at all, and almost one in four used too little to be worth their licence. Idle seats come from activation data. Depth is an estimate from the admin console's usage bands, with October scaled from 17 days.






Figure 1: Consumption per active user rose 2.6 times in five months

Use per active user rose through the period, with one clear step. In August the share of active users in the lowest usage band fell from 63 to 30 %, and it stayed at about 30 % in September. Two things happened that month. We ran awareness training on Claude Cowork that showed how agentic AI completes whole tasks across files and tools, made AI feel safe and practical, and gave concrete examples from our own work. At the same time we told users with no use that they had to use Claude to keep their seat. We cannot separate the two effects, and we see them working together: the training showed people what was possible, and the seat rule gave them a reason to try. Enablement for adoption has to run continuously, because each new round of learning can move depth again.

04

Five mistakes we made

Each mistake below is backed by our own data and experience. All five are common, and we expect most organisations to meet them without a plan against them.

1. We handed out seats in batches, without a task attached

Seats arrived in batches as demand built up, and many people got access with no specific job to use it for. In October one in seven Enterprise seats showed no use at all.

What to do: attach every seat to a named use case and a team lead who owns it.

2. We launched Claude without the systems people work in

At launch Claude reached none of our core systems: resourcing, knowledge bases, bid material, finance, HR, CRM, mail and SharePoint. People used it for one-off questions and drafting, which matches the profile of our light users.

What to do: connect at least one core system before the broad rollout, chosen from where people spend their day.

3. We treated awareness and training as a one-time activity

For the first months, onboarding and a security course were the main enablement. Both focused on avoiding mistakes, such as not sharing information classified above internal or data with personal information. They said little about using AI well, and many people became unsure whether they could use Claude at all. Showing people Claude in their own work came only in August. That month we ran hands-on training on agentic AI with Claude Cowork and paired it with a clear rule: use your seat or lose it. The lowest usage band shrank from 63 to 30 % of active users in one month and stayed there. That result came months after rollout and could have come in the first weeks.

What to do: start hands-on training in agentic use from day one, teach the data rules as what people can do (with concrete examples of allowed data), not only what they must avoid, pair it with a published seat rule, and run it as a programme with monthly use-case sessions, champions per function and shared prompt and skill libraries. Track the quality of use alongside activation, so the seat rule produces real work.

4. We scaled seats before the platform configuration was verified

We set security conditions before rollout and checked the admin configuration against them only after seats had gone out in volume. Connector approvals, where most of the value lies, waited behind that check.

What to do: write a configuration baseline before go-live, verify it before the first seat goes out, and review it every quarter and whenever a connector or tool is switched on or the vendor changes a default.

5. We tracked spend early and value late

We saw the bill from the first month. Per-user activity by role and function came much later, and we still estimate depth from usage bands. Spend is also a weak proxy for value: a bid manager who uses Claude daily for short tasks can sit in a low band.


What to do: agree the scorecard and the per-user data export before go-live, and review them monthly.

05

Security and governance: what we would set up first

We had the right security conditions in the wrong order. Before rollout we defined them: single sign-on and automated provisioning, an approved list of connectors, logging to our security monitoring, a first cohort, and a vetting process for every connector. Seats then grew faster than those conditions were put in place, and connected systems, which turn light users into deep ones, waited for them. Security belongs at the start, built in step with the use cases and finished before seats scale.

Connectors need care for a concrete reason. A connector to a system such as Microsoft 365 reads mail and documents through the vendor's API from the cloud, outside the endpoint and network controls that protect the same data on the user's device. It acts with each user's own permissions, so it reaches whatever a user can already open, including content shared more widely than intended. Opening it calls for equivalent controls on that path: tidy permissions at the source, access limited to pilot groups and minimum scopes, logging, and data loss rules that cover the connector.



Eight conditions for value

Eight conditions decide whether users get real value from Claude while the organisation stays in control. Use them as a checklist before you scale.

Condition | What the user gets | How to verify it

1 Governance: AI board, usage policy, security course, register of approved agents and skills

- What the user gets: Clear rules from day one, and approved agents and skills to start from
- How to verify it: Board mandate, published policy, course completion, register in use

2 Legal and privacy: data processing agreement, transfers, DPIA, legal basis for monitoring

- What the user gets: Personal data used in daily work on a sound legal footing
- How to verify it: Signed DPA, subprocessor list reviewed, DPIA concluded, employees informed

3 Identity and lifecycle: single sign-on, provisioning, offboarding

- What the user gets: Access that follows their role and ends when they leave
- How to verify it: Single sign-on enforced; leavers removed automatically or by a tested routine

4 A verified platform configuration

- What the user gets: IT approves broad access and new connections
- How to verify it: Written baseline, verified before go-live and reviewed each quarter

5 Clear rules for sensitive data

- What the user gets: Staff use tender documents, CVs, employee data and financial figures in daily work
- How to verify it: Policy names each data type; staff survey shows few hold back

6 Connector and agent access: approved per domain, user's own permissions, approval for write actions

- What the user gets: Claude works on their own mail, documents and business systems, and acts for them
- How to verify it: Connector register with scope and authentication; access test passed

7 Agentic and endpoint controls

- What the user gets: Claude works on their files, browses and runs scheduled tasks
- How to verify it: Device controls and managed settings in place; site allowlist set

8 Monitoring, incident response and change management

- What the user gets: Problems are found and fixed fast, and new features arrive reviewed
- How to verify it: Activity reaches security monitoring; runbook to revoke access; an owner for vendor changes

1. Governance from the first seat

Some things we did get in place early, and they held. An AI board owned the direction. A usage policy set out what may go into Claude. Users took a security course as part of onboarding, covering data handling, memory and projects, and prompt injection. An internal register and marketplace listed approved agents and skills. What lagged was the work that depends on this foundation, above all connector approvals.

What to do: set up the governance body, usage policy, security course and agent register before go-live; they cost little and every later decision rests on them.


2. Legal and privacy foundations

Claude handles personal data in almost every function: CVs, employee records, customer contacts. Read the vendor's data processing agreement and subprocessor list, decide how transfers outside the EEA are covered, run a DPIA before go-live, and confirm where data is stored. Telemetry is personal data

too: activity logs carry user identity and can carry prompt text, so routing them to security monitoring needs a legal basis and clear information to employees.

3. One approval model for every connected tool

Every connected tool raises the same questions: which data it may read, whose permissions it acts with, whether it may write as well as read, and what gets logged. A connector to an HR system and one to a sales library carry very different risk. Make approval a standing process with risk tiers: read-only, low-risk sources approved quickly, sensitive systems such as HR and finance reviewed in depth. Use the platform's own controls: owners enable each connector, each tool is set to allowed, needs approval or blocked, and write actions need approval. Keep shared service accounts away from personal data. Decided once per domain, each new connection is approved within weeks.



4. Clear rules for sensitive data

Each function handles its own sensitive data: tender documents and customer requirements in bids, CVs and employee data under GDPR in resourcing and HR, and contracts, prices and margins in finance. People need to know which of it may go into Claude, and under which terms. Unclear rules push people back to safe, shallow chat.

5. Controls that match each agreement

We run three agreements by design, one per user group, and they offer different controls. As of October 2026, automated provisioning (SCIM), audit logs, the Compliance API and custom retention are Enterprise features. Team workspaces need compensating controls, such as a tested offboarding routine and activity telemetry. Choose the plan for each user group partly on the controls that group needs, and write every agreement into one configuration baseline.

6. MCP servers and agents as new attack surface


Every connected system and every agent widens what a prompt can reach. Each MCP interface needs least-privilege access, protection against prompt injection from documents and web pages, secrets

kept out of code, and an audit trail of agent actions. Limit which sites and connectors an agent can reach, require approval for actions that change data, and test each MCP server with planted instructions before release.

7. Agentic tools need their own controls

Claude Cowork came in the same month as our biggest jump in depth, and it changes the risk picture. It works on files on the user's machine and keeps conversation history there. With Claude in Chrome it can act in the user's signed-in browser sessions, and scheduled tasks can run with the user's connectors while the laptop is closed. When we assessed it, Cowork activity sat outside the platform's audit logs and Compliance API, and our only trace was telemetry routed to our own monitoring. Since August 2026 the Compliance API captures Cowork sessions on Enterprise, with a 30-day window for sessions run on the user's machine.

Device encryption, endpoint protection and managed settings must be in place before Cowork goes wide, together with a site allowlist for browsing, tight connector scopes for scheduled tasks, and telemetry that reaches your security monitoring from day one.



8. A sanctioned tool as the strongest control against shadow AI

People who lack a good approved tool find an unapproved one. In our view, fast, broad access to a governed platform is the most effective control against shadow AI.

06

What we would do differently

If we started again tomorrow, we would follow this order and hand out the first seat at step four.

1. **Set up governance and security.**
   AI board, usage policy, security course and agent register; a data processing agreement, a DPIA and a data policy for tenders, CVs, employee and financial data; a connector approval process; and one agreement per user group, each with an owner. All of it rests on a configuration baseline, verified before go-live.

2. **Pick the first core system to connect.**
   Choose it from the systems behind your core processes. For us the candidates are resourcing, knowledge, bids and offers, finance, HR, and marketing and communications.

3. **Pick three to five use cases per function.**
   Each with a team lead, a measurable outcome and a starter set of prompts or skills.

4. **Give seats to the teams behind those use cases.**
   Seats follow use cases, every seat request names one, and hands-on training in agentic use starts on day one.

5. **Measure from week one.**
   Reach, activation and depth per function, reviewed monthly with function leads.

6. **Keep enablement running.**
   Champions, monthly sessions and a shared library, with each August-style shift studied and repeated.

7. **Scale by connecting more systems.**
   Each new connection opens new use cases and deepens use for everyone already onboarded.

07

How you can use our learnings

This 90-day plan addresses each of our five mistakes in order. It is the plan we would hand our own leadership today.

Phase	Weeks	What happens	Done when
Foundation	1 to 4	Agreement model and owners chosen; legal, security and data rules approved; configuration verified against a baseline; scorecard and data export agreed	Policy published, baseline verified
Pilot	5 to 8	One core system connected for a cohort of 50 to 100 people with three to five use cases; hands-on agentic training and the seat rule from day one	Cohort depth measured against an unconnected control group
Scale	9 to 12	Seats extended function by function, each tied to a use case; champions named; second system connected	Depth holds above 75 % as seats grow

Connector approvals can take longer than four weeks in organisations with strict data controls, so start the first approval in week one.

The scorecard

Track three numbers per function, every month. Our own October figures give a reference point.

Measure	Target	Our October figure	Target we would set
Reach — Seats as a share of employees	No single target	15 %	Set per function, from the use cases
Activation — Seats with any use in the month	Below target	86 %	Above 90 %
Depth — Seats whose use is worth more than their licence	Below target	63 %	Above 75 %







Questions to ask before you sign


- Can we get a per-user activity export with active days, by role and function?

- Which controls come with each plan: single sign-on, automated provisioning, audit logs, Compliance API and retention settings?
- Where is our data stored and processed, and how are transfers outside the EEA covered?
- Is our data excluded from model training, and under which contract terms?
- How do connectors authenticate: with each user's own permissions or a shared account?
- Which activity from agentic tools such as Cowork reaches audit logs and the Compliance API?
- How is metered consumption capped, and can seats be reassigned between users?


08

Where we are going

Our next step is to connect Claude to the systems our people work in, one domain at a time, through the Model Context Protocol (MCP). Projects are under way in the Nordics. The domains below are ours as a consulting firm; the method of ranking domains by how often people use them and what they hold works in any organisation.



One interface per domain, local adapters behind it. Each domain gets one MCP server that answers the same questions in every country. An adapter maps each request to the local system, so users keep one way of working while each country moves its systems on its own timetable. For organisations in several countries, this pattern lets connection start before system consolidation ends.



each country moves its systems on its own timetable

09

How Sopra Steria can help

Most organisations we meet have Claude in a limited setup and want a clear path to scale. Adding seats without structure repeats our mistakes: idle licences, shallow use and connections that wait for security. We help you put the structure in place first, using what we learned in our own rollout, so the investment pays back as you scale.

Value on top of the structure

Connection pilot: one core system connected through MCP for one cohort, measured against a control group. It addresses mistake 2.

Enablement programme: hands-on agentic training, champions, use-case libraries and monthly sessions per function. It addresses mistake 3.

MCP platform: one interface per domain, with local adapters for each country.

Structure for scaling

Scaling readiness review: we review your agreement model, legal and security foundations, use cases and scorecard, and you get a scaling plan in four weeks. It addresses mistakes 1, 4 and 5, and it is the place to start.

Configuration baseline: a baseline for your agreements covering single sign-on, provisioning, audit logs, retention and connector settings, built from the one we use ourselves.

Security guidelines: a connector approval model with risk tiers, data rules for tenders, CVs, employee and financial data, and safeguards for MCP servers and agents.

Next step: book a scaling readiness review with Atle Rønningen, atle.ronningen@soprasteria.com.



The world is how we shape it.

soprasteria.com