

# Tailwind CSS v4 Cheatsheet

## Changed since v3

| v3                           | v4                           | Note                                                |
|------------------------------|------------------------------|-----------------------------------------------------|
| shadow-sm                    | shadow-xs                    |                                                     |
| shadow                       | shadow-sm                    |                                                     |
| drop-shadow-sm               | drop-shadow-xs               |                                                     |
| drop-shadow                  | drop-shadow-sm               |                                                     |
| blur-sm                      | blur-xs                      |                                                     |
| blur                         | blur-sm                      |                                                     |
| backdrop-blur-sm             | backdrop-blur-xs             |                                                     |
| backdrop-blur                | backdrop-blur-sm             |                                                     |
| rounded-sm                   | rounded-xs                   |                                                     |
| rounded                      | rounded-sm                   |                                                     |
| outline-none                 | outline-hidden               |                                                     |
| ring                         | ring-3                       | default ring width is now 1px, not 3px              |
| flex-shrink-*                | shrink-*                     |                                                     |
| flex-grow-*                  | grow-*                       |                                                     |
| overflow-ellipsis            | text-ellipsis                |                                                     |
| decoration-slice             | box-decoration-slice         |                                                     |
| decoration-clone             | box-decoration-clone         |                                                     |
| bg-opacity-*                 | bg-black/50                  | opacity modifiers replace all *-opacity-* utilities |
| text-opacity-*               | text-black/50                |                                                     |
| border-opacity-*             | border-black/50              |                                                     |
| ring-opacity-*               | ring-black/50                |                                                     |
| !flex                        | flex!                        | important modifier moved to the end of the class    |
| bg[--brand]                  | bg(--brand)                  | arbitrary CSS variable syntax                       |
| grid-cols-[max-content,auto] | grid-cols-[max-content_auto] | commas in arbitrary values become underscores       |

## Layout

### container

Fixed max-width at each breakpoint

### flex / inline-flex

display: flex

### hidden

display: none

### columns-2 ... columns-12

column-count

### box-border / box-content

box-sizing

### clear-left / clear-right / clear-both

clear

### object-cover / object-contain / object-fill /

### object-none

object-fit

### overflow-auto / overflow-hidden / overflow-scroll /

### overflow-visible

overflow (also overflow-x-\*, overflow-y-\*)

### static / fixed / absolute / relative / sticky

position

### block / inline-block / inline

display

### grid / inline-grid

display: grid

### aspect-square / aspect-video / aspect-[4/3]

aspect-ratio

### break-after-column / break-before-page / break-

### inside-avoid

CSS fragmentation breaks

### float-left / float-right / float-none

float

### isolate / isolation-auto

isolation (stacking context)

### object-center / object-top / object-left-bottom

object-position

### overscroll-auto / overscroll-contain / overscroll-

### none

overscroll-behavior

### inset-0 / top-4 / right-2 / bottom-0 / left-1/2

top / right / bottom / left

[visible](#) / [invisible](#) / [collapse](#)  
visibility

[z-0 ... z-50](#) / [z-auto](#) / [-z-10](#)  
z-index

---

## Flexbox & Grid

[flex-row](#) / [flex-row-reverse](#) / [flex-col](#) / [flex-col-reverse](#)  
flex-direction

[flex-1](#) / [flex-auto](#) / [flex-initial](#) / [flex-none](#)  
flex shorthand

[shrink](#) / [shrink-0](#)  
flex-shrink (was flex-shrink-\* in v3)

[order-1 ... order-12](#) / [order-first](#) / [order-last](#) / [-order-1](#)  
order

[col-span-2](#) / [col-start-3](#) / [col-end-5](#) / [col-auto](#)  
grid-column placement

[row-span-2](#) / [row-start-1](#) / [row-end-3](#)  
grid-row placement

[auto-cols-auto](#) / [auto-cols-min](#) / [auto-cols-fr](#)  
grid-auto-columns

[gap-4](#) / [gap-x-2](#) / [gap-y-6](#)  
gap between flex/grid items

[justify-items-start](#) / [justify-items-center](#) / [justify-items-stretch](#)  
justify-items

[content-center](#) / [content-between](#) / [content-stretch](#)  
align-content

[self-auto](#) / [self-center](#) / [self-stretch](#)  
align-self

[flex-wrap](#) / [flex-wrap-reverse](#) / [flex-nowrap](#)  
flex-wrap

[grow](#) / [grow-0](#)  
flex-grow (was flex-grow-\* in v3)

[basis-0](#) / [basis-1/2](#) / [basis-full](#) / [basis-64](#)  
flex-basis

[grid-cols-1 ... grid-cols-12](#) / [grid-cols-none](#)  
grid-template-columns

[grid-rows-1 ... grid-rows-6](#)  
grid-template-rows

[grid-flow-row](#) / [grid-flow-col](#) / [grid-flow-dense](#)  
grid-auto-flow

[auto-rows-auto](#) / [auto-rows-min](#) / [auto-rows-fr](#)  
grid-auto-rows

[justify-start](#) / [justify-center](#) / [justify-between](#) / [justify-evenly](#)  
justify-content

[justify-self-auto](#) / [justify-self-end](#)  
justify-self

[items-start](#) / [items-center](#) / [items-baseline](#) / [items-stretch](#)  
align-items

[place-content-center](#) / [place-items-center](#) / [place-self-center](#)  
place-\* shorthands

---

## Spacing

[p-4](#) / [px-4](#) / [py-4](#) / [pt-4](#) / [pr-4](#) / [pb-4](#) / [pl-4](#)  
padding (all sides / axis / single side)

[m-4](#) / [mx-auto](#) / [my-4](#) / [mt-4](#) / [-mt-4](#)  
margin (negative values allowed with -)

[space-x-4](#) / [space-y-4](#)  
gap between direct children (adds margin between siblings)

[0](#), [px](#), [0.5](#), [1](#), [1.5](#), [2](#), [2.5](#), [3](#), [3.5](#), [4](#), [5](#), [6](#), [7](#), [8](#), [9](#), [10](#), [11](#), [12](#), [14](#), [16](#), [20](#), [24](#), [28](#), [32](#), [36](#), [40](#), [44](#), [48](#), [52](#), [56](#), [60](#), [64](#), [72](#), [80](#), [96](#)  
default spacing scale (1 unit = 0.25rem = 4px, so p-4 = 1rem)

[ps-4](#) / [pe-4](#)  
padding-inline-start / padding-inline-end (logical)

[ms-4](#) / [me-4](#)  
margin-inline-start / margin-inline-end (logical)

[space-x-reverse](#)  
reverses the direction spacing is applied

---

## Sizing

[w-4](#) / [w-1/2](#) / [w-full](#) / [w-screen](#) / [w-fit](#) / [w-min](#) / [w-max](#)  
width

[max-w-xs ... max-w-7xl](#) / [max-w-full](#) / [max-w-prose](#) / [max-w-none](#)  
max-width

[min-h-0](#) / [min-h-screen](#) / [min-h-full](#)  
min-height

[size-4](#) / [size-full](#) / [size-1/2](#)  
sets width and height together

[min-w-0](#) / [min-w-full](#) / [min-w-fit](#)  
min-width

[h-4](#) / [h-1/2](#) / [h-full](#) / [h-screen](#) / [h-dvh](#) / [h-svh](#) / [h-lvh](#)  
height (dvh/svh/lvh = dynamic/small/large viewport units)

[max-h-full](#) / [max-h-screen](#)  
max-height

---

## Typography

[font-sans](#) / [font-serif](#) / [font-mono](#)  
font-family

[antialiased](#) / [subpixel-antialiased](#)  
font-smoothing

[text-xs ... text-9xl](#)  
font-size (each step sets a matching line-height)

[italic](#) / [not-italic](#)  
font-style

[font-thin](#) ... [font-black](#)  
font-weight (100-900)

[leading-none](#) ... [leading-loose](#) / [leading-4](#) ...  
[leading-10](#)  
line-height

[list-none](#) / [list-disc](#) / [list-decimal](#)  
list-style-type

[text-left](#) / [text-center](#) / [text-right](#) / [text-justify](#)  
text-align

[underline](#) / [overline](#) / [line-through](#) / [no-underline](#)  
text-decoration-line

[underline-offset-4](#)  
text-underline-offset

[truncate](#) / [text-ellipsis](#) / [text-clip](#)  
text-overflow

[indent-4](#) / [-indent-4](#)  
text-indent

[whitespace-normal](#) / [whitespace-nowrap](#) / [whitespace-pre-wrap](#)  
white-space

[hyphens-none](#) / [hyphens-manual](#) / [hyphens-auto](#)  
hyphens

[text-shadow-2xs](#) ... [text-shadow-lg](#) / [text-shadow-none](#)  
text-shadow (new utility in v4)

[tracking-tighter](#) ... [tracking-widest](#)  
letter-spacing

[line-clamp-1](#) ... [line-clamp-6](#) / [line-clamp-none](#)  
truncate text to N lines

[list-inside](#) / [list-outside](#)  
list-style-position

[text-red-500](#) / [text-black/50](#)  
text color (with opacity modifier)

[decoration-red-500](#) / [decoration-2](#) / [decoration-wavy](#)  
text-decoration color / thickness / style

[uppercase](#) / [lowercase](#) / [capitalize](#) / [normal-case](#)  
text-transform

[text-wrap](#) / [text-nowrap](#) / [text-balance](#) / [text-pretty](#)  
text-wrap

[align-baseline](#) / [align-top](#) / [align-middle](#) / [align-bottom](#)  
vertical-align

[break-normal](#) / [break-words](#) / [break-all](#) / [break-keep](#)  
word-break / overflow-wrap

[content-none](#) / [content-\['\\*'\]](#)  
content (for `::before` / `::after`)

---

## Backgrounds

[bg-fixed](#) / [bg-local](#) / [bg-scroll](#)  
background-attachment

[bg-red-500](#) / [bg-transparent](#) / [bg-black/25](#)  
background-color (with opacity modifier)

[from-cyan-500](#) [via-blue-500](#) [to-indigo-500](#)  
gradient color stops

[bg-center](#) / [bg-top](#) / [bg-\[center\\_top\\_1rem\]](#)  
background-position

[bg-auto](#) / [bg-cover](#) / [bg-contain](#)  
background-size

[bg-clip-border](#) / [bg-clip-padding](#) / [bg-clip-content](#) / [bg-clip-text](#)  
background-clip

[bg-none](#) / [bg-linear-to-r](#) / [bg-radial](#) / [bg-conic](#)  
background-image / gradients

[bg-origin-border](#) / [bg-origin-padding](#) / [bg-origin-content](#)  
background-origin

[bg-repeat](#) / [bg-no-repeat](#) / [bg-repeat-x](#) / [bg-repeat-y](#)  
background-repeat

---

## Borders

[rounded-xs](#) ... [rounded-3xl](#) / [rounded-full](#)  
border-radius (v4: `rounded-sm`→`rounded-xs`, `rounded`→`rounded-sm`)

[border](#) / [border-2](#) / [border-t](#) / [border-x-4](#)  
border-width (default border color is `currentColor` in v4)

[border-solid](#) / [border-dashed](#) / [border-dotted](#) / [border-none](#)  
border-style

[outline](#) / [outline-2](#) / [outline-offset-2](#)  
outline-width / outline-offset

[outline-hidden](#) / [outline-none](#) / [outline-dashed](#)  
outline-style (v4: `outline-none`→`outline-hidden` keeps focus ring for `a11y`)

[rounded-t-lg](#) / [rounded-tl-lg](#)  
border-radius per side / corner

[border-red-500](#) / [border-black/50](#)  
border-color

[divide-x](#) / [divide-y](#) / [divide-red-500](#)  
border between children

[outline-red-500](#)  
outline-color

---

## Effects

[shadow-xs](#) ... [shadow-2xl](#) / [shadow-none](#)  
box-shadow (v4: shadow-sm→shadow-xs, shadow→shadow-sm)

[opacity-0](#) ... [opacity-100](#)  
opacity

[bg-blend-multiply](#) / [bg-blend-overlay](#)  
background-blend-mode

[mask-linear-to-r](#) / [mask-radial](#) / [mask-\[<url>\]](#)  
mask-image utilities

[shadow-red-500/50](#)  
colored box-shadow

[mix-blend-multiply](#) / [mix-blend-screen](#) / [mix-blend-overlay](#)  
mix-blend-mode

[mask-clip-border](#) / [mask-origin-padding](#)  
mask-clip / mask-origin

---

## Filters

[blur-xs](#) ... [blur-3xl](#) / [blur-none](#)  
filter: blur (v4: blur-sm→blur-xs, blur→blur-sm)

[contrast-50](#) ... [contrast-200](#)  
filter: contrast

[grayscale](#) / [grayscale-0](#)  
filter: grayscale

[invert](#) / [invert-0](#)  
filter: invert

[sepia](#) / [sepia-0](#)  
filter: sepia

[backdrop-brightness-50](#) / [backdrop-contrast-125](#) / [backdrop-opacity-50](#)  
other backdrop-filter utilities

[brightness-50](#) ... [brightness-200](#)  
filter: brightness

[drop-shadow-xs](#) ... [drop-shadow-2xl](#)  
filter: drop-shadow (v4 renamed, see blur)

[hue-rotate-90](#) / [-hue-rotate-90](#)  
filter: hue-rotate

[saturate-50](#) ... [saturate-200](#)  
filter: saturate

[backdrop-blur-xs](#) ... [backdrop-blur-3xl](#)  
backdrop-filter: blur (v4 renamed, see blur)

---

## Tables

[border-collapse](#) / [border-separate](#)  
border-collapse

[table-auto](#) / [table-fixed](#)  
table-layout

[border-spacing-2](#) / [border-spacing-x-2](#)  
border-spacing

[caption-top](#) / [caption-bottom](#)  
caption-side

---

## Transitions & Animation

[transition](#) / [transition-all](#) / [transition-colors](#) / [transition-none](#)  
transition-property

[ease-linear](#) / [ease-in](#) / [ease-out](#) / [ease-in-out](#)  
transition-timing-function

[animate-spin](#) / [animate-ping](#) / [animate-pulse](#) / [animate-bounce](#) / [animate-none](#)  
animation presets

[duration-75](#) ... [duration-1000](#)  
transition-duration

[delay-75](#) ... [delay-1000](#)  
transition-delay

---

## Transforms

[scale-0](#) ... [scale-150](#) / [scale-x-50](#) / [scale-y-50](#)  
scale

[translate-x-4](#) / [-translate-y-1/2](#)  
translate

[origin-center](#) / [origin-top-left](#)  
transform-origin

[perspective-dramatic](#) / [perspective-none](#)  
perspective

[rotate-0](#) ... [rotate-180](#) / [-rotate-45](#)  
rotate

[skew-x-6](#) / [skew-y-3](#)  
skew

[transform-none](#) / [transform-gpu](#)  
force / disable hardware acceleration

[backface-visible](#) / [backface-hidden](#)  
backface-visibility

---

## Interactivity

[accent-red-500](#)  
accent-color (checkboxes, radios, range inputs)

[caret-red-500](#)  
caret-color

[field-sizing-content](#) / [field-sizing-fixed](#)  
field-sizing (auto-growing textareas)

[appearance-none](#) / [appearance-auto](#)  
appearance

[cursor-pointer](#) / [cursor-not-allowed](#) / [cursor-wait](#) / [cursor-grab](#)  
cursor

[pointer-events-none](#) / [pointer-events-auto](#)  
pointer-events

[resize](#) / [resize-none](#) / [resize-x](#) / [resize-y](#)

resize

[scroll-m-4](#) / [scroll-p-4](#)

scroll-margin / scroll-padding

[touch-auto](#) / [touch-none](#) / [touch-pan-x](#)

touch-action

[will-change-auto](#) / [will-change-scroll](#) / [will-change-transform](#)

will-change

[scroll-auto](#) / [scroll-smooth](#)

scroll-behavior

[snap-start](#) / [snap-center](#) / [snap-x](#) / [snap-mandatory](#)

scroll-snap utilities

[select-none](#) / [select-text](#) / [select-all](#) / [select-auto](#)

user-select

---

## SVG

[fill-red-500](#) / [fill-current](#) / [fill-none](#)

fill

[stroke-0](#) / [stroke-1](#) / [stroke-2](#)

stroke-width

[stroke-red-500](#) / [stroke-current](#)

stroke

---

## Accessibility

[sr-only](#) / [not-sr-only](#)

visually hide while keeping content for screen readers

[forced-color-adjust-auto](#) / [forced-color-adjust-none](#)

forced-color-adjust (Windows High Contrast Mode)

---

## Responsive breakpoints

[sm: \(≥40rem / 640px\)](#)

small screens and up

[lg: \(≥64rem / 1024px\)](#)

large screens and up

[2xl: \(≥96rem / 1536px\)](#)

2x extra-large screens and up

[min-\[475px\]:](#) / [max-\[600px\]:](#)

arbitrary breakpoint values

[md: \(≥48rem / 768px\)](#)

medium screens and up

[xl: \(≥80rem / 1280px\)](#)

extra-large screens and up

[max-sm:](#) / [max-md:](#) / [max-lg:](#) / [max-xl:](#) / [max-2xl:](#)

applies below that breakpoint (stack with a lower prefix for a range, e.g.

md:max-lg:)

---

## Container queries

[@container](#) / [@container/name](#)

mark an element as a query container (optionally named)

[@max-sm:](#) / [@min-\[475px\]:](#)

max-width / arbitrary container query variants

[@xs ... @7xl:](#)

style based on container width instead of viewport ([@sm:flex-row](#))

[@sm/name:](#) / [@max-md/name:](#)

target a specific named ancestor container

---

## State variants

[hover:](#) / [focus:](#) / [active:](#) / [visited:](#)

interaction states

[disabled:](#) / [required:](#) / [invalid:](#) / [checked:](#)

form states

[group-hover:](#) / [group-focus:](#)

style based on a parent with the group class

[has-\[:checked\]:](#) / [has-checked:](#)

:has() — style based on a descendant's state

[dark:](#)

dark mode (based on prefers-color-scheme or a class strategy)

[starting:](#)

@starting-style — enter/exit transitions without JS

[focus-within:](#) / [focus-visible:](#)

focus states for parent / keyboard-only focus

[first:](#) / [last:](#) / [odd:](#) / [even:](#) / [only:](#)

structural pseudo-classes

[peer-checked:](#) / [peer-focus:](#)

style based on a sibling with the peer class

[not-hover:](#) / [not-disabled:](#)

:not() — style when a state does NOT apply

[before:](#) / [after:](#) / [placeholder:](#) / [selection:](#) / [file:](#)

pseudo-elements