Lab 4: Navigation

ME 597: Autonomous Systems

I. INTRODUCTION

Mobile robots are used in different environments to perform a wide range of tasks such as cleaning, patrolling, material handling, rescue operations, etc. These tasks, require the robots to move freely and autonomously through either static or dynamic environments. Therefore, Navigation is a crucial aspect for robots.

Navigation allows robots to move through a predefined path, to adjust its trajectory due to changes in the environment, or to correct motion online due to measurement errors. As part of navigation, it is also important to consider extreme cases in which the robot gets lost or crashes into something, by implementing recovery strategies that bring the robot back to a safe known state.

This lab will show you some of the available tools in ROS to perform the Navigation task such as 1) Mapping, 2) Localization, 3) Planning and 4) Execution of a trajectory using the ROS Navigation Stack Fig.1, which implements the nodes and algorithms to solve the planning, mapping, localization, and recovery.

The ROS Navigation stack outputs Twist data through the \cmd_vel topic based on odometry, sensor data, and a goal pose. Although the planning and the localization algorithms are already part of the stack, it is possible to tune/modify the behavior by means of the ROS parameter server via *.yaml files.

Finally you will implement your own path planning and path follower to better understand the aforementioned navigation concepts.




Fig. 1: ROS Navigation Stack

II. ASSIGNMENT

A. ROS Navigation Stack

This assignment will help you understand and use ROS Navigation Stack. You need to create a map and the following assignments will need the same map file.

1) map_server and gmapping are some of the required tools to complete this activity, for those using a virtual machine, these tools should be already preinstalled. For those with Ubuntu natively installed, you might need to run the following commands.

```
sudo apt install ros-noetic-gmapping
sudo apt install ros-noetic-map-server
sudo apt install ros-noetic-amcl
sudo apt install ros-noetic-move-base
sudo apt install ros-noetic-dwa-local-planner
```

- 2) Follow the mapping tutorial to learn how to create and save a map and navigation tutorial to learn how to import the map, create a navigation goal, and use move_base to move to the destination.
- 3) In aut_sys_lab create a package called lab_4_pkg. In the package, create four folders, launch, worlds, maps, and script.
- 4) Download lab_4_slam.launch and save it in launch. Download turtlebot3_plaza.world and save it in worlds. Compile the package.
- 5) Launch simulation environment

```
roslaunch lab_4_pkg lab_4_slam.launch
```




Fig. 2: (a) simulation environment (b) map

6) Open a new terminal and start to create a map for the environment. This will launch RVIz and it can visualize the map you are creating.

```
roslaunch turtlebot3_slam turtlebot3_slam.launch slam_methods:= gmapping
```

7) Open a new terminal and run turtlebot3_teleop_key.launch to use the keyboard to control the robot to scan the whole environemnt.

```
roslaunch turtlebot3_teleop_turtlebot3_teleop_key.launch
```

8) Save the map in maps after the map is created successfully.

```
cd catkin_ws/src/aut_sys_lab/lab_4_pkg/maps/
rosrun map_server map_saver -f map
```

- 9) Shut down all the launch files. Launch lab_4_slam.launch to reset the environment.
- 10) Run the following command to read the map and start the ROS navigation package.

```
roslaunch turtlebot3_navigation turtlebot3_navigation.launch map_file:=$HOME/catkin_ws/src/aut_sys_lab/lab_4_pkg/maps/map.yaml
```

- 11) Correct the initial pose of the robot.
- 12) Create a 2D Nav Goal and see if the robot can move to the destination.




Fig. 3: (a) Incorrect initial pose (b) 2D Nav Goal

- 13) At this point, you should have a couple of map files, one containing an image of the map(*.pgm) and another one containing meta data of such map(*.yaml). You will need these two files in order to implement your own A* algorithm. Go to the course site on Brightspace, and download the jupyter notebook. You will need to upload this file into Google Colab to work with it. Go through the jupyter notebook and implement the A* algorithm for the map obtained during previous tasks with the navigation stack.
- 14) For this part of the lab you will need to integrate your A* algorithm into the Gazebo environment. For that it is necessary that you figure out how:
 - RVIZ passes waypoints to the turtlebot.
 - How to map waypoints from the map frame (pixels) to the global frame (in meters), and viceversa.
- 15) For this task we have created the skeleton of a node that receives a goal pose. We have also included the topic from which you will be getting the position of the vehicle.

- 16) Your job here is to get the goal pose, use the algorithm previously created, and implement a path follower to drive the vehicle through the path.
- 17) It is assumed that the path is free of obstacles, in case your path is no collision free during the testing on gazebo, you might need to increment the safe margin with respect to the walls or improve your map accuracy.

III. DELIVERABLES

- 1) The lab_4_pkg package with your solution.
- 2) The jupyter notebook including your solution for the A* algorithm.

IV. RUBRIC

- 50 pts Mapping and A* Algorithm.
 - 10 pts Successful map creation.
 - 40 pts Correct implementation of the A* algorithm
- 50 pts Custom Navigation.
 - 20 pts Proper generation of the A* algorithm.
 - 20 pts Proper implementation of the path follower.
 - 10 pts No collisions during testing.