Climate risk, cost and funding assessment

Frozen public-source screening · 575-Nation baseline · 22 October 2026

Read this first

This is a development-stage screening snapshot, not a certified risk assessment, an impact valuation, a funding need or a sovereign priority. Tribal Nations retain authority over decisions and information.

The complete hazard-status table accounts for **575 Nations**. Coverage counts describe supported inputs, not severity. Hazard indexes have different constructions; their shared 0-1 display range does not make them comparable severity measures. Missing, unavailable and explicit placeholders are not zero; supported physical zeros are retained.

Scanner package 0.8.9; formula 3.2.0; frozen profiles through 2026-10-22T12:20:59.568999+00:00. Source commit: 17295c2a15a68828712dc8044aca0572d88d5994. Input manifest SHA-256: df81eafaa869bcc0a2d4c50b48aa78c4d42799d85089c47311dc71ac8850ecd8.

catf-scanner-regions-1: seven scanner geographic state groups plus California and Other. Assign each Nation once by first recorded registry state; counties once by state. This is a presentation grouping, not BIA/NCAI/ATNI jurisdiction.

National and regional hazard coverage

All hazard modules are shown in source order, without a cross-hazard severity ranking or an average of incompatible indexes. Each entry gives supported Nations / cohort denominator, then every retained status count. These presentation groups assign each Nation once; the ecological cohorts below can overlap.

Geography	Nations	Supported inputs / denominator; retained status counts
National baseline	575	Wildfire: 575 / 575; modeled: 575 Flooding (coastal and inland): 575 / 575; modeled: 575 Drought: 319 / 575; modeled: 319; placeholder: 37; stub: 219 Severe weather: 575 / 575; modeled: 575 Extreme heat: 348 / 575; modeled: 348; stub: 227 Landslide: 575 / 575; modeled: 575 Sea-level rise: 0 / 575; not applicable: 337; stub: 238 Coastal erosion: 0 / 575; not applicable: 337; stub: 238 Permafrost thaw: 0 / 575; not applicable: 405; stub: 170

Geography	Nations	Supported inputs / denominator; retained status counts
Pacific Northwest	52	Wildfire: 52 / 52; modeled: 52 Flooding (coastal and inland): 52 / 52; modeled: 52 Drought: 41 / 52; modeled: 41; placeholder: 11 Severe weather: 52 / 52; modeled: 52 Extreme heat: 52 / 52; modeled: 52 Landslide: 52 / 52; modeled: 52 Sea-level rise: 0 / 52; not applicable: 27; stub: 25 Coastal erosion: 0 / 52; not applicable: 27; stub: 25 Permafrost thaw: 0 / 52; not applicable: 52
Alaska	227	Wildfire: 227 / 227; modeled: 227 Flooding (coastal and inland): 227 / 227; modeled: 227 Drought: 8 / 227; stub: 219; modeled: 8 Severe weather: 227 / 227; modeled: 227 Extreme heat: 0 / 227; stub: 227 Landslide: 227 / 227; modeled: 227 Sea-level rise: 0 / 227; stub: 193; not applicable: 34 Coastal erosion: 0 / 227; stub: 193; not applicable: 34 Permafrost thaw: 0 / 227; not applicable: 57; stub: 170
Great Plains	68	Wildfire: 68 / 68; modeled: 68 Flooding (coastal and inland): 68 / 68; modeled: 68 Drought: 68 / 68; modeled: 68 Severe weather: 68 / 68; modeled: 68 Extreme heat: 68 / 68; modeled: 68 Landslide: 68 / 68; modeled: 68 Sea-level rise: 0 / 68; not applicable: 68 Coastal erosion: 0 / 68; not applicable: 68 Permafrost thaw: 0 / 68; not applicable: 68
Southwest	65	Wildfire: 65 / 65; modeled: 65 Flooding (coastal and inland): 65 / 65; modeled: 65 Drought: 63 / 65; modeled: 63; placeholder: 2 Severe weather: 65 / 65; modeled: 65 Extreme heat: 65 / 65; modeled: 65 Landslide: 65 / 65; modeled: 65 Sea-level rise: 0 / 65; not applicable: 65 Coastal erosion: 0 / 65; not applicable: 65 Permafrost thaw: 0 / 65; not applicable: 65

Geography	Nations	Supported inputs / denominator; retained status counts
Great Lakes	23	Wildfire: 23 / 23; modeled: 23 Flooding (coastal and inland): 23 / 23; modeled: 23 Drought: 16 / 23; modeled: 16; placeholder: 7 Severe weather: 23 / 23; modeled: 23 Extreme heat: 23 / 23; modeled: 23 Landslide: 23 / 23; modeled: 23 Sea-level rise: 0 / 23; not applicable: 23 Coastal erosion: 0 / 23; not applicable: 23 Permafrost thaw: 0 / 23; not applicable: 23
Southeast	18	Wildfire: 18 / 18; modeled: 18 Flooding (coastal and inland): 18 / 18; modeled: 18 Drought: 18 / 18; modeled: 18 Severe weather: 18 / 18; modeled: 18 Extreme heat: 18 / 18; modeled: 18 Landslide: 18 / 18; modeled: 18 Sea-level rise: 0 / 18; not applicable: 14; stub: 4 Coastal erosion: 0 / 18; not applicable: 14; stub: 4 Permafrost thaw: 0 / 18; not applicable: 18
Northeast	17	Wildfire: 17 / 17; modeled: 17 Flooding (coastal and inland): 17 / 17; modeled: 17 Drought: 14 / 17; modeled: 14; placeholder: 3 Severe weather: 17 / 17; modeled: 17 Extreme heat: 17 / 17; modeled: 17 Landslide: 17 / 17; modeled: 17 Sea-level rise: 0 / 17; not applicable: 12; stub: 5 Coastal erosion: 0 / 17; not applicable: 12; stub: 5 Permafrost thaw: 0 / 17; not applicable: 17
California	105	Wildfire: 105 / 105; modeled: 105 Flooding (coastal and inland): 105 / 105; modeled: 105 Drought: 91 / 105; modeled: 91; placeholder: 14 Severe weather: 105 / 105; modeled: 105 Extreme heat: 105 / 105; modeled: 105 Landslide: 105 / 105; modeled: 105 Sea-level rise: 0 / 105; not applicable: 94; stub: 11 Coastal erosion: 0 / 105; not applicable: 94; stub: 11 Permafrost thaw: 0 / 105; not applicable: 105

Geography	Nations	Supported inputs / denominator; retained status counts
Other / unassigned	0	Wildfire: 0 / 0; Flooding (coastal and inland): 0 / 0; Drought: 0 / 0; Severe weather: 0 / 0; Extreme heat: 0 / 0; Landslide: 0 / 0; Sea-level rise: 0 / 0; Coastal erosion: 0 / 0; Permafrost thaw: 0 / 0;

Sampling, missingness and future support

The accepted 575-Nation rerun comparison records 0 changed Nations, 0 changed numeric fields, 0 added IDs and 0 removed IDs. Calculation revision: 17295c2a15a68828712dc8044aca0572d88d5994; accepted export revision: d324f83f34a854d93cf848a1648189bcceae4018; formula 3.2.0. The accepted result is numerical reproduction, not a new formula or scientific calibration. Handoff receipt SHA-256: 74e200fb7fabaaeebbfb11f3f756ccfbc9f6f4cfa500add29a4841e19e2b382c.

Baseline Monte Carlo uses 10,000 Latin hypercube samples, deterministic Nation-ID seeds and triangular hazard inputs bounded by max(0, 0.7 × score) and min(1, 1.3 × score), with the mode at the score. The p5-p95 band describes sensitivity to these sampling assumptions. Clipping can make the band asymmetric. No cross-hazard correlation model is supplied; production does not vary CEM or IIG. The band is not event probability, climate model spread or complete final-index uncertainty.

Missing-hazard assessment bounds remain separate from Monte Carlo sensitivity. Coverage labels describe active-result coverage. CEM/IIG retain fixed screening assumptions; a threshold-triggered disrupted-node input is not an observed outage or a validated outage forecast.

Future raw numbers can be baseline fallbacks. Only baseline_assessed and forward_supported cells are displayed as supported physical scores in the public temporal data. Current forward support is restricted to 2080 / SSP3-7.0 with at least one disclosed finite evaluated change factor, including 1.0. Other future cells remain unverified or unavailable with reasons and raw values. This does not establish every hazard was projected. Scanner horizons are separate from the Native 20-year climate windows.

Regional risk summaries are descriptive medians, p25-p75, minima and maxima across contributing whole-Nation physical scores. They are not regional probability or sensitivity bands. Do not average ordinal percentile ranks or individual Monte Carlo endpoints, sum normalized scores as losses, or add overlapping ecological cohorts.

Associated whole-Nation baseline risk summaries

These are descriptive physical-score summaries of unique associated whole Nations under the accepted source composition. They do not clip risk to the intersecting land, estimate all risk within an ecoregion, average ordinal percentiles or provide calibrated cross-hazard severity. Baseline drought placeholders remain part of the frozen source composites; hazard-state corrections do not recompute them.

The scanner advocacy taxonomy is separate from the presentation county/state groups. EPA/CEC Level III 2010 includes 96 terrestrial ecoregions and Water (0.0.0); Water is a separate source category. Membership cohorts overlap, so their counts and summary scores must not be added. Empty cohorts retain unavailable summaries. Future support and descriptive summaries are retained in risk.json.

Taxonomy / cohort	Baseline contributors / missing	Physical score median [p25, p75]; min-max
Scanner advocacy: Alaska (alaska)	227 / 0	0.159 [0.098, 0.244]; 0.024-0.442
Scanner advocacy: Pacific Northwest (pacific_northwest)	39 / 0	0.372 [0.324, 0.465]; 0.206-0.625
Scanner advocacy: Southwest (southwest)	170 / 0	0.522 [0.456, 0.571]; 0.300-0.738
Scanner advocacy: Mountain West (mountain_west)	35 / 0	0.450 [0.351, 0.514]; 0.269-0.582
Scanner advocacy: Great Plains & South (great_plains_south)	53 / 0	0.566 [0.477, 0.612]; 0.336-0.666
Scanner advocacy: Southeast (southeast)	14 / 0	0.422 [0.338, 0.556]; 0.287-0.608
Scanner advocacy: Northeast & Midwest (northeast_midwest)	47 / 0	0.365 [0.270, 0.395]; 0.162-0.618
EPA/CEC Level III 2010: Water (0.0.0)	5 / 0	0.231 [0.202, 0.239]; 0.172-0.266
EPA/CEC Level III 2010: Columbia Plateau (10.1.2)	8 / 0	0.570 [0.550, 0.584]; 0.474-0.625
EPA/CEC Level III 2010: Northern Basin and Range (10.1.3)	7 / 0	0.516 [0.437, 0.520]; 0.353-0.549
EPA/CEC Level III 2010: Wyoming Basin (10.1.4)	3 / 0	0.434 [0.393, 0.487]; 0.352-0.540
EPA/CEC Level III 2010: Central Basin and Range (10.1.5)	21 / 0	0.464 [0.397, 0.512]; 0.311-0.590
EPA/CEC Level III 2010: Colorado Plateaus (10.1.6)	5 / 0	0.471 [0.436, 0.481]; 0.325-0.539
EPA/CEC Level III 2010: Arizona/New Mexico Plateau (10.1.7)	23 / 0	0.536 [0.482, 0.567]; 0.349-0.609

Taxonomy / cohort	Baseline contributors / missing	Physical score median [p25, p75]; min-max
EPA/CEC Level III 2010: Snake River Plain (10.1.8)	1 / 0	0.516 [0.516, 0.516]; 0.516-0.516
EPA/CEC Level III 2010: Mojave Basin and Range (10.2.1)	10 / 0	0.501 [0.471, 0.548]; 0.421-0.590
EPA/CEC Level III 2010: Sonoran Desert (10.2.2)	18 / 0	0.546 [0.472, 0.663]; 0.403-0.737
EPA/CEC Level III 2010: Chihuahuan Desert (10.2.4)	2 / 0	0.572 [0.540, 0.605]; 0.507-0.638
EPA/CEC Level III 2010: California Coastal Sage, Chaparral, and Oak Woodlands (11.1.1)	51 / 0	0.543 [0.503, 0.582]; 0.311-0.738
EPA/CEC Level III 2010: Central California Valley (11.1.2)	5 / 0	0.524 [0.510, 0.558]; 0.482-0.571
EPA/CEC Level III 2010: Southern and Baja California Pine-Oak Mountains (11.1.3)	12 / 0	0.553 [0.500, 0.651]; 0.404-0.738
EPA/CEC Level III 2010: Madrean Archipelago (12.1.1)	2 / 0	0.625 [0.597, 0.653]; 0.569-0.681
EPA/CEC Level III 2010: Arizona/New Mexico Mountains (13.1.1)	12 / 0	0.549 [0.494, 0.570]; 0.349-0.600
EPA/CEC Level III 2010: Southern Florida Coastal Plain (15.4.1)	2 / 0	0.593 [0.591, 0.596]; 0.589-0.598
EPA/CEC Level III 2010: Arctic Coastal Plain (2.2.1)	7 / 0	0.058 [0.053, 0.064]; 0.044-0.167
EPA/CEC Level III 2010: Arctic Foothills (2.2.2)	3 / 0	0.098 [0.061, 0.120]; 0.024-0.142
EPA/CEC Level III 2010: Subarctic Coastal Plains (2.2.3)	48 / 0	0.182 [0.141, 0.207]; 0.058-0.393
EPA/CEC Level III 2010: Seward Peninsula (2.2.4)	13 / 0	0.125 [0.086, 0.156]; 0.060-0.206
EPA/CEC Level III 2010: Bristol Bay-Nushagak Lowlands (2.2.5)	21 / 0	0.100 [0.087, 0.161]; 0.049-0.214
EPA/CEC Level III 2010: Aleution Islands (2.2.6)	4 / 0	0.028 [0.028, 0.034]; 0.028-0.051
EPA/CEC Level III 2010: Brooks Range/Richardson Mountains (2.3.1)	2 / 0	0.145 [0.107, 0.183]; 0.070-0.220
EPA/CEC Level III 2010: Interior Forested Lowlands and Uplands (3.1.1)	38 / 0	0.271 [0.165, 0.293]; 0.061-0.312

Taxonomy / cohort	Baseline contributors / missing	Physical score median [p25, p75]; min-max
EPA/CEC Level III 2010: Interior Bottomlands (3.1.2)	28 / 0	0.262 [0.231, 0.278]; 0.141-0.309
EPA/CEC Level III 2010: Yukon Flats (3.1.3)	7 / 0	0.280 [0.246, 0.284]; 0.231-0.302
EPA/CEC Level III 2010: Ogilvie Mountains (3.2.1)	1 / 0	0.297 [0.297, 0.297]; 0.297-0.297
EPA/CEC Level III 2010: Northern Lakes and Forests (5.2.1)	16 / 0	0.255 [0.227, 0.281]; 0.162-0.396
EPA/CEC Level III 2010: Northern Minnesota Wetlands (5.2.2)	1 / 0	0.387 [0.387, 0.387]; 0.387-0.387
EPA/CEC Level III 2010: Northern Appalachian and Atlantic Maritime Highlands (5.3.1)	0 / 0	Unavailable
EPA/CEC Level III 2010: North Central Appalachians (5.3.3)	1 / 0	0.454 [0.454, 0.454]; 0.454-0.454
EPA/CEC Level III 2010: Interior Highlands and Klondike Plateau (6.1.1)	5 / 0	0.298 [0.297, 0.298]; 0.289-0.299
EPA/CEC Level III 2010: Alaska Range (6.1.2)	9 / 0	0.251 [0.213, 0.306]; 0.058-0.344
EPA/CEC Level III 2010: Copper Plateau (6.1.3)	7 / 0	0.277 [0.244, 0.280]; 0.198-0.284
EPA/CEC Level III 2010: Yukon-Stikine Highlands/Boreal Mountains and Plateaus (6.1.6)	1 / 0	0.070 [0.070, 0.070]; 0.070-0.070
EPA/CEC Level III 2010: Middle Rockies (6.2.10)	6 / 0	0.456 [0.438, 0.491]; 0.352-0.540
EPA/CEC Level III 2010: Klamath Mountains (6.2.11)	11 / 0	0.535 [0.501, 0.553]; 0.454-0.604
EPA/CEC Level III 2010: Sierra Nevada (6.2.12)	11 / 0	0.520 [0.477, 0.593]; 0.379-0.693
EPA/CEC Level III 2010: Wasatch and Uinta Mountains (6.2.13)	2 / 0	0.458 [0.391, 0.524]; 0.325-0.590
EPA/CEC Level III 2010: Southern Rockies (6.2.14)	10 / 0	0.544 [0.489, 0.569]; 0.467-0.609
EPA/CEC Level III 2010: Columbia Mountains/Northern Rockies (6.2.3)	7 / 0	0.533 [0.488, 0.566]; 0.350-0.603
EPA/CEC Level III 2010: Canadian Rockies (6.2.4)	3 / 0	0.501 [0.497, 0.508]; 0.493-0.514

Taxonomy / cohort	Baseline contributors / missing	Physical score median [p25, p75]; min-max
EPA/CEC Level III 2010: North Cascades (6.2.5)	3 / 0	0.408 [0.377, 0.432]; 0.346-0.455
EPA/CEC Level III 2010: Cascades (6.2.7)	3 / 0	0.569 [0.566, 0.573]; 0.563-0.578
EPA/CEC Level III 2010: Eastern Cascades Slopes and Foothills (6.2.8)	5 / 0	0.552 [0.511, 0.563]; 0.443-0.578
EPA/CEC Level III 2010: Blue Mountains (6.2.9)	3 / 0	0.563 [0.559, 0.594]; 0.556-0.625
EPA/CEC Level III 2010: Ahklun and Kilbuck Mountains (7.1.1)	10 / 0	0.113 [0.098, 0.178]; 0.028-0.228
EPA/CEC Level III 2010: Alaska Peninsula Mountains (7.1.2)	22 / 0	0.118 [0.075, 0.134]; 0.045-0.235
EPA/CEC Level III 2010: Cook Inlet (7.1.3)	7 / 0	0.340 [0.303, 0.342]; 0.213-0.366
EPA/CEC Level III 2010: Pacific Coastal Mountains (7.1.4)	9 / 0	0.213 [0.088, 0.340]; 0.054-0.366
EPA/CEC Level III 2010: Coastal Western Hemlock-Sitka Spruce Forests (7.1.5)	21 / 0	0.117 [0.064, 0.194]; 0.039-0.442
EPA/CEC Level III 2010: Strait of Georgia/Puget Lowland (7.1.7)	17 / 0	0.333 [0.292, 0.372]; 0.207-0.434
EPA/CEC Level III 2010: Coast Range (7.1.8)	22 / 0	0.378 [0.343, 0.418]; 0.206-0.540
EPA/CEC Level III 2010: Willamette Valley (7.1.9)	2 / 0	0.422 [0.392, 0.453]; 0.361-0.484
EPA/CEC Level III 2010: Eastern Great Lakes Lowlands (8.1.1)	4 / 0	0.380 [0.343, 0.413]; 0.277-0.466
EPA/CEC Level III 2010: Erie Drift Plain (8.1.10)	0 / 0	Unavailable
EPA/CEC Level III 2010: Northern Allegheny Plateau (8.1.3)	3 / 0	0.454 [0.410, 0.460]; 0.365-0.466
EPA/CEC Level III 2010: North Central Hardwood Forests (8.1.4)	10 / 0	0.380 [0.275, 0.394]; 0.239-0.493
EPA/CEC Level III 2010: Driftless Area (8.1.5)	2 / 0	0.465 [0.452, 0.479]; 0.438-0.493
EPA/CEC Level III 2010: Southern Michigan/Northern Indiana Drift Plains (8.1.6)	4 / 0	0.373 [0.343, 0.379]; 0.273-0.381

Taxonomy / cohort	Baseline contributors / missing	Physical score median [p25, p75]; min-max
EPA/CEC Level III 2010: Northeastern Coastal Zone (8.1.7)	3 / 0	0.449 [0.412, 0.453]; 0.375-0.457
EPA/CEC Level III 2010: Acadian Plains and Hills (8.1.8)	3 / 0	0.308 [0.302, 0.332]; 0.297-0.356
EPA/CEC Level III 2010: Southeastern Wisconsin Till Plains (8.2.1)	2 / 0	0.440 [0.413, 0.466]; 0.386-0.493
EPA/CEC Level III 2010: Huron/Erie Lake Plains (8.2.2)	1 / 0	0.273 [0.273, 0.273]; 0.273-0.273
EPA/CEC Level III 2010: Central Corn Belt Plains (8.2.3)	0 / 0	Unavailable
EPA/CEC Level III 2010: Northern Piedmont (8.3.1)	0 / 0	Unavailable
EPA/CEC Level III 2010: Interior Plateau (8.3.3)	0 / 0	Unavailable
EPA/CEC Level III 2010: Piedmont (8.3.4)	1 / 0	0.556 [0.556, 0.556]; 0.556-0.556
EPA/CEC Level III 2010: Southeastern Plains (8.3.5)	8 / 0	0.396 [0.341, 0.545]; 0.335-0.608
EPA/CEC Level III 2010: Mississippi Valley Loess Plains (8.3.6)	0 / 0	Unavailable
EPA/CEC Level III 2010: South Central Plains (8.3.7)	5 / 0	0.506 [0.483, 0.553]; 0.358-0.554
EPA/CEC Level III 2010: East Central Texas Plains (8.3.8)	2 / 0	0.554 [0.554, 0.554]; 0.553-0.554
EPA/CEC Level III 2010: Blue Ridge (8.4.4)	1 / 0	0.412 [0.412, 0.412]; 0.412-0.412
EPA/CEC Level III 2010: Ozark Highlands (8.4.5)	9 / 0	0.611 [0.606, 0.618]; 0.597-0.646
EPA/CEC Level III 2010: Boston Mountains (8.4.6)	4 / 0	0.602 [0.587, 0.616]; 0.554-0.646
EPA/CEC Level III 2010: Arkansas Valley (8.4.7)	9 / 0	0.612 [0.598, 0.612]; 0.553-0.646
EPA/CEC Level III 2010: Ouachita Mountains (8.4.8)	1 / 0	0.554 [0.554, 0.554]; 0.554-0.554
EPA/CEC Level III 2010: Southwestern Appalachians (8.4.9)	0 / 0	Unavailable
EPA/CEC Level III 2010: Middle Atlantic Coastal Plain (8.5.1)	1 / 0	0.608 [0.608, 0.608]; 0.608-0.608

Taxonomy / cohort	Baseline contributors / missing	Physical score median [p25, p75]; min-max
EPA/CEC Level III 2010: Mississippi Alluvial Plain (8.5.2)	2 / 0	0.478 [0.475, 0.480]; 0.473-0.483
EPA/CEC Level III 2010: Southern Coastal Plain (8.5.3)	2 / 0	0.510 [0.471, 0.550]; 0.432-0.589
EPA/CEC Level III 2010: Atlantic Coastal Pine Barrens (8.5.4)	0 / 0	Unavailable
EPA/CEC Level III 2010: Aspen Parkland/Northern Glaciated Plains (9.2.1)	4 / 0	0.366 [0.288, 0.457]; 0.269-0.514
EPA/CEC Level III 2010: Lake Manitoba and Lake Agassiz Plain (9.2.2)	2 / 0	0.341 [0.318, 0.364]; 0.294-0.387
EPA/CEC Level III 2010: Western Corn Belt Plains (9.2.3)	9 / 0	0.438 [0.399, 0.464]; 0.386-0.503
EPA/CEC Level III 2010: Central Irregular Plains (9.2.4)	14 / 0	0.611 [0.600, 0.612]; 0.488-0.646
EPA/CEC Level III 2010: Northwestern Glaciated Plains (9.3.1)	10 / 0	0.444 [0.349, 0.485]; 0.288-0.525
EPA/CEC Level III 2010: Northwestern Great Plains (9.3.3)	11 / 0	0.344 [0.311, 0.488]; 0.288-0.582
EPA/CEC Level III 2010: Nebraska Sand Hills (9.3.4)	2 / 0	0.346 [0.343, 0.349]; 0.340-0.352
EPA/CEC Level III 2010: High Plains (9.4.1)	1 / 0	0.352 [0.352, 0.352]; 0.352-0.352
EPA/CEC Level III 2010: Central Great Plains (9.4.2)	22 / 0	0.580 [0.505, 0.612]; 0.336-0.666
EPA/CEC Level III 2010: Southwestern Tablelands (9.4.3)	4 / 0	0.470 [0.470, 0.476]; 0.470-0.492
EPA/CEC Level III 2010: Flint Hills (9.4.4)	3 / 0	0.611 [0.549, 0.617]; 0.488-0.623
EPA/CEC Level III 2010: Cross Timbers (9.4.5)	23 / 0	0.598 [0.567, 0.612]; 0.336-0.666
EPA/CEC Level III 2010: Western Gulf Coastal Plain (9.5.1)	1 / 0	0.477 [0.477, 0.477]; 0.477-0.477
EPA/CEC Level III 2010: Southern Texas Plains/Interior Plains and Hills with Xerophytic Shrub and Oak Forest (9.6.1)	1 / 0	0.510 [0.510, 0.510]; 0.510-0.510

National and regional county cost context

These dollar figures cover all residents, buildings and agriculture in included counties. **They are not Tribal losses.** Expected Annual Loss is an annualized model expectation, not next-year loss, historical damage, projected cost or a funding request.

The 15 climate-sensitive hazard subtotal excludes earthquake, tsunami and volcano. Avalanche and landslide have multiple causes. Summing available hazard cells does not attribute all loss to climate change. Each county is counted once; missing source fields are not zero. Partial coverage is a subtotal of available cells; an empty or all-missing subtotal is unavailable.

Flooding screening combines coastal and inland inputs; the independently retained county IFLD dollar measure is inland flood only. Hazard consequence scopes differ, including agriculture-only drought EAL. Sparse monetized assets do not establish low community, subsistence or essential-service consequences.

Source: FEMA NRI December 2025 v1.20. Cached input does not retain a common price year; observation periods vary by hazard. All-hazard totals and climate-sensitive subtotals use different scopes.

Geography	Source counties	Climate-sensitive EAL / year; hazard-cell coverage	All-hazard EAL / year; county coverage
National baseline	3232	$126,108,826,980.59; 42142 / 48480 hazard cells (partial)	$153,754,543,988.95; 3232 / 3232
Pacific Northwest	175	$4,551,801,482.57; 2289 / 2625 hazard cells (partial)	$8,810,293,761.00; 175 / 175
Alaska	30	$222,874,730.81; 385 / 450 hazard cells (partial)	$941,279,954.66; 30 / 30
Great Plains	972	$27,021,495,808.18; 12337 / 14580 hazard cells (partial)	$27,618,166,263.78; 972 / 972
Southwest	158	$8,244,481,940.43; 2038 / 2370 hazard cells (partial)	$9,688,509,434.90; 158 / 158
Great Lakes	437	$16,522,750,877.32; 5746 / 6555 hazard cells (partial)	$17,282,163,519.68; 437 / 437
Southeast	888	$31,690,738,155.63; 11744 / 13320 hazard cells (partial)	$33,791,132,581.11; 888 / 888
Northeast	301	$17,447,521,196.55; 4222 / 4515 hazard cells (partial)	$18,296,477,408.94; 301 / 301
California	58	$15,163,242,007.38; 719 / 870 hazard cells (partial)	$30,211,220,241.19; 58 / 58
Other / unassigned	213	$5,243,920,781.71; 2662 / 3195 hazard cells (partial)	$7,115,300,823.69; 213 / 213

Existing scanner place-context aggregate

Existing scanner sum of NRI composite EAL, one representative per boundary GEOID, proxy last. County/tract source contexts can overlap: this is an index-like sum of place contexts, not aggregate Tribal loss, and regional sums must not be added.

Non-additive context only. Shared county/tract inputs can overlap across places. Do not sum the regions or interpret these figures as aggregate Tribal damage. The county totals above supply a non-overlapping all-geography comparison.

Geography	Representative places	Overlapping context indicator (USD)
National baseline	565	$26,702,974,359.43
Pacific Northwest	52	$209,580,952.77
Alaska	226	$3,440,027,824.18
Great Plains	59	$1,892,776,079.34
Southwest	65	$9,239,778,553.69
Great Lakes	23	$508,663,354.70
Southeast	18	$1,039,522,196.23
Northeast	17	$1,172,913,815.62
California	105	$9,199,711,582.90
Other / unassigned	0	Unavailable

Selected funding and technical-assistance leads

Checked 2026-10-21. Selected national leads; not an exhaustive funding inventory. Regional award charts do not determine eligibility for these programs.

Status is frozen on the check date. Follow the current official notice for amendments, eligibility, cost share and application instructions. Program envelopes are not funds held by Tribes and are not added to historical obligations.

Program / source	Status / deadline	Funding / eligibility
EPA Tribal nonpoint-source management competition Amendment 2, 7 October 2026; sections 1 and 2	Open on check date 9 November 2026, 11:59 p.m. Eastern	Approximately $3.5 million program envelope; up to $175,000 per award. Neither is a recorded Tribal obligation. Federally recognized Tribes or qualifying intertribal consortia; required EPA-approved nonpoint-source assessment, management program and TAS status must have been met by 10 October 2025. Confirm the official eligible list and all notice conditions. National competition. Separate base-grant work-plan deadlines vary by EPA Region.
DOE technical assistance for Tribal energy projects Official program and current-opportunity pages accessed 21 October 2026	Ongoing requests listed Ongoing; scope and available budget determine acceptance	No-cost technical assistance; no cash envelope asserted. Federally recognized Tribes, Alaska Native regional/village corporations and specified Tribal entities. The requester needs authority to act for the entity; consult the source for lane-specific conditions. National program; assistance is scoped to the requesting entity and project.
BIA Tribal Community Resilience annual awards Official program page accessed 21 October 2026	Current open round unverified No current deadline established by the inspected page	Current funding envelope unavailable. Program page describes federally recognized Tribes and Tribal organizations; a current solicitation is needed for exact conditions. National program context; no regional allocation asserted.

Historical U.S. disaster costs

The cached NCEI archive ends in 2024: 403 unique billion-dollar weather/climate disaster events total $2,917,606,500,000.00. These are all-U.S. losses, not Tribal estimates. Costs remain CPI-adjusted as stored; the cache omitted its inflation base-year label.

The presentation separately cites NOAA's January 2025 national assessment, which reports $182.7 billion for 27 events in 2024, in 2024 dollars. Source revisions may differ. Neither series isolates climate-change causation. Regional historical-cost allocation is unsupported.

Recorded funding

1,851 unique exact-name/alias matched awards for 269 Nations total **$2,854,298,374.53**. Five negative adjustments remain in the sum.

Historical award-level obligations are not available balances, annual spending, climate-only funding, or future awards.

The cache query covers FY 2022–2026, but amounts are award-level totals and performance dates can lie outside that range.

The cache does not preserve retrieval timestamps or transaction histories; no fiscal-year spending totals are reported.

Only exact normalized formal-name or historical-alias matches are published. Housing authorities and other ambiguous relationships remain excluded pending review.

Negative amounts are retained. Identical award IDs count once; conflicting IDs are excluded rather than chosen arbitrarily.

Unmatched and consortium awards were excluded upstream; their totals are unavailable, not zero.

Archived program entries are leads for current notice review. Budget, open status and eligibility remain unverified.

Source: USAspending public award records. Archived leads are in funding.json; the separately checked funding leads below do not alter these historical obligations.

Region	Awards	Recipient Nations	Award-level obligations
Alaska	1057	158	$673,949,039.22
California	129	23	$117,601,737.98
Great Lakes	22	5	$78,264,121.92
Northeast	92	10	$122,175,015.79
Other / unassigned	0	0	$0.00
Great Plains	203	27	$1,177,127,562.13
Pacific Northwest	160	28	$388,366,320.59
Southeast	141	12	$247,701,950.11
Southwest	47	6	$49,112,626.79

Per-Nation complete hazard-status table

Every hazard module retains its source status. Parenthesized values are supported hazard-specific screening indexes; an explicitly excluded raw placeholder is shown as such. Compare a hazard only within a consistent method, channel, period, pathway and supported population. Coastal erosion, sea-level rise and permafrost remain unavailable in this screening snapshot.

Physical percentiles are ordinal screening positions in the frozen comparison group, not probabilities or ratio-scale measurements. The existing follow-up threshold at or above 80 and planning queue are preserved. Frozen composites still include source drought placeholders; this local presentation correction does not recalibrate them. Full reasons, provenance, uncertainty and raw values remain in nation-hazards.csv and risk.json.

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Absentee-Shawnee Tribe of Indians of Oklahoma	plains	Wildfire: modeled (0.896) Flooding (coastal and inland): modeled (0.775) Drought: modeled (0.630) Severe weather: modeled (0.899) Extreme heat: modeled (0.755) Landslide: modeled (0.040) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	97.7
Agua Caliente Band of Cahuilla Indians of the Agua Caliente Indian Reservation, California	california	Wildfire: modeled (0.907) Flooding (coastal and inland): modeled (0.933) Drought: modeled (0.416) Severe weather: modeled (0.207) Extreme heat: modeled (0.422) Landslide: modeled (0.066) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	70.4
Ak-Chin Indian Community	southwest	Wildfire: modeled (0.428) Flooding (coastal and inland): modeled (0.964) Drought: modeled (0.734) Severe weather: modeled (0.729) Extreme heat: modeled (0.782) Landslide: modeled (0.031) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	94.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Alabama-Coushatta Tribe of Texas	plains	Wildfire: modeled (0.639) Flooding (coastal and inland): modeled (0.653) Drought: modeled (0.399) Severe weather: modeled (0.716) Extreme heat: modeled (0.604) Landslide: modeled (0.027) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	72.8
Alabama-Quassarte Tribal Town	plains	Wildfire: modeled (0.899) Flooding (coastal and inland): modeled (0.610) Drought: modeled (0.648) Severe weather: modeled (0.782) Extreme heat: modeled (0.705) Landslide: modeled (0.045) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	95.1
Alturas Indian Rancheria, California	california	Wildfire: modeled (0.968) Flooding (coastal and inland): modeled (0.943) Drought: modeled (0.717) Severe weather: modeled (0.238) Extreme heat: modeled (0.399) Landslide: modeled (0.045) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	82.2
Apache Tribe of Oklahoma	plains	Wildfire: modeled (0.718) Flooding (coastal and inland): modeled (0.295) Drought: modeled (0.666) Severe weather: modeled (0.601) Extreme heat: modeled (0.504) Landslide: modeled (0.035) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	66.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Northern Arapaho Tribe of the Wind River Reservation, Wyoming	plains	Wildfire: modeled (0.679) Flooding (coastal and inland): modeled (0.529) Drought: modeled (0.316) Severe weather: modeled (0.258) Extreme heat: modeled (0.162) Landslide: modeled (0.167) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	49.3
Mi'kmaq Nation	northeast	Wildfire: modeled (0.066) Flooding (coastal and inland): modeled (0.761) Drought: modeled (0.415) Severe weather: modeled (0.436) Extreme heat: modeled (0.193) Landslide: modeled (0.064) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	45.3
Assiniboine and Sioux Tribes of the Fort Peck Indian Reservation, Montana	pnw	Wildfire: modeled (0.668) Flooding (coastal and inland): modeled (0.605) Drought: modeled (0.697) Severe weather: modeled (0.704) Extreme heat: modeled (0.463) Landslide: modeled (0.013) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	76.8
Augustine Band of Cahuilla Indians, California	california	Wildfire: modeled (0.951) Flooding (coastal and inland): modeled (0.983) Drought: modeled (0.673) Severe weather: modeled (0.149) Extreme heat: modeled (0.492) Landslide: modeled (0.000) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	80.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Bad River Band of the Lake Superior Tribe of Chippewa Indians of the Bad River Reservation, Wisconsin	greatlakes	Wildfire: modeled (0.097) Flooding (coastal and inland): modeled (0.233) Drought: modeled (0.259) Severe weather: modeled (0.224) Extreme heat: modeled (0.211) Landslide: modeled (0.008) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	20.6
Bay Mills Indian Community, Michigan	greatlakes	Wildfire: modeled (0.573) Flooding (coastal and inland): modeled (0.435) Drought: modeled (0.196) Severe weather: modeled (0.210) Extreme heat: modeled (0.148) Landslide: modeled (0.032) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	34.7
Bear River Band of the Rohnerville Rancheria, California	california	Wildfire: modeled (0.408) Flooding (coastal and inland): modeled (0.987) Drought: modeled (0.726) Severe weather: modeled (0.179) Extreme heat: modeled (0.136) Landslide: modeled (0.053) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	58.0
Berry Creek Rancheria of Maidu Indians of California	california	Wildfire: modeled (0.721) Flooding (coastal and inland): modeled (0.830) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.269) Extreme heat: modeled (0.397) Landslide: modeled (0.135) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	58.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Big Lagoon Rancheria, California	california	Wildfire: modeled (0.313) Flooding (coastal and inland): modeled (0.875) Drought: modeled (0.725) Severe weather: modeled (0.172) Extreme heat: modeled (0.157) Landslide: modeled (0.214) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	57.5
Big Pine Paiute Tribe of the Owens Valley	california	Wildfire: modeled (0.587) Flooding (coastal and inland): modeled (0.802) Drought: modeled (0.682) Severe weather: modeled (0.186) Extreme heat: modeled (0.789) Landslide: modeled (0.028) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	74.2
Big Sandy Rancheria of Western Mono Indians of California	california	Wildfire: modeled (0.984) Flooding (coastal and inland): modeled (0.929) Drought: modeled (0.430) Severe weather: modeled (0.281) Extreme heat: modeled (0.283) Landslide: modeled (0.092) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	71.8
Big Valley Band of Pomo Indians of the Big Valley Rancheria, California	california	Wildfire: modeled (0.870) Flooding (coastal and inland): modeled (1.000) Drought: modeled (0.757) Severe weather: modeled (0.201) Extreme heat: modeled (0.466) Landslide: modeled (0.062) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	84.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Blackfeet Tribe of the Blackfeet Indian Reservation of Montana	pnw	Wildfire: modeled (0.745) Flooding (coastal and inland): modeled (0.901) Drought: modeled (0.709) Severe weather: modeled (0.490) Extreme heat: modeled (0.211) Landslide: modeled (0.028) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	74.7
Blue Lake Rancheria, California	california	Wildfire: modeled (0.336) Flooding (coastal and inland): modeled (0.895) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.133) Extreme heat: modeled (0.161) Landslide: modeled (0.114) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	41.7
Bridgeport Indian Colony	california	Wildfire: modeled (0.943) Flooding (coastal and inland): modeled (0.960) Drought: modeled (0.723) Severe weather: modeled (0.441) Extreme heat: modeled (0.292) Landslide: modeled (0.045) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	86.0
Buena Vista Rancheria of Me-Wuk Indians of California	california	Wildfire: modeled (0.981) Flooding (coastal and inland): modeled (0.700) Drought: modeled (0.754) Severe weather: modeled (0.179) Extreme heat: modeled (0.631) Landslide: modeled (0.144) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	85.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Burns Paiute Tribe	pnw	Wildfire: modeled (0.955) Flooding (coastal and inland): modeled (0.873) Drought: modeled (0.639) Severe weather: modeled (0.341) Extreme heat: modeled (0.440) Landslide: modeled (0.047) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	81.7
Cabazon Band of Cahuilla Indians	california	Wildfire: modeled (0.415) Flooding (coastal and inland): modeled (0.906) Drought: modeled (0.645) Severe weather: modeled (0.155) Extreme heat: modeled (0.505) Landslide: modeled (0.000) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	61.8
Cachil DeHe Band of Wintun Indians of the Colusa Indian Community of the Colusa Rancheria, California	california	Wildfire: modeled (0.590) Flooding (coastal and inland): modeled (0.503) Drought: modeled (0.759) Severe weather: modeled (0.327) Extreme heat: modeled (0.708) Landslide: modeled (0.003) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	68.6
Caddo Nation of Oklahoma	plains	Wildfire: modeled (0.848) Flooding (coastal and inland): modeled (0.550) Drought: modeled (0.675) Severe weather: modeled (0.744) Extreme heat: modeled (0.612) Landslide: modeled (0.048) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	88.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Cahuilla Band of Indians	california	Wildfire: modeled (0.998) Flooding (coastal and inland): modeled (0.999) Drought: modeled (0.494) Severe weather: modeled (0.755) Extreme heat: modeled (0.779) Landslide: modeled (0.315) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	99.4
Cahto Tribe of the Laytonville Rancheria	california	Wildfire: modeled (0.771) Flooding (coastal and inland): modeled (0.996) Drought: modeled (0.653) Severe weather: modeled (0.147) Extreme heat: modeled (0.359) Landslide: modeled (0.282) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	78.4
California Valley Miwok Tribe, California	california	Wildfire: modeled (0.997) Flooding (coastal and inland): modeled (0.761) Drought: modeled (0.302) Severe weather: modeled (0.316) Extreme heat: modeled (0.660) Landslide: modeled (0.085) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	75.8
Campo Band of Diegueno Mission Indians of the Campo Indian Reservation, California	california	Wildfire: modeled (0.997) Flooding (coastal and inland): modeled (0.968) Drought: modeled (0.659) Severe weather: modeled (0.248) Extreme heat: modeled (0.562) Landslide: modeled (0.172) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	91.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Capitan Grande Band of Diegueno Mission Indians of California (Barona Group of Capitan Grande Band of Mission Indians of the Barona Reservation, California; Viejas (Baron Long) Group of Capitan Grande Band of Mission Indians of the Viejas Reservation, California)	california	Wildfire: modeled (0.996) Flooding (coastal and inland): modeled (0.818) Drought: modeled (0.233) Severe weather: modeled (0.103) Extreme heat: modeled (0.384) Landslide: modeled (0.106) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	62.4
Catawba Indian Nation	southeast	Wildfire: modeled (0.311) Flooding (coastal and inland): modeled (0.902) Drought: modeled (0.567) Severe weather: modeled (0.887) Extreme heat: modeled (0.618) Landslide: modeled (0.053) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	83.6
Cayuga Nation	northeast	Wildfire: modeled (0.043) Flooding (coastal and inland): modeled (0.709) Drought: modeled (0.549) Severe weather: modeled (0.511) Extreme heat: modeled (0.356) Landslide: modeled (0.023) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	51.2
Cedarville Rancheria, California	california	Wildfire: modeled (0.852) Flooding (coastal and inland): modeled (0.618) Drought: modeled (0.754) Severe weather: modeled (0.119) Extreme heat: modeled (0.229) Landslide: modeled (0.009) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	60.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Chemehuevi Indian Tribe of the Chemehuevi Reservation, California	california	Wildfire: modeled (0.282) Flooding (coastal and inland): modeled (0.999) Drought: modeled (0.707) Severe weather: modeled (0.350) Extreme heat: modeled (0.417) Landslide: modeled (0.195) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	70.2
Cher-Ae Heights Indian Community of the Trinidad Rancheria, California	california	Wildfire: modeled (0.334) Flooding (coastal and inland): modeled (0.762) Drought: modeled (0.515) Severe weather: modeled (0.136) Extreme heat: modeled (0.117) Landslide: modeled (0.106) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	45.7
Cherokee Nation	plains	Wildfire: modeled (0.827) Flooding (coastal and inland): modeled (0.689) Drought: modeled (0.624) Severe weather: modeled (0.748) Extreme heat: modeled (0.703) Landslide: modeled (0.042) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	92.5
Cheyenne and Arapaho Tribes, Oklahoma	plains	Wildfire: modeled (0.885) Flooding (coastal and inland): modeled (0.284) Drought: modeled (0.679) Severe weather: modeled (0.611) Extreme heat: modeled (0.458) Landslide: modeled (0.036) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	70.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Cheyenne River Sioux Tribe of the Cheyenne River Reservation, South Dakota	plains	Wildfire: modeled (0.677) Flooding (coastal and inland): modeled (0.241) Drought: modeled (0.333) Severe weather: modeled (0.296) Extreme heat: modeled (0.212) Landslide: modeled (0.029) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	41.1
The Chickasaw Nation	plains	Wildfire: modeled (0.848) Flooding (coastal and inland): modeled (0.447) Drought: modeled (0.629) Severe weather: modeled (0.709) Extreme heat: modeled (0.629) Landslide: modeled (0.058) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	82.7
Chicken Ranch Rancheria of Me-Wuk Indians of California	california	Wildfire: modeled (0.994) Flooding (coastal and inland): modeled (0.860) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.360) Extreme heat: modeled (0.720) Landslide: modeled (0.025) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	75.6
Chippewa Cree Indians of the Rocky Boy's Reservation, Montana	pnw	Wildfire: modeled (0.736) Flooding (coastal and inland): modeled (0.525) Drought: modeled (0.673) Severe weather: modeled (0.522) Extreme heat: modeled (0.296) Landslide: modeled (0.021) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	65.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Chitimacha Tribe of Louisiana	southeast	Wildfire: modeled (0.024) Flooding (coastal and inland): modeled (0.930) Drought: modeled (0.707) Severe weather: modeled (0.550) Extreme heat: modeled (0.614) Landslide: modeled (0.010) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	67.4
The Choctaw Nation of Oklahoma	plains	Wildfire: modeled (0.875) Flooding (coastal and inland): modeled (0.459) Drought: modeled (0.640) Severe weather: modeled (0.681) Extreme heat: modeled (0.636) Landslide: modeled (0.034) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	82.9
Citizen Potawatomi Nation, Oklahoma	plains	Wildfire: modeled (0.836) Flooding (coastal and inland): modeled (0.630) Drought: modeled (0.620) Severe weather: modeled (0.808) Extreme heat: modeled (0.714) Landslide: modeled (0.041) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	93.5
Cloverdale Rancheria of Pomo Indians of California	california	Wildfire: modeled (0.982) Flooding (coastal and inland): modeled (0.992) Drought: modeled (0.756) Severe weather: modeled (0.259) Extreme heat: modeled (0.712) Landslide: modeled (0.527) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	99.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Cocopah Tribe of Arizona	southwest	Wildfire: modeled (0.332) Flooding (coastal and inland): modeled (0.910) Drought: modeled (0.609) Severe weather: modeled (0.339) Extreme heat: modeled (0.767) Landslide: modeled (0.026) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	71.4
Coeur D'Alene Tribe	pnw	Wildfire: modeled (0.698) Flooding (coastal and inland): modeled (0.973) Drought: modeled (0.616) Severe weather: modeled (0.529) Extreme heat: modeled (0.553) Landslide: modeled (0.090) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	87.4
Cold Springs Rancheria of Mono Indians of California	california	Wildfire: modeled (0.987) Flooding (coastal and inland): modeled (0.308) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.119) Extreme heat: modeled (0.143) Landslide: modeled (0.149) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	44.1
Colorado River Indian Tribes of the Colorado River Indian Reservation, Arizona and California	southwest	Wildfire: modeled (0.435) Flooding (coastal and inland): modeled (0.994) Drought: modeled (0.628) Severe weather: modeled (0.133) Extreme heat: modeled (0.207) Landslide: modeled (0.023) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	56.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Comanche Nation, Oklahoma	plains	Wildfire: modeled (0.718) Flooding (coastal and inland): modeled (0.295) Drought: modeled (0.666) Severe weather: modeled (0.601) Extreme heat: modeled (0.504) Landslide: modeled (0.035) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	66.7
Confederated Salish and Kootenai Tribes of the Flathead Reservation	pnw	Wildfire: modeled (0.592) Flooding (coastal and inland): modeled (0.806) Drought: modeled (0.630) Severe weather: modeled (0.409) Extreme heat: modeled (0.454) Landslide: modeled (0.117) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	72.1
Confederated Tribes of the Chehalis Reservation	pnw	Wildfire: modeled (0.177) Flooding (coastal and inland): modeled (0.947) Drought: modeled (0.568) Severe weather: modeled (0.301) Extreme heat: modeled (0.529) Landslide: modeled (0.082) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	61.3
Confederated Tribes of the Colville Reservation	pnw	Wildfire: modeled (0.959) Flooding (coastal and inland): modeled (0.934) Drought: modeled (0.610) Severe weather: modeled (0.456) Extreme heat: modeled (0.583) Landslide: modeled (0.074) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	91.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Confederated Tribes of the Coos, Lower Umpqua and Siuslaw Indians	pnw	Wildfire: modeled (0.417) Flooding (coastal and inland): modeled (0.911) Drought: modeled (0.438) Severe weather: modeled (0.168) Extreme heat: modeled (0.263) Landslide: modeled (0.040) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	52.1
Confederated Tribes of the Goshute Reservation, Nevada and Utah	southwest	Wildfire: modeled (0.943) Flooding (coastal and inland): modeled (0.713) Drought: modeled (0.732) Severe weather: modeled (0.239) Extreme heat: modeled (0.211) Landslide: modeled (0.027) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	68.3
Confederated Tribes of the Grand Ronde Community of Oregon	pnw	Wildfire: modeled (0.267) Flooding (coastal and inland): modeled (0.939) Drought: modeled (0.575) Severe weather: modeled (0.416) Extreme heat: modeled (0.642) Landslide: modeled (0.064) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	69.3
Confederated Tribes of Siletz Indians of Oregon	pnw	Wildfire: modeled (0.327) Flooding (coastal and inland): modeled (0.876) Drought: modeled (0.540) Severe weather: modeled (0.319) Extreme heat: modeled (0.313) Landslide: modeled (0.115) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	58.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Confederated Tribes of the Umatilla Indian Reservation	pnw	Wildfire: modeled (0.857) Flooding (coastal and inland): modeled (0.882) Drought: modeled (0.690) Severe weather: modeled (0.623) Extreme heat: modeled (0.649) Landslide: modeled (0.047) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	96.1
Confederated Tribes of the Warm Springs Reservation of Oregon	pnw	Wildfire: modeled (0.969) Flooding (coastal and inland): modeled (0.775) Drought: modeled (0.623) Severe weather: modeled (0.603) Extreme heat: modeled (0.371) Landslide: modeled (0.036) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	85.0
Confederated Tribes and Bands of the Yakama Nation	pnw	Wildfire: modeled (0.980) Flooding (coastal and inland): modeled (0.765) Drought: modeled (0.646) Severe weather: modeled (0.467) Extreme heat: modeled (0.502) Landslide: modeled (0.105) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	87.8
Coquille Indian Tribe	pnw	Wildfire: modeled (0.576) Flooding (coastal and inland): modeled (0.709) Drought: modeled (0.341) Severe weather: modeled (0.113) Extreme heat: modeled (0.263) Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	48.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Kletsel Dehe Wintun Nation of the Cortina Rancheria	california	Wildfire: modeled (0.996) Flooding (coastal and inland): modeled (0.622) Drought: modeled (0.760) Severe weather: modeled (0.270) Extreme heat: modeled (0.626) Landslide: modeled (0.031) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	81.8
Coushatta Tribe of Louisiana	southeast	Wildfire: modeled (0.767) Flooding (coastal and inland): modeled (0.451) Drought: modeled (0.636) Severe weather: modeled (0.551) Extreme heat: modeled (0.453) Landslide: modeled (0.007) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	68.1
Cow Creek Band of Umpqua Tribe of Indians	pnw	Wildfire: modeled (0.965) Flooding (coastal and inland): modeled (0.987) Drought: modeled (0.433) Severe weather: modeled (0.309) Extreme heat: modeled (0.647) Landslide: modeled (0.074) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	86.2
Cowlitz Indian Tribe	pnw	Wildfire: modeled (0.689) Flooding (coastal and inland): modeled (0.693) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.230) Extreme heat: modeled (0.383) Landslide: modeled (0.010) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	50.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Coyote Valley Band of Pomo Indians of California	california	Wildfire: modeled (0.786) Flooding (coastal and inland): modeled (0.997) Drought: modeled (0.751) Severe weather: modeled (0.201) Extreme heat: modeled (0.427) Landslide: modeled (0.096) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	80.8
Crow Tribe of Montana	pnw	Wildfire: modeled (0.895) Flooding (coastal and inland): modeled (0.746) Drought: modeled (0.696) Severe weather: modeled (0.563) Extreme heat: modeled (0.308) Landslide: modeled (0.030) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	79.6
Crow Creek Sioux Tribe of the Crow Creek Reservation, South Dakota	plains	Wildfire: modeled (0.782) Flooding (coastal and inland): modeled (0.210) Drought: modeled (0.429) Severe weather: modeled (0.257) Extreme heat: modeled (0.229) Landslide: modeled (0.012) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	45.0
Timbisha Shoshone Tribe	california	Wildfire: modeled (0.148) Flooding (coastal and inland): modeled (0.881) Drought: modeled (0.656) Severe weather: modeled (0.268) Extreme heat: modeled (0.773) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	65.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Delaware Nation, Oklahoma	plains	Wildfire: modeled (0.848) Flooding (coastal and inland): modeled (0.550) Drought: modeled (0.675) Severe weather: modeled (0.744) Extreme heat: modeled (0.612) Landslide: modeled (0.048) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	88.6
Delaware Tribe of Indians	plains	Wildfire: modeled (0.883) Flooding (coastal and inland): modeled (0.775) Drought: modeled (0.655) Severe weather: modeled (0.813) Extreme heat: modeled (0.730) Landslide: modeled (0.021) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	97.5
Dry Creek Rancheria Band of Pomo Indians, California	california	Wildfire: modeled (0.994) Flooding (coastal and inland): modeled (0.995) Drought: modeled (0.759) Severe weather: modeled (0.172) Extreme heat: modeled (0.362) Landslide: modeled (0.329) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	91.8
Duckwater Shoshone Tribe	southwest	Wildfire: modeled (0.235) Flooding (coastal and inland): modeled (0.475) Drought: modeled (0.718) Severe weather: modeled (0.253) Extreme heat: modeled (0.551) Landslide: modeled (0.029) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	53.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Eastern Band of Cherokee Indians	southeast	Wildfire: modeled (0.568) Flooding (coastal and inland): modeled (0.696) Drought: modeled (0.390) Severe weather: modeled (0.540) Extreme heat: modeled (0.100) Landslide: modeled (0.180) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	57.7
Eastern Shawnee Tribe of Oklahoma	plains	Wildfire: modeled (0.693) Flooding (coastal and inland): modeled (0.782) Drought: modeled (0.744) Severe weather: modeled (0.742) Extreme heat: modeled (0.692) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	95.4
Elem Indian Colony of Pomo Indians of the Sulphur Bank Rancheria, California	california	Wildfire: modeled (0.954) Flooding (coastal and inland): modeled (0.993) Drought: modeled (0.744) Severe weather: modeled (0.119) Extreme heat: modeled (0.237) Landslide: modeled (0.134) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	77.3
Elk Valley Rancheria, California	california	Wildfire: modeled (0.370) Flooding (coastal and inland): modeled (0.897) Drought: modeled (0.682) Severe weather: modeled (0.186) Extreme heat: modeled (0.120) Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	53.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Ely Shoshone Tribe of Nevada	southwest	Wildfire: modeled (0.842) Flooding (coastal and inland): modeled (0.241) Drought: modeled (0.451) Severe weather: modeled (0.054) Extreme heat: modeled (0.230) Landslide: modeled (0.049) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	44.3
Enterprise Rancheria of Maidu Indians of California	california	Wildfire: modeled (0.960) Flooding (coastal and inland): modeled (0.877) Drought: modeled (0.459) Severe weather: modeled (0.299) Extreme heat: modeled (0.392) Landslide: modeled (0.139) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	76.1
Ewiiaapaayp Band of Kumeyaay Indians	california	Wildfire: modeled (1.000) Flooding (coastal and inland): modeled (0.992) Drought: modeled (0.647) Severe weather: modeled (0.308) Extreme heat: modeled (0.508) Landslide: modeled (0.190) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	93.0
Federated Indians of Graton Rancheria, California	california	Wildfire: modeled (0.982) Flooding (coastal and inland): modeled (0.992) Drought: modeled (0.756) Severe weather: modeled (0.259) Extreme heat: modeled (0.712) Landslide: modeled (0.527) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	99.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Flandreau Santee Sioux Tribe of South Dakota	plains	Wildfire: modeled (0.803) Flooding (coastal and inland): modeled (0.287) Drought: modeled (0.599) Severe weather: modeled (0.540) Extreme heat: modeled (0.311) Landslide: modeled (0.023) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	59.8
Forest County Potawatomi Community, Wisconsin	greatlakes	Wildfire: modeled (0.095) Flooding (coastal and inland): modeled (0.652) Drought: modeled (0.266) Severe weather: modeled (0.606) Extreme heat: modeled (0.451) Landslide: modeled (0.031) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	49.0
Fort Belknap Indian Community of the Fort Belknap Reservation of Montana	pnw	Wildfire: modeled (0.791) Flooding (coastal and inland): modeled (0.536) Drought: modeled (0.666) Severe weather: modeled (0.440) Extreme heat: modeled (0.258) Landslide: modeled (0.014) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	63.6
Fort Bidwell Indian Community of the Fort Bidwell Reservation of California	california	Wildfire: modeled (0.932) Flooding (coastal and inland): modeled (0.618) Drought: modeled (0.754) Severe weather: modeled (0.119) Extreme heat: modeled (0.229) Landslide: modeled (0.009) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	62.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Fort Independence Indian Community of Paiute Indians of the Fort Independence Reservation, California	california	Wildfire: modeled (0.894) Flooding (coastal and inland): modeled (0.802) Drought: modeled (0.682) Severe weather: modeled (0.186) Extreme heat: modeled (0.789) Landslide: modeled (0.029) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	85.1
Fort McDermitt Paiute and Shoshone Tribes of the Fort McDermitt Indian Reservation, Nevada and Oregon	southwest	Wildfire: modeled (0.968) Flooding (coastal and inland): modeled (0.298) Drought: modeled (0.446) Severe weather: modeled (0.096) Extreme heat: modeled (0.288) Landslide: modeled (0.021) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	49.7
Fort McDowell Yavapai Nation, Arizona	southwest	Wildfire: modeled (0.853) Flooding (coastal and inland): modeled (0.999) Drought: modeled (0.746) Severe weather: modeled (0.945) Extreme heat: modeled (0.790) Landslide: modeled (0.092) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	99.8
Fort Mojave Indian Tribe of Arizona, California & Nevada	southwest	Wildfire: modeled (0.544) Flooding (coastal and inland): modeled (0.999) Drought: modeled (0.698) Severe weather: modeled (0.339) Extreme heat: modeled (0.449) Landslide: modeled (0.196) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	79.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Fort Sill--Chiricahua--Warm Springs--Apache Tribe	southwest	Wildfire: modeled (0.821) Flooding (coastal and inland): modeled (0.575) Drought: modeled (0.748) Severe weather: modeled (0.233) Extreme heat: modeled (0.659) Landslide: modeled (0.004) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	73.0
Gila River Indian Community of the Gila River Indian Reservation, Arizona	southwest	Wildfire: modeled (0.788) Flooding (coastal and inland): modeled (0.981) Drought: modeled (0.740) Severe weather: modeled (0.837) Extreme heat: modeled (0.786) Landslide: modeled (0.073) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	98.7
Grand Traverse Band of Ottawa and Chippewa Indians, Michigan	greatlakes	Wildfire: modeled (0.160) Flooding (coastal and inland): modeled (0.600) Drought: modeled (0.452) Severe weather: modeled (0.510) Extreme heat: modeled (0.462) Landslide: modeled (0.056) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	52.5
Greenville Rancheria	california	Wildfire: modeled (0.977) Flooding (coastal and inland): modeled (0.998) Drought: modeled (0.633) Severe weather: modeled (0.420) Extreme heat: modeled (0.256) Landslide: modeled (0.070) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	84.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Grindstone Indian Rancheria of Wintun-Wailaki Indians of California	california	Wildfire: modeled (0.972) Flooding (coastal and inland): modeled (0.904) Drought: modeled (0.760) Severe weather: modeled (0.312) Extreme heat: modeled (0.654) Landslide: modeled (0.110) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	95.6
Guidiville Rancheria of California	california	Wildfire: modeled (0.985) Flooding (coastal and inland): modeled (0.990) Drought: modeled (0.756) Severe weather: modeled (0.161) Extreme heat: modeled (0.324) Landslide: modeled (0.098) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	82.5
Habematolel Pomo of Upper Lake, California	california	Wildfire: modeled (0.897) Flooding (coastal and inland): modeled (0.989) Drought: modeled (0.745) Severe weather: modeled (0.113) Extreme heat: modeled (0.251) Landslide: modeled (0.212) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	78.5
Hannahville Indian Community, Michigan	greatlakes	Wildfire: modeled (0.161) Flooding (coastal and inland): modeled (0.526) Drought: modeled (0.281) Severe weather: modeled (0.454) Extreme heat: modeled (0.187) Landslide: modeled (0.033) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	35.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Havasupai Tribe of the Havasupai Reservation, Arizona	southwest	Wildfire: modeled (0.994) Flooding (coastal and inland): modeled (0.965) Drought: modeled (0.310) Severe weather: modeled (0.506) Extreme heat: modeled (0.537) Landslide: modeled (0.208) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	89.5
Ho-Chunk Nation of Wisconsin	greatlakes	Wildfire: modeled (0.741) Flooding (coastal and inland): modeled (0.515) Drought: modeled (0.503) Severe weather: modeled (0.585) Extreme heat: modeled (0.499) Landslide: modeled (0.114) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	70.9
Hoh Indian Tribe	pnw	Wildfire: modeled (0.147) Flooding (coastal and inland): modeled (0.954) Drought: modeled (0.570) Severe weather: modeled (0.218) Extreme heat: modeled (0.371) Landslide: modeled (0.134) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	56.3
Hoopa Valley Tribe, California	california	Wildfire: modeled (0.931) Flooding (coastal and inland): modeled (0.921) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.163) Extreme heat: modeled (0.504) Landslide: modeled (0.088) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	65.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Hopi Tribe of Arizona	southwest	Wildfire: modeled (0.188) Flooding (coastal and inland): modeled (0.889) Drought: modeled (0.415) Severe weather: modeled (0.448) Extreme heat: modeled (0.480) Landslide: modeled (0.143) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	59.6
Hopland Band of Pomo Indians, California	california	Wildfire: modeled (0.993) Flooding (coastal and inland): modeled (0.981) Drought: modeled (0.751) Severe weather: modeled (0.111) Extreme heat: modeled (0.234) Landslide: modeled (0.137) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	78.7
Houlton Band of Maliseet Indians	northeast	Wildfire: modeled (0.262) Flooding (coastal and inland): modeled (0.761) Drought: modeled (0.415) Severe weather: modeled (0.436) Extreme heat: modeled (0.193) Landslide: modeled (0.066) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	50.2
Hualapai Indian Tribe of the Hualapai Indian Reservation, Arizona	southwest	Wildfire: modeled (0.834) Flooding (coastal and inland): modeled (0.965) Drought: modeled (0.311) Severe weather: modeled (0.539) Extreme heat: modeled (0.667) Landslide: modeled (0.142) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	87.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Iipay Nation of Santa Ysabel, California	california	Wildfire: modeled (0.998) Flooding (coastal and inland): modeled (0.964) Drought: modeled (0.684) Severe weather: modeled (0.320) Extreme heat: modeled (0.535) Landslide: modeled (0.261) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	96.5
Inaja Band of Diegueno Mission Indians of the Inaja and Cosmit Reservation, California	california	Wildfire: modeled (1.000) Flooding (coastal and inland): modeled (0.836) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.111) Extreme heat: modeled (0.347) Landslide: modeled (0.125) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	60.3
Ione Band of Miwok Indians of California	california	Wildfire: modeled (0.911) Flooding (coastal and inland): modeled (0.764) Drought: modeled (0.742) Severe weather: modeled (0.278) Extreme heat: modeled (0.651) Landslide: modeled (0.084) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	86.7
Iowa Tribe of Kansas and Nebraska	plains	Wildfire: modeled (0.427) Flooding (coastal and inland): modeled (0.418) Drought: modeled (0.620) Severe weather: modeled (0.605) Extreme heat: modeled (0.582) Landslide: modeled (0.046) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	63.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Iowa Tribe of Oklahoma	plains	Wildfire: modeled (0.887) Flooding (coastal and inland): modeled (0.540) Drought: modeled (0.665) Severe weather: modeled (0.726) Extreme heat: modeled (0.700) Landslide: modeled (0.046) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	90.7
Jackson Band of Miwuk Indians	california	Wildfire: modeled (0.993) Flooding (coastal and inland): modeled (0.680) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.361) Extreme heat: modeled (0.709) Landslide: modeled (0.076) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	71.2
Jamestown S'Klallam Tribe	pnw	Wildfire: modeled (0.214) Flooding (coastal and inland): modeled (0.829) Drought: modeled (0.340) Severe weather: modeled (0.190) Extreme heat: modeled (0.152) Landslide: modeled (0.027) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	40.1
Jamul Indian Village of California	california	Wildfire: modeled (0.998) Flooding (coastal and inland): modeled (0.402) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.076) Extreme heat: modeled (0.364) Landslide: modeled (0.078) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	48.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Jena Band of Choctaw Indians	southeast	Wildfire: modeled (0.470) Flooding (coastal and inland): modeled (0.317) Drought: modeled (0.391) Severe weather: modeled (0.389) Extreme heat: modeled (0.564) Landslide: modeled (0.017) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	50.4
Jicarilla Apache Nation, New Mexico	southwest	Wildfire: modeled (0.781) Flooding (coastal and inland): modeled (0.863) Drought: modeled (0.590) Severe weather: modeled (0.401) Extreme heat: modeled (0.475) Landslide: modeled (0.131) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	80.1
Kaibab Band of Paiute Indians of the Kaibab Indian Reservation, Arizona	southwest	Wildfire: modeled (0.605) Flooding (coastal and inland): modeled (0.968) Drought: modeled (0.298) Severe weather: modeled (0.545) Extreme heat: modeled (0.659) Landslide: modeled (0.158) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	79.4
Kalispel Indian Community of the Kalispel Reservation	pnw	Wildfire: modeled (0.670) Flooding (coastal and inland): modeled (0.945) Drought: modeled (0.567) Severe weather: modeled (0.475) Extreme heat: modeled (0.466) Landslide: modeled (0.075) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	78.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Karuk Tribe	california	Wildfire: modeled (0.976) Flooding (coastal and inland): modeled (0.996) Drought: modeled (0.249) Severe weather: modeled (0.222) Extreme heat: modeled (0.590) Landslide: modeled (0.153) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	77.5
Kashia Band of Pomo Indians of the Stewarts Point Rancheria, California	california	Wildfire: modeled (0.519) Flooding (coastal and inland): modeled (0.794) Drought: modeled (0.385) Severe weather: modeled (0.204) Extreme heat: modeled (0.235) Landslide: modeled (0.294) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	56.8
Kaw Nation, Oklahoma	plains	Wildfire: modeled (0.885) Flooding (coastal and inland): modeled (0.698) Drought: modeled (0.662) Severe weather: modeled (0.804) Extreme heat: modeled (0.660) Landslide: modeled (0.031) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	95.9
Santo Domingo Pueblo	southwest	Wildfire: modeled (0.529) Flooding (coastal and inland): modeled (0.863) Drought: modeled (0.637) Severe weather: modeled (0.476) Extreme heat: modeled (0.555) Landslide: modeled (0.104) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	77.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Keweenaw Bay Indian Community, Michigan	greatlakes	Wildfire: modeled (0.164) Flooding (coastal and inland): modeled (0.265) Drought: modeled (0.271) Severe weather: modeled (0.331) Extreme heat: modeled (0.166) Landslide: modeled (0.014) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	24.8
Kialegee Tribal Town	plains	Wildfire: modeled (0.904) Flooding (coastal and inland): modeled (0.594) Drought: modeled (0.662) Severe weather: modeled (0.766) Extreme heat: modeled (0.701) Landslide: modeled (0.047) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	94.7
Kickapoo Tribe of Indians of the Kickapoo Reservation in Kansas	plains	Wildfire: modeled (0.592) Flooding (coastal and inland): modeled (0.557) Drought: modeled (0.600) Severe weather: modeled (0.589) Extreme heat: modeled (0.647) Landslide: modeled (0.036) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	72.5
Kickapoo Tribe of Oklahoma	plains	Wildfire: modeled (0.918) Flooding (coastal and inland): modeled (0.640) Drought: modeled (0.659) Severe weather: modeled (0.787) Extreme heat: modeled (0.723) Landslide: modeled (0.044) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	97.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Kickapoo Traditional Tribe of Texas	plains	Wildfire: modeled (0.485) Flooding (coastal and inland): modeled (0.731) Drought: modeled (0.648) Severe weather: modeled (0.457) Extreme heat: modeled (0.723) Landslide: modeled (0.016) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	73.3
Kiowa Tribe	plains	Wildfire: modeled (0.718) Flooding (coastal and inland): modeled (0.295) Drought: modeled (0.666) Severe weather: modeled (0.601) Extreme heat: modeled (0.504) Landslide: modeled (0.035) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	66.7
Klamath Tribes	pnw	Wildfire: modeled (0.825) Flooding (coastal and inland): modeled (0.910) Drought: modeled (0.622) Severe weather: modeled (0.236) Extreme heat: modeled (0.453) Landslide: modeled (0.018) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	73.8
Kootenai Tribe of Idaho	pnw	Wildfire: modeled (0.807) Flooding (coastal and inland): modeled (0.458) Drought: modeled (0.251) Severe weather: modeled (0.063) Extreme heat: modeled (0.306) Landslide: modeled (0.216) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	48.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
La Jolla Band of Luiseno Indians, California	california	Wildfire: modeled (0.999) Flooding (coastal and inland): modeled (0.803) Drought: modeled (0.703) Severe weather: modeled (0.200) Extreme heat: modeled (0.520) Landslide: modeled (0.109) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	83.2
La Posta Band of Diegueno Mission Indians of the La Posta Indian Reservation, California	california	Wildfire: modeled (0.999) Flooding (coastal and inland): modeled (0.987) Drought: modeled (0.650) Severe weather: modeled (0.296) Extreme heat: modeled (0.519) Landslide: modeled (0.187) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	92.6
Lac Courte Oreilles Band of Lake Superior Chippewa Indians of Wisconsin	greatlakes	Wildfire: modeled (0.140) Flooding (coastal and inland): modeled (0.500) Drought: modeled (0.330) Severe weather: modeled (0.497) Extreme heat: modeled (0.334) Landslide: modeled (0.011) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	42.2
Lac du Flambeau Band of Lake Superior Chippewa Indians of the Lac du Flambeau Reservation of Wisconsin	greatlakes	Wildfire: modeled (0.118) Flooding (coastal and inland): modeled (0.468) Drought: modeled (0.290) Severe weather: modeled (0.412) Extreme heat: modeled (0.181) Landslide: modeled (0.012) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	32.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Lac Vieux Desert Band of Lake Superior Chippewa Indians of Michigan	greatlakes	Wildfire: modeled (0.144) Flooding (coastal and inland): modeled (0.302) Drought: modeled (0.243) Severe weather: modeled (0.426) Extreme heat: modeled (0.170) Landslide: modeled (0.010) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	26.9
Las Vegas Tribe of Paiute Indians of the Las Vegas Indian Colony, Nevada	southwest	Wildfire: modeled (0.805) Flooding (coastal and inland): modeled (0.686) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.154) Extreme heat: modeled (0.633) Landslide: modeled (0.089) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	59.1
Little River Band of Ottawa Indians, Michigan	greatlakes	Wildfire: modeled (0.208) Flooding (coastal and inland): modeled (0.509) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.330) Extreme heat: modeled (0.292) Landslide: modeled (0.037) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	33.3
Little Traverse Bay Bands of Odawa Indians, Michigan	greatlakes	Wildfire: modeled (0.110) Flooding (coastal and inland): modeled (0.559) Drought: modeled (0.192) Severe weather: modeled (0.308) Extreme heat: modeled (0.217) Landslide: modeled (0.048) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	30.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Koi Nation of Northern California	california	Wildfire: modeled (0.987) Flooding (coastal and inland): modeled (0.936) Drought: modeled (0.599) Severe weather: modeled (0.092) Extreme heat: modeled (0.251) Landslide: modeled (0.130) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	71.6
Los Coyotes Band of Cahuilla and Cupeno Indians, California	california	Wildfire: modeled (1.000) Flooding (coastal and inland): modeled (0.964) Drought: modeled (0.684) Severe weather: modeled (0.320) Extreme heat: modeled (0.535) Landslide: modeled (0.261) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	96.8
Lovelock Paiute Tribe of the Lovelock Indian Colony, Nevada	southwest	Wildfire: modeled (0.215) Flooding (coastal and inland): modeled (0.793) Drought: modeled (0.755) Severe weather: modeled (0.438) Extreme heat: modeled (0.706) Landslide: modeled (0.029) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	69.8
Lower Brule Sioux Tribe of the Lower Brule Reservation, South Dakota	plains	Wildfire: modeled (0.676) Flooding (coastal and inland): modeled (0.232) Drought: modeled (0.411) Severe weather: modeled (0.246) Extreme heat: modeled (0.232) Landslide: modeled (0.016) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	42.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Lower Elwha Tribal Community	pnw	Wildfire: modeled (0.264) Flooding (coastal and inland): modeled (0.685) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.075) Extreme heat: modeled (0.179) Landslide: modeled (0.046) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	30.4
Lower Sioux Indian Community in the State of Minnesota	plains	Wildfire: modeled (0.225) Flooding (coastal and inland): modeled (0.394) Drought: modeled (0.627) Severe weather: modeled (0.510) Extreme heat: modeled (0.533) Landslide: modeled (0.027) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	54.4
Lummi Tribe of the Lummi Reservation	pnw	Wildfire: modeled (0.102) Flooding (coastal and inland): modeled (0.960) Drought: modeled (0.562) Severe weather: modeled (0.260) Extreme heat: modeled (0.353) Landslide: modeled (0.012) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	52.8
Lytton Rancheria of California	california	Wildfire: modeled (0.000) Flooding (coastal and inland): modeled (0.993) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.278) Extreme heat: modeled (0.694) Landslide: modeled (0.004) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	50.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Makah Indian Tribe of the Makah Indian Reservation	pnw	Wildfire: modeled (0.239) Flooding (coastal and inland): modeled (0.437) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.165) Extreme heat: modeled (0.199) Landslide: modeled (0.037) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	25.7
Manchester Band of Pomo Indians of the Manchester Rancheria, California	california	Wildfire: modeled (0.607) Flooding (coastal and inland): modeled (0.899) Drought: modeled (0.718) Severe weather: modeled (0.079) Extreme heat: modeled (0.111) Landslide: modeled (0.172) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	60.8
Manzanita Band of Diegueno Mission Indians of the Manzanita Reservation, California	california	Wildfire: modeled (0.998) Flooding (coastal and inland): modeled (0.992) Drought: modeled (0.647) Severe weather: modeled (0.308) Extreme heat: modeled (0.508) Landslide: modeled (0.190) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	92.8
Mashantucket Pequot Indian Tribe	northeast	Wildfire: modeled (0.199) Flooding (coastal and inland): modeled (0.918) Drought: modeled (0.354) Severe weather: modeled (0.619) Extreme heat: modeled (0.589) Landslide: modeled (0.063) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	64.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Mashpee Wampanoag Tribe	northeast	Wildfire: modeled (0.133) Flooding (coastal and inland): modeled (0.922) Drought: modeled (0.434) Severe weather: modeled (0.613) Extreme heat: modeled (0.532) Landslide: modeled (0.039) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	62.9
Match-E-Be-Nash-She-Wish Band of Pottawatomi	greatlakes	Wildfire: modeled (0.063) Flooding (coastal and inland): modeled (0.794) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.738) Extreme heat: modeled (0.406) Landslide: modeled (0.040) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	51.6
Mechoopda Indian Tribe of Chico Rancheria, California	california	Wildfire: modeled (0.732) Flooding (coastal and inland): modeled (0.885) Drought: modeled (0.652) Severe weather: modeled (0.329) Extreme heat: modeled (0.466) Landslide: modeled (0.002) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	74.0
Menominee Indian Tribe of Wisconsin	greatlakes	Wildfire: modeled (0.172) Flooding (coastal and inland): modeled (0.336) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.477) Extreme heat: modeled (0.287) Landslide: modeled (0.032) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	31.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Mesa Grande Band of Diegueno Mission Indians of the Mesa Grande Reservation, California	california	Wildfire: modeled (0.999) Flooding (coastal and inland): modeled (0.794) Drought: modeled (0.426) Severe weather: modeled (0.219) Extreme heat: modeled (0.491) Landslide: modeled (0.210) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	76.5
Mescalero Apache Tribe of the Mescalero Reservation, New Mexico	southwest	Wildfire: modeled (0.995) Flooding (coastal and inland): modeled (0.831) Drought: modeled (0.442) Severe weather: modeled (0.517) Extreme heat: modeled (0.357) Landslide: modeled (0.054) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	78.0
Miami Tribe of Oklahoma	plains	Wildfire: modeled (0.481) Flooding (coastal and inland): modeled (0.667) Drought: modeled (0.675) Severe weather: modeled (0.679) Extreme heat: modeled (0.646) Landslide: modeled (0.046) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	77.7
Miccosukee Tribe of Indians	southeast	Wildfire: modeled (0.935) Flooding (coastal and inland): modeled (0.773) Drought: modeled (0.553) Severe weather: modeled (0.707) Extreme heat: modeled (0.587) Landslide: modeled (0.030) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	91.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Middletown Rancheria of Pomo Indians of California	california	Wildfire: modeled (0.954) Flooding (coastal and inland): modeled (0.996) Drought: modeled (0.748) Severe weather: modeled (0.127) Extreme heat: modeled (0.294) Landslide: modeled (0.128) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	80.3
Minnesota Chippewa Tribe, Minnesota (Six component reservations: Bois Forte Band (Nett Lake); Fond du Lac Band; Grand Portage Band; Leech Lake Band; Mille Lacs Band; White Earth Band)	plains	Wildfire: modeled (0.468) Flooding (coastal and inland): modeled (0.567) Drought: modeled (0.412) Severe weather: modeled (0.428) Extreme heat: modeled (0.395) Landslide: modeled (0.051) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	54.7
Mississippi Band of Choctaw Indians	southeast	Wildfire: modeled (0.417) Flooding (coastal and inland): modeled (0.376) Drought: modeled (0.513) Severe weather: modeled (0.690) Extreme heat: modeled (0.556) Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	61.0
Moapa Band of Paiute Indians of the Moapa River Indian Reservation, Nevada	southwest	Wildfire: modeled (0.397) Flooding (coastal and inland): modeled (0.896) Drought: modeled (0.626) Severe weather: modeled (0.228) Extreme heat: modeled (0.747) Landslide: modeled (0.054) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	70.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Modoc Nation	plains	Wildfire: modeled (0.685) Flooding (coastal and inland): modeled (0.782) Drought: modeled (0.744) Severe weather: modeled (0.742) Extreme heat: modeled (0.692) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	95.2
Mohegan Tribe of Indians of Connecticut	northeast	Wildfire: modeled (0.153) Flooding (coastal and inland): modeled (0.918) Drought: modeled (0.354) Severe weather: modeled (0.619) Extreme heat: modeled (0.589) Landslide: modeled (0.063) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	63.1
Mooretown Rancheria of Maidu Indians of California	california	Wildfire: modeled (0.824) Flooding (coastal and inland): modeled (0.956) Drought: modeled (0.759) Severe weather: modeled (0.352) Extreme heat: modeled (0.486) Landslide: modeled (0.051) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	86.5
Morongo Band of Mission Indians, California	california	Wildfire: modeled (0.988) Flooding (coastal and inland): modeled (0.991) Drought: modeled (0.567) Severe weather: modeled (0.253) Extreme heat: modeled (0.450) Landslide: modeled (0.058) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	82.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Muckleshoot Indian Tribe	pnw	Wildfire: modeled (0.164) Flooding (coastal and inland): modeled (0.769) Drought: modeled (0.442) Severe weather: modeled (0.153) Extreme heat: modeled (0.438) Landslide: modeled (0.036) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	46.0
The Muscogee (Creek) Nation	plains	Wildfire: modeled (0.904) Flooding (coastal and inland): modeled (0.594) Drought: modeled (0.662) Severe weather: modeled (0.766) Extreme heat: modeled (0.701) Landslide: modeled (0.047) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	94.7
Narragansett Indian Tribe	northeast	Wildfire: modeled (0.231) Flooding (coastal and inland): modeled (0.762) Drought: modeled (0.421) Severe weather: modeled (0.397) Extreme heat: modeled (0.415) Landslide: modeled (0.025) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	53.0
Navajo Nation, Arizona, New Mexico, & Utah	southwest	Wildfire: modeled (0.337) Flooding (coastal and inland): modeled (0.787) Drought: modeled (0.487) Severe weather: modeled (0.404) Extreme heat: modeled (0.467) Landslide: modeled (0.133) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	61.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Nez Perce Tribe	pnw	Wildfire: modeled (0.919) Flooding (coastal and inland): modeled (0.879) Drought: modeled (0.620) Severe weather: modeled (0.331) Extreme heat: modeled (0.528) Landslide: modeled (0.061) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	83.4
Nisqually Indian Tribe	pnw	Wildfire: modeled (0.184) Flooding (coastal and inland): modeled (0.305) Drought: modeled (0.306) Severe weather: modeled (0.091) Extreme heat: modeled (0.331) Landslide: modeled (0.026) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	26.2
Nooksack Indian Tribe	pnw	Wildfire: modeled (0.332) Flooding (coastal and inland): modeled (0.834) Drought: modeled (0.572) Severe weather: modeled (0.258) Extreme heat: modeled (0.328) Landslide: modeled (0.126) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	57.3
Northern Cheyenne Tribe of the Northern Cheyenne Indian Reservation, Montana	pnw	Wildfire: modeled (0.962) Flooding (coastal and inland): modeled (0.928) Drought: modeled (0.643) Severe weather: modeled (0.572) Extreme heat: modeled (0.358) Landslide: modeled (0.033) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	89.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Northfork Rancheria of Mono Indians of California	california	Wildfire: modeled (0.994) Flooding (coastal and inland): modeled (0.940) Drought: modeled (0.760) Severe weather: modeled (0.472) Extreme heat: modeled (0.774) Landslide: modeled (0.217) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	98.4
Northwestern Band of the Shoshone Nation	southwest	Wildfire: modeled (0.954) Flooding (coastal and inland): modeled (0.195) Drought: modeled (0.524) Severe weather: modeled (0.325) Extreme heat: modeled (0.396) Landslide: modeled (0.038) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	57.0
Nottawaseppi Huron Band of the Potawatomi, Michigan	greatlakes	Wildfire: modeled (0.082) Flooding (coastal and inland): modeled (0.758) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.800) Extreme heat: modeled (0.444) Landslide: modeled (0.040) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	54.0
Oglala Sioux Tribe	plains	Wildfire: modeled (0.920) Flooding (coastal and inland): modeled (0.139) Drought: modeled (0.427) Severe weather: modeled (0.369) Extreme heat: modeled (0.237) Landslide: modeled (0.022) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	49.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Ohkay Owingeh, New Mexico	southwest	Wildfire: modeled (0.686) Flooding (coastal and inland): modeled (0.884) Drought: modeled (0.582) Severe weather: modeled (0.311) Extreme heat: modeled (0.302) Landslide: modeled (0.127) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	68.8
Omaha Tribe of Nebraska	plains	Wildfire: modeled (0.669) Flooding (coastal and inland): modeled (0.280) Drought: modeled (0.684) Severe weather: modeled (0.504) Extreme heat: modeled (0.396) Landslide: modeled (0.052) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	60.6
Oneida Indian Nation	northeast	Wildfire: modeled (0.053) Flooding (coastal and inland): modeled (0.824) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.615) Extreme heat: modeled (0.417) Landslide: modeled (0.039) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	49.1
Oneida Nation	greatlakes	Wildfire: modeled (0.053) Flooding (coastal and inland): modeled (0.843) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.704) Extreme heat: modeled (0.522) Landslide: modeled (0.036) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	54.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Onondaga Nation	northeast	Wildfire: modeled (0.073) Flooding (coastal and inland): modeled (0.952) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.906) Extreme heat: modeled (0.667) Landslide: modeled (0.040) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	66.0
The Osage Nation	plains	Wildfire: modeled (0.935) Flooding (coastal and inland): modeled (0.639) Drought: modeled (0.638) Severe weather: modeled (0.716) Extreme heat: modeled (0.675) Landslide: modeled (0.060) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	94.0
Ottawa Tribe of Oklahoma	plains	Wildfire: modeled (0.648) Flooding (coastal and inland): modeled (0.782) Drought: modeled (0.744) Severe weather: modeled (0.742) Extreme heat: modeled (0.692) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	94.2
Otoe-Missouria Tribe of Indians, Oklahoma	plains	Wildfire: modeled (0.817) Flooding (coastal and inland): modeled (0.471) Drought: modeled (0.668) Severe weather: modeled (0.609) Extreme heat: modeled (0.626) Landslide: modeled (0.070) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	81.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Paiute Indian Tribe of Utah (Cedar Band of Paiutes, Kanosh Band of Paiutes, Koosharem Band of Paiutes, Indian Peaks Band of Paiutes, and Shivwits Band of Paiutes)	southwest	Wildfire: modeled (0.984) Flooding (coastal and inland): modeled (0.836) Drought: modeled (0.419) Severe weather: modeled (0.331) Extreme heat: modeled (0.667) Landslide: modeled (0.306) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	90.2
Bishop Paiute Tribe	california	Wildfire: modeled (0.581) Flooding (coastal and inland): modeled (0.909) Drought: modeled (0.576) Severe weather: modeled (0.269) Extreme heat: modeled (0.790) Landslide: modeled (0.000) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	75.9
Paiute-Shoshone Tribe of the Fallon Reservation and Colony, Nevada	southwest	Wildfire: modeled (0.645) Flooding (coastal and inland): modeled (0.532) Drought: modeled (0.621) Severe weather: modeled (0.146) Extreme heat: modeled (0.265) Landslide: modeled (0.025) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	51.9
Lone Pine Paiute-Shoshone Tribe	california	Wildfire: modeled (0.815) Flooding (coastal and inland): modeled (0.762) Drought: modeled (0.682) Severe weather: modeled (0.315) Extreme heat: modeled (0.436) Landslide: modeled (0.051) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	73.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Pala Band of Mission Indians	california	Wildfire: modeled (0.994) Flooding (coastal and inland): modeled (0.867) Drought: modeled (0.712) Severe weather: modeled (0.224) Extreme heat: modeled (0.571) Landslide: modeled (0.102) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	88.1
Pascua Yaqui Tribe of Arizona	southwest	Wildfire: modeled (0.997) Flooding (coastal and inland): modeled (0.995) Drought: modeled (0.578) Severe weather: modeled (0.774) Extreme heat: modeled (0.788) Landslide: modeled (0.040) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	98.5
Paskenta Band of Nomlaki Indians of California	california	Wildfire: modeled (0.963) Flooding (coastal and inland): modeled (0.811) Drought: modeled (0.756) Severe weather: modeled (0.210) Extreme heat: modeled (0.319) Landslide: modeled (0.003) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	73.7
Passamaquoddy Tribe	northeast	Wildfire: modeled (0.083) Flooding (coastal and inland): modeled (0.589) Drought: modeled (0.459) Severe weather: modeled (0.419) Extreme heat: modeled (0.185) Landslide: modeled (0.044) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	40.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Pauma Band of Luiseno Mission Indians of the Pauma & Yuima Reservation, California	california	Wildfire: modeled (1.000) Flooding (coastal and inland): modeled (0.998) Drought: modeled (0.516) Severe weather: modeled (0.686) Extreme heat: modeled (0.781) Landslide: modeled (0.448) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	99.9
Pawnee Nation of Oklahoma	plains	Wildfire: modeled (0.916) Flooding (coastal and inland): modeled (0.702) Drought: modeled (0.629) Severe weather: modeled (0.781) Extreme heat: modeled (0.717) Landslide: modeled (0.071) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	97.1
Pechanga Band of Indians	california	Wildfire: modeled (0.995) Flooding (coastal and inland): modeled (0.812) Drought: modeled (0.616) Severe weather: modeled (0.172) Extreme heat: modeled (0.376) Landslide: modeled (0.053) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	72.6
Penobscot Nation	northeast	Wildfire: modeled (0.055) Flooding (coastal and inland): modeled (0.585) Drought: modeled (0.452) Severe weather: modeled (0.492) Extreme heat: modeled (0.213) Landslide: modeled (0.053) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	43.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Peoria Tribe of Indians of Oklahoma	plains	Wildfire: modeled (0.629) Flooding (coastal and inland): modeled (0.782) Drought: modeled (0.744) Severe weather: modeled (0.742) Extreme heat: modeled (0.692) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	93.1
Picayune Rancheria of Chukchansi Indians of California	california	Wildfire: modeled (0.972) Flooding (coastal and inland): modeled (0.745) Drought: modeled (0.632) Severe weather: modeled (0.362) Extreme heat: modeled (0.698) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	87.9
Pinoleville Pomo Nation, California	california	Wildfire: modeled (0.863) Flooding (coastal and inland): modeled (0.995) Drought: modeled (0.741) Severe weather: modeled (0.166) Extreme heat: modeled (0.344) Landslide: modeled (0.131) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	79.8
Pit River Tribe, California (includes XL Ranch, Big Bend, Likely, Lookout, Montgomery Creek, and Roaring Creek Rancherias)	california	Wildfire: modeled (0.993) Flooding (coastal and inland): modeled (0.916) Drought: modeled (0.683) Severe weather: modeled (0.224) Extreme heat: modeled (0.450) Landslide: modeled (0.078) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	83.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Poarch Band of Creek Indians	southeast	Wildfire: modeled (0.725) Flooding (coastal and inland): modeled (0.690) Drought: modeled (0.541) Severe weather: modeled (0.583) Extreme heat: modeled (0.680) Landslide: modeled (0.033) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	80.6
Pokagon Band of Potawatomi Indians, Michigan and Indiana	greatlakes	Wildfire: modeled (0.052) Flooding (coastal and inland): modeled (0.723) Drought: modeled (0.214) Severe weather: modeled (0.752) Extreme heat: modeled (0.494) Landslide: modeled (0.036) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	53.5
Ponca Tribe of Indians of Oklahoma	plains	Wildfire: modeled (0.773) Flooding (coastal and inland): modeled (0.583) Drought: modeled (0.656) Severe weather: modeled (0.723) Extreme heat: modeled (0.583) Landslide: modeled (0.079) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	85.7
Ponca Tribe of Nebraska	plains	Wildfire: modeled (0.806) Flooding (coastal and inland): modeled (0.466) Drought: modeled (0.669) Severe weather: modeled (0.656) Extreme heat: modeled (0.593) Landslide: modeled (0.030) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	79.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Port Gamble S'Klallam Tribe	pnw	Wildfire: modeled (0.108) Flooding (coastal and inland): modeled (0.965) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.209) Extreme heat: modeled (0.576) Landslide: modeled (0.109) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	49.8
Potter Valley Tribe, California	california	Wildfire: modeled (0.978) Flooding (coastal and inland): modeled (0.951) Drought: modeled (0.745) Severe weather: modeled (0.123) Extreme heat: modeled (0.457) Landslide: modeled (0.396) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	93.7
Prairie Band Potawatomi Nation	plains	Wildfire: modeled (0.790) Flooding (coastal and inland): modeled (0.550) Drought: modeled (0.505) Severe weather: modeled (0.552) Extreme heat: modeled (0.496) Landslide: modeled (0.034) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	69.7
Prairie Island Indian Community in the State of Minnesota	plains	Wildfire: modeled (0.183) Flooding (coastal and inland): modeled (0.712) Drought: modeled (0.416) Severe weather: modeled (0.728) Extreme heat: modeled (0.519) Landslide: modeled (0.072) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	62.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Pueblo of Acoma, New Mexico	southwest	Wildfire: modeled (0.438) Flooding (coastal and inland): modeled (0.636) Drought: modeled (0.404) Severe weather: modeled (0.308) Extreme heat: modeled (0.227) Landslide: modeled (0.083) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	48.6
Pueblo of Cochiti, New Mexico	southwest	Wildfire: modeled (0.675) Flooding (coastal and inland): modeled (0.863) Drought: modeled (0.637) Severe weather: modeled (0.476) Extreme heat: modeled (0.555) Landslide: modeled (0.106) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	82.4
Pueblo of Jemez, New Mexico	southwest	Wildfire: modeled (0.822) Flooding (coastal and inland): modeled (0.843) Drought: modeled (0.598) Severe weather: modeled (0.491) Extreme heat: modeled (0.649) Landslide: modeled (0.135) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	90.0
Pueblo of Isleta, New Mexico	southwest	Wildfire: modeled (0.754) Flooding (coastal and inland): modeled (0.812) Drought: modeled (0.565) Severe weather: modeled (0.513) Extreme heat: modeled (0.451) Landslide: modeled (0.020) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	75.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Pueblo of Laguna, New Mexico	southwest	Wildfire: modeled (0.602) Flooding (coastal and inland): modeled (0.859) Drought: modeled (0.478) Severe weather: modeled (0.494) Extreme heat: modeled (0.559) Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	74.5
Pueblo of Nambe, New Mexico	southwest	Wildfire: modeled (0.823) Flooding (coastal and inland): modeled (0.884) Drought: modeled (0.677) Severe weather: modeled (0.461) Extreme heat: modeled (0.461) Landslide: modeled (0.046) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	84.1
Pueblo of Picuris, New Mexico	southwest	Wildfire: modeled (0.945) Flooding (coastal and inland): modeled (0.817) Drought: modeled (0.543) Severe weather: modeled (0.288) Extreme heat: modeled (0.150) Landslide: modeled (0.115) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	67.9
Pueblo of Pojoaque, New Mexico	southwest	Wildfire: modeled (0.637) Flooding (coastal and inland): modeled (0.884) Drought: modeled (0.677) Severe weather: modeled (0.461) Extreme heat: modeled (0.461) Landslide: modeled (0.045) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	77.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Pueblo of San Felipe, New Mexico	southwest	Wildfire: modeled (0.572) Flooding (coastal and inland): modeled (0.843) Drought: modeled (0.598) Severe weather: modeled (0.491) Extreme heat: modeled (0.649) Landslide: modeled (0.131) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	81.5
Pueblo of San Ildefonso, New Mexico	southwest	Wildfire: modeled (0.794) Flooding (coastal and inland): modeled (0.863) Drought: modeled (0.637) Severe weather: modeled (0.476) Extreme heat: modeled (0.555) Landslide: modeled (0.108) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	86.9
Pueblo of Sandia, New Mexico	southwest	Wildfire: modeled (0.641) Flooding (coastal and inland): modeled (0.903) Drought: modeled (0.552) Severe weather: modeled (0.639) Extreme heat: modeled (0.704) Landslide: modeled (0.105) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	90.4
Pueblo of Santa Ana, New Mexico	southwest	Wildfire: modeled (0.504) Flooding (coastal and inland): modeled (0.843) Drought: modeled (0.598) Severe weather: modeled (0.491) Extreme heat: modeled (0.649) Landslide: modeled (0.130) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	78.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Pueblo of Santa Clara, New Mexico	southwest	Wildfire: modeled (0.785) Flooding (coastal and inland): modeled (0.870) Drought: modeled (0.619) Severe weather: modeled (0.421) Extreme heat: modeled (0.471) Landslide: modeled (0.115) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	81.3
Pueblo of Taos, New Mexico	southwest	Wildfire: modeled (0.890) Flooding (coastal and inland): modeled (0.817) Drought: modeled (0.543) Severe weather: modeled (0.288) Extreme heat: modeled (0.150) Landslide: modeled (0.114) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	66.2
Pueblo of Tesuque, New Mexico	southwest	Wildfire: modeled (0.843) Flooding (coastal and inland): modeled (0.884) Drought: modeled (0.677) Severe weather: modeled (0.461) Extreme heat: modeled (0.461) Landslide: modeled (0.046) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	84.8
Pueblo of Zia, New Mexico	southwest	Wildfire: modeled (0.936) Flooding (coastal and inland): modeled (0.843) Drought: modeled (0.598) Severe weather: modeled (0.491) Extreme heat: modeled (0.649) Landslide: modeled (0.137) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	93.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Puyallup Tribe of the Puyallup Reservation	pnw	Wildfire: modeled (0.126) Flooding (coastal and inland): modeled (0.713) Drought: modeled (0.290) Severe weather: modeled (0.255) Extreme heat: modeled (0.467) Landslide: modeled (0.014) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	43.8
Pyramid Lake Paiute Tribe of the Pyramid Lake Reservation, Nevada	southwest	Wildfire: modeled (0.895) Flooding (coastal and inland): modeled (0.364) Drought: modeled (0.727) Severe weather: modeled (0.251) Extreme heat: modeled (0.130) Landslide: modeled (0.018) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	55.9
Quapaw Nation	plains	Wildfire: modeled (0.568) Flooding (coastal and inland): modeled (0.782) Drought: modeled (0.744) Severe weather: modeled (0.742) Extreme heat: modeled (0.692) Landslide: modeled (0.056) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	90.9
Quartz Valley Indian Community of the Quartz Valley Reservation of California	california	Wildfire: modeled (0.989) Flooding (coastal and inland): modeled (0.966) Drought: modeled (0.752) Severe weather: modeled (0.240) Extreme heat: modeled (0.612) Landslide: modeled (0.068) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	92.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Quechan Tribe of the Fort Yuma Indian Reservation, California & Arizona	southwest	Wildfire: modeled (0.339) Flooding (coastal and inland): modeled (0.975) Drought: modeled (0.700) Severe weather: modeled (0.199) Extreme heat: modeled (0.568) Landslide: modeled (0.014) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	65.8
Quileute Tribe of the Quileute Reservation	pnw	Wildfire: modeled (0.123) Flooding (coastal and inland): modeled (0.975) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.231) Extreme heat: modeled (0.274) Landslide: modeled (0.074) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	42.9
Quinault Indian Nation	pnw	Wildfire: modeled (0.174) Flooding (coastal and inland): modeled (0.886) Drought: modeled (0.571) Severe weather: modeled (0.197) Extreme heat: modeled (0.176) Landslide: modeled (0.049) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	47.4
Ramona Band of Cahuilla, California	california	Wildfire: modeled (1.000) Flooding (coastal and inland): modeled (0.855) Drought: modeled (0.591) Severe weather: modeled (0.153) Extreme heat: modeled (0.279) Landslide: modeled (0.081) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	71.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Red Cliff Band of Lake Superior Chippewa Indians of Wisconsin	greatlakes	Wildfire: modeled (0.062) Flooding (coastal and inland): modeled (0.335) Drought: modeled (0.291) Severe weather: modeled (0.372) Extreme heat: modeled (0.309) Landslide: modeled (0.015) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	29.5
Red Lake Band of Chippewa Indians, Minnesota	plains	Wildfire: modeled (0.810) Flooding (coastal and inland): modeled (0.432) Drought: modeled (0.562) Severe weather: modeled (0.262) Extreme heat: modeled (0.220) Landslide: modeled (0.039) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	55.1
Redding Rancheria, California	california	Wildfire: modeled (0.939) Flooding (coastal and inland): modeled (0.917) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.284) Extreme heat: modeled (0.587) Landslide: modeled (0.012) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	69.1
Redwood Valley or Little River Band of Pomo Indians of the Redwood Valley Rancheria California	california	Wildfire: modeled (0.890) Flooding (coastal and inland): modeled (0.997) Drought: modeled (0.751) Severe weather: modeled (0.201) Extreme heat: modeled (0.427) Landslide: modeled (0.097) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	84.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Reno-Sparks Indian Colony, Nevada	southwest	Wildfire: modeled (0.985) Flooding (coastal and inland): modeled (0.758) Drought: modeled (0.423) Severe weather: modeled (0.346) Extreme heat: modeled (0.140) Landslide: modeled (0.091) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	64.8
Pulikla Tribe of Yurok People	california	Wildfire: modeled (0.576) Flooding (coastal and inland): modeled (0.966) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.124) Extreme heat: modeled (0.231) Landslide: modeled (0.188) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	52.6
Rincon Band of Luiseno Indians	california	Wildfire: modeled (0.992) Flooding (coastal and inland): modeled (0.962) Drought: modeled (0.702) Severe weather: modeled (0.235) Extreme heat: modeled (0.605) Landslide: modeled (0.062) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	90.5
Robinson Rancheria	california	Wildfire: modeled (0.949) Flooding (coastal and inland): modeled (0.989) Drought: modeled (0.743) Severe weather: modeled (0.129) Extreme heat: modeled (0.291) Landslide: modeled (0.173) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	81.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Rosebud Sioux Tribe of the Rosebud Indian Reservation, South Dakota	plains	Wildfire: modeled (0.768) Flooding (coastal and inland): modeled (0.236) Drought: modeled (0.434) Severe weather: modeled (0.348) Extreme heat: modeled (0.238) Landslide: modeled (0.014) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	46.7
Round Valley Indian Tribes, Round Valley Reservation, California	california	Wildfire: modeled (0.897) Flooding (coastal and inland): modeled (0.987) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.191) Extreme heat: modeled (0.317) Landslide: modeled (0.174) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	64.1
Sac & Fox Tribe of the Mississippi in Iowa	plains	Wildfire: modeled (0.655) Flooding (coastal and inland): modeled (0.424) Drought: modeled (0.744) Severe weather: modeled (0.520) Extreme heat: modeled (0.241) Landslide: modeled (0.044) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	62.0
Sac & Fox Nation of Missouri in Kansas and Nebraska	plains	Wildfire: modeled (0.684) Flooding (coastal and inland): modeled (0.170) Drought: modeled (0.618) Severe weather: modeled (0.418) Extreme heat: modeled (0.470) Landslide: modeled (0.032) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	56.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Sac & Fox Nation, Oklahoma	plains	Wildfire: modeled (0.304) Flooding (coastal and inland): modeled (0.172) Drought: modeled (0.614) Severe weather: modeled (0.423) Extreme heat: modeled (0.474) Landslide: modeled (0.030) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	46.4
Saginaw Chippewa Indian Tribe of Michigan	greatlakes	Wildfire: modeled (0.127) Flooding (coastal and inland): modeled (0.539) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.537) Extreme heat: modeled (0.257) Landslide: modeled (0.020) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	35.8
St. Croix Chippewa Indians of Wisconsin	greatlakes	Wildfire: modeled (0.319) Flooding (coastal and inland): modeled (0.566) Drought: modeled (0.301) Severe weather: modeled (0.680) Extreme heat: modeled (0.498) Landslide: modeled (0.012) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	55.6
Saint Regis Mohawk Tribe	northeast	Wildfire: modeled (0.107) Flooding (coastal and inland): modeled (0.671) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.388) Extreme heat: modeled (0.278) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	36.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Salt River Pima-Maricopa Indian Community of the Salt River Reservation, Arizona	southwest	Wildfire: modeled (0.761) Flooding (coastal and inland): modeled (0.999) Drought: modeled (0.746) Severe weather: modeled (0.945) Extreme heat: modeled (0.790) Landslide: modeled (0.091) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	99.2
Samish Indian Nation	pnw	Wildfire: modeled (0.175) Flooding (coastal and inland): modeled (0.907) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.097) Extreme heat: modeled (0.138) Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	32.6
San Carlos Apache Tribe of the San Carlos Reservation, Arizona	southwest	Wildfire: modeled (0.910) Flooding (coastal and inland): modeled (0.855) Drought: modeled (0.523) Severe weather: modeled (0.413) Extreme heat: modeled (0.628) Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	86.4
San Juan Southern Paiute Tribe of Arizona	southwest	Wildfire: modeled (0.837) Flooding (coastal and inland): modeled (0.702) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.415) Extreme heat: modeled (0.323) Landslide: modeled (0.047) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	57.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Yuhaaviatam of San Manuel Nation	california	Wildfire: modeled (0.995) Flooding (coastal and inland): modeled (0.522) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.185) Extreme heat: modeled (0.191) Landslide: modeled (0.368) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	56.6
San Pasqual Band of Diegueno Mission Indians of California	california	Wildfire: modeled (0.996) Flooding (coastal and inland): modeled (0.739) Drought: modeled (0.559) Severe weather: modeled (0.171) Extreme heat: modeled (0.524) Landslide: modeled (0.071) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	73.1
Santa Rosa Indian Community of the Santa Rosa Rancheria, California	california	Wildfire: modeled (0.593) Flooding (coastal and inland): modeled (0.949) Drought: modeled (0.716) Severe weather: modeled (0.370) Extreme heat: modeled (0.663) Landslide: modeled (0.059) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	83.9
Santa Rosa Band of Cahuilla Indians, California	california	Wildfire: modeled (1.000) Flooding (coastal and inland): modeled (0.999) Drought: modeled (0.494) Severe weather: modeled (0.755) Extreme heat: modeled (0.779) Landslide: modeled (0.315) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	99.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Santa Ynez Band of Chumash Mission Indians of the Santa Ynez Reservation, California	california	Wildfire: modeled (0.757) Flooding (coastal and inland): modeled (0.990) Drought: modeled (0.757) Severe weather: modeled (0.122) Extreme heat: modeled (0.358) Landslide: modeled (0.093) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	74.4
Santee Sioux Nation, Nebraska	plains	Wildfire: modeled (0.803) Flooding (coastal and inland): modeled (0.313) Drought: modeled (0.662) Severe weather: modeled (0.528) Extreme heat: modeled (0.291) Landslide: modeled (0.028) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	61.7
Sauk-Suiattle Indian Tribe	pnw	Wildfire: modeled (0.558) Flooding (coastal and inland): modeled (0.983) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.303) Extreme heat: modeled (0.419) Landslide: modeled (0.309) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	64.3
Sault Ste. Marie Tribe of Chippewa Indians, Michigan	greatlakes	Wildfire: modeled (0.652) Flooding (coastal and inland): modeled (0.434) Drought: modeled (0.173) Severe weather: modeled (0.153) Extreme heat: modeled (0.139) Landslide: modeled (0.032) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	34.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Scotts Valley Band of Pomo Indians of California	california	Wildfire: modeled (0.991) Flooding (coastal and inland): modeled (0.942) Drought: modeled (0.735) Severe weather: modeled (0.096) Extreme heat: modeled (0.458) Landslide: modeled (0.294) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	89.1
The Seminole Nation of Oklahoma	plains	Wildfire: modeled (0.910) Flooding (coastal and inland): modeled (0.688) Drought: modeled (0.497) Severe weather: modeled (0.670) Extreme heat: modeled (0.712) Landslide: modeled (0.044) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	89.7
Seminole Tribe of Florida	southeast	Wildfire: modeled (0.819) Flooding (coastal and inland): modeled (0.823) Drought: modeled (0.514) Severe weather: modeled (0.708) Extreme heat: modeled (0.630) Landslide: modeled (0.041) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	89.8
Seneca Nation of Indians	northeast	Wildfire: modeled (0.438) Flooding (coastal and inland): modeled (0.928) Drought: modeled (0.226) Severe weather: modeled (0.677) Extreme heat: modeled (0.400) Landslide: modeled (0.058) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	63.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Seneca-Cayuga Nation	plains	Wildfire: modeled (0.736) Flooding (coastal and inland): modeled (0.823) Drought: modeled (0.644) Severe weather: modeled (0.790) Extreme heat: modeled (0.713) Landslide: modeled (0.055) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	96.6
Shakopee Mdewakanton Sioux Community of Minnesota	plains	Wildfire: modeled (0.220) Flooding (coastal and inland): modeled (0.743) Drought: modeled (0.335) Severe weather: modeled (0.745) Extreme heat: modeled (0.583) Landslide: modeled (0.073) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	63.4
Shawnee Tribe	plains	Wildfire: modeled (0.834) Flooding (coastal and inland): modeled (0.119) Drought: modeled (0.754) Severe weather: modeled (0.607) Extreme heat: modeled (0.217) Landslide: modeled (0.006) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	59.4
Sherwood Valley Rancheria of Pomo Indians of California	california	Wildfire: modeled (0.814) Flooding (coastal and inland): modeled (0.980) Drought: modeled (0.362) Severe weather: modeled (0.137) Extreme heat: modeled (0.319) Landslide: modeled (0.216) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	67.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Shingle Springs Band of Miwok Indians, Shingle Springs Rancheria (Verona Tract), California	california	Wildfire: modeled (0.928) Flooding (coastal and inland): modeled (0.883) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.289) Extreme heat: modeled (0.417) Landslide: modeled (0.055) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	64.5
Shinnecock Indian Nation	northeast	Wildfire: modeled (0.734) Flooding (coastal and inland): modeled (0.986) Drought: modeled (0.250) Severe weather: modeled (0.807) Extreme heat: modeled (0.753) Landslide: modeled (0.096) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	92.1
Shoalwater Bay Indian Tribe of the Shoalwater Bay Indian Reservation	pnw	Wildfire: modeled (0.144) Flooding (coastal and inland): modeled (0.989) Drought: modeled (0.576) Severe weather: modeled (0.114) Extreme heat: modeled (0.318) Landslide: modeled (0.037) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	50.9
Eastern Shoshone Tribe of the Wind River Reservation, Wyoming	plains	Wildfire: modeled (0.894) Flooding (coastal and inland): modeled (0.633) Drought: modeled (0.360) Severe weather: modeled (0.336) Extreme heat: modeled (0.188) Landslide: modeled (0.190) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	61.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Shoshone-Bannock Tribes of the Fort Hall Reservation	pnw	Wildfire: modeled (0.959) Flooding (coastal and inland): modeled (0.573) Drought: modeled (0.652) Severe weather: modeled (0.478) Extreme heat: modeled (0.418) Landslide: modeled (0.019) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	75.1
Shoshone-Paiute Tribes of the Duck Valley Reservation, Nevada	pnw	Wildfire: modeled (0.926) Flooding (coastal and inland): modeled (0.720) Drought: modeled (0.692) Severe weather: modeled (0.372) Extreme heat: modeled (0.382) Landslide: modeled (0.038) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	76.3
Sisseton-Wahpeton Oyate of the Lake Traverse Reservation, South Dakota	plains	Wildfire: modeled (0.462) Flooding (coastal and inland): modeled (0.262) Drought: modeled (0.262) Severe weather: modeled (0.486) Extreme heat: modeled (0.270) Landslide: modeled (0.026) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	40.5
Skokomish Indian Tribe	pnw	Wildfire: modeled (0.255) Flooding (coastal and inland): modeled (0.904) Drought: modeled (0.544) Severe weather: modeled (0.111) Extreme heat: modeled (0.375) Landslide: modeled (0.083) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	53.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Skull Valley Band of Goshute Indians of Utah	southwest	Wildfire: modeled (0.965) Flooding (coastal and inland): modeled (0.183) Drought: modeled (0.367) Severe weather: modeled (0.371) Extreme heat: modeled (0.468) Landslide: modeled (0.027) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	55.8
Tolowa Dee-ni' Nation	california	Wildfire: modeled (0.857) Flooding (coastal and inland): modeled (0.778) Drought: modeled (0.400) Severe weather: modeled (0.060) Extreme heat: modeled (0.195) Landslide: modeled (0.286) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	60.1
Snoqualmie Indian Tribe	pnw	Wildfire: modeled (0.496) Flooding (coastal and inland): modeled (0.836) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.045) Extreme heat: modeled (0.189) Landslide: modeled (0.012) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	39.8
Soboba Band of Luiseno Indians, California	california	Wildfire: modeled (0.992) Flooding (coastal and inland): modeled (0.816) Drought: modeled (0.601) Severe weather: modeled (0.169) Extreme heat: modeled (0.416) Landslide: modeled (0.021) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	72.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Sokaogon Chippewa Community, Wisconsin	greatlakes	Wildfire: modeled (0.087) Flooding (coastal and inland): modeled (0.207) Drought: modeled (0.265) Severe weather: modeled (0.258) Extreme heat: modeled (0.143) Landslide: modeled (0.009) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	20.1
Southern Ute Indian Tribe of the Southern Ute Reservation, Colorado	southwest	Wildfire: modeled (0.842) Flooding (coastal and inland): modeled (0.740) Drought: modeled (0.544) Severe weather: modeled (0.288) Extreme heat: modeled (0.294) Landslide: modeled (0.118) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	67.1
Spirit Lake Tribe, North Dakota	plains	Wildfire: modeled (0.632) Flooding (coastal and inland): modeled (0.056) Drought: modeled (0.327) Severe weather: modeled (0.425) Extreme heat: modeled (0.151) Landslide: modeled (0.021) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	35.2
Spokane Tribe of the Spokane Reservation	pnw	Wildfire: modeled (0.951) Flooding (coastal and inland): modeled (0.369) Drought: modeled (0.577) Severe weather: modeled (0.365) Extreme heat: modeled (0.526) Landslide: modeled (0.058) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	67.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Squaxin Island Tribe of the Squaxin Island Reservation	pnw	Wildfire: modeled (0.178) Flooding (coastal and inland): modeled (0.933) Drought: modeled (0.369) Severe weather: modeled (0.187) Extreme heat: modeled (0.486) Landslide: modeled (0.080) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	51.8
Standing Rock Sioux Tribe of North & South Dakota	plains	Wildfire: modeled (0.670) Flooding (coastal and inland): modeled (0.131) Drought: modeled (0.327) Severe weather: modeled (0.371) Extreme heat: modeled (0.218) Landslide: modeled (0.014) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	39.4
Stockbridge Munsee Community, Wisconsin	greatlakes	Wildfire: modeled (0.170) Flooding (coastal and inland): modeled (0.597) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.646) Extreme heat: modeled (0.382) Landslide: modeled (0.040) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	45.8
Stillaguamish Tribe of Indians of Washington	pnw	Wildfire: modeled (0.122) Flooding (coastal and inland): modeled (0.771) Drought: modeled (0.532) Severe weather: modeled (0.305) Extreme heat: modeled (0.601) Landslide: modeled (0.166) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	58.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Summit Lake Paiute Tribe of Nevada	southwest	Wildfire: modeled (0.998) Flooding (coastal and inland): modeled (0.622) Drought: modeled (0.756) Severe weather: modeled (0.200) Extreme heat: modeled (0.503) Landslide: modeled (0.026) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	75.2
Suquamish Indian Tribe of the Port Madison Reservation	pnw	Wildfire: modeled (0.112) Flooding (coastal and inland): modeled (0.939) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.184) Extreme heat: modeled (0.562) Landslide: modeled (0.082) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	47.1
Susanville Indian Rancheria, California	california	Wildfire: modeled (0.945) Flooding (coastal and inland): modeled (0.919) Drought: modeled (0.691) Severe weather: modeled (0.266) Extreme heat: modeled (0.172) Landslide: modeled (0.010) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	71.9
Swinomish Indian Tribal Community	pnw	Wildfire: modeled (0.082) Flooding (coastal and inland): modeled (0.974) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.306) Extreme heat: modeled (0.346) Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	44.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Sycuan Band of the Kumeyaay Nation	california	Wildfire: modeled (0.984) Flooding (coastal and inland): modeled (0.595) Drought: modeled (0.171) Severe weather: modeled (0.080) Extreme heat: modeled (0.405) Landslide: modeled (0.063) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	54.2
Table Mountain Rancheria	california	Wildfire: modeled (0.998) Flooding (coastal and inland): modeled (0.947) Drought: modeled (0.700) Severe weather: modeled (0.296) Extreme heat: modeled (0.429) Landslide: modeled (0.090) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	87.6
Tejon Indian Tribe	california	Wildfire: modeled (0.420) Flooding (coastal and inland): modeled (0.499) Drought: modeled (0.485) Severe weather: modeled (0.147) Extreme heat: modeled (0.717) Landslide: modeled (0.007) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	53.8
Te-Moak Tribe of Western Shoshone Indians of Nevada (Four constituent bands: Battle Mountain Band; Elko Band; South Fork Band; and Wells Band)	southwest	Wildfire: modeled (0.893) Flooding (coastal and inland): modeled (0.722) Drought: modeled (0.697) Severe weather: modeled (0.395) Extreme heat: modeled (0.465) Landslide: modeled (0.022) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	77.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Thlopthlocco Tribal Town	plains	Wildfire: modeled (0.904) Flooding (coastal and inland): modeled (0.594) Drought: modeled (0.662) Severe weather: modeled (0.766) Extreme heat: modeled (0.701) Landslide: modeled (0.047) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	94.7
Three Affiliated Tribes of the Fort Berthold Reservation, North Dakota	plains	Wildfire: modeled (0.767) Flooding (coastal and inland): modeled (0.215) Drought: modeled (0.338) Severe weather: modeled (0.493) Extreme heat: modeled (0.208) Landslide: modeled (0.046) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	47.9
Tohono O'odham Nation of Arizona	southwest	Wildfire: modeled (0.744) Flooding (coastal and inland): modeled (0.986) Drought: modeled (0.686) Severe weather: modeled (0.816) Extreme heat: modeled (0.787) Landslide: modeled (0.065) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	98.2
Tonawanda Band of Seneca	northeast	Wildfire: modeled (0.033) Flooding (coastal and inland): modeled (0.870) Drought: modeled (0.415) Severe weather: modeled (0.697) Extreme heat: modeled (0.529) Landslide: modeled (0.022) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	59.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Tonkawa Tribe of Indians of Oklahoma	plains	Wildfire: modeled (0.330) Flooding (coastal and inland): modeled (0.504) Drought: modeled (0.668) Severe weather: modeled (0.680) Extreme heat: modeled (0.604) Landslide: modeled (0.028) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	66.4
Tonto Apache Tribe of Arizona	southwest	Wildfire: modeled (0.947) Flooding (coastal and inland): modeled (0.931) Drought: modeled (0.308) Severe weather: modeled (0.446) Extreme heat: modeled (0.697) Landslide: modeled (0.061) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	85.3
Torres Martinez Desert Cahuilla Indians, California	california	Wildfire: modeled (0.405) Flooding (coastal and inland): modeled (0.663) Drought: modeled (0.674) Severe weather: modeled (0.149) Extreme heat: modeled (0.538) Landslide: modeled (0.008) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	57.1
Tule River Indian Tribe of the Tule River Reservation, California	california	Wildfire: modeled (0.965) Flooding (coastal and inland): modeled (0.999) Drought: modeled (0.678) Severe weather: modeled (0.485) Extreme heat: modeled (0.762) Landslide: modeled (0.128) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	97.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Tulalip Tribes of Washington	pnw	Wildfire: modeled (0.071) Flooding (coastal and inland): modeled (0.683) Drought: placeholder (excluded raw 0.160) Severe weather: modeled (0.317) Extreme heat: modeled (0.589) Landslide: modeled (0.066) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	44.8
Tunica-Biloxi Indian Tribe	southeast	Wildfire: modeled (0.338) Flooding (coastal and inland): modeled (0.445) Drought: modeled (0.743) Severe weather: modeled (0.714) Extreme heat: modeled (0.639) Landslide: modeled (0.016) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	69.0
Tuolumne Band of Me-Wuk Indians of the Tuolumne Rancheria of California	california	Wildfire: modeled (0.975) Flooding (coastal and inland): modeled (0.825) Drought: modeled (0.728) Severe weather: modeled (0.417) Extreme heat: modeled (0.749) Landslide: modeled (0.067) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	96.3
Turtle Mountain Band of Chippewa Indians of North Dakota	pnw	Wildfire: modeled (0.600) Flooding (coastal and inland): modeled (0.754) Drought: modeled (0.698) Severe weather: modeled (0.650) Extreme heat: modeled (0.364) Landslide: modeled (0.018) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	74.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Tuscarora Nation	northeast	Wildfire: modeled (0.018) Flooding (coastal and inland): modeled (0.910) Drought: modeled (0.266) Severe weather: modeled (0.665) Extreme heat: modeled (0.500) Landslide: modeled (0.009) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	55.4
Twenty-Nine Palms Band of Mission Indians of California	california	Wildfire: modeled (0.459) Flooding (coastal and inland): modeled (0.934) Drought: modeled (0.534) Severe weather: modeled (0.159) Extreme heat: modeled (0.438) Landslide: modeled (0.005) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	59.2
United Auburn Indian Community of the Auburn Rancheria of California	california	Wildfire: modeled (0.933) Flooding (coastal and inland): modeled (0.900) Drought: modeled (0.701) Severe weather: modeled (0.315) Extreme heat: modeled (0.287) Landslide: modeled (0.009) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	76.6
United Keetoowah Band of Cherokee Indians in Oklahoma	plains	Wildfire: modeled (0.966) Flooding (coastal and inland): modeled (0.696) Drought: modeled (0.310) Severe weather: modeled (0.846) Extreme heat: modeled (0.751) Landslide: modeled (0.017) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	91.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Upper Sioux Community, Minnesota	plains	Wildfire: modeled (0.312) Flooding (coastal and inland): modeled (0.378) Drought: modeled (0.537) Severe weather: modeled (0.423) Extreme heat: modeled (0.649) Landslide: modeled (0.024) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	54.9
Upper Skagit Indian Tribe	pnw	Wildfire: modeled (0.233) Flooding (coastal and inland): modeled (0.623) Drought: modeled (0.577) Severe weather: modeled (0.290) Extreme heat: modeled (0.328) Landslide: modeled (0.028) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	48.5
Ute Indian Tribe of the Uintah & Ouray Reservation, Utah	southwest	Wildfire: modeled (0.767) Flooding (coastal and inland): modeled (0.153) Drought: modeled (0.444) Severe weather: modeled (0.202) Extreme heat: modeled (0.255) Landslide: modeled (0.126) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	45.5
Ute Mountain Ute Tribe	southwest	Wildfire: modeled (0.796) Flooding (coastal and inland): modeled (0.635) Drought: modeled (0.574) Severe weather: modeled (0.296) Extreme heat: modeled (0.423) Landslide: modeled (0.165) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	68.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Utu Utu Gwaitu Paiute Tribe of the Benton Paiute Reservation, California	california	Wildfire: modeled (0.834) Flooding (coastal and inland): modeled (0.975) Drought: modeled (0.757) Severe weather: modeled (0.434) Extreme heat: modeled (0.422) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	88.3
Walker River Paiute Tribe of the Walker River Reservation, Nevada	southwest	Wildfire: modeled (0.420) Flooding (coastal and inland): modeled (0.657) Drought: modeled (0.741) Severe weather: modeled (0.318) Extreme heat: modeled (0.546) Landslide: modeled (0.027) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	63.8
Wampanoag Tribe of Gay Head (Aquinnah)	northeast	Wildfire: modeled (0.279) Flooding (coastal and inland): modeled (0.554) Drought: modeled (0.279) Severe weather: modeled (0.087) Extreme heat: modeled (0.147) Landslide: modeled (0.010) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	28.3
Washoe Tribe of Nevada & California (Carson Colony, Dresslerville Colony, Woodfords Community, Stewart Community, & Washoe Ranches)	california	Wildfire: modeled (0.981) Flooding (coastal and inland): modeled (0.640) Drought: modeled (0.445) Severe weather: modeled (0.343) Extreme heat: modeled (0.310) Landslide: modeled (0.035) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	65.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
White Mountain Apache Tribe of the Fort Apache Reservation, Arizona	southwest	Wildfire: modeled (0.993) Flooding (coastal and inland): modeled (0.855) Drought: modeled (0.438) Severe weather: modeled (0.398) Extreme heat: modeled (0.579) Landslide: modeled (0.135) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	85.8
Wichita and Affiliated Tribes (Wichita, Keechi, Waco, & Tawakonie), Oklahoma	plains	Wildfire: modeled (0.848) Flooding (coastal and inland): modeled (0.550) Drought: modeled (0.675) Severe weather: modeled (0.744) Extreme heat: modeled (0.612) Landslide: modeled (0.048) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	88.6
Wilton Rancheria, California	california	Wildfire: modeled (0.959) Flooding (coastal and inland): modeled (0.990) Drought: modeled (0.756) Severe weather: modeled (0.475) Extreme heat: modeled (0.763) Landslide: modeled (0.075) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	98.0
Winnebago Tribe of Nebraska	plains	Wildfire: modeled (0.855) Flooding (coastal and inland): modeled (0.188) Drought: modeled (0.668) Severe weather: modeled (0.460) Extreme heat: modeled (0.554) Landslide: modeled (0.058) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	65.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Winnemucca Indian Colony of Nevada	southwest	Wildfire: modeled (0.952) Flooding (coastal and inland): modeled (0.472) Drought: modeled (0.173) Severe weather: modeled (0.270) Extreme heat: modeled (0.620) Landslide: modeled (0.000) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	58.2
Wiyot Tribe, California	california	Wildfire: modeled (0.436) Flooding (coastal and inland): modeled (0.987) Drought: modeled (0.726) Severe weather: modeled (0.179) Extreme heat: modeled (0.136) Landslide: modeled (0.053) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	58.9
Wyandotte Nation	plains	Wildfire: modeled (0.711) Flooding (coastal and inland): modeled (0.782) Drought: modeled (0.744) Severe weather: modeled (0.742) Extreme heat: modeled (0.692) Landslide: modeled (0.057) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	95.8
Yankton Sioux Tribe of South Dakota	plains	Wildfire: modeled (0.555) Flooding (coastal and inland): modeled (0.291) Drought: modeled (0.613) Severe weather: modeled (0.462) Extreme heat: modeled (0.241) Landslide: modeled (0.020) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	51.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Yavapai-Apache Nation of the Camp Verde Indian Reservation, Arizona	southwest	Wildfire: modeled (0.751) Flooding (coastal and inland): modeled (0.961) Drought: modeled (0.336) Severe weather: modeled (0.657) Extreme heat: modeled (0.685) Landslide: modeled (0.049) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	87.1
Yavapai-Prescott Indian Tribe	southwest	Wildfire: modeled (0.913) Flooding (coastal and inland): modeled (0.961) Drought: modeled (0.336) Severe weather: modeled (0.657) Extreme heat: modeled (0.685) Landslide: modeled (0.050) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	91.4
Yerington Paiute Tribe of the Yerington Colony & Campbell Ranch, Nevada	southwest	Wildfire: modeled (0.703) Flooding (coastal and inland): modeled (0.598) Drought: modeled (0.704) Severe weather: modeled (0.380) Extreme heat: modeled (0.463) Landslide: modeled (0.006) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	67.8
Yocha Dehe Wintun Nation, California	california	Wildfire: modeled (0.958) Flooding (coastal and inland): modeled (0.967) Drought: modeled (0.759) Severe weather: modeled (0.248) Extreme heat: modeled (0.485) Landslide: modeled (0.103) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	89.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Yomba Shoshone Tribe of the Yomba Reservation, Nevada	southwest	Wildfire: modeled (0.885) Flooding (coastal and inland): modeled (0.475) Drought: modeled (0.718) Severe weather: modeled (0.253) Extreme heat: modeled (0.551) Landslide: modeled (0.031) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	69.5
Ysleta del Sur Pueblo	plains	Wildfire: modeled (0.517) Flooding (coastal and inland): modeled (0.968) Drought: modeled (0.736) Severe weather: modeled (0.800) Extreme heat: modeled (0.781) Landslide: modeled (0.024) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	97.3
Yurok Tribe of the Yurok Reservation, California	california	Wildfire: modeled (0.931) Flooding (coastal and inland): modeled (0.894) Drought: modeled (0.563) Severe weather: modeled (0.123) Extreme heat: modeled (0.354) Landslide: modeled (0.375) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	79.9
Zuni Tribe of the Zuni Reservation, New Mexico	southwest	Wildfire: modeled (0.564) Flooding (coastal and inland): modeled (0.705) Drought: modeled (0.310) Severe weather: modeled (0.268) Extreme heat: modeled (0.295) Landslide: modeled (0.097) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	52.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Afognak	alaska	Wildfire: modeled (0.677) Flooding (coastal and inland): modeled (0.085) Drought: stub Severe weather: modeled (0.034) Extreme heat: stub Landslide: modeled (0.146) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	30.5
Agdaagux Tribe of King Cove	alaska	Wildfire: modeled (0.021) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.014) Extreme heat: stub Landslide: modeled (0.165) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	2.0
Native Village of Akhiok	alaska	Wildfire: modeled (0.500) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.178) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	22.2
Akiachak Native Community	alaska	Wildfire: modeled (0.711) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	27.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Akiak Native Community	alaska	Wildfire: modeled (0.589) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	23.6
Native Village of Akutan	alaska	Wildfire: modeled (0.026) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.014) Extreme heat: stub Landslide: modeled (0.165) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	2.3
Village of Alakanuk	alaska	Wildfire: modeled (0.376) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.066) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	12.8
Alatna Village	alaska	Wildfire: modeled (0.841) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	36.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Aleknagik	alaska	Wildfire: modeled (0.774) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.095) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	28.5
Algaaciq Native Village (St. Mary's)	alaska	Wildfire: modeled (0.255) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.065) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	8.3
Allakaket Village	alaska	Wildfire: modeled (0.825) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	35.6
Native Village of Ambler	alaska	Wildfire: modeled (0.900) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.081) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	34.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Village of Anaktuvuk Pass	alaska	Wildfire: modeled (0.216) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.010) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	6.2
Yupiit of Andreafski	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2
Angoon Community Association	alaska	Wildfire: modeled (0.026) Flooding (coastal and inland): modeled (0.228) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.144) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	10.7
Village of Aniak	alaska	Wildfire: modeled (0.810) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	32.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Anvik Village	alaska	Wildfire: modeled (0.726) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.121) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	31.9
Arctic Village	alaska	Wildfire: modeled (0.625) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.120) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	27.6
Asa'carsarmiut Tribe	alaska	Wildfire: modeled (0.493) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	18.7
Native Village of Atka	alaska	Wildfire: modeled (0.000) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.017) Extreme heat: stub Landslide: modeled (0.096) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	0.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Village of Atmautluak	alaska	Wildfire: modeled (0.584) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	23.2
Native Village of Atqasuk	alaska	Wildfire: modeled (0.178) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	4.1
Native Village of Barrow Inupiat Traditional Government	alaska	Wildfire: modeled (0.169) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	3.6
Beaver Village	alaska	Wildfire: modeled (0.861) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	37.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Belkofski	alaska	Wildfire: modeled (0.001) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.014) Extreme heat: stub Landslide: modeled (0.165) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	1.5
Village of Bill Moore's Slough	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2
Birch Creek Tribe	alaska	Wildfire: modeled (0.948) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.125) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	42.5
Native Village of Brevig Mission	alaska	Wildfire: modeled (0.071) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.070) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	3.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Buckland	alaska	Wildfire: modeled (0.411) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.076) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	16.1
Native Village of Cantwell	alaska	Wildfire: modeled (0.499) Flooding (coastal and inland): modeled (0.264) Drought: stub Severe weather: modeled (0.082) Extreme heat: stub Landslide: modeled (0.160) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	32.8
Native Village of Chenega	alaska	Wildfire: modeled (0.038) Flooding (coastal and inland): modeled (0.208) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.198) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	11.9
Chalkyitsik Village	alaska	Wildfire: modeled (0.757) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.122) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	33.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Cheesh-Na Tribe	alaska	Wildfire: modeled (0.901) Flooding (coastal and inland): modeled (0.019) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.167) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	36.3
Village of Chefornak	alaska	Wildfire: modeled (0.596) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	23.9
Chevak Native Village	alaska	Wildfire: modeled (0.387) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.066) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	14.2
Chickaloon Native Village	alaska	Wildfire: modeled (0.379) Flooding (coastal and inland): modeled (0.135) Drought: stub Severe weather: modeled (0.096) Extreme heat: stub Landslide: modeled (0.241) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	26.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Chignik Bay Tribal Council	alaska	Wildfire: modeled (0.208) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	5.3
Native Village of Chignik Lagoon	alaska	Wildfire: modeled (0.233) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	6.4
Chignik Lake Village	alaska	Wildfire: modeled (0.335) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	9.7
Chilkat Indian Village (Klukwan)	alaska	Wildfire: modeled (0.074) Flooding (coastal and inland): modeled (0.114) Drought: stub Severe weather: modeled (0.013) Extreme heat: stub Landslide: modeled (0.149) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	8.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Chilkoot Indian Association (Haines)	alaska	Wildfire: modeled (0.044) Flooding (coastal and inland): modeled (0.008) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.152) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	3.2
Chinik Eskimo Community (Golovin)	alaska	Wildfire: modeled (0.151) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.070) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	7.2
Native Village of Chitina	alaska	Wildfire: modeled (0.598) Flooding (coastal and inland): modeled (0.019) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.161) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	24.3
Native Village of Chuathbaluk (Russian Mission, Kuskokwim)	alaska	Wildfire: modeled (0.883) Flooding (coastal and inland): modeled (0.048) Drought: stub Severe weather: modeled (0.049) Extreme heat: stub Landslide: modeled (0.056) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	33.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Chuloonawick Native Village	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2
Circle Native Community	alaska	Wildfire: modeled (0.871) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	37.8
Village of Clarks Point	alaska	Wildfire: modeled (0.243) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.088) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	9.3
Native Village of Council	alaska	Wildfire: modeled (0.557) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.075) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	21.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Craig Tribal Association	alaska	Wildfire: modeled (0.045) Flooding (coastal and inland): modeled (0.037) Drought: stub Severe weather: modeled (0.065) Extreme heat: stub Landslide: modeled (0.108) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	5.5
Village of Crooked Creek	alaska	Wildfire: modeled (0.947) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	38.2
Curyung Tribal Council	alaska	Wildfire: modeled (0.720) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.094) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	26.7
Native Village of Deering	alaska	Wildfire: modeled (0.349) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.075) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	15.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Diomede	alaska	Wildfire: modeled (0.119) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.070) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	6.7
Village of Dot Lake	alaska	Wildfire: modeled (0.971) Flooding (coastal and inland): modeled (0.093) Drought: stub Severe weather: modeled (0.053) Extreme heat: stub Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	42.0
Douglas Indian Association	alaska	Wildfire: modeled (0.047) Flooding (coastal and inland): modeled (0.380) Drought: stub Severe weather: modeled (0.067) Extreme heat: stub Landslide: modeled (0.154) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	20.3
Native Village of Eagle	alaska	Wildfire: modeled (0.955) Flooding (coastal and inland): modeled (0.093) Drought: stub Severe weather: modeled (0.053) Extreme heat: stub Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	40.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Eek	alaska	Wildfire: modeled (0.613) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	24.6
Egegik Village	alaska	Wildfire: modeled (0.168) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.037) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	2.9
Eklutna Native Village	alaska	Wildfire: modeled (0.204) Flooding (coastal and inland): modeled (0.258) Drought: stub Severe weather: modeled (0.181) Extreme heat: stub Landslide: modeled (0.271) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	28.6
Native Village of Ekuk	alaska	Wildfire: modeled (0.238) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.088) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	9.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Ekwok	alaska	Wildfire: modeled (0.660) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.093) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	24.5
Native Village of Elim	alaska	Wildfire: modeled (0.789) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.077) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	31.1
Emmonak Village	alaska	Wildfire: modeled (0.374) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.066) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	12.5
Evansville Village	alaska	Wildfire: modeled (0.967) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.125) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	43.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Eyak (Cordova)	alaska	Wildfire: modeled (0.091) Flooding (coastal and inland): modeled (0.208) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.200) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	15.6
Native Village of False Pass	alaska	Wildfire: modeled (0.026) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.014) Extreme heat: stub Landslide: modeled (0.165) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	2.3
Native Village of Fort Yukon	alaska	Wildfire: modeled (0.665) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.120) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	29.3
Native Village of Gakona	alaska	Wildfire: modeled (0.910) Flooding (coastal and inland): modeled (0.019) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.167) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	37.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Louden Tribe	alaska	Wildfire: modeled (0.730) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.121) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	32.3
Native Village of Gambell	alaska	Wildfire: modeled (0.316) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.072) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	14.5
Native Village of Georgetown	alaska	Wildfire: modeled (0.943) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	37.7
Native Village of Goodnews Bay	alaska	Wildfire: modeled (0.265) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.019) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	11.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Organized Village of Grayling	alaska	Wildfire: modeled (0.664) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.120) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	29.1
Gulkana Village Council	alaska	Wildfire: modeled (0.909) Flooding (coastal and inland): modeled (0.019) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.167) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	37.0
Native Village of Hamilton	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2
Healy Lake Village	alaska	Wildfire: modeled (0.923) Flooding (coastal and inland): modeled (0.093) Drought: stub Severe weather: modeled (0.053) Extreme heat: stub Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	39.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Holy Cross Tribe	alaska	Wildfire: modeled (0.512) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.118) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	23.1
Hoonah Indian Association	alaska	Wildfire: modeled (0.036) Flooding (coastal and inland): modeled (0.228) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.144) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	11.1
Native Village of Hooper Bay	alaska	Wildfire: modeled (0.250) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.065) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	7.8
Hughes Village	alaska	Wildfire: modeled (0.902) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.124) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	39.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Huslia Village	alaska	Wildfire: modeled (0.790) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.122) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	33.8
Hydaburg Cooperative Association	alaska	Wildfire: modeled (0.033) Flooding (coastal and inland): modeled (0.037) Drought: stub Severe weather: modeled (0.065) Extreme heat: stub Landslide: modeled (0.108) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	4.5
Igiugig Village	alaska	Wildfire: modeled (0.205) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	5.0
Village of Iliamna	alaska	Wildfire: modeled (0.273) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	7.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Inupiat Community of the Arctic Slope	alaska	Wildfire: modeled (0.548) Flooding (coastal and inland): modeled (0.043) Drought: stub Severe weather: modeled (0.076) Extreme heat: stub Landslide: modeled (0.001) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	20.5
Iqugmiut Traditional Council	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2
Ivanof Bay Tribe	alaska	Wildfire: modeled (0.455) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.039) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	15.4
Kaguyak Village	alaska	Wildfire: modeled (0.232) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.171) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	13.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Organized Village of Kake	alaska	Wildfire: modeled (0.047) Flooding (coastal and inland): modeled (0.037) Drought: stub Severe weather: modeled (0.065) Extreme heat: stub Landslide: modeled (0.108) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	5.7
Kaktovik Village	alaska	Wildfire: modeled (0.114) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	1.3
Village of Kalskag	alaska	Wildfire: modeled (0.727) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	28.8
Village of Kaltag	alaska	Wildfire: modeled (0.844) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	36.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Kanatak	alaska	Wildfire: modeled (0.937) Flooding (coastal and inland): modeled (0.233) Drought: stub Severe weather: modeled (0.174) Extreme heat: stub Landslide: modeled (0.016) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	46.9
Native Village of Karluk	alaska	Wildfire: modeled (0.392) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.175) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	19.8
Organized Village of Kasaan	alaska	Wildfire: modeled (0.036) Flooding (coastal and inland): modeled (0.037) Drought: stub Severe weather: modeled (0.065) Extreme heat: stub Landslide: modeled (0.108) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	4.6
Kasigluk Traditional Elders Council	alaska	Wildfire: modeled (0.544) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	21.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Kenaitze Indian Tribe	alaska	Wildfire: modeled (0.852) Flooding (coastal and inland): modeled (0.438) Drought: modeled (0.234) Severe weather: modeled (0.108) Extreme heat: stub Landslide: modeled (0.199) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	51.4
Ketchikan Indian Community	alaska	Wildfire: modeled (0.033) Flooding (coastal and inland): modeled (0.260) Drought: stub Severe weather: modeled (0.080) Extreme heat: stub Landslide: modeled (0.094) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	12.6
Native Village of Kiana	alaska	Wildfire: modeled (0.776) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.080) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	29.8
King Island Native Community	alaska	Wildfire: modeled (0.567) Flooding (coastal and inland): modeled (0.139) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.013) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	24.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
King Salmon Tribe	alaska	Wildfire: modeled (0.384) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.002) Extreme heat: stub Landslide: modeled (0.004) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	9.8
Native Village of Kipnuk	alaska	Wildfire: modeled (0.371) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.019) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	15.9
Native Village of Kivalina	alaska	Wildfire: modeled (0.245) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.074) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	10.0
Klawock Cooperative Association	alaska	Wildfire: modeled (0.043) Flooding (coastal and inland): modeled (0.037) Drought: stub Severe weather: modeled (0.065) Extreme heat: stub Landslide: modeled (0.108) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	5.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Kluti Kaah	alaska	Wildfire: modeled (0.935) Flooding (coastal and inland): modeled (0.019) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.167) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	38.4
Knik Tribe	alaska	Wildfire: modeled (0.791) Flooding (coastal and inland): modeled (0.318) Drought: modeled (0.185) Severe weather: modeled (0.157) Extreme heat: stub Landslide: modeled (0.269) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	47.8
Native Village of Kobuk	alaska	Wildfire: modeled (0.826) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.080) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	31.8
Kokhanok Village	alaska	Wildfire: modeled (0.393) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.039) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	11.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Kongiganak	alaska	Wildfire: modeled (0.625) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	25.0
Village of Kotlik	alaska	Wildfire: modeled (0.533) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	19.4
Native Village of Kotzebue	alaska	Wildfire: modeled (0.130) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.073) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	6.0
Native Village of Koyuk	alaska	Wildfire: modeled (0.741) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.076) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	29.0

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Koyukuk Native Village	alaska	Wildfire: modeled (0.855) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	37.3
Organized Village of Kwethluk	alaska	Wildfire: modeled (0.555) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	22.0
Native Village of Kwigillingok	alaska	Wildfire: modeled (0.385) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	18.2
Native Village of Kwinhagak	alaska	Wildfire: modeled (0.188) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.019) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	9.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Larsen Bay	alaska	Wildfire: modeled (0.321) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.173) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	16.5
Levelock Village	alaska	Wildfire: modeled (0.353) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	10.4
Lime Village	alaska	Wildfire: modeled (0.892) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	35.4
Village of Lower Kalskag	alaska	Wildfire: modeled (0.739) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	29.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Manley Hot Springs Village	alaska	Wildfire: modeled (0.844) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	36.5
Manokotak Village	alaska	Wildfire: modeled (0.621) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.093) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	22.6
Native Village of Marshall	alaska	Wildfire: modeled (0.249) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.065) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	7.6
Native Village of Mary's Igloo	alaska	Wildfire: modeled (0.452) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.074) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	19.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
McGrath Native Village	alaska	Wildfire: modeled (0.877) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.124) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	38.5
Native Village of Mekoryuk	alaska	Wildfire: modeled (0.594) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	23.8
Mentasta Traditional Council	alaska	Wildfire: modeled (0.777) Flooding (coastal and inland): modeled (0.019) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.164) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	31.2
Metlakatla Indian Community, Annette Island Reserve	alaska	Wildfire: modeled (0.038) Flooding (coastal and inland): modeled (0.037) Drought: stub Severe weather: modeled (0.065) Extreme heat: stub Landslide: modeled (0.108) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	4.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Minto	alaska	Wildfire: modeled (0.969) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.125) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	43.2
Naknek Native Village	alaska	Wildfire: modeled (0.343) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.002) Extreme heat: stub Landslide: modeled (0.004) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	8.5
Native Village of Nanwalek	alaska	Wildfire: modeled (0.073) Flooding (coastal and inland): modeled (0.438) Drought: modeled (0.234) Severe weather: modeled (0.108) Extreme heat: stub Landslide: modeled (0.179) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	26.0
Native Village of Napaimute	alaska	Wildfire: modeled (0.717) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	28.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Napakiak	alaska	Wildfire: modeled (0.647) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	26.4
Native Village of Napaskiak	alaska	Wildfire: modeled (0.546) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	21.8
Native Village of Nelson Lagoon	alaska	Wildfire: modeled (0.017) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.014) Extreme heat: stub Landslide: modeled (0.165) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	1.7
Nenana Native Association	alaska	Wildfire: modeled (0.813) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.123) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	35.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
New Koliganek Village Council	alaska	Wildfire: modeled (0.510) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.091) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	19.9
New Stuyahok Village	alaska	Wildfire: modeled (0.562) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.092) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	20.8
Newhalen Village	alaska	Wildfire: modeled (0.196) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.037) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	4.3
Newtok Village	alaska	Wildfire: modeled (0.688) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	27.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Nightmute	alaska	Wildfire: modeled (0.570) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	22.9
Nikolai Village	alaska	Wildfire: modeled (0.974) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.125) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	43.6
Native Village of Nikolski	alaska	Wildfire: modeled (0.000) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.017) Extreme heat: stub Landslide: modeled (0.096) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	0.6
Ninilchik Village	alaska	Wildfire: modeled (0.727) Flooding (coastal and inland): modeled (0.438) Drought: modeled (0.234) Severe weather: modeled (0.108) Extreme heat: stub Landslide: modeled (0.196) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	47.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Noatak	alaska	Wildfire: modeled (0.416) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.076) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	18.0
Nome Eskimo Community	alaska	Wildfire: modeled (0.175) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.071) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	8.1
Nondalton Tribe	alaska	Wildfire: modeled (0.586) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.040) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	19.6
Noorvik Native Community	alaska	Wildfire: modeled (0.250) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.074) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	10.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Northway Village	alaska	Wildfire: modeled (0.962) Flooding (coastal and inland): modeled (0.093) Drought: stub Severe weather: modeled (0.053) Extreme heat: stub Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	41.5
Native Village of Nuiqsut	alaska	Wildfire: modeled (0.208) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.010) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	5.8
Nulato Village	alaska	Wildfire: modeled (0.754) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.122) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	33.0
Nunakauyarmiut Tribe	alaska	Wildfire: modeled (0.697) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	27.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Nunam Iqua	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2
Native Village of Nunapitchuk	alaska	Wildfire: modeled (0.536) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	21.1
Village of Ohogamiut	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2
Alutiiq Tribe of Old Harbor	alaska	Wildfire: modeled (0.304) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.173) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	15.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Orutsararmiut Traditional Native Council	alaska	Wildfire: modeled (0.750) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	30.2
Oscarville Traditional Village	alaska	Wildfire: modeled (0.567) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	22.4
Native Village of Ouzinkie	alaska	Wildfire: modeled (0.163) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.169) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	10.5
Native Village of Paimiut	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	17.2

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Pauloff Harbor Village	alaska	Wildfire: modeled (0.231) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.171) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	13.9
Pedro Bay Village	alaska	Wildfire: modeled (0.187) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.037) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	3.8
Native Village of Perryville	alaska	Wildfire: modeled (0.316) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	9.0
Petersburg Indian Association	alaska	Wildfire: modeled (0.039) Flooding (coastal and inland): modeled (0.010) Drought: stub Severe weather: modeled (0.050) Extreme heat: stub Landslide: modeled (0.392) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	14.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Pilot Point	alaska	Wildfire: modeled (0.383) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	11.2
Pilot Station Traditional Village	alaska	Wildfire: modeled (0.469) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.067) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	16.3
Pitka's Point Traditional Council	alaska	Wildfire: modeled (0.248) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.065) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	7.4
Platinum Traditional Village	alaska	Wildfire: modeled (0.390) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	18.4

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Point Hope	alaska	Wildfire: modeled (0.032) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	0.1
Native Village of Point Lay	alaska	Wildfire: modeled (0.146) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	2.5
Native Village of Port Graham	alaska	Wildfire: modeled (0.070) Flooding (coastal and inland): modeled (0.438) Drought: modeled (0.234) Severe weather: modeled (0.108) Extreme heat: stub Landslide: modeled (0.179) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	25.5
Native Village of Port Heiden	alaska	Wildfire: modeled (0.447) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.039) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	15.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Port Lions	alaska	Wildfire: modeled (0.372) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.174) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	18.9
Portage Creek Village	alaska	Wildfire: modeled (0.621) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.093) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	22.6
Qagan Tayagungin Tribe of Sand Point	alaska	Wildfire: modeled (0.035) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.014) Extreme heat: stub Landslide: modeled (0.166) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	3.1
Qawalangin Tribe of Unalaska	alaska	Wildfire: modeled (0.000) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.017) Extreme heat: stub Landslide: modeled (0.096) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	0.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Rampart Village	alaska	Wildfire: modeled (0.930) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.124) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	41.0
Village of Red Devil	alaska	Wildfire: modeled (0.872) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	34.4
Native Village of Ruby	alaska	Wildfire: modeled (0.986) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.125) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	44.5
St. George Island	alaska	Wildfire: modeled (0.000) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.017) Extreme heat: stub Landslide: modeled (0.096) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	0.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Saint Michael	alaska	Wildfire: modeled (0.801) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.077) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	31.6
Aleut Community of St. Paul Island	alaska	Wildfire: modeled (0.000) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.017) Extreme heat: stub Landslide: modeled (0.096) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	0.6
Salamatof Tribe	alaska	Wildfire: modeled (0.636) Flooding (coastal and inland): modeled (0.438) Drought: modeled (0.234) Severe weather: modeled (0.108) Extreme heat: stub Landslide: modeled (0.194) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	45.1
Native Village of Savoonga	alaska	Wildfire: modeled (0.300) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.072) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	13.7

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Organized Village of Saxman	alaska	Wildfire: modeled (0.037) Flooding (coastal and inland): modeled (0.260) Drought: stub Severe weather: modeled (0.080) Extreme heat: stub Landslide: modeled (0.094) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	13.0
Native Village of Scammon Bay	alaska	Wildfire: modeled (0.628) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.068) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	21.3
Native Village of Selawik	alaska	Wildfire: modeled (0.197) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.074) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	7.9
Seldovia Village Tribe	alaska	Wildfire: modeled (0.068) Flooding (coastal and inland): modeled (0.438) Drought: modeled (0.234) Severe weather: modeled (0.108) Extreme heat: stub Landslide: modeled (0.179) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	25.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Shageluk Native Village	alaska	Wildfire: modeled (0.623) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.120) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	27.4
Native Village of Shaktoolik	alaska	Wildfire: modeled (0.308) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.072) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	14.4
Native Village of Shishmaref	alaska	Wildfire: modeled (0.061) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.069) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	3.4
Native Village of Shungnak	alaska	Wildfire: modeled (0.672) Flooding (coastal and inland): modeled (0.034) Drought: stub Severe weather: modeled (0.041) Extreme heat: stub Landslide: modeled (0.079) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	25.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Sitka Tribe of Alaska	alaska	Wildfire: modeled (0.031) Flooding (coastal and inland): modeled (0.340) Drought: stub Severe weather: modeled (0.092) Extreme heat: stub Landslide: modeled (0.313) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	23.4
Skagway Village	alaska	Wildfire: modeled (0.158) Flooding (coastal and inland): modeled (0.003) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.115) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	6.5
Village of Sleetmute	alaska	Wildfire: modeled (0.861) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	33.7
Village of Solomon	alaska	Wildfire: modeled (0.452) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.074) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	19.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of South Naknek	alaska	Wildfire: modeled (0.325) Flooding (coastal and inland): modeled (0.001) Drought: stub Severe weather: modeled (0.004) Extreme heat: stub Landslide: modeled (0.030) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	8.8
Stebbins Community Association	alaska	Wildfire: modeled (0.760) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.077) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	30.0
Native Village of Stevens	alaska	Wildfire: modeled (0.697) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.121) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	30.7
Village of Stony River	alaska	Wildfire: modeled (0.874) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	34.5

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Sun'aq Tribe of Kodiak	alaska	Wildfire: modeled (0.232) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.171) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	13.3
Takotna Village	alaska	Wildfire: modeled (0.981) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.125) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	43.9
Native Village of Tanacross	alaska	Wildfire: modeled (0.990) Flooding (coastal and inland): modeled (0.093) Drought: stub Severe weather: modeled (0.053) Extreme heat: stub Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	42.7
Native Village of Tanana	alaska	Wildfire: modeled (0.913) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.124) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	40.3

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Tangirnaq Native Village	alaska	Wildfire: modeled (0.232) Flooding (coastal and inland): modeled (0.044) Drought: stub Severe weather: modeled (0.024) Extreme heat: stub Landslide: modeled (0.171) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	13.3
Native Village of Tatitlek	alaska	Wildfire: modeled (0.051) Flooding (coastal and inland): modeled (0.208) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.199) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	12.3
Native Village of Tazlina	alaska	Wildfire: modeled (0.931) Flooding (coastal and inland): modeled (0.019) Drought: stub Severe weather: modeled (0.015) Extreme heat: stub Landslide: modeled (0.167) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	38.0
Telida Village	alaska	Wildfire: modeled (0.939) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.124) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	41.8

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Teller	alaska	Wildfire: modeled (0.413) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.073) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	18.5
Native Village of Tetlin	alaska	Wildfire: modeled (0.960) Flooding (coastal and inland): modeled (0.093) Drought: stub Severe weather: modeled (0.053) Extreme heat: stub Landslide: modeled (0.087) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	41.3
Central Council of the Tlingit & Haida Indian Tribes	alaska	Wildfire: modeled (0.703) Flooding (coastal and inland): modeled (0.809) Drought: stub Severe weather: modeled (0.151) Extreme heat: stub Landslide: modeled (0.106) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	62.5
Traditional Village of Togiak	alaska	Wildfire: modeled (0.314) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.089) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	11.6

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Tuluksak Native Community	alaska	Wildfire: modeled (0.876) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.021) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	34.9
Native Village of Tuntutuliak	alaska	Wildfire: modeled (0.517) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	21.0
Native Village of Tununak	alaska	Wildfire: modeled (0.687) Flooding (coastal and inland): modeled (0.096) Drought: stub Severe weather: modeled (0.071) Extreme heat: stub Landslide: modeled (0.020) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	27.1
Twin Hills Village	alaska	Wildfire: modeled (0.323) Flooding (coastal and inland): modeled (0.031) Drought: stub Severe weather: modeled (0.011) Extreme heat: stub Landslide: modeled (0.089) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	12.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Tyonek	alaska	Wildfire: modeled (0.453) Flooding (coastal and inland): modeled (0.438) Drought: modeled (0.234) Severe weather: modeled (0.108) Extreme heat: stub Landslide: modeled (0.189) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	38.7
Ugashik Village	alaska	Wildfire: modeled (0.373) Flooding (coastal and inland): modeled (0.002) Drought: stub Severe weather: modeled (0.007) Extreme heat: stub Landslide: modeled (0.038) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	10.9
Umkumiut Native Village	alaska	Wildfire: modeled (0.937) Flooding (coastal and inland): modeled (0.395) Drought: stub Severe weather: modeled (0.225) Extreme heat: stub Landslide: modeled (0.014) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	55.2
Native Village of Unalakleet	alaska	Wildfire: modeled (0.322) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.072) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	14.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of Unga	alaska	Wildfire: modeled (0.231) Flooding (coastal and inland): modeled (0.000) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.171) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	13.9
Village of Venetie	alaska	Wildfire: modeled (0.882) Flooding (coastal and inland): modeled (0.067) Drought: stub Severe weather: modeled (0.070) Extreme heat: stub Landslide: modeled (0.124) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: stub	38.9
Village of Wainwright	alaska	Wildfire: modeled (0.151) Flooding (coastal and inland): modeled (0.026) Drought: stub Severe weather: modeled (0.028) Extreme heat: stub Landslide: modeled (0.009) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	2.7
Native Village of Wales	alaska	Wildfire: modeled (0.142) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.070) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	6.9

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Native Village of White Mountain	alaska	Wildfire: modeled (0.647) Flooding (coastal and inland): modeled (0.057) Drought: stub Severe weather: modeled (0.042) Extreme heat: stub Landslide: modeled (0.076) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	25.3
Wrangell Cooperative Association	alaska	Wildfire: modeled (0.040) Flooding (coastal and inland): modeled (0.004) Drought: stub Severe weather: modeled (0.027) Extreme heat: stub Landslide: modeled (0.085) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	1.1
Yakutat Tlingit Tribe	alaska	Wildfire: modeled (0.067) Flooding (coastal and inland): modeled (0.003) Drought: stub Severe weather: modeled (0.001) Extreme heat: stub Landslide: modeled (0.126) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: stub	1.8
Pamunkey Indian Tribe	southeast	Wildfire: modeled (0.089) Flooding (coastal and inland): modeled (0.506) Drought: modeled (0.680) Severe weather: modeled (0.152) Extreme heat: modeled (0.275) Landslide: modeled (0.022) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	39.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Chickahominy Indian Tribe	southeast	Wildfire: modeled (0.322) Flooding (coastal and inland): modeled (0.490) Drought: modeled (0.704) Severe weather: modeled (0.192) Extreme heat: modeled (0.289) Landslide: modeled (0.023) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	46.5
Chickahominy Indian Tribe--Eastern Division	southeast	Wildfire: modeled (0.273) Flooding (coastal and inland): modeled (0.528) Drought: modeled (0.687) Severe weather: modeled (0.219) Extreme heat: modeled (0.320) Landslide: modeled (0.029) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	47.6
Monacan Indian Nation	southeast	Wildfire: modeled (0.616) Flooding (coastal and inland): modeled (0.365) Drought: modeled (0.395) Severe weather: modeled (0.559) Extreme heat: modeled (0.214) Landslide: modeled (0.019) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	50.7
Nansemond Indian Nation	southeast	Wildfire: modeled (0.776) Flooding (coastal and inland): modeled (0.818) Drought: modeled (0.720) Severe weather: modeled (0.574) Extreme heat: modeled (0.433) Landslide: modeled (0.012) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	83.1

Nation	Region	Hazard status; supported index (0-1)	Frozen physical percentile
Rappahannock Tribe, Inc.	southeast	Wildfire: modeled (0.258) Flooding (coastal and inland): modeled (0.536) Drought: modeled (0.730) Severe weather: modeled (0.200) Extreme heat: modeled (0.266) Landslide: modeled (0.022) Sea-level rise: stub Coastal erosion: stub Permafrost thaw: not applicable	46.2
Upper Mattaponi Tribe	southeast	Wildfire: modeled (0.089) Flooding (coastal and inland): modeled (0.506) Drought: modeled (0.680) Severe weather: modeled (0.152) Extreme heat: modeled (0.275) Landslide: modeled (0.022) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	39.1
Little Shell Tribe of Chippewa Indians of Montana	pnw	Wildfire: modeled (0.821) Flooding (coastal and inland): modeled (0.717) Drought: modeled (0.619) Severe weather: modeled (0.522) Extreme heat: modeled (0.260) Landslide: modeled (0.017) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	70.7
Lumbee Tribe of North Carolina	southeast	Wildfire: modeled (0.850) Flooding (coastal and inland): modeled (0.771) Drought: modeled (0.487) Severe weather: modeled (0.822) Extreme heat: modeled (0.690) Landslide: modeled (0.026) Sea-level rise: not applicable Coastal erosion: not applicable Permafrost thaw: not applicable	93.3

Sources and limitations

Development snapshot, not a certified risk assessment. Review source coverage and local knowledge before decisions.

Nation hazard values are modeled exposure indices, not probabilities, measured damages or monetary losses.

EAL is an annualized expectation, not a prediction of next year, historical damage, or a climate-change attribution estimate.

Dollar totals from all counties describe all residents and assets. They must never be labeled Tribal losses.

Missing EAL cells and unassessed hazards remain gaps; supported zero values remain zero.

Avalanche and landslide are climate-sensitive hazards with multiple causes; inclusion does not attribute all loss to climate change.

CPRI ranks are cohort-relative and use differing assessment coverage. Coastal change, sea-level rise and permafrost remain unassessed in this snapshot.

The cached NCEI record ends in 2024. Only 55 event rows have state lists; regional event-cost allocation is unsupported.

The cached dollar series does not preserve its inflation base-year label; price_year is null rather than inferred.

Explicit drought placeholder floors are excluded from supported hazard values/counts but remain in the unchanged source composites.

Hawaii has no Nation entry in the canonical cohort; county context does not establish a Nation risk or climate projection.

Alaska county-equivalent contexts do not measure community, access, subsistence, ice, erosion or permafrost consequences completely. Missing hazard support is not low risk.

FEMA National Risk Index, December 2025 v1.20

NOAA NCEI Billion-Dollar Weather and Climate Disasters, cached 1980–2024 series

USAspending award data, historical scanner cache

BIA federally recognized Tribal entities, January 30, 2026

TCR scanner CPRI profiles, frozen formula 3.2.0 — Derived scanner exposure indices using FEMA NRI and other public hazard inputs; this link describes the primary source, not the scanner formula.

Pinned roster SHA-256: 5db8f52cf44d3a3853f8403cd6dc845a59088f07f42b40a3488575b5cbe7cece. Previous snapshot profile manifest: e0a0cc525a4e273b3a6eff0c4c391595c7dff1f7df58bb500c004490701a9760. Exact local input lineage is retained in the project work record; only public fields are published.