SECTORA

SECTORA FOUNDATION

OFFICIAL GUIDE · EDITION 1.1

AIRDROP GENESIS · PARTICIPATION GUIDE

# How to join the Sectora airdrop.

Step by step, with screenshots: from your very first click to a Hash Node that is on and counting. Read one step, do it, then go to the next.

| PART A | PART B | PART C |
|---|---|---|
| Stake your #SECT | Turn on your node | Check your airdrop |
| Ethereum · steps 1–7 | Free testnet · steps 8–14 | One minute · steps 15–16 |


ISSUED BY

| | |
|---|---|
| Entity | Sectora Foundation IL |
| Activity | Cybersecurity company |
| Location | Chicago, Illinois, United States |
| Illinois file | 18523639 |
| EIN | 32-0868576 |

OFFICIAL CONTRACTS · ETHEREUM MAINNET

| | |
|---|---|
| #SECT token | 0x8C9984B06281f1CA9416e493c2E602AaB08513db |
| Staking | 0x79Cb8B3B3e81a2B25C6d7250c3C5a742aa8320E0 |
| Website | sectoraorg.com |
| Support | support@sectoraorg.com |

CONTENTS

# Everything in this guide

The screenshots show an example wallet (0x4b2f...4b3c) and example amounts. Your screen shows your own.


Start here 3

Before you start 4

On a phone 5

**Part A · Stake your #SECT** 6

01 · Open the staking page 6

02 · Press “Connect wallet” 7

03 · Choose your wallet 8

04 · Check that you are connected 9

05 · Type how many #SECT you stake 10

06 · Press “Deposit #SECT” and approve 11

07 · Confirm the deposit 12

**Part B · Turn on your Hash Node** 13

08 · Open the dashboard and press “Connect wallet” 13

09 · Choose your wallet and accept the test network 14

10 · Get free Sepolia ETH for gas 15

11 · Claim 5,000 free tSECT 16

12 · Buy the Node Kit · 50 TH/s 17

13 · Register your node. The location is automatic. 18

14 · Done: your node is on 20

**Part C · Check your airdrop** 21

15 · Open My Airdrop 21

16 · Quick check on the airdrop page 22

**Problems and support** 23

AIRDROP GENESIS · STEP-BY-STEP GUIDE

# How to join the Sectora airdrop, step by step.

This guide takes you from your **very first click** to a **Hash Node that is on and counting**. Every step says exactly what to press, what you should see and what not to do, with a screenshot. Read one step, do it, then go to the next. **About 20 minutes.**

THE WHOLE AIRDROP IN ONE SENTENCE

## You need only two things, **with the same wallet:**

1. **#SECT in staking**
   At least 100 #SECT in the official staking, on Ethereum. Part A.

2. **Your Hash Node turned on**
   On the Sectora test network. 100% free. Part B.

When both are true, your airdrop count starts by itself. **No sign-up, no forms.**

### Already staking #SECT? You're already in.

You don't have to do anything else with your staking. **Don't withdraw anything.** Skip Part A and go straight to Part B: just turn on your Hash Node **with the same wallet you stake with**, and you start taking part.

PART A · STEPS 1–7
### Stake your #SECT
Ethereum mainnet. Uses your real #SECT and a little ETH for the fee.
≈ 5 minutes

PART B · STEPS 8–14
### Turn on your Hash Node
Sectora test network. Free test coins: you spend no real money.
≈ 10 minutes

PART C · STEPS 15–16
### Check your airdrop
See your level, your prize and your count growing.
≈ 1 minute

00 · BEFORE YOU START

# Have these four things ready.

01

### A crypto wallet

MetaMask, Trust Wallet, Coinbase Wallet, OKX, Binance Wallet or any Ethereum wallet. On your phone or your computer.

02

### At least 100 #SECT

In that wallet. Don't have them yet? Buy them on Uniswap with our step-by-step buying guide.

03

### A little ETH

On Ethereum, in the same wallet. It pays the network fees (a few dollars).

04 · MOST IMPORTANT

### ONE wallet for everything

Your staking and your node must use the **same wallet address**. Using two different wallets is the most common mistake.

### Three safety rules. Never break them.


**1.** Never give anyone your secret recovery phrase (the 12 or 24 words) or your private key. Sectora will never ask for them. **2.** Only use **sectoraorg.com**: check the address bar every time. **3.** Nobody from Sectora will message you first to “help” you. If someone does, it is a scam.

ON A PHONE


# Using a phone? Read this first.

Everything in this guide works on a phone. You only need your wallet app installed (MetaMask, Trust Wallet, Coinbase Wallet...).

1. **Staking (Part A):** open **sectoraorg.com/staking** in Chrome or Safari and press `Connect wallet`. Tap your wallet app in the list, approve there and come back to the browser.
2. **Node (Part B):** open **sectoraorg.com/dashboard** and press `Connect wallet`. On a phone it shows `Open in MetaMask` (or your wallet): tap it and the dashboard opens **inside your wallet app**. Continue there.
3. **Inside the wallet app** everything connects directly. Use the same wallet app for everything.




sectoraorg.com/staking




sectoraorg.com/dashboard

If the wallet app doesn't open, open it yourself, find its built-in browser (often called **Browser**, **Explore** or **Discover**) and type the address there.

PART A · STEPS 1–7 · ≈ 5 MINUTES

A

# Stake your #SECT


You put your #SECT in the official staking. They stay yours, earn staking rewards every second and count for the airdrop. Already staking? Skip to Part B.

01

STEP 1 OF 16 · BROWSER

## Open the staking page

1. Open your browser: Chrome, Safari, or the browser inside your wallet app.
2. Type exactly **sectoraorg.com/staking** and open it.
3. Scroll down until you see the white box called **“Staking console”**.





⚠ **Check the address bar.** The only real page is **sectoraorg.com/staking**. If it says anything else, close it.

# 02

STEP 2 OF 16 · STAKING CONSOLE

## Press “Connect wallet”

1. At the bottom of the Staking console there is a big blue button.
2. Press `Connect wallet`.





The Staking console. The button you press is marked in blue.


# 03 Choose your wallet

STEP 3 OF 16 · YOUR WALLET

1. A list opens under the button.
2. **On a computer:** press your wallet (for example **MetaMask**). Your wallet opens: press **Connect**.
3. **On a phone (Chrome or Safari):** tap your wallet app. The app opens: press **Connect** there, then **go back to the browser tab**.




On a computer: your browser wallet appears first.




On a phone: the list of wallet apps.





Illustration · your wallet may look a little different

04 STEP 4 OF 16 · CHECK

# Check that you are connected

1. Look at the big blue button: it now shows **your wallet address**, short, like `0x4b2f…4b3c`.
2. Under it you now see three buttons: `Deposit #SECT` `Withdraw` `Withdraw all`.




✓ **It worked** if you see your address on the button.


⚠ **Red message "Switch your wallet to the Ethereum network"?** Open your wallet, change the network to **Ethereum** (Ethereum Mainnet) and reload the page.

# 05

STEP 5 OF 16 · AMOUNT

## Type how many #SECT you stake

1. Press the box **“You deposit”**.
2. Type the number of #SECT. Only the number, for example **1000**. No dots, no commas.




**How much?** At least **100 #SECT** to take part in the airdrop. The more you stake, the higher your level:


| SCOUT | SENTINEL | GUARDIAN | TITAN |
|---|---|---|---|
| **100 #SECT** | **500 #SECT** | **1,000 #SECT** | **4,000 #SECT** |
| prize 55 SECT | prize 325 SECT | prize 750 SECT | prize 3,600 SECT · no maximum |

06

STEP 6 OF 16 · WALLET · CONFIRMATION 1 OF 2

# Press “Deposit #SECT” and approve

1. Press `Deposit #SECT`.
2. Your wallet opens and asks you to **approve** a “spending cap”. This only allows the staking contract to take **exactly** the amount you typed, never more. Nothing moves yet.
3. Check the details below, then press **Confirm** in your wallet.
4. **Wait.** Don't close the page. It takes from a few seconds to a minute.








Illustration · your wallet may look a little different


| CHECK THIS IN YOUR WALLET BEFORE YOU PRESS CONFIRM | |
|---|---|
| Request | Approve · spending cap |
| Amount | The exact #SECT you typed |
| Contract | `0x79Cb8B3B3e81a2B25C6d7250c3C5a742aa8320E0` |
| Fee | A small amount of ETH (your wallet shows it) |

07

STEP 7 OF 16 · WALLET · CONFIRMATION 2 OF 2

# Confirm the deposit

1. When the approval is done, your wallet opens **a second time** by itself, now for the **deposit**.
2. Press **Confirm** again. Wait a few seconds.
3. A green box appears: **“Your rewards · accruing every second”**, with **“Deposited”** and your amount.




Your staking is done: the deposit shows and your rewards grow every second.





Illustration · your wallet may look a little different

⚠ **Leave your #SECT in the staking.** Only staked #SECT count for the airdrop. Keep them there until you complete your time. You still earn your normal staking rewards.

**Part A done.**
Your #SECT are staked. Now turn on your node with this same wallet.

PART B · STEPS 8–14 · ≈ 10 MINUTES


# B Turn on your Hash Node


The Hash Node runs on Sectora's test network (Sepolia). **Everything in Part B is free:** you use free test coins that have no value. You never spend real money here.

## 08 STEP 8 OF 16 · DASHBOARD


## Open the dashboard and press “Connect wallet”

1. Open **sectoraorg.com/dashboard**.
2. At the top right, press `Connect wallet`.
3. **On a phone (Chrome or Safari):** a list appears. Tap `Open in MetaMask` (or your wallet) and the dashboard opens inside your wallet app. Press `Connect wallet` again there.




On a phone: `Connect wallet` at the top.




On a phone without a wallet: `Open in MetaMask`.


⚠ **Use the SAME wallet you staked with.** If your node is on another wallet, it does not count for your airdrop.

09

STEP 9 OF 16 · YOUR WALLET

# Choose your wallet and accept the test network

1. In the list "`Connect a wallet`", press your wallet (it says `Detected`).
2. In your wallet, press **Connect**.
3. The dashboard moves your wallet to the **Sepolia** test network by itself. If your wallet asks to switch or add the network, press **Approve** or **Switch network**.








Illustration · your wallet may look a little different

ⓘ **Your wallet doesn't show Sepolia?** Open your wallet settings and turn on **"Show test networks"**. Then try again.


# 10

STEP 10 OF 16 · FREE GAS


## Get free Sepolia ETH for gas

1. Every action on the test network needs a little **Sepolia ETH**. It is a free test coin with no value.
2. Go down to “`Faucet & rewards`”. In the box “`Testnet faucet`”, press `Get Sepolia ETH`.
3. A Google Cloud page opens. Check that the network is **Ethereum Sepolia**, paste your wallet address in **“Wallet address or ENS name”** and press **Get 0.05 Sepolia ETH**. If it asks, sign in with a Google account.
4. Come back to the dashboard tab.

> ⓘ **How do I copy my address?** Open your wallet and tap your account name or address at the top: it copies by itself.




In the dashboard: the link to the faucet.




The Google Cloud faucet: (1) your address · (2) Get 0.05 Sepolia ETH.


> ⚠ **Google says you need 0.001 ETH on Ethereum Mainnet?** Google's faucet only gives Sepolia ETH to wallets that hold at least 0.001 real ETH on Ethereum. Keep a little ETH in your wallet (you need it for Part A anyway) and try again.

# 11

STEP 11 OF 16 · FREE TEST TOKENS

## Claim 5,000 free tSECT

1. In the same box, press `Claim 5,000 tSECT`.
2. Your wallet opens: press **Confirm**.
3. Wait a few seconds. "`Your balance`" now shows **5,000 tSECT**.




ⓘ tSECT are **test tokens with no money value**. You can claim them again every 24 hours.

# 12


STEP 12 OF 16 · HASH MARKET

## Buy the Node Kit · 50 TH/s

1. Go down to “`Hash market`”.
2. Open the tab `Physical node` **(1)**.
3. Press the card **50 TH/s · 4,300 tSECT**, marked `Airdrop plan` **(2)**. This is the node that works for the airdrop.
4. Press `Buy 50 TH/s` **(3)**.
5. Your wallet opens **two times**: first to allow the payment, then to confirm the purchase. Press **Confirm** both times.




(1) `Physical node` · (2) 50 TH/s · `Airdrop plan`




(3) `Buy 50 TH/s`

✓ The 4,300 tSECT come from the 5,000 free tSECT of step 11. **No real money.**

# 13

STEP 13 OF 16 · YOUR NODE

## Register your node. The location is automatic.

1. Go down to “`Your node`”.
2. Your node's location is **already detected (1)** and its name is **already filled in**. You don't type anything.
3. Press `Register node` **(2)**.
4. Your wallet opens: press **Confirm**.




(1) Location detected automatically · (2) `Register node`

**About the location.** Our systems detect your node's approximate location from your connection and fill it in for you. Only the **city** is saved on the network, **never your address**. The location is wrong (for example because of a VPN)? Press “`Change`” and correct it.

# 13

STEP 13 OF 16 · PLAN B

## Register your node. The location is automatic.

**STEP 13 · PLAN B · ONLY IF YOU SEE "`WE COULDN'T DETECT THE LOCATION. ENTER IT BELOW.`"**

| | |
|---|---|
| Why | Sometimes a VPN, an ad-blocker or a strict browser blocks the detection. Then two boxes appear: `Latitude` and `Longitude`. |
| Find the numbers | Open Google Maps and search for **your city**. On a computer, right-click the city center; on a phone, press and hold it. You see two numbers, like `40.4168, -3.7038`. |
| Fill them in | The **first** number goes in `Latitude` **(1)**. The **second** number goes in `Longitude` **(2)**. Keep the minus sign if there is one. |
| Then | Press `Register node` and confirm in your wallet. Use your city, not your home. |




Only when the location could not be detected: (1) `Latitude` · (2) `Longitude`

# 14

STEP 14 OF 16 · DONE

## Done: your node is on

1. The button changes to `Registered`.
2. Your node appears on the network map. From now on, it counts.




**YES**

### You can close the tab

Your node stays on in the network by itself.

**YES**

### You can turn off your computer

Your node does not depend on your computer or your phone.

**NO**

### Never deactivate your node

A deactivated node stops counting until you turn it on again.

**Part B done. You are in the airdrop.**

Staking + node on, with the same wallet. Your count is running.

PART C · STEPS 15–16 · ≈ 1 MINUTE


# C Check your airdrop

See your level, your prize and the three requirements, read live from the blockchain. Looking is free: no signature, no transaction.

## 15 STEP 15 OF 16 · MY AIRDROP

## Open My Airdrop

1. Open **sectoraorg.com/myairdrop**.
2. Press `Connect wallet`, or paste your wallet address and press `Check`.
3. You see what you have earned so far, your **level**, your **prize** and the three requirements.




Example: 1,000 #SECT staked = Guardian, prize 750 SECT.

| THE THREE REQUIREMENTS | |
|---|---|
| ✓ 100+ SECT in staking | Done in Part A. |
| ✓ Hash Node on | Done in Part B. |
| 30 days inside | Starts by itself when the two above are true. Just wait and don't touch anything. |


# 16 Quick check on the airdrop page

STEP 16 OF 16 · AIRDROP PAGE

1. Open the airdrop page, **sectoraorg.com/airdrop**, and press `Take part`.
2. Connect your wallet. The window **“Your airdrop”** shows what you have earned so far, your prize and your level.




The airdrop page: press `Take part`.




Example of the “Your airdrop” window.

✓ **When do I receive my SECT?** On SectoraEVM, at its mainnet launch. You will be able to follow it on SectoraScan.

PROBLEMS · QUICK ANSWERS

# Something didn't work? Look here first.

### “Not enough ETH” on the staking page

Part A uses real Ethereum. Add a little ETH (on Ethereum) to the same wallet and try again.

### “Not enough gas” on the dashboard

Part B uses free Sepolia ETH. Repeat step 10.

### Google's faucet asks for 0.001 ETH on Ethereum

Your wallet needs at least 0.001 real ETH on Ethereum to use Google's faucet. Keep a little ETH in it and try again, or write to support.

### My wallet doesn't show Sepolia

In your wallet settings, turn on “Show test networks”. Then reload the dashboard.

### “Switch your wallet to the Ethereum network”

You are on the staking page with the wrong network. In your wallet, choose Ethereum (Ethereum Mainnet) and reload.

### “You do not have that many #SECT in your wallet”

Type a smaller amount, or buy more #SECT with our buying guide.

### I don't have enough tSECT to buy the Node Kit

Claim 5,000 tSECT in step 11. Already claimed today? Wait 24 hours and claim again.

### I used a different wallet for the node

It doesn't count. Connect your **staking wallet** on the dashboard and repeat Part B with it.

### The location wasn't detected, or it is wrong

Press “Change”, or follow Plan B in step 13. Use your city, not your home.

### The wallet window didn't open

Open your wallet app or extension yourself: the request is waiting there. On a phone, after approving, go back to the browser tab.

### Do I have to keep my computer on?

No. Once registered, your node stays on by itself. Just never deactivate it.

### Do I have to withdraw my staking to join?

No. Never. Your staked #SECT count as they are, and you keep earning your staking rewards.

### Does Part B cost money?

No. tSECT and Sepolia ETH are free test coins with no value.

SUPPORT

# Still stuck? Write to us.

Send an email to our support team with the subject **“Airdrop Connection”**. To help you fast, include:

1. Your **public** wallet address (starts with 0x).
2. The **step number** where you got stuck.
3. A **screenshot** of the error.

EMAIL
**support@sectoraorg.com**

SUBJECT
**Airdrop Connection**

**Never**
send your recovery phrase (12 or 24 words) or your private key. Not to us, not to anyone.

## Three safety rules. Never break them.

**1.** Never give anyone your secret recovery phrase (the 12 or 24 words) or your private key. Sectora will never ask for them. **2.** Only use **sectoraorg.com**: check the address bar every time. **3.** Nobody from Sectora will message you first to “help” you. If someone does, it is a scam.

**Sectora Foundation IL** · Cybersecurity company · Chicago, Illinois, United States · Illinois file number 18523639 · EIN 32-0868576

#SECT token (Ethereum, ERC-20): `0x8C9984B06281f1CA9416e493c2E602AaB08513db`

Staking contract: `0x79Cb8B3B3e81a2B25C6d7250c3C5a742aa8320E0`

Online version with live links: sectoraorg.com/airdrop-guide