


We build simulated disasters and hand the rescue work to fleets of AI agents. Each fleet is organized the way a living thing grows, and that growth rule decided who got seen, proven safe, and saved.




Watch exactly where real people fall out of the picture on their way to the person who decides.

The same flooded territory, five summarizing layers high. The bottom layer holds every person and building. The top layer holds what the decision office acts on. A settlement's column of light stops where the fleet lost track of it.

Predictions are saved publicly before anything runs, and scripts count every score.

- Every world is generated from a committed seed, and the same seed produces byte-identical event logs, asserted on every run.
- Exactly one rule differs between compared runs — the growth rule under test — and budgets are matched and asserted in code.
- The organizing rules are enforced mechanically by the harness. The AI agents only read, judge, and choose.
- Scoring is a script run against an answer key sealed before the experiment. Nobody grades by opinion.
- Thirteen of our own pre-registered predictions have been refuted so far, and every refutation is published beside the survivors.

A flood hit 64 communities. The way reports were summarized decided who got help.



26 of 64

communities erased from the briefing under the standard crowding rule, while survey visits stayed perfect


64 of 64

communities kept visible by the fungal-network merging rule, at the same cost

8,935 → 16,299


people the decision office could see, before and after the rule change

Eight growth rules from living networks, translated into exact, runnable code.



SLIME MOULD feed the busy paths, abandon the quiet ones	FUNGAL NETWORK connect neighbors so they share and survive
ROOT TIP go get the missing fact directly	LICHEN pair two partners with opposite weaknesses
VASCULAR one trunk, ranked branches, locked tips	CORAL add layer on layer, erase nothing
BACTERIAL SWARM herd toward the strongest signal	TENDRIL sweep until you find support, then wrap it

Seven of the eight have been through real experiments. The organizing rule runs as harness machinery; the agents do the thinking.



131 of 207

207 of 207

people reached by the fused-map fleet,
because its merging agent discounted
the lies on its own


8 of 8

7 of 8

524

RECORDS: DOCS/TRUST/THE-BRIDGE/LIVE · PAGE 6 OF 8

With slack, every organization saved everyone. At a tight budget, the organizing rule decided which emergencies got caught.



5 of 5, three ways

deadline emergencies served by every rerouting rule in the deadline region — and one dispatcher legally shortened its routes to dodge its own commitment rule

12 of 24

towns the slime-mould fleet could still see at a 50 percent reading budget; it left an erupted emergency unread for three rounds

20 of 24

towns held by the fungal fleet, whose chief aided both emergencies before they erupted

Growth rules decide the outcome when the budget binds. We want the compute to find exactly where each rule stops being safe.

What we found at small scale. Where a rule truly forced the agents' hands, the simulated failures replicated exactly with real agents. Where any slack remained, capable agents rescued every structure. The choice of organizing rule is cheap insurance that pays out precisely when capacity is scarce.

What scale unlocks. Thresholds — the exact budget where each rule flips from asset to liability — and the monoculture question: do seven institutions sharing one model fail together, where seven genuinely different model families catch each other?

~1,000,000

agent decisions planned: fleets of 100 to 300 agents, 5 to 10 rounds, 3 to 5 rules, 10 seeded trials, about 25 budget configurations

7 × 24 GB

one local model server per card (Qwen3 32B and 8B, Gemma 3 12B, Mistral Small 24B, served by vLLM); full 168 GB needed for the seven-family monoculture run

40–60 h

expected usage across the competition window, from smoke runs to threshold sweeps to repeats