

CAIRO SECURITY CLAN

ATOMIQ EXCHANGE - UPDATE

SECURITY ASSESMENT REPORT

JUNE 2025

Prepared for

ATOMIQ LABS

Contents

1 About Cairo Security Clan **2**

2 Disclaimer **2**

3 Executive Summary **3**

4 Summary of Audit **4**
4.1 Scoped Files 4
4.2 Issues 4

5 Risk Classification **5**

6 Issues by Severity Levels **6**
6.1 Medium 6
6.1.1 User-controlled execution contract enables arbitrary code execution 6

7 Test Evaluation **7**
7.1 Compilation Output 7
7.2 Tests Output 9

1 About Cairo Security Clan

Cairo Security Clan is a leading force in the realm of blockchain security, dedicated to fortifying the foundations of the digital age. As pioneers in the field, we specialize in conducting meticulous smart contract security audits, ensuring the integrity and reliability of decentralized applications built on blockchain technology.

At Cairo Security Clan, we boast a multidisciplinary team of seasoned professionals proficient in blockchain security, cryptography, and software engineering. With a firm commitment to excellence, our experts delve into every aspect of the Web3 ecosystem, from foundational layer protocols to application-layer development. Our comprehensive suite of services encompasses smart contract audits, formal verification, and real-time monitoring, offering unparalleled protection against potential vulnerabilities.

Our team comprises industry veterans and scholars with extensive academic backgrounds and practical experience. Armed with advanced methodologies and cutting-edge tools, we scrutinize and analyze complex smart contracts with precision and rigor. Our track record speaks volumes, with a plethora of published research papers and citations, demonstrating our unwavering dedication to advancing the field of blockchain security.

At Cairo Security Clan, we prioritize collaboration and transparency, fostering meaningful partnerships with our clients. We believe in a customer-oriented approach, engaging stakeholders at every stage of the auditing process. By maintaining open lines of communication and soliciting client feedback, we ensure that our solutions are tailored to meet the unique needs and objectives of each project.

Beyond our core services, Cairo Security Clan is committed to driving innovation and shaping the future of blockchain technology. As active contributors to the ecosystem, we participate in the development of emerging technologies such as Starknet, leveraging our expertise to build robust infrastructure and tools. Through strategic guidance and support, we empower our partners to navigate the complexities of the blockchain landscape with confidence and clarity.

In summary, Cairo Security Clan stands at the forefront of blockchain security, blending technical prowess with a client-centric ethos to deliver unparalleled protection and peace of mind in an ever-evolving digital landscape. Join us in safeguarding the future of decentralized finance and digital assets with confidence and conviction.

2 Disclaimer

Disclaimer Limitations of this Audit:

This report is based solely on the materials and documentation provided by you to Cairo Security Clan for the specific purpose of conducting the security review outlined in the Summary of Audit and Scoped Files. The findings presented here may not be exhaustive and may not identify all potential vulnerabilities. Cairo Security Clan provides this review and report on an "as-is" and "as-available" basis. You acknowledge that your use of this report, including any associated services, products, protocols, platforms, content, and materials, occurs entirely at your own risk.

Inherent Risks of Blockchain Technology:

Blockchain technology remains in its developmental stage and is inherently susceptible to unknown risks and vulnerabilities. This review is specifically focused on the smart contract code and does not extend to the compiler layer, programming language elements beyond the reviewed code, or other potential security risks outside the code itself.

Report Purpose and Reliance:

This report should not be construed as an endorsement of any specific project or team, nor does it guarantee the absolute security of the audited smart contracts. No third party should rely on this report for any purpose, including making investment or purchasing decisions.

Liability Disclaimer:

To the fullest extent permitted by law, Cairo Security Clan disclaims all liability associated with this report, its contents, and any related services and products arising from your use. This includes, but is not limited to, implied warranties of merchantability, fitness for a particular purpose, and non-infringement.

Third-Party Products and Services:

Cairo Security Clan does not warrant, endorse, guarantee, or assume responsibility for any products or services advertised by third parties within this report, nor for any open-source or third-party software, code, libraries, materials, or information linked to, referenced by, or accessible through this report, its content, and related services and products. This includes any hyperlinked websites, websites or applications appearing on advertisements, and Cairo Security Clan will not be responsible for monitoring any transactions between you and third-party providers. It is recommended that you exercise due diligence and caution when considering any third-party products or services, just as you would with any purchase or service through any medium.

Disclaimer of Advice:

FOR THE AVOIDANCE OF DOUBT, THIS REPORT, ITS CONTENT, ACCESS, AND/OR USE, INCLUDING ANY ASSOCIATED SERVICES OR MATERIALS, SHOULD NOT BE CONSIDERED OR RELIED UPON AS FINANCIAL, INVESTMENT, TAX, LEGAL, REGULATORY, OR OTHER PROFESSIONAL ADVICE.

3 Executive Summary

This document presents the security review performed by Cairo Security Clan on the Atomiq Exchange.

atomiq.exchange is a fully trustless cross-chain decentralized exchange (DEX) allowing you to swap between smart chains and Bitcoin, without having to trust any intermediary in the process.

All transactions are processed atomically with strong security guarantees based on bitcoin light client (leveraging bitcoin's proof-of-work security) & submarine swaps (leveraging HTLCs - hash-time locked contracts over bitcoin's lightning network). With this approach atomiq.exchange is able to offer security guarantees far exceeding those of existing bridging or cross-chain swapping solutions. Learn more from docs.

The audit was performed using

- manual analysis of the codebase,
- automated analysis tools,
- simulation of the smart contract,
- analysis of edge test cases

1 points of attention, where 0 is classified as Critical, 0 is classified as High, 1 is classified as Medium, 0 is classified as Low, 0 is classified as Informational, 0 is classified as Best Practices and 0 is classified as Undetermined. The issues are summarized in Fig. 1.

This document is organized as follows. Section 1 About Cairo Security Clan. Section 2 Disclaimer. Section 3 Executive Summary. Section 4 Summary of Audit. Section 5 Risk Classification. Section 6 Issues by Severity Levels. Section 7 Test Evaluation.




Fig 1: Distribution of issues: Critical (0), **High** (0), **Medium** (1), **Low** (0), **Informational** (0), **Best Practices** (0), **Undetermined** (0). **Distribution of status: Fixed** (1), **Acknowledged** (0), **Mitigated** (0), **Unresolved** (0).

4 Summary of Audit

Audit Type	Security Review Of Given Pull Requests
Cairo Version	2.10.1
Final Report	18/06/2025
Repository	atomiqlabs/atomiq-contracts-starknet
PR #1	atomiq-contracts-starknet PR#9
PR #2	atomiq-contracts-starknet PR#10
PR #3	atomiq-contracts-starknet PR#11
Documentation	Website documentation
Test Suite Assessment	High

4.1 Scoped Files

	PR #9
1	packages/spv_swap_vault/src/events.cairo
2	packages/spv_swap_vault/src/lib.cairo
3	packages/spv_swap_vault/tests/utils/spv_vault.cairo

	PR #10
1	packages/escrow_manager/src/lib.cairo

	PR #11
1	packages/escrow_manager/src/lib.cairo
2	packages/escrow_manager/src/structs/escrow.cairo
3	packages/escrow_manager/src/utils.cairo
4	packages/escrow_manager/src/utils/option_hash.cairo

4.2 Issues

	Findings	Severity	Update
1	User-controlled execution contract enables arbitrary code execution	Medium	Fixed

5 Risk Classification

The risk rating methodology used by Cairo Security Clan follows the principles established by the CVSS risk rating methodology. The severity of each finding is determined by two factors: **Likelihood** and **Impact**.

Likelihood measures how likely an attacker will uncover and exploit the finding. This factor will be one of the following values:

a) **High**: The issue is trivial to exploit and has no specific conditions that need to be met;

b) **Medium**: The issue is moderately complex and may have some conditions that need to be met;

c) **Low**: The issue is very complex and requires very specific conditions to be met.

When defining the likelihood of a finding, other factors are also considered. These can include but are not limited to Motive, opportunity, exploit accessibility, ease of discovery, and ease of exploit.

Impact is a measure of the damage that may be caused if an attacker exploits the finding. This factor will be one of the following values:

a) **High**: The issue can cause significant damage such as loss of funds or the protocol entering an unrecoverable state;

b) **Medium**: The issue can cause moderate damage such as impacts that only affect a small group of users or only a particular part of the protocol;

c) **Low**: The issue can cause little to no damage such as bugs that are easily recoverable or cause unexpected interactions that cause minor inconveniences.

When defining the impact of a finding other factors are also considered. These can include but are not limited to Data/state integrity, loss of availability, financial loss, and reputation damage. After defining the likelihood and impact of an issue, the severity can be determined according to the table below.

		Likelihood		
		High	**Medium**	**Low**
Impact	**High**	Critical	High	Medium
	Medium	High	Medium	Low
	Low	Medium	Low	Info/Best Practices

To address issues that do not fit a High/Medium/Low severity, Cairo Security Clan also uses three more finding severities: **Informational**, **Best Practices** and **Gas**

a) **Informational** findings do not pose any risk to the application, but they carry some information that the audit team intends to formally pass to the client;

b) **Best Practice** findings are used when some piece of code does not conform with smart contract development best practices;

c) **Gas** findings are used when some piece of code uses more gas than it should be or have some functions that can be removed to save gas.

6 Issues by Severity Levels

6.1 Medium

6.1.1 User-controlled execution contract enables arbitrary code execution

File(s): packages/escrow_manager/src/lib.cairo

Description: The `escrow_execution.contract` field accepts arbitrary contract addresses from users during escrow initialization. The escrow manager approves tokens to and calls the user-specified contract without validation, allowing malicious contracts to steal approved tokens or cause claim failures.

```
// @audit escrow_execution.contract is not checked
let execution_contract = IExecutionContractDispatcher{contract_address: escrow_execution.contract};

erc20_utils::approve(token, execution_contract.contract_address, amount);
execution_contract.create(dst, escrow_hash, token, amount - escrow_execution.fee, escrow_execution.fee,
    escrow_execution.hash, escrow_execution.expiry);
```

Malicious execution contracts can steal approved tokens or cause unexpected behavior during claim execution, breaking the intended swap flow.

Recommendation(s): Consider using a whitelist of trusted execution contract addresses or hardcode the protocol's trusted execution contract address in Escrow Manager.

Status: Fixed

Update from the client: Fixed in commit d162693

7 Test Evaluation

7.1 Compilation Output

```
scarb build
 Downloading snforge_std v0.38.2
 Downloading snforge_scarb_plugin v0.38.2
   Compiling snforge_scarb_plugin v0.38.2
    Updating crates.io index
     Locking 119 packages to latest compatible versions
      Adding cairo-lang-debug v2.10.0 (available: v2.11.4)
      Adding cairo-lang-diagnostics v2.10.0 (available: v2.11.4)
      Adding cairo-lang-filesystem v2.10.0 (available: v2.11.4)
      Adding cairo-lang-macro v0.1.0 (available: v0.1.1)
      Adding cairo-lang-parser v2.10.0 (available: v2.11.4)
      Adding cairo-lang-syntax v2.10.0 (available: v2.11.4)
      Adding cairo-lang-syntax-codegen v2.10.1 (available: v2.11.4)
      Adding cairo-lang-utils v2.10.0 (available: v2.11.4)
      Adding indoc v2.0.5 (available: v2.0.6)
      Adding smol_str v0.2.2 (available: v0.3.2)
 Downloading crates ...
  Downloaded tracing-attributes v0.1.30
  Downloaded libc v0.2.173
   Compiling proc-macro2 v1.0.95
   Compiling unicode-ident v1.0.18
   Compiling stable_deref_trait v1.2.0
   Compiling serde v1.0.219
   Compiling autocfg v1.4.0
   Compiling smallvec v1.15.1
   Compiling once_cell v1.21.3
   Compiling cfg-if v1.0.1
   Compiling equivalent v1.0.2
   Compiling hashbrown v0.15.4
   Compiling zerocopy v0.8.25
   Compiling version_check v0.9.5
   Compiling parking_lot_core v0.9.11
   Compiling either v1.15.0
   Compiling scopeguard v1.2.0
   Compiling allocator-api2 v0.2.21
   Compiling litemap v0.8.0
   Compiling writeable v0.6.1
   Compiling ahash v0.8.12
   Compiling itertools v0.12.1
   Compiling num-traits v0.2.19
   Compiling lock_api v0.4.13
   Compiling tracing-core v0.1.34
   Compiling semver v1.0.26
   Compiling pin-project-lite v0.2.16
   Compiling heck v0.4.1
   Compiling icu_properties_data v2.0.1
   Compiling icu_normalizer_data v2.0.0
   Compiling winnow v0.7.11
   Compiling toml_write v0.1.2
   Compiling oorandom v11.1.5
   Compiling genco-macros v0.17.10
   Compiling thiserror v2.0.12
   Compiling rustc-hash v1.1.0
   Compiling quote v1.0.40
   Compiling path-clean v1.0.1
   Compiling linkme-impl v0.3.33
   Compiling relative-path v1.9.3
   Compiling syn v2.0.103
   Compiling xshell-macros v0.2.7
   Compiling xxhash-rust v0.8.15
   Compiling data-encoding v2.9.0
   Compiling num-integer v0.1.46
   Compiling lazy_static v1.5.0
```

```
   Compiling utf8_iter v1.0.4
   Compiling parking_lot v0.12.4
   Compiling percent-encoding v2.3.1
   Compiling cairo-lang-primitive-token v1.0.0
   Compiling colored v2.2.0
   Compiling scarb-stable-hash v1.0.0
   Compiling form_urlencoded v1.2.1
   Compiling cairo-lang-macro-stable v1.0.0
   Compiling indoc v2.0.5
   Compiling xshell v0.2.7
   Compiling synstructure v0.13.2
   Compiling serde_derive v1.0.219
   Compiling zerofrom-derive v0.1.6
   Compiling yoke-derive v0.8.0
   Compiling zerovec-derive v0.11.1
   Compiling displaydoc v0.2.5
   Compiling tracing-attributes v0.1.30
   Compiling rust-analyzer-salsa-macros v0.17.0-pre.6
   Compiling thiserror-impl v2.0.12
   Compiling cairo-lang-macro-attributes v0.1.0
   Compiling genco v0.17.10
   Compiling linkme v0.3.33
   Compiling cairo-lang-macro v0.1.0
   Compiling tracing v0.1.41
   Compiling zerofrom v0.1.6
   Compiling unescaper v0.1.6
   Compiling yoke v0.8.0
   Compiling zerovec v0.11.2
   Compiling zerotrie v0.2.2
   Compiling cairo-lang-syntax-codegen v2.10.1
   Compiling tinystr v0.8.1
   Compiling potential_utf v0.1.2
   Compiling icu_collections v2.0.0
   Compiling icu_locale_core v2.0.0
   Compiling icu_provider v2.0.0
   Compiling icu_normalizer v2.0.0
   Compiling icu_properties v2.0.1
   Compiling idna_adapter v1.2.1
   Compiling idna v1.0.3
   Compiling url v2.5.4
   Compiling indexmap v2.9.0
   Compiling serde_spanned v0.6.9
   Compiling toml_datetime v0.6.11
   Compiling num-bigint v0.4.6
   Compiling hashbrown v0.14.5
   Compiling triomphe v0.1.14
   Compiling smol_str v0.2.2
   Compiling toml_edit v0.22.27
   Compiling rust-analyzer-salsa v0.17.0-pre.6
   Compiling cairo-lang-utils v2.10.0
   Compiling cairo-lang-debug v2.10.0
   Compiling toml v0.8.23
   Compiling cairo-lang-filesystem v2.10.0
   Compiling cairo-lang-diagnostics v2.10.0
   Compiling cairo-lang-syntax v2.10.0
   Compiling cairo-lang-parser v2.10.0
   Compiling snforge_scarb_plugin v0.38.2 (/home/boreas/.cache/scarb/registry/src/scarbs.xyz-9djtpev4jug5q/
     snforge_scarb_plugin-0.38.2)
    Finished `release` profile [optimized] target(s) in 35.85s
   Compiling lib(atomiq_contracts) atomiq_contracts v0.1.0 (/Scarb.toml)
   Compiling starknet-contract(atomiq_contracts) atomiq_contracts v0.1.0 (/Scarb.toml)
    Finished `dev` profile target(s) in 86 seconds
```

7.2 Tests Output

```
scarb test
     Running test atomiq_contracts (cd scripts; npm i; npm run integration; cd ..; snforge test -w;)

added 67 packages, and audited 68 packages in 5s

14 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

> scripts@1.0.0 integration
> node ./generate_test_data.js

Generated test data for: btc_txid_claim_handler
Generated test data for: btc_output_claim_handler
Generated test data for: btc_nonced_output_claim_handler
Generated test data for: timelock_refund_handler
Generated test data for: hashlock_claim_handler
Generated test data for: btc_relay
   Compiling snforge_scarb_plugin v0.38.2
    Finished `release` profile [optimized] target(s) in 0.06s
   Compiling test(atomiq_contracts_unittest) atomiq_contracts v0.1.0 (/Scarb.toml)
   Compiling test(btc_nonced_output_claim_handler_unittest) btc_nonced_output_claim_handler v0.1.0 (/packages/
     btc_nonced_output_claim_handler/Scarb.toml)
   Compiling test(btc_nonced_output_claim_handler_integrationtest)
     btc_nonced_output_claim_handler_integrationtest v0.1.0 (/packages/btc_nonced_output_claim_handler/Scarb.toml)
   Compiling test(btc_output_claim_handler_unittest) btc_output_claim_handler v0.1.0 (/packages/
     btc_output_claim_handler/Scarb.toml)
   Compiling test(btc_output_claim_handler_integrationtest) btc_output_claim_handler_integrationtest v0.1.0 (/
     packages/btc_output_claim_handler/Scarb.toml)
   Compiling test(btc_relay_unittest) btc_relay v0.1.0 (/packages/btc_relay/Scarb.toml)
   Compiling test(btc_relay_integrationtest) btc_relay_integrationtest v0.1.0 (/packages/btc_relay/Scarb.toml)
   Compiling test(btc_txid_claim_handler_unittest) btc_txid_claim_handler v0.1.0 (/packages/
     btc_txid_claim_handler/Scarb.toml)
   Compiling test(btc_txid_claim_handler_integrationtest) btc_txid_claim_handler_integrationtest v0.1.0 (/
     packages/btc_txid_claim_handler/Scarb.toml)
   Compiling test(btc_utils_unittest) btc_utils v0.1.0 (/packages/btc_utils/Scarb.toml)
   Compiling test(common_unittest) common v0.1.0 (/packages/common/Scarb.toml)
   Compiling test(erc20_utils_unittest) erc20_utils v0.1.0 (/packages/erc20_utils/Scarb.toml)
   Compiling test(escrow_manager_unittest) escrow_manager v0.1.0 (/packages/escrow_manager/Scarb.toml)
   Compiling test(escrow_manager_integrationtest) escrow_manager_integrationtest v0.1.0 (/packages/escrow_manager
     /Scarb.toml)
   Compiling test(execution_contract_unittest) execution_contract v0.1.0 (/packages/execution_contract/Scarb.toml
     )
   Compiling test(execution_contract_integrationtest) execution_contract_integrationtest v0.1.0 (/packages/
     execution_contract/Scarb.toml)
   Compiling test(hashlock_claim_handler_unittest) hashlock_claim_handler v0.1.0 (/packages/
     hashlock_claim_handler/Scarb.toml)
   Compiling test(hashlock_claim_handler_integrationtest) hashlock_claim_handler_integrationtest v0.1.0 (/
     packages/hashlock_claim_handler/Scarb.toml)
   Compiling test(spv_swap_vault_unittest) spv_swap_vault v0.1.0 (/packages/spv_swap_vault/Scarb.toml)
   Compiling test(spv_swap_vault_integrationtest) spv_swap_vault_integrationtest v0.1.0 (/packages/spv_swap_vault
     /Scarb.toml)
   Compiling test(timelock_refund_handler_unittest) timelock_refund_handler v0.1.0 (/packages/
     timelock_refund_handler/Scarb.toml)
   Compiling test(timelock_refund_handler_integrationtest) timelock_refund_handler_integrationtest v0.1.0 (/
     packages/timelock_refund_handler/Scarb.toml)
    Finished `dev` profile target(s) in 3 minutes


Collected 0 test(s) from atomiq_contracts package
Running 0 test(s) from src/
Tests: 0 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 12 test(s) from btc_nonced_output_claim_handler package
Running 0 test(s) from src/
Running 12 test(s) from tests/
```

```
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_empty_witness (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~7800000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_vout_out_of_bounds (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~11960000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_nsequence_match (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~11680000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_blockheader (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~11720000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_locktime_too_low (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~11840000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_nsequence_bits (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~12320000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_output (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~12000000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_commitment (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~12000000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_empty_ins (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~10760000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_confirmations (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~13480000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_valid_random (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~2883840000)
[PASS] btc_nonced_output_claim_handler_integrationtest::test::test_invalid_merkle (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~13360000)
Tests: 12 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 9 test(s) from btc_output_claim_handler package
Running 9 test(s) from tests/
[PASS] btc_output_claim_handler_integrationtest::test::test_invalid_empty_witness (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~7760000)
[PASS] btc_output_claim_handler_integrationtest::test::test_invalid_commitment (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~11280000)
[PASS] btc_output_claim_handler_integrationtest::test::test_invalid_vout_out_of_bounds (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~11760000)
[PASS] btc_output_claim_handler_integrationtest::test::test_invalid_confirmations (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~12760000)
[PASS] btc_output_claim_handler_integrationtest::test::test_invalid_output (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~12080000)
[PASS] btc_output_claim_handler_integrationtest::test::test_invalid_blockheader (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~11760000)
[PASS] btc_output_claim_handler_integrationtest::test::test_valid_real (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~2305520000)
[PASS] btc_output_claim_handler_integrationtest::test::test_invalid_merkle (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~13440000)
[PASS] btc_output_claim_handler_integrationtest::test::test_valid_random (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~2255520000)
Running 0 test(s) from src/
Tests: 9 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 50 test(s) from btc_relay package
Running 21 test(s) from tests/
[PASS] btc_relay_integrationtest::blocks::block_invalid_nbits (l1_gas: ~0, l1_data_gas: ~288, l2_gas: ~1365760)
[PASS] btc_relay_integrationtest::blocks::block_invalid_median_timestamp (l1_gas: ~0, l1_data_gas: ~384, l2_gas: ~1365760)
[PASS] btc_relay_integrationtest::blocks::block_invalid_future_timestamp (l1_gas: ~0, l1_data_gas: ~288, l2_gas: ~1365760)
[PASS] btc_relay_integrationtest::blocks::block_invalid_nbits_diff_adjustment (l1_gas: ~0, l1_data_gas: ~384, l2_gas: ~1365760)
[PASS] btc_relay_integrationtest::blocks::block_invalid_pow (l1_gas: ~0, l1_data_gas: ~288, l2_gas: ~1365760)
[PASS] btc_relay_integrationtest::blocks::block_invalid_prev_block (l1_gas: ~0, l1_data_gas: ~288, l2_gas: ~1365760)
[PASS] btc_relay_integrationtest::chains::main_chain_stored_header_not_committed (l1_gas: ~0, l1_data_gas: ~288, l2_gas: ~1525760)
[PASS] btc_relay_integrationtest::chains::main_chain_stored_header_not_tip (l1_gas: ~0, l1_data_gas: ~1344, l2_gas: ~219423360)
[PASS] btc_relay_integrationtest::chains::long_fork_stored_header_not_committed (l1_gas: ~0, l1_data_gas: ~2304, l2_gas: ~438600960)
[PASS] btc_relay_integrationtest::chains::main_chain (l1_gas: ~0, l1_data_gas: ~2304, l2_gas: ~438600960)
```

```
[PASS] btc_relay_integrationtest::chains::long_fork_not_enough_length (l1_gas: ~0, l1_data_gas: ~3072, l2_gas: ~548200960)
[PASS] btc_relay_integrationtest::chains::long_fork_stored_header_not_committed_in_fork_data (l1_gas: ~0, l1_data_gas: ~3552, l2_gas: ~657840960)
[PASS] btc_relay_integrationtest::chains::long_fork_chain (l1_gas: ~0, l1_data_gas: ~4896, l2_gas: ~877177280)
[PASS] btc_relay_integrationtest::chains::short_fork_not_enough_length (l1_gas: ~0, l1_data_gas: ~2304, l2_gas: ~438600960)
[PASS] btc_relay_integrationtest::chains::main_chain_diff_adjustment (l1_gas: ~0, l1_data_gas: ~3264, l2_gas: ~657818560)
[PASS] btc_relay_integrationtest::chains::short_fork_stored_header_not_committed (l1_gas: ~0, l1_data_gas: ~2304, l2_gas: ~438600960)
[PASS] btc_relay_integrationtest::chains::short_fork_chain (l1_gas: ~0, l1_data_gas: ~2688, l2_gas: ~876972480)
[PASS] btc_relay_integrationtest::chains::short_fork_not_enough_chainwork (l1_gas: ~0, l1_data_gas: ~12288, l2_gas: ~2696034240)
[PASS] btc_relay_integrationtest::chains::long_fork_chain_chainwork (l1_gas: ~0, l1_data_gas: ~26496, l2_gas: ~5897263680)
[PASS] btc_relay_integrationtest::chains::long_fork_not_enough_chainwork (l1_gas: ~0, l1_data_gas: ~24384, l2_gas: ~5414978240)
[PASS] btc_relay_integrationtest::chains::short_fork_chain_chainwork (l1_gas: ~0, l1_data_gas: ~13344, l2_gas: ~5895891520)
Running 29 test(s) from src/
[PASS] btc_relay::structs::stored_blockheader::tests::random_success_block_pow_retarget_fast_limit (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21760000)
[PASS] btc_relay::structs::blockheader::tests::hash_random_blockheaders (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~214080000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_fail_block_wrong_nbits_diff_adjustment (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~320000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_fail_block_invalid_prev_blockhash (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_success_block_pow_retarget (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21760000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_fail_block_timestamp_median (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21680000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_fail_block_invalid_pow (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21680000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_success_block_pow_retarget_slow_limit (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21760000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_success_block_timestamp_median (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21680000)
[PASS] btc_relay::structs::stored_blockheader::tests::real_success_block_pow_retarget_fast_limit (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21760000)
[PASS] btc_relay::structs::blockheader::tests::hash_real_blockheaders (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~214080000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_fail_block_wrong_nbits (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_relay::utils::difficulty::tests::compute_new_target_real_adjustments (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1920000)
[PASS] btc_relay::utils::endianness::tests::manual (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~160000)
[PASS] btc_relay::utils::nbits::tests::bitcoin_core_negative_nbits_test_vector_2 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_relay::utils::nbits::tests::bitcoin_core_overflow_nbits_test_vector (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_relay::structs::stored_blockheader::tests::real_success_block_update (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21680000)
[PASS] btc_relay::utils::difficulty::tests::get_chainwork_real_data (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~960000)
[PASS] btc_relay::utils::nbits::tests::bitcoin_core_negative_nbits_test_vector_1 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_relay::utils::nbits::tests::test_nbits_to_target (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_relay::structs::stored_blockheader::tests::random_success_block_updates (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21680000)
[PASS] btc_relay::structs::stored_blockheader::tests::real_success_block_pow_retarget (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~21800000)
[PASS] btc_relay::utils::difficulty::tests::get_chainwork_random_data (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~280000)
[PASS] btc_relay::utils::nbits::tests::test_target_to_nbits (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_relay::utils::u256_utils::tests::block_hashes (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1760000)
[PASS] btc_relay::utils::u256_utils::tests::random (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1920000)
[PASS] btc_relay::utils::endianness::tests::random (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~200000)
[PASS] btc_relay::utils::nbits::tests::bitcoin_core_test_vectors (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~3320000)
```

```
[PASS] btc_relay::utils::u256_utils::tests::manual (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1560000)
Tests: 50 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 7 test(s) from btc_txid_claim_handler package
Running 0 test(s) from src/
Running 7 test(s) from tests/
[PASS] btc_txid_claim_handler_integrationtest::test::test_invalid_empty_witness (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~7760000)
[PASS] btc_txid_claim_handler_integrationtest::test::test_invalid_commitment (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~10440000)
[PASS] btc_txid_claim_handler_integrationtest::test::test_invalid_confirmations (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~12000000)
[PASS] btc_txid_claim_handler_integrationtest::test::test_invalid_blockheader (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~10680000)
[PASS] btc_txid_claim_handler_integrationtest::test::test_valid_random (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~1734600000)
[PASS] btc_txid_claim_handler_integrationtest::test::test_invalid_merkle (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~12680000)
[PASS] btc_txid_claim_handler_integrationtest::test::test_valid_real (l1_gas: ~0, l1_data_gas: ~4800, l2_gas: ~2077200000)
Tests: 7 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 58 test(s) from btc_utils package
Running 58 test(s) from src/
[PASS] btc_utils::bitcoin_merkle_tree::tests::test_invalid_change_leaf (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~321240000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_29b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~320000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_11b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_12b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~240000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~640000)
[PASS] btc_utils::bitcoin_merkle_tree::tests::test_invalid_change_proof (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~321240000)
[PASS] btc_utils::bitcoin_tx::tests::test_invalid_data_extended (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~920000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_25b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~560000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_27b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~960000)
[PASS] btc_utils::byte_array::tests::test_invalid_bytes31 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~320000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_28b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~240000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_21b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~720000)
[PASS] btc_utils::bitcoin_merkle_tree::tests::test_invalid_change_position (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~321240000)
[PASS] btc_utils::bitcoin_merkle_tree::tests::test_valid_real (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~2034400000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_19b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~640000)
[PASS] btc_utils::bitcoin_merkle_tree::tests::test_invalid_change_root (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~321240000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_13b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~320000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_14b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~160000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_1b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_20b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::bitcoin_tx::tests::test_invalid_tx_length_64 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_10b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~200000)
[PASS] btc_utils::bitcoin_tx::tests::test_invalid_witness_not_stripped (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~200000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_15b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~240000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_26b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~400000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_18b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_16b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~320000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_17b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_22b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~720000)
[PASS] btc_utils::bitcoin_merkle_tree::tests::test_invalid_change_proof_len (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~299840000)
[PASS] btc_utils::bitcoin_merkle_tree::tests::test_valid_random (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~2484080000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_4b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_24b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~200000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_23b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~640000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_5b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::bitcoin_tx::tests::test_real_txs (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~777840000)
[PASS] btc_utils::byte_array::tests::test_invalid_u32_le (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
```

```
[PASS] btc_utils::compact_size::tests::test_manual (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1000000)
[PASS] btc_utils::compact_size::tests::test_manual_out_of_bounds_u16 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_utils::compact_size::tests::test_manual_out_of_bounds_u32 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_utils::byte_array::tests::test_invalid_u64_le (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_utils::bitcoin_tx::tests::test_random_txs (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1091840000)
[PASS] btc_utils::compact_size::tests::test_manual_out_of_bounds_u64 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_7b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~160000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_30b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_utils::compact_size::tests::test_random (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~4440000)
[PASS] btc_utils::byte_array::tests::test_invalid_u256 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~360000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_6b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_9b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~160000)
[PASS] btc_utils::byte_array::tests::test_random_access (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~60720000)
[PASS] btc_utils::byte_array::tests::test_invalid_u16_le (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
[PASS] btc_utils::byte_array::tests::test_random (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~356800000)
[PASS] btc_utils::compact_size::tests::test_manual_out_of_bounds_u8 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_31b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~680000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_8b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_2b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_32b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~400000)
[PASS] btc_utils::byte_array::tests::test_invalid_felt252_3b (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
Tests: 58 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 0 test(s) from common package
Running 0 test(s) from src/
Tests: 0 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 0 test(s) from erc20_utils package
Running 0 test(s) from src/
Tests: 0 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 50 test(s) from escrow_manager package
Running 41 test(s) from tests/
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_sign_different_timeout (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~241642240)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_wrong_sender (l1_gas: ~0, l1_data_gas: ~70944, l2_gas: ~208780800)
[PASS] escrow_manager_integrationtest::escrow_claim::invalid_claim_uninitialized (l1_gas: ~0, l1_data_gas: ~64800, l2_gas: ~246260800)
[PASS] escrow_manager_integrationtest::escrow_init::valid_initialize_with_success_action (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~350626560)
[PASS] escrow_manager_integrationtest::escrow_claim::invalid_claim_handler (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~455906560)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_wrong_sign_message (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~238242240)
[PASS] escrow_manager_integrationtest::escrow_claim::valid_claim (l1_gas: ~0, l1_data_gas: ~87072, l2_gas: ~594203200)
[PASS] escrow_manager_integrationtest::escrow_claim::valid_claim_success_action (l1_gas: ~0, l1_data_gas: ~105600, l2_gas: ~706196800)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_commit_twice (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~417586560)
[PASS] escrow_manager_integrationtest::escrow_init::valid_initialize (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~349466560)
[PASS] escrow_manager_integrationtest::escrow_claim::valid_claim_success_action_fee_too_high (l1_gas: ~0, l1_data_gas: ~87072, l2_gas: ~596483200)
[PASS] escrow_manager_integrationtest::escrow_refund::invalid_refund_uninitialized (l1_gas: ~0, l1_data_gas: ~64800, l2_gas: ~238260800)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_wrong_signer (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~242042240)
[PASS] escrow_manager_integrationtest::escrow_refund::valid_refund_invert_deposits (l1_gas: ~0, l1_data_gas: ~22560, l2_gas: ~156052160)
[PASS] escrow_manager_integrationtest::escrow_claim::valid_claim_invert_deposits (l1_gas: ~0, l1_data_gas: ~101760, l2_gas: ~691699840)
```

```
[PASS] escrow_manager_integrationtest::escrow_claim::invalid_claim_double (l1_gas: ~0, l1_data_gas: ~87072, l2_gas: ~700163200)
[PASS] escrow_manager_integrationtest::escrow_refund::invalid_refund_handler (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~447906560)
[PASS] escrow_manager_integrationtest::lp_vault::invalid_deposit_no_allowance (l1_gas: ~0, l1_data_gas: ~960, l2_gas: ~2224320)
[PASS] escrow_manager_integrationtest::lp_vault::invalid_withdraw_no_balance (l1_gas: ~0, l1_data_gas: ~1248, l2_gas: ~3145280)
[PASS] escrow_manager_integrationtest::lp_vault::valid_deposit (l1_gas: ~0, l1_data_gas: ~1248, l2_gas: ~3065280)
[PASS] escrow_manager_integrationtest::lp_vault::invalid_deposit_no_balance (l1_gas: ~0, l1_data_gas: ~1152, l2_gas: ~1983360)
[PASS] escrow_manager_integrationtest::escrow_refund::invalid_refund_double (l1_gas: ~0, l1_data_gas: ~80160, l2_gas: ~691458560)
[PASS] escrow_manager_integrationtest::lp_vault::valid_withdraw_full_external (l1_gas: ~0, l1_data_gas: ~1152, l2_gas: ~4026240)
[PASS] escrow_manager_integrationtest::lp_vault::valid_withdraw_partial (l1_gas: ~0, l1_data_gas: ~1248, l2_gas: ~3906240)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::invalid_coop_refund_uninitialized (l1_gas: ~0, l1_data_gas: ~64800, l2_gas: ~236980800)
[PASS] escrow_manager_integrationtest::lp_vault::valid_withdraw_full (l1_gas: ~0, l1_data_gas: ~1056, l2_gas: ~3906240)
[PASS] escrow_manager_integrationtest::lp_vault::valid_withdraw_partial_external (l1_gas: ~0, l1_data_gas: ~1344, l2_gas: ~4026240)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::invalid_coop_refund_sign_random_msg (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~447586560)
[PASS] escrow_manager_integrationtest::escrow_refund::valid_refund (l1_gas: ~0, l1_data_gas: ~80160, l2_gas: ~593538560)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::invalid_coop_refund_timed_out (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~446666560)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_not_enough_gas_allowance (l1_gas: ~0, l1_data_gas: ~47904, l2_gas: ~175485440)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_expired (l1_gas: ~0, l1_data_gas: ~64800, l2_gas: ~206980800)
[PASS] escrow_manager_integrationtest::escrow_refund::valid_refund_with_success_action (l1_gas: ~0, l1_data_gas: ~80160, l2_gas: ~595698560)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::invalid_coop_refund_sign_diff_timeout (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~448866560)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_not_enough_allowance (l1_gas: ~0, l1_data_gas: ~33312, l2_gas: ~92771840)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_not_enough_gas_balance (l1_gas: ~0, l1_data_gas: ~57120, l2_gas: ~163759360)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::invalid_coop_refund_wrong_signer (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~449266560)
[PASS] escrow_manager_integrationtest::escrow_init::invalid_initialize_not_enough_balance (l1_gas: ~0, l1_data_gas: ~71040, l2_gas: ~212140800)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::valid_coop_refund_with_success_action (l1_gas: ~0, l1_data_gas: ~79392, l2_gas: ~594770880)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::valid_coop_refund (l1_gas: ~0, l1_data_gas: ~79392, l2_gas: ~592610880)
[PASS] escrow_manager_integrationtest::escrow_refund_coop::invalid_refund_double (l1_gas: ~0, l1_data_gas: ~79392, l2_gas: ~689170880)
Running 9 test(s) from src/
[PASS] escrow_manager::sighash::tests::random_refund_sighash (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~320000)
[PASS] escrow_manager::state::reputation::tests::test_updates (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~400000)
[PASS] escrow_manager::sighash::tests::random_init_sighash (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~880000)
[PASS] escrow_manager::state::escrow::tests::test_packing (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~600000)
[PASS] escrow_manager::structs::escrow::tests::parse_flags (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~160000)
[PASS] escrow_manager::state::reputation::tests::test_updates_overflowing (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~400000)
[PASS] escrow_manager::structs::escrow::tests::execution_hash (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
[PASS] escrow_manager::structs::escrow::tests::total_deposit (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
[PASS] escrow_manager::state::reputation::tests::test_packing (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~640000)
Tests: 50 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 25 test(s) from execution_contract package
Running 4 test(s) from src/
[PASS] execution_contract::state::tests::clear_all (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
[PASS] execution_contract::utils::tests::span_hash (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~240000)
[PASS] execution_contract::state::tests::test_packing (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~800000)
```

```
[PASS] execution_contract::state::tests::clear (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
Running 21 test(s) from tests/
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
[PASS] execution_contract_integrationtest::create::invalid_execution_not_enough_allowance (l1_gas: ~0,
    l1_data_gas: ~2304, l2_gas: ~3564800)
[PASS] execution_contract_integrationtest::execute::invalid_not_initiated (l1_gas: ~0, l1_data_gas: ~1536, l2_gas
    : ~3122880)
[PASS] execution_contract_integrationtest::create::invalid_execution_not_enough_funds (l1_gas: ~0, l1_data_gas:
    ~2208, l2_gas: ~3564800)
[PASS] execution_contract_integrationtest::create::invalid_execution_hash_0 (l1_gas: ~0, l1_data_gas: ~1824,
    l2_gas: ~3564800)
[FAIL] execution_contract_integrationtest::execute::valid_execute_panic_test_contract

Failure data:
    0x70616e6963206865726521 ('panic here!')

note: run with `SNFORGE_BACKTRACE=1` environment variable to display a backtrace
[PASS] execution_contract_integrationtest::create::valid_create (l1_gas: ~0, l1_data_gas: ~2208, l2_gas:
    ~5078400)
[PASS] execution_contract_integrationtest::create::invalid_execution_already_initiated (l1_gas: ~0, l1_data_gas:
    ~2208, l2_gas: ~5478400)
[PASS] execution_contract_integrationtest::execute::valid_execute_test_contract (l1_gas: ~0, l1_data_gas: ~2208,
    l2_gas: ~9187840)
[PASS] execution_contract_integrationtest::execute::invalid_calls (l1_gas: ~0, l1_data_gas: ~2208, l2_gas:
    ~5678400)
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
[PASS] execution_contract_integrationtest::execute::valid_execute_test_contract_drain (l1_gas: ~0, l1_data_gas:
    ~2400, l2_gas: ~10629760)
[PASS] execution_contract_integrationtest::execute::invalid_already_processed (l1_gas: ~0, l1_data_gas: ~2208,
    l2_gas: ~9172480)
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
11c5e6e9fac6c0bc989ff1204f5c2edbadde6cd4fa8ca4f05abf803f257711c
[PASS] execution_contract_integrationtest::refund::invalid_not_initiated (l1_gas: ~0, l1_data_gas: ~1536, l2_gas:
     ~3082880)
[PASS] execution_contract_integrationtest::execute::valid_execute_empty (l1_gas: ~0, l1_data_gas: ~1824, l2_gas:
    ~14662080)
[PASS] execution_contract_integrationtest::execute::invalid_drain_tokens (l1_gas: ~0, l1_data_gas: ~2208, l2_gas:
     ~5638400)
[PASS] execution_contract_integrationtest::refund_expired::invalid_not_initiated (l1_gas: ~0, l1_data_gas: ~1536,
     l2_gas: ~3202880)
[PASS] execution_contract_integrationtest::refund_expired::invalid_not_expired (l1_gas: ~0, l1_data_gas: ~2208,
    l2_gas: ~5678400)
[PASS] execution_contract_integrationtest::refund::invalid_already_processed (l1_gas: ~0, l1_data_gas: ~2112,
    l2_gas: ~7290560)
[PASS] execution_contract_integrationtest::refund_expired::invalid_already_processed (l1_gas: ~0, l1_data_gas:
    ~2208, l2_gas: ~8091520)
[PASS] execution_contract_integrationtest::refund::valid_refund_expired (l1_gas: ~0, l1_data_gas: ~1728, l2_gas:
    ~11018240)
[PASS] execution_contract_integrationtest::refund::valid_refund_not_expired (l1_gas: ~0, l1_data_gas: ~1728,
    l2_gas: ~11018240)
[PASS] execution_contract_integrationtest::refund_expired::valid_refund (l1_gas: ~0, l1_data_gas: ~1824, l2_gas:
    ~12380160)
Tests: 24 passed, 1 failed, 0 skipped, 0 ignored, 0 filtered out
```

```
338
339
340 Collected 8 test(s) from hashlock_claim_handler package
341 Running 0 test(s) from src/
342 Running 8 test(s) from tests/
343 [PASS] hashlock_claim_handler_integrationtest::test::test_invalid_wrong_witness_overflow (l1_gas: ~0, l1_data_gas
    : ~96, l2_gas: ~280000)
344 [PASS] hashlock_claim_handler_integrationtest::test::test_invalid_wrong_witness_small (l1_gas: ~0, l1_data_gas:
    ~96, l2_gas: ~280000)
345 [PASS] hashlock_claim_handler_integrationtest::test::test_invalid_empty_witness (l1_gas: ~0, l1_data_gas: ~96,
    l2_gas: ~280000)
346 [PASS] hashlock_claim_handler_integrationtest::test::test_invalid_wrong_witness_large (l1_gas: ~0, l1_data_gas:
    ~96, l2_gas: ~280000)
347 [PASS] hashlock_claim_handler_integrationtest::test::test_valid_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas:
    ~42840000)
348 [PASS] hashlock_claim_handler_integrationtest::test::test_invalid_wrong_hash_random (l1_gas: ~0, l1_data_gas:
    ~96, l2_gas: ~1400000)
349 [PASS] hashlock_claim_handler_integrationtest::test::test_invalid_wrong_secret_random (l1_gas: ~0, l1_data_gas:
    ~96, l2_gas: ~1400000)
350 [PASS] hashlock_claim_handler_integrationtest::test::test_valid_random (l1_gas: ~0, l1_data_gas: ~96, l2_gas:
    ~71360000)
351 Tests: 8 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out
352
353
354 Collected 84 test(s) from spv_swap_vault package
355 Running 38 test(s) from src/
356 [PASS] spv_swap_vault::structs::tests::get_full_amounts_overflow_0_0 (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~40000)
357 [PASS] spv_swap_vault::state::tests::from_raw_token1 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
358 [PASS] spv_swap_vault::structs::tests::get_full_amounts_overflow_0_2 (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~40000)
359 [PASS] spv_swap_vault::state::tests::from_raw_overflow_0 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
360 [PASS] spv_swap_vault::state::tests::from_raw (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~240000)
361 [PASS] spv_swap_vault::state::tests::is_opened (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
362 [PASS] spv_swap_vault::state::tests::test_packing (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~960000)
363 [PASS] spv_swap_vault::structs::tests::get_full_amounts_overflow_0_1 (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~40000)
364 [PASS] spv_swap_vault::state::tests::deposit (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
365 [PASS] spv_swap_vault::structs::tests::get_full_amounts_overflow_1_1 (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~40000)
366 [PASS] spv_swap_vault::state::tests::from_raw_token0_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
367 [PASS] spv_swap_vault::state::tests::close (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
368 [PASS] spv_swap_vault::structs::tests::get_full_amounts_overflow_1_0 (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~40000)
369 [PASS] spv_swap_vault::state::tests::from_raw_token1_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
370 [PASS] spv_swap_vault::structs::tests::parse_no_inputs (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1640000)
371 [PASS] spv_swap_vault::state::tests::from_raw_token0 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
372 [PASS] spv_swap_vault::structs::tests::get_hash (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~160000)
373 [PASS] spv_swap_vault::state::tests::from_raw_overflow_1 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
374 [PASS] spv_swap_vault::structs::tests::parse_execution_fee_0_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~3000000)
375 [PASS] spv_swap_vault::state::tests::withdraw (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
376 [PASS] spv_swap_vault::structs::tests::parse_fronting_fee_0_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~2960000)
377 [PASS] spv_swap_vault::structs::tests::parse_fronting_fee_1_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~3360000)
378 [PASS] spv_swap_vault::structs::tests::parse_output_empty_script (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1840000)
379 [PASS] spv_swap_vault::structs::tests::parse_single_input (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1880000)
380 [PASS] spv_swap_vault::structs::tests::parse_output_not_opreturn (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1840000)
381 [PASS] spv_swap_vault::structs::tests::parse_invalid_recipient (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~14160000)
382 [PASS] spv_swap_vault::structs::tests::parse_single_output (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~1640000)
383 [PASS] spv_swap_vault::utils::tests::test_fee_amount_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~80000)
384 [PASS] spv_swap_vault::utils::tests::test_fee_amount (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
385 [PASS] spv_swap_vault::utils::tests::tuple_add_u64 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
386 [PASS] spv_swap_vault::utils::tests::to_u256 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~120000)
387 [PASS] spv_swap_vault::structs::tests::parse_valid (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~15560000)
388 [PASS] spv_swap_vault::structs::tests::parse_caller_fee_1_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas:
    ~3360000)
389 [PASS] spv_swap_vault::state::tests::withdraw_too_much_token1 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
390 [PASS] spv_swap_vault::structs::tests::parse_output_invalid_len (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~2080000)
```

```
[PASS] spv_swap_vault::structs::tests::parse_caller_fee_0_overflow (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~2920000)
[PASS] spv_swap_vault::structs::tests::get_full_amounts (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
[PASS] spv_swap_vault::state::tests::withdraw_too_much_token0 (l1_gas: ~0, l1_data_gas: ~0, l2_gas: ~40000)
Running 46 test(s) from tests/
[PASS] spv_swap_vault_integrationtest::claim::close_btc_input_1_notfound (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~65456320)
[PASS] spv_swap_vault_integrationtest::claim::close_amounts_overflow_0_2 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_btc_invalid_recipient (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_btc_output_1_not_opreturn (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~65456320)
[PASS] spv_swap_vault_integrationtest::claim::close_btc_output_1_empty_script (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~65456320)
[PASS] spv_swap_vault_integrationtest::claim::close_amounts_overflow_1_0 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_amounts_overflow_0_0 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_amounts_overflow_0_1 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_caller_fee_0_overflow (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_amounts_overflow_1_1 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_execution_fee_0_overflow (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_fronting_fee_0_overflow (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::invalid_closed_vault (l1_gas: ~0, l1_data_gas: ~1824, l2_gas: ~28802880)
[PASS] spv_swap_vault_integrationtest::deposit::invalid_allowance_token0 (l1_gas: ~0, l1_data_gas: ~2976, l2_gas: ~4788160)
[PASS] spv_swap_vault_integrationtest::claim::invalid_btc_tx_in_0_utxo (l1_gas: ~0, l1_data_gas: ~2880, l2_gas: ~29558080)
[PASS] spv_swap_vault_integrationtest::deposit::invalid_allowance_token1 (l1_gas: ~0, l1_data_gas: ~2880, l2_gas: ~4868160)
[PASS] spv_swap_vault_integrationtest::claim::invalid_btc_tx_merkle_proof (l1_gas: ~0, l1_data_gas: ~2880, l2_gas: ~29558080)
[PASS] spv_swap_vault_integrationtest::claim::close_fronting_fee_1_overflow (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_withdraw_too_much_token0 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::claim::close_btc_output_1_not_found (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~65456320)
[PASS] spv_swap_vault_integrationtest::claim::close_btc_output_1_length (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~65496320)
[PASS] spv_swap_vault_integrationtest::claim::close_caller_fee_1_overflow (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
[PASS] spv_swap_vault_integrationtest::deposit::invalid_deposit_not_opened (l1_gas: ~0, l1_data_gas: ~2016, l2_gas: ~3526720)
[PASS] spv_swap_vault_integrationtest::deposit::valid_deposit_single (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~7278080)
[PASS] spv_swap_vault_integrationtest::deposit::invalid_balance_token0 (l1_gas: ~0, l1_data_gas: ~2880, l2_gas: ~4788160)
[PASS] spv_swap_vault_integrationtest::deposit::valid_deposit_multiple (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~11811840)
[PASS] spv_swap_vault_integrationtest::front::invalid_allowance_token1 (l1_gas: ~0, l1_data_gas: ~3264, l2_gas: ~29681920)
[PASS] spv_swap_vault_integrationtest::front::invalid_balance_token1 (l1_gas: ~0, l1_data_gas: ~3264, l2_gas: ~29681920)
[PASS] spv_swap_vault_integrationtest::front::invalid_allowance_token0 (l1_gas: ~0, l1_data_gas: ~3264, l2_gas: ~29681920)
[PASS] spv_swap_vault_integrationtest::claim::invalid_btc_tx_empty_inputs (l1_gas: ~0, l1_data_gas: ~2880, l2_gas: ~15238080)
[PASS] spv_swap_vault_integrationtest::deposit::invalid_balance_token1 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~4868160)
[PASS] spv_swap_vault_integrationtest::claim::close_withdraw_too_much_token1 (l1_gas: ~0, l1_data_gas: ~2784, l2_gas: ~86936320)
```

```
[PASS] spv_swap_vault_integrationtest::front::invalid_balance_token0 (l1_gas: ~0, l1_data_gas: ~3264, l2_gas: ~29681920)
[PASS] spv_swap_vault_integrationtest::front::invalid_vault_not_opened (l1_gas: ~0, l1_data_gas: ~2016, l2_gas: ~36086720)
[PASS] spv_swap_vault_integrationtest::claim::invalid_btc_tx_confirmations (l1_gas: ~0, l1_data_gas: ~2880, l2_gas: ~29558080)
[PASS] spv_swap_vault_integrationtest::open::invalid_zero_utxo (l1_gas: ~0, l1_data_gas: ~1728, l2_gas: ~2082880)
[PASS] spv_swap_vault_integrationtest::front::invalid_front_already_fronted (l1_gas: ~0, l1_data_gas: ~3936, l2_gas: ~73377280)
[PASS] spv_swap_vault_integrationtest::front::invalid_front_already_claimed (l1_gas: ~0, l1_data_gas: ~3648, l2_gas: ~115828160)
[PASS] spv_swap_vault_integrationtest::open::valid_create (l1_gas: ~0, l1_data_gas: ~2400, l2_gas: ~2744320)
[PASS] spv_swap_vault_integrationtest::open::invalid_already_opened (l1_gas: ~0, l1_data_gas: ~2400, l2_gas: ~2904320)
[PASS] spv_swap_vault_integrationtest::front::valid_front (l1_gas: ~0, l1_data_gas: ~3072, l2_gas: ~30059840)
[PASS] spv_swap_vault_integrationtest::front::valid_front_exec_hash (l1_gas: ~0, l1_data_gas: ~3552, l2_gas: ~37493440)
[PASS] spv_swap_vault_integrationtest::front::valid_front_exec_hash_only_token0 (l1_gas: ~0, l1_data_gas: ~3456, l2_gas: ~37370560)
[PASS] spv_swap_vault_integrationtest::front::valid_front_only_token0 (l1_gas: ~0, l1_data_gas: ~2976, l2_gas: ~29936960)
[PASS] spv_swap_vault_integrationtest::claim::valid_claim (l1_gas: ~0, l1_data_gas: ~15072, l2_gas: ~391603520)
[PASS] spv_swap_vault_integrationtest::claim::valid_claim_fronted (l1_gas: ~0, l1_data_gas: ~16032, l2_gas: ~522124800)
Tests: 84 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out


Collected 10 test(s) from timelock_refund_handler package
Running 0 test(s) from src/
Running 10 test(s) from tests/
[PASS] timelock_refund_handler_integrationtest::test::test_fail_not_expired_4_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~320000)
[PASS] timelock_refund_handler_integrationtest::test::test_fail_overflow_2_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~320000)
[PASS] timelock_refund_handler_integrationtest::test::test_fail_not_expired_2_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~320000)
[PASS] timelock_refund_handler_integrationtest::test::test_fail_non_empty_witness (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~280000)
[PASS] timelock_refund_handler_integrationtest::test::test_fail_overflow_1_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~320000)
[PASS] timelock_refund_handler_integrationtest::test::test_fail_not_expired_3_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~320000)
[PASS] timelock_refund_handler_integrationtest::test::test_success_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~1120000)
[PASS] timelock_refund_handler_integrationtest::test::test_fail_not_expired_random (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~1840000)
[PASS] timelock_refund_handler_integrationtest::test::test_fail_not_expired_1_manual (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~320000)
[PASS] timelock_refund_handler_integrationtest::test::test_success_random (l1_gas: ~0, l1_data_gas: ~96, l2_gas: ~2080000)
Tests: 10 passed, 0 failed, 0 skipped, 0 ignored, 0 filtered out

Failures:
    execution_contract_integrationtest::execute::valid_execute_panic_test_contract
```