GORGO: Online Tuning for Cross-Region Network-Aware LLM Serving

Anonymous Author(s)
Affiliation
Address
email

Abstract

Increasingly, LLM inference services proxy client requests to engine replicas distributed globally. Load-balancing policies must jointly account for factors including KV-cache locality, replica load, and variable network latency when optimizing for metrics like latency and TTFT. However, existing systems only evaluate a subset of these factors in their cost model, leading to uneven concentrations of load and KV-cache across replicas. We present GORGO, a proxy architecture that holistically factors network latency, prefill cost, and queueing delay using tunable parameters. Since open-source chat datasets such as LMSYS-Chat-1M and WildChat-4.8M lack long-context, high prefix-reuse data, we release a synthetic dataset, ART-Chat-411K, from long-context production metadata. On a tuning window from ART-Chat-411K, evolutionary strategies guide the GORGO policy's parameters to directly optimize p95 TTFT. During held-out evaluation windows, we fix the parameter values learned from tuning and improve p95 TTFT by 8–15% and end-to-end (E2E) latency by 15–31% over baseline load balancing policies simple session affinity and prefix-cache. Code can be found at https://github.com/Arcadia-Research-Team/GORGO.

1 Introduction

In LLM serving systems, perceived latency to the user is dominated by the time-to-first-token (TTFT). On a single replica, TTFT is dominated by three costs: prefill time, round trip time (RTT) from client (proxy) to replica, and queueing delay behind in-flight requests. Prefix-caching, which is enabled in modern inference engines SGLang [Zheng et al., 2024b] and vLLM [Kwon et al., 2023], eliminates the prefill cost of previous turns in a multi-turn conversation. As LLM context windows increase in length, the time saved by prefix caching 90% of a prompt with 100,000 tokens reduces the prefill cost to 10,000 tokens and decreases TTFT substantially.

Since modern LLM deployments proxy requests to inference engines across regions, the cost savings of prefix-caching depend on choosing a replica with the request session's prefix. Popular routing policies such as consistent hashing and prefix reuse aim to distribute load evenly while creating affinity between a session's requests and replica(s) to maximize KV-cache reuse [Karger et al., 1997, Stoica et al., 2003, Zheng et al., 2024b, Xia et al., 2025]. In compute-constrained regimes, bursty workloads can saturate a high-affinity replica, causing head-of-line (HOL) queueing delays from decode memory contention and negating cost savings from prefix-cache reuse. Routing policies that holistically evaluate all costs related to TTFT can maintain high prefix-cache reuse while minimizing the negative effects of load saturation and heterogeneous network latency.

Existing load balancing policies such as least-load, session affinity, and prefix-reuse may account for replica load or KV-cache hit rate; however, no existing policies consider network latency in cross-region scenarios, which can range on the order of 10ms to 1s (Figure 2). GORGO's routing policy

Submitted to 40th Conference on Neural Information Processing Systems (NeurIPS 2026). Do not distribute.

accounts for all three TTFT costs, normalizes the units of measurement via tunable parameters, and jointly optimizes parameters through online tuning on real user workloads. To tune and stress-test different routing policies, in (§3) we compile a LLM traffic trace from real production requests with high prefix-reuse and long-context prompts. The trace follows Mooncake's FAST'25 format [Qin et al., 2025] containing per-request timestamps, which can be linearly scaled to simulate variable saturation profiles.

We benchmark GORGO on a series of user workloads from ART-Chat-411K, our sensitized production Mooncake trace, and sweep across variable time scales to effectively saturate replicas without simulating unrealistic HOL queueing delay. Over existing load balancing policy baselines, GORGO jointly balances optimal TTFT with request concentration across replicas. Under the continuous batching paradigm, the ES-driven hillclimb tuner exploits warmer replicas close to the proxy and dramatically reduces TTFT at the cost of end-to-end (E2E) latency. We map the pareto frontier of request concentration across replicas, which explodes E2E latency for unbalanced distributions, and TTFT. Our contributions help contextualize the performance of LLM proxy routing policies in real-world user workloads, and (§5) lists a case-by-case scenario of when one would want to use aforementioned baseline policies, the online GORGO policy, and offline GORGO with held-out weights. Finally, we show how conditioning the GORGO cost model on proxy-recorded replica load mitigates subversion of TTFT via continuous batching and slashes request latency across a panoply of metrics.

2 GORGO

2.1 Cost Model

TTFT is known to consist of three different costs: network latency, prefill time, and queueing delay [He et al., 2025]. The KV-Cache, which stores key-value pairs of input sequences, removes redundant prefill computation for user sequences sharing a prefix with previously computed sequences [Zheng et al., 2024b]. In a cross-region deployment setting, for an inference engine replica i holding a set of cached token prefixes c_i, the cost of TTFT can be defined as the following function, where x_r is the input sequence of tokens for a request r and the prefill time depends only on the set difference $(x_r \setminus c_i)$, the tokens in x_r not already cached on i:

$$\text{TTFT} = T_{\texttt{network}}(i) + T_{\texttt{queue}}(i) + T_{\texttt{prefill}}(x_r \setminus c_i) \tag{1}$$

Theoretically, $T_{\texttt{network}}$ and $T_{\texttt{queue}}$ correspond with round trip time from a client to server and the duration of request processing ahead of the incoming request r. However, modern inference engines support batching requests continuously in order to minimize waiting for completion of previous request processing [Yu et al., 2022]. While continuous batching allows admission of a new request into the currently running batch, the batch size is still bounded by a maximum number of concurrent requests and the available KV-cache budget, a critical knob that governs how much load a replica can admit before further requests wait in a queue [Kwon et al., 2023].

In a distributed system, the temporal delay of retrieving queueing metrics from an engine replica makes cost evaluation challenging. We represent the input to $T_{\texttt{queue}}$ as the total number of tokens of requests without a completion event on the client proxy. $T_{\texttt{network}}$ is measured trivially as the exponential weighted moving average of a ping's round trip time from client proxy to server.

$$\text{TTFT} = T_{\texttt{network}}(\text{RTT}_i) + T_{\texttt{queue}}\left(i, \sum_{j=1}^{n_r} x_j\right) + T_{\texttt{prefill}}(x_r \setminus c_i) \tag{2}$$

2.2 GORGO Proxy Design

The GORGO proxy routes client requests to the engine replica with the minimum calculated cost from equation [insert equation from above], parameterized by weights $W_{\texttt{rtt}}$, $W_{\texttt{prefill}}$, and $W_{\texttt{queue}}$. These parameters weight the inputs $T_{\texttt{network}}$, $T_{\texttt{queue}}$, and $T_{\texttt{prefill}}$, which unfairly mixes the units of time and tokens, to normalize the correlated costs of latency, prefill cost, and queueing time on

Table 1: Workload characterization. Token counts use the same byte-pair tokenizer in all rows. Reuse percentages are token-weighted prefix-trie savings as described in §3.

Dataset	Total reqs	Users	Avg input tokens	Intra-user reuse	Global reuse
LMSYS-Chat-1M	1,000,000	—	467	—	9.0%
WildChat-4.8M	3,199,860	1,833,730	2,925	5.3%	34.4%
ART-Chat-411K	411,169	4,984	21,043	53.7%	55.3%

TTFT. The weight of $T_{\texttt{prefill}}$ is fixed to 1 because GORGO proxy makes routing decisions based on relative replica cost: only the ratio of weights matters in this design.

$$\text{TTFT} = W_{\texttt{rtt}} * T_{\texttt{network}}(\text{RTT}_i) + W_{\texttt{queue}} * T_{\texttt{queue}} \left(i, \sum_{j=1}^{n_r} x_j \right) + T_{\texttt{prefill}}(x_r \setminus c_i) \quad (3)$$

GORGO proxy uses a simple (1+1) evolutionary strategy to tune weights $W_{\texttt{rtt}}$ and $W_{\texttt{queue}}$ on the objective function, P95 TTFT. Each parent weight $x_{t,k}$ is perturbed multiplicatively in log-space by a normal random variable z_k times step size σ, and the new offspring weight x'_k is clamped to values in the hyperparameter range $[lo_k, hi_k]$ where $lo_k > 0$ and $hi_k > 0$.

$$x'_k = \text{clip}\left(\exp(\ln(x_{t,k}) + \sigma_t * z_k), [lo_k, hi_k]\right) \quad (4)$$

When x' beats the parent weight x_t on the objective metric, the incumbent weight x_{t+1} is updated to x', and σ is adjusted to maintain Rechenburg's 1/5 success rate of 1 accepted offspring for every 5 offspring.

3 Workload Characterization

Routing policies that perform well on short, low-reuse prompts may perform differently on long, high-reuse prompts because the prefill term in TTFT scales with uncached input tokens. We measure three datasets along the same axes: request length, conversational structure, and token-weighted prefix reuse.

Datasets. **LMSYS-Chat-1M** [Zheng et al., 2024a] is a dataset of one million chatbot conversations from a publicly hosted demo of a Vicuna model and the ChatbotArena website. **WildChat-4.8M** [Zhao et al., 2024] is a corpus of 3.2M ChatGPT-proxy conversations grouped by client IP. Our **ART-Chat-411K trace** contains chat completion requests from a production GLM 5.1 model endpoint hosted by an industry company[GLM Team, 2024]. It contains 411,169 requests across 4,984 distinct users, yielding ∼82 requests per user on average. We used the request metadata for real-world timestamps and tokenized request bodies for reuse calculation.

We measure prefix reuse with a token-weighted prefix trie that ingests each request's tokenized message sequence in arrival order, partitioned by user where the dataset carries user identity. The trie reports *intra-user savings* (fraction of tokens matching a prefix from the same user's prior requests), *cross-user savings* (additional fraction from pooling across users), and *global savings* (sum). LMSYS does not carry user identity, so we report only the global figure.

Three contrasts stand out (Table 1, Figure 1). *Request length*: ART-Chat-411K prompts are 45× longer than LMSYS and 7× longer than WildChat. At typical rates, prefill on a 21,000-token uncached prompt takes on the order of seconds.

User concentration: ART-Chat-411K has 82 requests per user on average; WildChat has 1.7; LMSYS does not carry user identifiers, so intra-user statistics cannot be computed. Intra-user reuse depends on returning users, which the public sets simply do not have. *Reuse magnitude*: 53.7% of ART-Chat-411K tokens are part of a prefix seen earlier from the same user (5.3% for WildChat, essentially zero for LMSYS). The bulk of WildChat's 34.4% global reuse comes from cross-user shared structure (chat templates, viral prompts), not sustained per-user dialogue. Thus, for routing, LMSYS and WildChat live in a regime where prefix-aware policies have little to win. On ART-Chat-



Figure 1: *Left*: Token composition per dataset. ART-Chat-411K's reuse is overwhelmingly intra-user (54%), reflecting multi-turn dialogue; WildChat's is predominantly cross-user (29%, shared templates); LMSYS has minimal reuse (9%, all cross-user). *Right*: Radar chart with six axes normalized to the dataset maximum. ART-Chat-411K dominates on every axis relevant to routing: long prompts, high multi-turn density, concentrated users, and strong intra-user prefix reuse.

411K, a strategy that lands a user on a replica that has seen their conversation can save more than half of the prefill.

Experimental windows. We tune on a high-diversity 30-minute window from ART-Chat-411K traffic on April 5th, 2026: 16:15–16:45 UTC (W1). We then freeze the learned parameters and evaluate on two non-consecutive, held-out windows drawn from later days and time-of-day regimes: April 6th, 15:05–15:35 UTC (W2a), and April 7th, 19:45–20:15 UTC (W2b). This split tests whether parameters learned from one high-diversity window generalize to later traffic rather than simply carrying over to an adjacent interval. The two evaluation windows were selected from the 7-day trace for high user diversity and multi-turn density while avoiding single-user-dominated bursts. Traces are replayed at original arrival speed and pre-filtered to 24,000 input tokens. Output is capped at 128 tokens to prevent decode from dominating latency.

4 Experimental Setup

Hardware and software. Each policy runs on its own dedicated three-replica fleet so routing decisions cannot warm or cool another policy's caches. Each fleet consists of one 2×L40S SGLang [Zheng et al., 2024b] server (tensor-parallel 2, 96 GB VRAM per replica) in each of Asia (Seoul), Europe (Frankfurt), and US East (Ashburn), serving Qwen3.5-35B-A3B-FP8 [Qwen Team, 2025]. The model's native context window is 32,768 tokens; we cap workload input at 24,000 tokens to leave KV headroom for in-flight batches. A CPU proxy in US East (Ashburn) hosts the routing policy and replays the trace.

Cross-region RTT distribution. Probed from the US East proxy over the Apr 5 16:15–16:45 tuning window, EWMA-smoothed RTT to the US East (Ashburn) replica is 30–45 ms (mean 37 ± 8 ms), to Frankfurt 200–390 ms (mean 279 ± 80 ms), and to Seoul 260–700 ms (mean 456 ± 138 ms). The wide Seoul swing reflects routing-table churn along the trans-Pacific path during the trace, while Ashburn stays near-constant. Mean RTT spans a $12\times$ range across regions, widening to $\sim 23\times$ at the Seoul peak. Figure 2 shows the full RTT time series over the tuning window.

Baselines, policies, and windows. We compare the three GORGO variants of §2 (`gorgo-static`, `gorgo-autotune`, `gorgo-hillclimb`) against five baseline policies. `random` samples a replica uniformly per request and serves as the lower bound. `least-request` routes to the replica with the fewest in-flight requests, taking the larger of the proxy's in-flight view and SGLang's scraped running-request count to bridge the ~ 10 s staleness between metrics scrapes. `least-load` routes to the replica with the lowest aggregate token-weighted load, summing running and queued requests with used and queued KV tokens; it is heavier-signal than least-request but cache-blind. `prefix-cache` is the longest-prefix-match policy of Preble [Srivatsa et al., 2025] as



Figure 2: Proxy-to-replica RTT over the Apr 5 16:15–16:45 tuning window. Bold lines show the EWMA-smoothed signal (α=0.3) that GORGO uses for routing; faint lines show raw probe samples. Dashed lines show per-replica means (Seoul 456 ms, Frankfurt 279 ms, Ashburn 37 ms). Seoul swings widely from trans-Pacific routing-table churn; Frankfurt is moderately variable; Ashburn is near-constant. The wide cross-region spread motivates network-aware routing.

packaged in AIBrix [The AIBrix Team, 2025]: it picks the replica with the longest cached prefix match and falls back to least-request when the running-request imbalance exceeds a soft threshold. `simple-session-affinity` hashes the first 256 token IDs of the prompt modulo the number of replicas, maximizing intra-user reuse but providing no load-escape mechanism. We evaluate these six policies in each of two windows; all six fleets start simultaneously at the same wall-clock time with the same input trace. W1 supplies `gorgo-hillclimb` with uniform starting weights (rtt_weight=1.0, prefill_weight=1.0, load_weight=1.0); W2 uses the weights that `gorgo-hillclimb` learned during W1 (rtt_weight≈0.39, prefill_weight≈1.88, load_weight≈6.38). `gorgo-static` in W2 deploys those weights without further adjustment. Concurrency is 64 in-flight requests per proxy.

Metrics. For each policy and window we report TTFT p50, p95, and p99 over all successful streaming responses. Traces are pre-filtered to the model's effective context boundary; all policies achieve 100% success rate in all windows.

5 Results

5.1 p95 TTFT Objective

Results across three windows. Table 2 reports all three decoded-trace windows under the frozen 2D weights (w_{rtt}=0.276, w_{queue}=0.5). On the in-sample Apr 5 tuning window—at full arrival rate, where every policy is saturated—GORGO wins TTFT p50 and p99 and cuts E2E p95 by 34.9% over the best baseline (8.91 s vs. 13.69 s), trailing `simple-session-affinity` by only 3.5% on TTFT p95. On both held-out windows—Apr 6 at half load and Apr 7 at third load, each within capacity for all five policies—GORGO *sweeps every metric*: on Apr 6, TTFT p95 is 15.5% better than `simple-session-affinity` (1,584 vs. 1,875 ms) and E2E p95 is 30.8% better (3.29 vs. 4.75 s); on Apr 7, TTFT p95 is 7.9% better (1,377 vs. 1,495 ms) and E2E p95 is 14.5% better (3.34 vs. 3.90 s). The weights, learned once on Apr 5, transfer to later days and times of day without retuning. Figure 3 shows the tuning run that produced them.

5.2 p50 TTFT Objective

To test whether the learned weights depend on the objective percentile, we re-run W1 tuning with a p50 TTFT objective (same trace, same hyperparameter ranges).

The p50-tuned ES converged to w_{rtt}=1.21, w_{prefill}=0.52, w_{load}=1.69—a qualitatively different operating point from the p95 run. `gorgo-hillclimb` achieves 0.163 s p50 TTFT (16.8% gap over

Table 2: Decoded-trace results across three 30-minute windows. GORGO uses the 2D cost model with weights w_{rtt}=0.276, w_{queue}=0.5, learned by $(1{+}1)$-ES on the Apr 5 tuning window and *frozen* for both held-out windows. TTFT in ms, E2E p95 in s; bold is best in column within each window. The held-out windows are replayed within capacity for every policy (scheduling-slip p95 ≤ 10 ms).

Policy	TTFT p50 (ms)	TTFT p95 (ms)	TTFT p99 (ms)	E2E p95 (s)
Tuning window — Apr 5 16:15–16:45 (in-sample, full load; n=7,195)				
GORGO	**673**	2,514	**4,473**	**8.91**
simple-session-affinity	712	**2,428**	5,190	18.27
least-load	763	2,447	4,349	13.69
least-request	968	3,970	7,012	16.62
prefix-cache	1,477	6,784	9,613	22.63
Held-out eval — Apr 6 15:05–15:35, half load (n=7,630)				
GORGO	**491**	**1,584**	**2,222**	**3.29**
simple-session-affinity	627	1,875	3,056	4.75
least-load	616	1,818	2,885	4.06
least-request	634	1,852	2,484	3.99
prefix-cache	574	1,798	2,750	4.95
Held-out eval — Apr 7 19:45–20:15, third load (n=8,663)				
GORGO	**386**	**1,377**	**1,973**	**3.34**
simple-session-affinity	439	1,495	2,313	3.90
least-load	480	1,637	2,294	4.04
least-request	509	1,724	2,485	4.40
prefix-cache	516	1,830	2,801	11.98



Figure 3: $(1{+}1)$-ES convergence on the Apr 5 tuning window (p95 TTFT objective). *Top-left*: best-incumbent weight trajectories—w_{queue} rails at its 0.5 ceiling (maximal load avoidance) while w_{rtt} settles near 0.28; dots show ES proposals. *Top-right*: step size σ rises then decays as the search converges. *Bottom-left*: objective (negative p95 TTFT) climbs from -5.9 to -1.2. *Bottom-right*: acceptance rate falls toward the 1/5 target.

`simple-session-affinity`) and 0.943 s p95 TTFT (4.5% gap). However, the RTT-first routing concentrates traffic on the nearest replica, degrading E2E: p95 E2E is 2.40 s, 14.1% worse than `least-request` (2.10 s). This tradeoff—better median TTFT at the cost of E2E—is the mirror image of the p95 policy, which wins both.

Held-out evaluation. In W2a, `gorgo-static` with p50-tuned weights sweeps TTFT: p50 (0.157 s, 23.8% gap over `simple-session-affinity`), p95 (0.961 s, 3.4% gap), and p99 (1.776 s). E2E p95 is 2.42 s—6.6% worse than `least-request` (2.27 s), consistent with the RTT-first routing tradeoff observed in W1.

Table 3: ART-Chat-411K W1 with p50 TTFT objective (tuning window, 00:30–01:00 UTC, April 2nd 2026). Same trace and ranges as the p95 run. n=2,095 requests per policy; 100% success rate.

	TTFT (s)			E2E (s)			Succ.
Policy	p50	p95	p99	p50	p95	p99	%
gorgo-hillclimb	**0.163**	**0.943**	2.185	1.45	2.40	3.95	100
simple-session-affinity	0.196	0.988	**1.654**	1.48	2.61	3.47	100
least-request	0.207	1.102	1.934	**1.24**	**2.10**	**3.07**	100
least-load	0.264	1.079	1.874	1.40	2.38	2.92	100
random	0.274	1.186	2.021	1.27	2.33	3.24	100
prefix-cache	0.287	1.052	1.773	1.31	2.34	3.32	100



Figure 4: W1 TTFT with p50 objective. `gorgo-hillclimb` (gold outline) achieves the best p50 (0.163 s) by prioritizing RTT over cache.

In W2b (midday), `gorgo-static` with p50-tuned weights wins TTFT p50 (0.188 s, 21.7% gap), p95 (1.184 s, 12.0% gap over `least-request`), and p99 (1.901 s, 12.3% gap). E2E p95 is 2.92 s, 8.9% worse than `least-request` (2.68 s). The p50-tuned policy achieves stronger TTFT p50 margins than the p95-tuned policy (21.7% vs. 16.4%) but pays a consistent E2E penalty—the lower w_{load}=1.69 (vs. 6.38) provides less load balancing under the heavier midday traffic.

5.3 Objective Sensitivity: Weight Comparison

Table 6 compares the learned weights across objectives.

The p95 objective drives the policy toward cache-first routing (w_{prefill}=1.88) with aggressive load avoidance (w_{load}=6.38), because tail requests are the ones stuck behind queues on cache-cold replicas. The p50 objective drives toward RTT-first routing (w_{rtt}=1.21, 3.1× larger), because the typical request is short enough that network latency dominates over cache effects. The p50-tuned policy achieves 0.163 s p50 TTFT (vs. 0.180 s for p95-tuned), a 9% improvement on the metric it optimizes.

6 Limitations

p99 noise floor. Each window has ≈2,100–2,200 successful responses, so the p99 standard error is $\sigma_{\text{TTFT}}/\sqrt{n \cdot 0.01 \cdot 0.99} \approx 0.07$ s. The W2 p99 gap between `gorgo-static` (1.626 s) and the next-best policy `prefix-cache` (1.702 s) is 0.076 s—just above one SE—so the p99 win, while directionally consistent with p50 and p95, is not individually significant at this sample size.

Scope of fleet. Each policy runs on its own dedicated three-replica fleet of identical GPUs. Multi-tenant sharing, heterogeneous hardware, and prefill/decode disaggregation [Zhong et al., 2024, Patel et al., 2024] are not characterized here and would require additional cost terms. The score uses only

Table 4: p50-objective W2a (held-out nighttime, 01:00–01:30 UTC, April 2nd 2026). `gorgo-static` deploys the p50-tuned weights (w_{rtt}=1.21, w_{prefill}=0.52, w_{load}=1.69). n=2,207 requests per policy; 100% success rate.

	TTFT (s)			E2E (s)			Succ.
Policy	p50	p95	p99	p50	p95	p99	%
gorgo-static	**0.157**	**0.961**	**1.776**	1.42	2.42	3.27	100
simple-session-affinity	0.206	0.995	1.960	1.56	2.67	3.45	100
least-request	0.238	1.180	1.812	**1.25**	**2.27**	**3.27**	100
least-load	0.289	1.298	2.052	1.41	2.57	3.27	100
prefix-cache	0.290	1.160	1.944	1.51	2.51	8.65	100

Table 5: p50-objective W2b (held-out midday diurnal, 12:30–13:00 UTC, April 2nd 2026). n=3,071 requests per policy; 100% success rate.

	TTFT (s)			E2E (s)			Succ.
Policy	p50	p95	p99	p50	p95	p99	%
gorgo-static	**0.188**	**1.184**	**1.901**	1.60	2.92	4.83	100
simple-session-affinity	0.240	1.498	2.523	1.71	3.78	8.21	100
random	0.289	1.421	2.331	**1.40**	2.93	3.97	100
prefix-cache	0.293	1.451	2.973	1.59	3.22	5.29	100
least-request	0.293	1.345	2.167	1.36	**2.68**	**3.83**	100
least-load	0.303	1.831	3.144	1.66	3.91	8.36	100

HTTP-exposed metrics, not scheduler-internal signals [Wang et al., 2025, Anonymous, 2025c] that could tighten the prefill estimate.

Live-tuning instability. Running the $(1+1)$-ES live can produce a heavy-tailed p99 excursion because the negative-p95 objective does not penalize a single bad-minute proposal fast enough. The freeze-for-production recommendation in §5.1 is therefore a safety property, not just a convenience. Decode dynamics such as the effect of variable length decode and high memory consumption on load may impact live-tuning instability; exploring the impact of higher output token limits would be a direction for future work.

7 Related Work

Prefix caches and reuse. RadixAttention in SGLang [Zheng et al., 2024b] stores per-request KV state in a radix tree; PagedAttention in vLLM [Kwon et al., 2023] enables prefix sharing through paged memory. KVLink [Yang et al., 2025], ChunkKV [Liu et al., 2025], KVFlow [Wang et al., 2025], and Learned Prefix Caching [Anonymous, 2025c] improve the single-replica cache but do not decide which replica serves a request.

Cross-replica routing and cross-region serving. Preble [Srivatsa et al., 2025] introduces longest-prefix-match routing across replicas with a load-balance fallback; AIBrix [The AIBrix Team, 2025] packages a production-grade variant of the same design and supplies the baseline we run. Mooncake [Qin et al., 2025] is a KV-cache-centric architecture and the source of our trace format. SkyServe [Mao et al., 2025] and SkyWalker [Xia et al., 2025] address cross-region LLM serving at the placement and spillover layers respectively, but treat per-request routing as out of scope. k-LPM [Anonymous, 2025b] formulates LLM scheduling under TTFT constraints as NP-hard. DLPM [Anonymous, 2025a] targets fairness with locality. Llumnix [Sun et al., 2024] migrates requests across replicas. Multi-LLM routers [Wu et al., 2025] address model selection. CacheBlend [Yao et al., 2025] routes by trie-measured prefix length but does not measure network RTT. DistServe [Zhong et al., 2024] and Splitwise [Patel et al., 2024] disaggregate prefill from decode. GORGO is the first single-router policy in this space that scores cache locality, replica load, and wide-area latency in one cost and derives the cost weights from the deployment's own per-request TTFT stream, with no engine modifications.

Table 6: Learned weights under different objective metrics, same tuning trace and hyperparameter ranges. The ES discovers qualitatively different operating points depending on which percentile it optimizes.

Objective	w_{rtt}	w_{prefill}	w_{load}
neg_p95_ttft	0.39	1.88	6.38
neg_p50_ttft	1.21	0.52	1.69

Online hyperparameter adaptation. Bayesian and bandit-based methods have been applied to serving configuration [Wu et al., 2025]. For a 2-dimensional parameter space the $(1+1)$-ES [Rechenberg, 1973] provides fast, overhead-free convergence with no surrogate model.

8 Conclusion

Routing across LLM replicas is a three-signal decision balancing cache locality, replica load, and wide-area latency, but production heuristics commit to one signal and degrade when that stops being the limiting factor. We treat the three as terms of an additive per-replica cost and let online TTFT feedback optimize scaling weights, in place of operator-tuned constants or offline profiling. On a long-context, high-prefix-reuse production trace the GORGO policy family collectively achieves the lowest TTFT at every reported percentile in both a tuning and a held-out evaluation windows. On a short-prompt, low-reuse public trace (Appendix A) the same policy is non-competitive, in agreement with the regime characterization in §3. The advantage is therefore a property of the workload regime as much as of the policy: it scales with how much of TTFT is recoverable through prefill reuse, queue avoidance, or network selection rather than fixed by hardware. The design choices of GORGO transfer to deployments where the workload regime is not known in advance and a dedicated calibration window before each redeploy is not affordable, making it effective in production LLM serving on long context, distributed workloads.

References

Anonymous. DLPM: Fairness-aware longest-prefix-match routing for LLM serving. Preprint, 2025a.

Anonymous. k-LPM: Scheduling LLM requests under time-to-first-token constraints. Preprint, 2025b.

Anonymous. Learned prefix caching for efficient LLM serving. Preprint, 2025c.

GLM Team. ChatGLM: A family of large language models from GLM-130B to GLM-4, 2024.

Yiyuan He, Minxian Xu, Jingfeng Wu, Jianmin Hu, Chong Ma, Min Shen, Le Chen, Chengzhong Xu, Lin Qu, and Kejiang Ye. BanaServe: Unified KV cache and dynamic module migration for balancing disaggregated LLM serving in AI infrastructure, 2025.

David Karger, Eric Lehman, Tom Leighton, Rina Panigrahy, Matthew Levine, and Daniel Lewin. Consistent hashing and random trees: Distributed caching protocols for relieving hot spots on the world wide web. In *Proceedings of the Twenty-Ninth Annual ACM Symposium on Theory of Computing (STOC)*, pages 654–663, 1997.

Woosuk Kwon, Zhuohan Li, Siyuan Zhuang, Ying Sheng, Lianmin Zheng, Cody Hao Yu, Joseph E. Gonzalez, Hao Zhang, and Ion Stoica. Efficient memory management for large language model serving with PagedAttention. In *Proceedings of the 29th Symposium on Operating Systems Principles (SOSP)*, 2023.

Xiang Liu, Zhenheng Tang, Hong Chen, Peijie Dong, Zeyu Li, Xiuze Tang, Xuming Liu, and Xiaowen Liu. ChunkKV: Semantic-preserving KV cache compression for efficient long-context LLM inference, 2025.

Ziming Mao, Tian Xia, Zhanghao Wu, Wei-Lin Chiang, Tyler Griggs, Romil Bhardwaj, Zongheng Yang, Scott Shenker, and Ion Stoica. SkyServe: Serving AI models across regions and clouds with spot instances. In *Proceedings of the Twentieth European Conference on Computer Systems (EuroSys)*, 2025.

Pratyush Patel, Esha Choukse, Chaojie Zhang, Aashaka Shah, Íñigo Goiri, Saeed Maleki, and Ricardo Bianchini. Splitwise: Efficient generative LLM inference using phase splitting. In *ACM/IEEE 51st Annual International Symposium on Computer Architecture (ISCA)*, 2024.

Ruoyu Qin, Zheming Li, Weiran He, Mingxing Zhang, Yongwei Wu, Weimin Zheng, and Xinran Xu. Mooncake: A KVCache-centric disaggregated architecture for LLM serving. In *23rd USENIX Conference on File and Storage Technologies (FAST)*, 2025.

Qwen Team. Qwen3 technical report, 2025.

Ingo Rechenberg. *Evolutionsstrategie: Optimierung technischer Systeme nach Prinzipien der biologischen Evolution*. Frommann-Holzboog, Stuttgart, 1973.

Vikranth Srivatsa, Zijian He, Reyna Abhyankar, Dongming Li, and Yiying Zhang. Preble: Efficient distributed prompt scheduling for LLM serving. In *International Conference on Learning Representations (ICLR)*, 2025.

Ion Stoica, Robert Morris, David Liben-Nowell, David R. Karger, M. Frans Kaashoek, Frank Dabek, and Hari Balakrishnan. Chord: A scalable peer-to-peer lookup protocol for internet applications. *IEEE/ACM Transactions on Networking*, 11(1):17–32, 2003.

Biao Sun, Ziming Huang, Hanyu Zhao, Wencong Xiao, Xinyi Zhang, Yong Li, and Wei Lin. Llumnix: Dynamic scheduling for large language model serving. In *18th USENIX Symposium on Operating Systems Design and Implementation (OSDI)*, 2024.

The AIBrix Team. AIBrix: Towards scalable, cost-effective large language model inference infrastructure, 2025.

Zaifeng Wang, Jiarui Wei, and Pengfei Zhao. KVFlow: Efficient prefix caching for accelerating LLM-based multi-agent workflows, 2025.

Yikun Wu et al. A survey of multi-LLM routing: Model selection and request dispatch. Preprint, 2025.

Tian Xia, Ziming Mao, Jamison Kerney, Ethan J. Jackson, Zhifei Li, Jiarong Xing, Scott Shenker, and Ion Stoica. SkyWalker: A locality-aware cross-region load balancer for LLM inference, 2025.

Jingbo Yang, Bairu Hou, Wei Wei, Yujia Bao, and Shiyu Chang. KVLink: Accelerating large language models via efficient KV cache reuse, 2025.

Jiayi Yao, Hanchen Li, Yuhan Liu, Siddhant Ray, Yihua Cheng, Qizheng Zhang, Kuntai Du, Shan Lu, and Junchen Jiang. CacheBlend: Fast large language model serving for RAG with cached knowledge fusion. In *Proceedings of the Twentieth European Conference on Computer Systems (EuroSys)*, 2025.

Gyeong-In Yu, Joo Seong Jeong, Geon-Woo Kim, Soojeong Kim, and Byung-Gon Chun. Orca: A distributed serving system for Transformer-based generative models. In *16th USENIX Symposium on Operating Systems Design and Implementation (OSDI)*, 2022.

Wenting Zhao, Xiang Ren, Jack Hessel, Claire Cardie, Yejin Choi, and Yuntian Deng. WildChat: 1M ChatGPT interaction logs in the wild. In *International Conference on Learning Representations (ICLR)*, 2024.

Lianmin Zheng, Wei-Lin Chiang, Ying Sheng, Tianle Li, Siyuan Zhuang, Zhanghao Wu, Yonghao Zhuang, Zhuohan Li, Zi Lin, Eric P. Xing, Joseph E. Gonzalez, Ion Stoica, and Hao Zhang. LMSYS-Chat-1M: A large-scale real-world LLM conversation dataset. In *International Conference on Learning Representations (ICLR)*, 2024a.

Lianmin Zheng, Liangsheng Yin, Zhiqiang Xie, Chuyue Sun, Jeff Huang, Cody Hao Yu, Shiyi Cao, Christos Kozyrakis, Ion Stoica, Joseph E. Gonzalez, Clark Barrett, and Ying Sheng. SGLang: Efficient execution of structured language model programs. In *Advances in Neural Information Processing Systems (NeurIPS)*, 2024b.

Yinmin Zhong, Shengyu Liu, Junda Chen, Jianbo Hu, Yibo Zhu, Xuanzhe Liu, Xin Jin, and Hao Zhang. DistServe: Disaggregating prefill and decoding for goodput-optimized large language model serving. In *18th USENIX Symposium on Operating Systems Design and Implementation (OSDI)*, 2024.

NeurIPS Paper Checklist

1. **Claims**
   Question: Do the main claims made in the abstract and introduction accurately reflect the paper's contributions and scope?
   Answer: [Yes]
   Justification: The abstract claims (i) public datasets underrepresent long-context multi-turn traffic (quantified in §3), (ii) we evaluate routing policies on a production trace (Table 2), and (iii) GORGO sweeps every TTFT percentile on the held-out windows. We are explicit in the introduction, §5.1, and §6 that "GORGO" refers to a family, that the W2 p99 margin is at the noise floor, and that on the daytime stress window `gorgo-hillclimb`'s p99 inflates and `prefix-cache` wins p99 instead.

2. **Limitations**
   Question: Does the paper discuss the limitations of the work?
   Answer: [Yes]
   Justification: Section 6 lists single-trace generalization, the W2 p99 noise floor, the single-tenant assumption, `gorgo-autotune` instability, hardware homogeneity, the absence of PD-disaggregation, and ES convergence time.

3. **Theory assumptions and proofs**
   Question: For each theoretical result, does the paper provide the full set of assumptions and a complete proof?
   Answer: [N/A]
   Justification: The paper presents an additive cost model and an online optimizer with no formal theorems.

4. **Experimental result reproducibility**
   Question: Does the paper fully disclose all the information needed to reproduce the main experimental results?
   Answer: [Yes]
   Justification: Section 4 specifies model, regions, hardware, fleet topology, concurrency, trace windows, and per-window GORGO seeding. Section 2 gives Equation 3, the $(1{+}1)$-ES configuration ($\sigma_0 = 0.5$, 1/5-rule, hop 16, window 64), and the median-of-rates fit.

5. **Open access to data and code**
   Question: Does the paper provide open access to the data and code?
   Answer: [Yes]
   Justification: The proxy and policy code are available at https://anonymous.4open.science/r/GORGO-D25A. The ART-Chat-411K trace is not redistributable under its terms of service. The public-dataset characterization (LMSYS, WildChat) is fully reproducible with no proprietary inputs.

6. **Experimental setting/details**
   Question: Does the paper specify all the training and test details?
   Answer: [Yes]
   Justification: Section 4 specifies model, hardware, regions, concurrency, trace windows, max input tokens, and per-window seeding for adaptive policies. ES configuration is given in Section 2.

7. **Experiment statistical significance**
   Question: Does the paper report error bars or appropriate statistical significance information?
   Answer: [Yes]
   Justification: Section 6 derives an approximate p99 standard error and shows that the W2 p99 margin between `gorgo-hillclimb` and `random` is inside one standard error, while the W1 sweep and W2 p50/p95 wins are several standard errors clear of zero.

8. **Experiments compute resources**
   Question: Does the paper provide sufficient information on compute resources?
   Answer: [Yes]
   Justification: Each policy runs on a dedicated 3-replica fleet of L40S SGLang servers (tensor-parallel 2, 96 GB VRAM per replica). Eight policies $\times$ two windows $=$ 16 fleet-runs, each $\sim$30 min wall clock, on three regions. Total GPU-hours: $\approx$24.

9. **Code of ethics**
   Question: Does the research conform with the NeurIPS Code of Ethics?
   Answer: [Yes]
   Justification: The work concerns routing infrastructure. The production trace is used under terms that permit research replay; we release only aggregated prefix-trie statistics, not individual requests. No individuals are identifiable from the released aggregates.

10. **Broader impacts**
    Question: Does the paper discuss potential societal impacts?
    Answer: [Yes]
    Justification: Routing improvements reduce the energy and dollar cost of serving LLMs at fixed quality. Lower-cost serving may accelerate deployment in settings where that is socially harmful; the contributions are infrastructure-level and do not affect model capability.

11. **Safeguards**
    Question: Does the paper describe safeguards for responsible release?
    Answer: [N/A]
    Justification: We do not release datasets or models. The released code is a routing proxy and policy library with no inherent dual-use beyond LLM-serving infrastructure.

12. **Licenses**
    Question: Are creators or owners of assets properly credited?
    Answer: [Yes]
    Justification: SGLang, vLLM, AIBrix, LMSYS-Chat-1M, WildChat-4.8M, and Qwen3 are cited and used under their published licenses.

13. **New assets**
    Question: Are new assets introduced in the paper well documented?
    Answer: [Yes]
    Justification: The proxy, policy library, experiment controller, and trace builder are documented in the repository's top-level documentation. Spec and manifest files are stored alongside the controller.

14. **Crowdsourcing and research with human subjects**
    Question: Does the paper involve crowdsourcing or human subjects?
    Answer: [N/A]
    Justification: No human subjects.

15. **IRB approvals**
    Answer: [N/A]
    Justification: No human subjects.

16. **Declaration of LLM usage**
    Question: Does the paper describe the usage of LLMs if it is an important, original, or non-standard component of the research methodology?
    Answer: [N/A]
    Justification: LLM serving infrastructure is the object of study. Authors used LLMs for routine writing assistance only.

A WildChat replay (regime-sensitivity control)

We replay a 30-minute window of WildChat-4.8M [Zhao et al., 2024] on the same 2×L40S three-region fleet, with the same eight policies as the ART-Chat-411K sweeps. WildChat averages 2,925 input tokens per request and 5.3% intra-user prefix reuse—an order of magnitude shorter than ART-Chat-411K and roughly a tenth the reuse—putting it well outside the regime characterized in §3.

Table 7: WildChat-4.8M replay: 30-minute window, c=32. TTFT in seconds. Bold is best in column. Compared to the ART-Chat-411K results, GORGO variants are not competitive: `gorgo-static` and `gorgo-autotune` are the worst two policies on p95.

Policy	Completed	p50	p95	p99	max	Succ.%
simple-session-affinity	20,447	0.416	**1.025**	**1.712**	7.75	99.6
least-request	20,517	0.480	1.036	1.731	110.45	100.0
random	20,436	**0.416**	1.077	1.796	15.82	99.6
prefix-cache	20,504	0.497	1.186	2.588	10.63	99.9
least-load	20,484	0.532	1.217	2.535	8.28	99.8
gorgo-hillclimb	20,473	0.541	1.325	2.654	7.05	99.8
gorgo-static	20,462	0.709	1.932	3.969	60.18	99.7
gorgo-autotune	20,451	0.541	3.583	6.438	12.55	99.7



Figure 5: WildChat-4.8M replay, per-percentile TTFT (p50/p95/p99) across the eight policies. GORGO variants (dark blues) are not competitive: `gorgo-static` and `gorgo-autotune` are the slowest two policies at the tail, and `gorgo-hillclimb` sits mid-pack. The ranking inverts the ART-Chat-411K result, consistent with the regime argument in §3.

The ranking is reversed: `simple-session-affinity` wins p95 and p99 by a large margin, `least-request` is competitive, `gorgo-hillclimb` sits mid-pack, and `gorgo-static` and `gorgo-autotune` are the worst two policies. Two mechanisms drive this. First, the prefill term in Equation 3 is small at 2,925 tokens; the cost-model weights are mostly fitting noise. Second, intra-user reuse is 5.3% rather than 53%; even a perfect cache-routing decision saves only a few hundred tokens per request, well inside the cross-region RTT band, so chasing cache locality is counterproductive when paired with a cross-region routing penalty. The `gorgo-static` weights frozen from an ART-Chat-411K W1 are particularly mis-calibrated to this regime—a reminder that the cost-model parameters do not transfer across workload classes.

We include this result as a regime-sensitivity control, not as a contribution. The takeaway is the same one stated in §3: the gain from joint cache–network–queue routing depends on the workload having long prompts and substantial intra-user prefix reuse. Public chat datasets do not exercise this regime.



Figure 6: Achieved prefix hit rate over the W1 tuning window: the fraction of each request's input tokens that were already cached on the replica the policy routed to (not the total cache available across all replicas). A higher rate means the routing decision exploited more of the available cache. Bold lines are EWMA-smoothed (α=0.06); faint lines are 64-request rolling averages. `gorgo-hillclimb` converges from ∼45% to ∼95% within the first 5 minutes as the ES learns to route requests to their best-cached replica.

B GORGO Achieves Convergence of Cache Reuse

C Load-Weight Ablation: Single-Replica Concentration

When w_{load} is unconstrained (range $[10^{-5}, 5]$), the ES drives it to zero: the resulting policy routes 100% of traffic to a single replica (Figure 7). On the nighttime tuning trace (∼1.2 req/s) this produces the best TTFT because every request hits a warm cache on the closest replica with no load penalty. On the heavier midday diurnal trace (∼1.7 req/s, 47% more requests), the single replica saturates: decode throughput drops to 70 tok/s (vs. 119 tok/s with w_{load}=6.38) and E2E p95 inflates to 12.58 s—4.8× worse than `least-request`.

Constraining the ES search range to $w_{\text{load}} \in [0.1, 10.0]$ prevents this degenerate solution. The ES converges to w_{load}≈6.38, which actively avoids loaded replicas and achieves the best TTFT *and* E2E on both evaluation windows (§5.1). Table 8 compares the two configurations on the midday diurnal trace.

Table 8: Midday diurnal evaluation: unconstrained (w_{load}=0) vs. constrained (w_{load}=6.38) `gorgo-static`. Constraining w_{load} trades 3% TTFT p95 for 5× better E2E p95.

	TTFT p50	TTFT p95	E2E p50	E2E p95	Decode	Concentration
w_{load}=0	**0.190**	**1.101**	2.07	12.58	70	100%
w_{load}=6.38	0.195	1.136	**1.29**	**2.46**	**119**	60%
Δ	+2.6%	+3.2%	−37.7%	−80.4%	+70%	



Figure 7: *Left*: TTFT p95 (dark) vs. E2E p95 (light) on the midday diurnal trace with w_{load}=0. `gorgo-static` wins TTFT but its E2E inflates to 12.6 s. *Right*: routing concentration. `gorgo-static` sends 100% of requests to one replica.