

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
			Baseline					
			Shift to					
			Week					
CHEMISTRY								

ALANINE AMINOTRANSFERASE	2	n	81	2	77	1	78	0
		Normal	81 (100%)	0	77 (100%)	0	78 (100%)	0
		High	0	2 (100%)	0	1 (100%)	0	0
	4	n	77	2	69	1	72	0
		Normal	77 (100%)	1 (50%)	69 (100%)	0	72 (100%)	0
		High	0	1 (50%)	0	1 (100%)	0	0
	6	n	72	1	59	1	66	0
		Normal	71 (99%)	1 (100%)	59 (100%)	0	66 (100%)	0
		High	1 (1%)	0	0	1 (100%)	0	0
	8	n	71	1	57	1	56	0
		Normal	71 (100%)	0	57 (100%)	0	54 (96%)	0
		High	0	1 (100%)	0	1 (100%)	2 (4%)	0
	12	n	66	1	49	1	50	0
		Normal	65 (98%)	1 (100%)	48 (98%)	1 (100%)	49 (98%)	0
		High	1 (2%)	0	1 (2%)	0	1 (2%)	0
	16	n	67	1	40	0	37	0
		Normal	67 (100%)	1 (100%)	40 (100%)	0	37 (100%)	0
	20	n	64	1	29	0	31	0
Normal		64 (100%)	1 (100%)	29 (100%)	0	31 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
				Week	Shift to	Baseline			
ALBUMIN	24	n	56	1	25	0	30	0	
		Normal	55 (98%)	1 (100%)	25 (100%)	0	30 (100%)	0	
		High	1 (2%)	0	0	0	0	0	
	26	n	56	1	24	0	27	0	
		Normal	56 (100%)	1 (100%)	23 (96%)	0	27 (100%)	0	
		High	0	0	1 (4%)	0	0	0	
	2	n	83	0	78	0	78	0	
		Normal	83 (100%)	0	78 (100%)	0	78 (100%)	0	
	4	n	79	0	70	0	72	0	
		Normal	79 (100%)	0	70 (100%)	0	72 (100%)	0	
	6	n	73	0	60	0	66	0	
		Normal	73 (100%)	0	60 (100%)	0	66 (100%)	0	
	8	n	72	0	58	0	56	0	
		Normal	72 (100%)	0	58 (100%)	0	56 (100%)	0	
	12	n	67	0	50	0	50	0	
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0	
	16	n	68	0	40	0	37	0	
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0	
	20	n	65	0	29	0	31	0	
		Normal	65 (100%)	0	29 (100%)	0	31 (100%)	0	
	24	n	57	0	25	0	30	0	
		Normal	57 (100%)	0	25 (100%)	0	30 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline					
ALKALINE PHOSPHATASE	26	n	57	0	24	0	27	0
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	82	2	78	0	77	1
		Normal	82 (100%)	0	78 (100%)	0	77 (100%)	0
		High	0	2 (100%)	0	0	0	1 (100%)
	4	n	80	2	69	0	71	1
		Normal	80 (100%)	0	69 (100%)	0	71 (100%)	0
		High	0	2 (100%)	0	0	0	1 (100%)
	6	n	75	0	62	0	66	1
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
		High	0	0	0	0	0	1 (100%)
	8	n	72	1	58	0	55	1
		Normal	72 (100%)	0	57 (98%)	0	55 (100%)	0
		High	0	1 (100%)	1 (2%)	0	0	1 (100%)
	12	n	66	1	50	0	49	1
		Normal	66 (100%)	0	50 (100%)	0	49 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
	16	n	67	1	40	0	36	1
		Normal	67 (100%)	0	40 (100%)	0	36 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
	20	n	64	1	30	0	30	1
		Normal	63 (98%)	0	30 (100%)	0	30 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline					
ASPARTATE AMINOTRANSFERASE	24	High	1 (2%)	1 (100%)	0	0	0	1 (100%)
		n	55	1	26	0	30	0
		Normal	54 (98%)	0	26 (100%)	0	30 (100%)	0
	26	High	1 (2%)	1 (100%)	0	0	0	0
		n	56	1	24	0	27	0
		Normal	55 (98%)	0	24 (100%)	0	27 (100%)	0
	2	High	1 (2%)	1 (100%)	0	0	0	0
		n	81	2	78	0	78	0
		Normal	80 (99%)	1 (50%)	77 (99%)	0	78 (100%)	0
	4	High	1 (1%)	1 (50%)	1 (1%)	0	0	0
		n	77	2	69	1	72	0
		Normal	76 (99%)	1 (50%)	69 (100%)	1 (100%)	72 (100%)	0
	6	High	1 (1%)	1 (50%)	0	0	0	0
		n	72	1	60	0	66	0
		Normal	71 (99%)	1 (100%)	60 (100%)	0	65 (98%)	0
	8	High	1 (1%)	0	0	0	1 (2%)	0
		n	71	1	58	0	56	0
		Normal	70 (99%)	1 (100%)	58 (100%)	0	55 (98%)	0
	12	High	1 (1%)	0	0	0	1 (2%)	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
		High	1 (2%)	0	1 (2%)	0	0	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift	Baseline					
		to						
BILIRUBIN	16	n	67	1	40	0	37	0
		Normal	67 (100%)	1 (100%)	39 (98%)	0	37 (100%)	0
		High	0	0	1 (2%)	0	0	0
	20	n	64	1	29	0	31	0
		Normal	64 (100%)	1 (100%)	29 (100%)	0	31 (100%)	0
	24	n	56	1	25	0	30	0
		Normal	54 (96%)	1 (100%)	24 (96%)	0	30 (100%)	0
		High	2 (4%)	0	1 (4%)	0	0	0
	26	n	56	1	24	0	27	0
		Normal	55 (98%)	1 (100%)	23 (96%)	0	27 (100%)	0
		High	1 (2%)	0	1 (4%)	0	0	0
	2	n	83	0	78	0	77	1
		Normal	82 (99%)	0	78 (100%)	0	77 (100%)	1 (100%)
		High	1 (1%)	0	0	0	0	0
	4	n	79	0	70	0	71	1
		Normal	78 (99%)	0	70 (100%)	0	71 (100%)	0
		High	1 (1%)	0	0	0	0	1 (100%)
	6	n	73	0	60	0	65	1
		Normal	73 (100%)	0	60 (100%)	0	65 (100%)	1 (100%)
	8	n	72	0	58	0	55	1
		Normal	72 (100%)	0	58 (100%)	0	55 (100%)	1 (100%)
	12	n	67	0	50	0	49	1

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline					
	Week to						
CALCIUM	Normal	67 (100%)	0	50 (100%)	0	48 (98%)	1 (100%)
	High	0	0	0	0	1 (2%)	0
	16 n	68	0	40	0	36	1
	Normal	68 (100%)	0	40 (100%)	0	36 (100%)	1 (100%)
	20 n	65	0	29	0	30	1
	Normal	65 (100%)	0	29 (100%)	0	29 (97%)	1 (100%)
	High	0	0	0	0	1 (3%)	0
	24 n	57	0	25	0	29	1
	Normal	57 (100%)	0	25 (100%)	0	29 (100%)	1 (100%)
	26 n	57	0	24	0	26	1
	Normal	57 (100%)	0	23 (96%)	0	26 (100%)	1 (100%)
	High	0	0	1 (4%)	0	0	0
	2 n	84	0	78	0	78	0
	Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	4 n	82	0	70	0	72	0
	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	6 n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	8 n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to		Baseline					
		n							
CHLORIDE	16	n	68	0	40	0	37	0	
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0	
	20	n	66	0	30	0	31	0	
		Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0	
	24	n	57	0	26	0	30	0	
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0	
	26	n	57	0	24	0	27	0	
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0	
	2	n	84	0	78	0	76	0	
		Normal	84 (100%)	0	78 (100%)	0	76 (100%)	0	
	4	n	82	0	70	0	71	0	
		Normal	82 (100%)	0	70 (100%)	0	71 (100%)	0	
	6	n	75	0	62	0	66	0	
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0	
	8	n	73	0	58	0	56	0	
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0	
	12	n	67	0	50	0	49	0	
		Normal	67 (100%)	0	50 (100%)	0	49 (100%)	0	
	16	n	68	0	40	0	37	0	
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0	
	20	n	65	0	30	0	31	0	
		Normal	65 (100%)	0	30 (100%)	0	31 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to		Baseline					
		n							
CHOLESTEROL	24	n	57	0	26	0	30	0	
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0	
	26	n	57	0	24	0	27	0	
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0	
	2	n	84	0	78	0	78	0	
		Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0	
	4	n	82	0	70	0	72	0	
		Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0	
	6	n	75	0	62	0	67	0	
		Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0	
	8	n	73	0	58	0	56	0	
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0	
	12	n	67	0	50	0	50	0	
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0	
	16	n	68	0	40	0	37	0	
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0	
	20	n	66	0	30	0	31	0	
		Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0	
	24	n	57	0	26	0	30	0	
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0	
	26	n	57	0	24	0	27	0	
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
				Baseline					
				Week	Shift to				
CREATINE KINASE	2	n	83	0	77	1	75	3	
		Normal	81 (98%)	0	74 (96%)	1 (100%)	74 (99%)	3 (100%)	
		High	2 (2%)	0	3 (4%)	0	1 (1%)	0	
	4	n	79	0	69	1	69	3	
		Normal	78 (99%)	0	68 (99%)	1 (100%)	68 (99%)	3 (100%)	
		High	1 (1%)	0	1 (1%)	0	1 (1%)	0	
	6	n	73	0	59	1	63	3	
		Normal	73 (100%)	0	58 (98%)	1 (100%)	61 (97%)	2 (67%)	
		High	0	0	1 (2%)	0	2 (3%)	1 (33%)	
	8	n	72	0	57	1	54	2	
		Normal	71 (99%)	0	57 (100%)	1 (100%)	53 (98%)	2 (100%)	
		High	1 (1%)	0	0	0	1 (2%)	0	
	12	n	67	0	49	1	48	2	
		Normal	65 (97%)	0	48 (98%)	1 (100%)	47 (98%)	1 (50%)	
		High	2 (3%)	0	1 (2%)	0	1 (2%)	1 (50%)	
	16	n	68	0	39	1	36	1	
		Normal	66 (97%)	0	39 (100%)	1 (100%)	36 (100%)	1 (100%)	
		High	2 (3%)	0	0	0	0	0	
	20	n	65	0	29	0	30	1	
		Normal	65 (100%)	0	27 (93%)	0	29 (97%)	1 (100%)	
		High	0	0	2 (7%)	0	1 (3%)	0	
	24	n	57	0	25	0	29	1	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to		Baseline			
		Normal	High	Normal	High	Normal	High
CREATININE	26	55 (96%)	0	25 (100%)	0	29 (100%)	1 (100%)
		High 2 (4%)	0	0	0	0	0
	2	n 57	0	24	0	26	1
		Normal 57 (100%)	0	24 (100%)	0	25 (96%)	1 (100%)
	4	High 0	0	0	0	1 (4%)	0
		n 84	0	78	0	78	0
	6	Normal 84 (100%)	0	78 (100%)	0	78 (100%)	0
		n 82	0	70	0	72	0
	8	Normal 82 (100%)	0	70 (100%)	0	72 (100%)	0
		n 75	0	62	0	67	0
	12	Normal 75 (100%)	0	62 (100%)	0	67 (100%)	0
		n 73	0	58	0	56	0
	16	Normal 73 (100%)	0	58 (100%)	0	56 (100%)	0
		n 67	0	50	0	50	0
	20	Normal 67 (100%)	0	50 (100%)	0	50 (100%)	0
		n 68	0	40	0	37	0
	24	Normal 68 (100%)	0	40 (100%)	0	37 (100%)	0
		n 66	0	30	0	31	0
	26	Normal 66 (100%)	0	30 (100%)	0	31 (100%)	0
		n 57	0	26	0	30	0
		Normal 57 (100%)	0	26 (100%)	0	30 (100%)	0
		n 57	0	24	0	27	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to Baseline						
GAMMA GLUTAMYL TRANSFERASE	2	Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
		n	82	2	76	2	76	2
		Normal	82 (100%)	1 (50%)	75 (99%)	1 (50%)	75 (99%)	1 (50%)
	4	High	0	1 (50%)	1 (1%)	1 (50%)	1 (1%)	1 (50%)
		n	80	2	68	2	70	2
		Normal	80 (100%)	1 (50%)	68 (100%)	1 (50%)	70 (100%)	1 (50%)
	6	High	0	1 (50%)	0	1 (50%)	0	1 (50%)
		n	74	1	61	1	66	1
		Normal	74 (100%)	0	61 (100%)	1 (100%)	66 (100%)	0
	8	High	0	1 (100%)	0	0	0	1 (100%)
		n	72	1	57	1	55	1
		Normal	72 (100%)	0	56 (98%)	1 (100%)	54 (98%)	0
	12	High	0	1 (100%)	1 (2%)	0	1 (2%)	1 (100%)
		n	66	1	49	1	49	1
		Normal	66 (100%)	0	49 (100%)	1 (100%)	49 (100%)	0
	16	High	0	1 (100%)	0	0	0	1 (100%)
		n	67	1	39	1	36	1
		Normal	67 (100%)	1 (100%)	39 (100%)	1 (100%)	36 (100%)	0
	20	High	0	0	0	0	0	1 (100%)
		n	65	1	29	1	31	0
		Normal	65 (100%)	0	29 (100%)	0	31 (100%)	0
		High	0	1 (100%)	0	1 (100%)	0	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
				Week	Shift to	Baseline			
GLUCOSE	24	n	56	1	26	0	29	1	
		Normal	54 (96%)	1 (100%)	25 (96%)	0	29 (100%)	0	
		High	2 (4%)	0	1 (4%)	0	0	1 (100%)	
	26	n	56	1	24	0	26	1	
		Normal	55 (98%)	1 (100%)	23 (96%)	0	26 (100%)	0	
		High	1 (2%)	0	1 (4%)	0	0	1 (100%)	
	2	n	82	1	78	0	78	0	
		Normal	82 (100%)	1 (100%)	78 (100%)	0	77 (99%)	0	
		High	0	0	0	0	1 (1%)	0	
	4	n	78	1	69	0	72	0	
		Normal	78 (100%)	1 (100%)	69 (100%)	0	72 (100%)	0	
	6	n	72	1	60	0	66	0	
		Normal	72 (100%)	1 (100%)	60 (100%)	0	65 (98%)	0	
		High	0	0	0	0	1 (2%)	0	
	8	n	71	1	57	0	56	0	
		Normal	71 (100%)	1 (100%)	57 (100%)	0	56 (100%)	0	
	12	n	66	1	50	0	49	0	
		Normal	66 (100%)	1 (100%)	49 (98%)	0	49 (100%)	0	
		High	0	0	1 (2%)	0	0	0	
	16	n	67	1	40	0	37	0	
		Normal	67 (100%)	1 (100%)	40 (100%)	0	37 (100%)	0	
	20	n	64	1	29	0	31	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift		Baseline			
		to					
PHOSPHATE		Normal	64 (100%)	1 (100%)	29 (100%)	0	31 (100%)
	24	n	56	1	25	0	30
		Normal	56 (100%)	1 (100%)	25 (100%)	0	30 (100%)
	26	n	56	1	24	0	27
		Normal	56 (100%)	1 (100%)	24 (100%)	0	27 (100%)
	2	n	84	0	78	0	78
		Normal	84 (100%)	0	78 (100%)	0	78 (100%)
	4	n	82	0	68	0	72
		Normal	82 (100%)	0	68 (100%)	0	72 (100%)
	6	n	75	0	62	0	67
		Normal	75 (100%)	0	62 (100%)	0	67 (100%)
	8	n	73	0	58	0	56
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)
	12	n	67	0	50	0	50
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)
	16	n	68	0	40	0	37
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)
	20	n	65	0	30	0	31
		Normal	65 (100%)	0	30 (100%)	0	31 (100%)
	24	n	56	0	26	0	30
		Normal	56 (100%)	0	26 (100%)	0	30 (100%)
	26	n	57	0	24	0	27

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline				
POTASSIUM	2	Normal	57 (100%)	0	24 (100%)	0	27 (100%)
		n	84	0	78	0	76
	4	Normal	84 (100%)	0	78 (100%)	0	76 (100%)
		n	82	0	68	0	71
	6	Normal	82 (100%)	0	68 (100%)	0	71 (100%)
		n	75	0	62	0	66
	8	Normal	75 (100%)	0	62 (100%)	0	66 (100%)
		n	73	0	58	0	56
	12	Normal	73 (100%)	0	58 (100%)	0	56 (100%)
		n	67	0	50	0	49
	16	Normal	67 (100%)	0	50 (100%)	0	49 (100%)
		n	68	0	40	0	37
	20	Normal	68 (100%)	0	40 (100%)	0	37 (100%)
		n	64	0	30	0	31
	24	Normal	64 (100%)	0	30 (100%)	0	31 (100%)
		n	56	0	26	0	30
PROTEIN	26	Normal	56 (100%)	0	26 (100%)	0	30 (100%)
		n	57	0	24	0	27
	2	Normal	57 (100%)	0	24 (100%)	0	27 (100%)
		n	84	0	78	0	78
	4	Normal	84 (100%)	0	78 (100%)	0	78 (100%)
		n	82	0	70	0	72

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
		Normal	n		Normal	n	Normal	n
SODIUM	6	82 (100%)	0	70 (100%)	0	72 (100%)	0	
		75	0	62	0	67	0	
	8	75 (100%)	0	62 (100%)	0	67 (100%)	0	
		73	0	58	0	56	0	
	12	73 (100%)	0	58 (100%)	0	56 (100%)	0	
		67	0	50	0	50	0	
	16	67 (100%)	0	50 (100%)	0	50 (100%)	0	
		68	0	40	0	37	0	
	20	68 (100%)	0	40 (100%)	0	37 (100%)	0	
		66	0	30	0	31	0	
	24	66 (100%)	0	30 (100%)	0	31 (100%)	0	
		57	0	26	0	30	0	
	26	57 (100%)	0	26 (100%)	0	30 (100%)	0	
		57	0	24	0	27	0	
	2	57 (100%)	0	24 (100%)	0	27 (100%)	0	
		84	0	78	0	76	0	
	4	84 (100%)	0	78 (100%)	0	76 (100%)	0	
		82	0	70	0	71	0	
	6	82 (100%)	0	70 (100%)	0	71 (100%)	0	
		75	0	62	0	66	0	
	8	75 (100%)	0	62 (100%)	0	66 (100%)	0	
		73	0	58	0	56	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to		Baseline			
		Normal	n	Normal	n	Normal	n
URATE	12	73 (100%)	0	58 (100%)	0	56 (100%)	0
		67	0	50	0	49	0
	16	67 (100%)	0	50 (100%)	0	49 (100%)	0
		68	0	40	0	37	0
	20	68 (100%)	0	40 (100%)	0	37 (100%)	0
		65	0	30	0	31	0
	24	65 (100%)	0	30 (100%)	0	31 (100%)	0
		57	0	26	0	30	0
	26	57 (100%)	0	26 (100%)	0	30 (100%)	0
		57	0	24	0	27	0
	2	57 (100%)	0	24 (100%)	0	27 (100%)	0
		84	0	78	0	78	0
	4	84 (100%)	0	78 (100%)	0	78 (100%)	0
		82	0	70	0	72	0
	6	82 (100%)	0	70 (100%)	0	72 (100%)	0
		75	0	62	0	67	0
	8	75 (100%)	0	62 (100%)	0	67 (100%)	0
		73	0	58	0	56	0
	12	73 (100%)	0	58 (100%)	0	56 (100%)	0
		67	0	50	0	50	0
	16	67 (100%)	0	50 (100%)	0	50 (100%)	0
		68	0	40	0	37	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
		Normal	n		Normal	n	High	n
UREA NITROGEN	20	68 (100%)	0	40 (100%)	0	37 (100%)	0	
		66	0	30	0	31	0	
	24	66 (100%)	0	30 (100%)	0	31 (100%)	0	
		57	0	26	0	30	0	
	26	57 (100%)	0	26 (100%)	0	30 (100%)	0	
		57	0	24	0	27	0	
	2	57 (100%)	0	24 (100%)	0	27 (100%)	0	
		84	0	76	2	78	0	
	4	84 (100%)	0	76 (100%)	2 (100%)	77 (99%)	0	
		0	0	0	0	1 (1%)	0	
	6	82	0	68	2	72	0	
		82 (100%)	0	68 (100%)	2 (100%)	72 (100%)	0	
	8	75	0	60	2	67	0	
		75 (100%)	0	60 (100%)	2 (100%)	67 (100%)	0	
	12	73	0	56	2	56	0	
		73 (100%)	0	56 (100%)	2 (100%)	56 (100%)	0	
	16	67	0	49	1	50	0	
		67 (100%)	0	49 (100%)	1 (100%)	50 (100%)	0	
	20	68	0	39	1	37	0	
		68 (100%)	0	39 (100%)	1 (100%)	37 (100%)	0	
		66	0	29	1	31	0	
		66 (100%)	0	29 (100%)	1 (100%)	31 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
				Baseline					
				Week	Shift to				
HEMATOLOGY	24	n	57	0	25	1	30	0	
		Normal	57 (100%)	0	25 (100%)	1 (100%)	30 (100%)	0	
	26	n	57	0	23	1	27	0	
		Normal	57 (100%)	0	23 (100%)	1 (100%)	26 (96%)	0	
		High	0	0	0	0	1 (4%)	0	

	2	n	82	0	77	0	77	0	
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0	
	4	n	78	0	69	0	69	0	
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0	
BASOPHILS	6	n	72	0	59	0	62	0	
		Normal	72 (100%)	0	59 (100%)	0	62 (100%)	0	
	8	n	71	0	56	0	55	0	
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0	
	12	n	65	0	48	0	49	0	
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0	
	16	n	67	0	39	0	36	0	
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0	
	20	n	64	0	29	0	31	0	
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0	
	24	n	57	0	24	0	29	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to		Baseline			
		Normal	n	Normal	n	Normal	n
EOSINOPHILS	26	57 (100%)	0	24 (100%)	0	29 (100%)	0
		56	0	24	0	26	0
	2	56 (100%)	0	24 (100%)	0	26 (100%)	0
		82	0	76	1	77	0
	4	82 (100%)	0	74 (97%)	1 (100%)	77 (100%)	0
		0	0	2 (3%)	0	0	0
	6	78	0	69	0	69	0
		78 (100%)	0	69 (100%)	0	68 (99%)	0
	8	0	0	0	0	1 (1%)	0
		72	0	59	0	62	0
	10	72 (100%)	0	59 (100%)	0	58 (94%)	0
		0	0	0	0	4 (6%)	0
	12	71	0	56	0	55	0
		71 (100%)	0	53 (95%)	0	52 (95%)	0
	14	0	0	3 (5%)	0	3 (5%)	0
		65	0	48	0	49	0
	16	65 (100%)	0	46 (96%)	0	49 (100%)	0
		0	0	2 (4%)	0	0	0
	18	67	0	39	0	36	0
		67 (100%)	0	39 (100%)	0	35 (97%)	0
	20	0	0	0	0	1 (3%)	0
		64	0	29	0	31	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
			Baseline					
	Week	Shift to						
ERY. MEAN CORPUSCULAR HB CONCENTRATION		Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
	24	n	57	0	24	0	29	0
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26	n	56	0	24	0	26	0
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
	2	n	82	0	76	0	76	0
		Normal	82 (100%)	0	76 (100%)	0	76 (100%)	0
	4	n	76	0	67	0	67	0
		Normal	76 (100%)	0	67 (100%)	0	67 (100%)	0
	6	n	71	0	57	0	63	0
		Normal	71 (100%)	0	57 (100%)	0	63 (100%)	0
	8	n	70	0	53	0	55	0
		Normal	70 (100%)	0	53 (100%)	0	55 (100%)	0
	12	n	64	0	47	0	49	0
		Normal	64 (100%)	0	47 (100%)	0	49 (100%)	0
	16	n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0	
20	n	63	0	29	0	31	0	
	Normal	63 (100%)	0	29 (100%)	0	31 (100%)	0	
24	n	57	0	24	0	29	0	
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0	

NOTES: Only subjects with baseline results are included in the summary.
There were no subjects with abnormal low values at baseline.
Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

				Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
				Normal at	High at	Normal at	High at	Normal at	High at
		Shift	Baseline						
		Week to							
ERY. MEAN CORPUSCULAR HEMOGLOBIN	26	n	55	0	24	0	26	0	
		Normal	55 (100%)	0	24 (100%)	0	26 (100%)	0	
	2	n	82	0	77	0	77	0	
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0	
	4	n	78	0	69	0	69	0	
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0	
	6	n	72	0	59	0	63	0	
		Normal	72 (100%)	0	59 (100%)	0	63 (100%)	0	
	8	n	71	0	56	0	55	0	
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0	
	12	n	65	0	48	0	49	0	
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0	
	16	n	67	0	39	0	36	0	
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0	
	20	n	64	0	29	0	31	0	
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0	
ERY. MEAN CORPUSCULAR VOLUME	24	n	57	0	24	0	29	0	
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0	
	26	n	56	0	24	0	26	0	
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0	
	2	n	82	0	76	0	76	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
		Normal	n		Normal	n	Normal	n
ERYTHROCYTES	4	82 (100%)	0	76 (100%)	0	76 (100%)	0	
		76	0	67	0	67	0	
	6	76 (100%)	0	67 (100%)	0	67 (100%)	0	
		71	0	57	0	63	0	
	8	71 (100%)	0	57 (100%)	0	63 (100%)	0	
		70	0	53	0	55	0	
	12	70 (100%)	0	53 (100%)	0	55 (100%)	0	
		64	0	47	0	49	0	
	16	64 (100%)	0	47 (100%)	0	49 (100%)	0	
		67	0	39	0	36	0	
	20	67 (100%)	0	39 (100%)	0	36 (100%)	0	
		63	0	29	0	31	0	
	24	63 (100%)	0	29 (100%)	0	31 (100%)	0	
		57	0	24	0	29	0	
	26	57 (100%)	0	24 (100%)	0	29 (100%)	0	
		55	0	24	0	26	0	
ERYTHROCYTES	2	55 (100%)	0	24 (100%)	0	26 (100%)	0	
		82	0	77	0	77	0	
	4	82 (100%)	0	77 (100%)	0	77 (100%)	0	
		78	0	69	0	69	0	
	6	78 (100%)	0	69 (100%)	0	69 (100%)	0	
		72	0	59	0	63	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
		Normal	n		Normal	n		
	8	72 (100%)	0	59 (100%)	0	63 (100%)	0	
		71	0	56	0	55	0	
	12	71 (100%)	0	56 (100%)	0	55 (100%)	0	
		65	0	48	0	49	0	
	16	65 (100%)	0	48 (100%)	0	49 (100%)	0	
		67	0	39	0	36	0	
	20	67 (100%)	0	39 (100%)	0	36 (100%)	0	
		64	0	29	0	31	0	
	24	64 (100%)	0	29 (100%)	0	31 (100%)	0	
		57	0	24	0	29	0	
	26	57 (100%)	0	24 (100%)	0	29 (100%)	0	
		56	0	24	0	26	0	
HEMATOCRIT	2	56 (100%)	0	24 (100%)	0	26 (100%)	0	
		82	0	76	0	76	0	
	4	82 (100%)	0	76 (100%)	0	76 (100%)	0	
		76	0	67	0	67	0	
	6	76 (100%)	0	67 (100%)	0	67 (100%)	0	
		71	0	57	0	63	0	
	8	71 (100%)	0	57 (100%)	0	63 (100%)	0	
		70	0	53	0	55	0	
	12	70 (100%)	0	53 (100%)	0	55 (100%)	0	
		64	0	47	0	49	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
		Normal	n					
HEMOGLOBIN	16	64 (100%)	0	47 (100%)	0	49 (100%)	0	
		67	0	39	0	36	0	
	20	67 (100%)	0	39 (100%)	0	36 (100%)	0	
		63	0	29	0	31	0	
	24	63 (100%)	0	29 (100%)	0	31 (100%)	0	
		57	0	24	0	29	0	
	26	57 (100%)	0	24 (100%)	0	29 (100%)	0	
		55	0	24	0	26	0	
	2	55 (100%)	0	24 (100%)	0	26 (100%)	0	
		82	0	77	0	77	0	
	4	82 (100%)	0	77 (100%)	0	77 (100%)	0	
		78	0	69	0	69	0	
	6	78 (100%)	0	69 (100%)	0	69 (100%)	0	
		72	0	59	0	63	0	
	8	72 (100%)	0	59 (100%)	0	63 (100%)	0	
		71	0	56	0	55	0	
	12	71 (100%)	0	56 (100%)	0	55 (100%)	0	
		65	0	48	0	49	0	
	16	65 (100%)	0	48 (100%)	0	49 (100%)	0	
		67	0	39	0	36	0	
	20	67 (100%)	0	39 (100%)	0	36 (100%)	0	
		64	0	29	0	31	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
		Normal						
LEUKOCYTES		64 (100%)	0	29 (100%)	0	31 (100%)	0	
	24	n 57	0	24	0	29	0	
		Normal 57 (100%)	0	24 (100%)	0	29 (100%)	0	
	26	n 56	0	24	0	26	0	
		Normal 56 (100%)	0	24 (100%)	0	26 (100%)	0	
	2	n 82	0	77	0	77	0	
		Normal 82 (100%)	0	77 (100%)	0	77 (100%)	0	
	4	n 78	0	69	0	69	0	
		Normal 78 (100%)	0	69 (100%)	0	69 (100%)	0	
	6	n 72	0	59	0	63	0	
		Normal 72 (100%)	0	59 (100%)	0	63 (100%)	0	
	8	n 71	0	56	0	55	0	
		Normal 71 (100%)	0	56 (100%)	0	55 (100%)	0	
	12	n 65	0	48	0	49	0	
		Normal 65 (100%)	0	48 (100%)	0	49 (100%)	0	
	16	n 67	0	39	0	36	0	
		Normal 67 (100%)	0	39 (100%)	0	36 (100%)	0	
	20	n 64	0	29	0	31	0	
		Normal 64 (100%)	0	29 (100%)	0	31 (100%)	0	
	24	n 57	0	24	0	29	0	
		Normal 57 (100%)	0	24 (100%)	0	29 (100%)	0	
	26	n 56	0	24	0	26	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
LYMPHOCYTES	2	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	77	0	77	0
	4	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
		n	78	0	69	0	69	0
	6	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
		n	72	0	59	0	62	0
	8	Normal	72 (100%)	0	59 (100%)	0	62 (100%)	0
		n	71	0	56	0	55	0
	12	Normal	70 (99%)	0	56 (100%)	0	55 (100%)	0
		High	1 (1%)	0	0	0	0	0
	16	n	65	0	48	0	49	0
		Normal	64 (98%)	0	48 (100%)	0	49 (100%)	0
	20	High	1 (2%)	0	0	0	0	0
		n	67	0	39	0	36	0
	24	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
		n	64	0	29	0	31	0
MONOCYTES	26	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
		n	57	0	24	0	29	0
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
		n	56	0	24	0	26	0
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	77	0	77	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)			Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at		Normal at	High at	Normal at	High at
	Week	Shift to		Baseline				
		Normal	n		Normal	n	Normal	n
PLATELET	4	82 (100%)	0	77 (100%)	0	77 (100%)	0	
		78	0	69	0	69	0	
	6	78 (100%)	0	69 (100%)	0	69 (100%)	0	
		71	0	59	0	62	0	
	8	71 (100%)	0	59 (100%)	0	62 (100%)	0	
		71	0	56	0	55	0	
	12	71 (100%)	0	56 (100%)	0	55 (100%)	0	
		65	0	48	0	49	0	
	16	65 (100%)	0	48 (100%)	0	49 (100%)	0	
		66	0	39	0	36	0	
	20	66 (100%)	0	39 (100%)	0	36 (100%)	0	
		64	0	29	0	31	0	
	24	64 (100%)	0	29 (100%)	0	31 (100%)	0	
		57	0	24	0	29	0	
	26	57 (100%)	0	24 (100%)	0	29 (100%)	0	
		56	0	24	0	26	0	
	2	56 (100%)	0	24 (100%)	0	26 (100%)	0	
		82	0	74	0	77	0	
	4	82 (100%)	0	74 (100%)	0	77 (100%)	0	
		77	0	67	0	68	0	
	6	77 (100%)	0	67 (100%)	0	68 (100%)	0	
		72	0	57	0	61	0	

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
Week	Shift to	Baseline					
8	Normal	72 (100%)	0	57 (100%)	0	61 (100%)	0
	n	71	0	55	0	54	0
12	Normal	71 (100%)	0	55 (100%)	0	54 (100%)	0
	n	64	0	47	0	48	0
16	Normal	64 (100%)	0	47 (100%)	0	48 (100%)	0
	n	67	0	37	0	36	0
20	Normal	67 (100%)	0	37 (100%)	0	36 (100%)	0
	n	64	0	28	0	30	0
24	Normal	64 (100%)	0	28 (100%)	0	30 (100%)	0
	n	56	0	22	0	28	0
26	Normal	56 (100%)	0	22 (100%)	0	28 (100%)	0
	n	55	0	23	0	26	0
	Normal	55 (100%)	0	23 (100%)	0	26 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020