

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
			Shift		Shift		Shift	
	Week	to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
CHEMISTRY								

ALANINE AMINOTRANSFERASE	2	n	81	2	77	1	78	0
		Normal	81(100%)	0	77(100%)	0	78(100%)	0
		High	0	2(100%)	0	1(100%)	0	0
	4	n	77	2	69	1	72	0
		Normal	77(100%)	1(50%)	69(100%)	0	72(100%)	0
		High	0	1(50%)	0	1(100%)	0	0
	6	n	72	1	59	1	66	0
		Normal	71(99%)	1(100%)	59(100%)	0	66(100%)	0
		High	1(1%)	0	0	1(100%)	0	0
	8	n	71	1	57	1	56	0
		Normal	71(100%)	0	57(100%)	0	54(96%)	0
		High	0	1(100%)	0	1(100%)	2(4%)	0
	12	n	66	1	49	1	50	0
		Normal	65(98%)	1(100%)	48(98%)	1(100%)	49(98%)	0
		High	1(2%)	0	1(2%)	0	1(2%)	0
	16	n	67	1	40	0	37	0
		Normal	67(100%)	1(100%)	40(100%)	0	37(100%)	0
	20	n	64	1	29	0	31	0
		Normal	64(100%)	1(100%)	29(100%)	0	31(100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ALBUMIN	24	n	56	1	25	0	30	0
		Normal	55 (98%)	1 (100%)	25 (100%)	0	30 (100%)	0
		High	1 (2%)	0	0	0	0	0
	26	n	56	1	24	0	27	0
		Normal	56 (100%)	1 (100%)	23 (96%)	0	27 (100%)	0
		High	0	0	1 (4%)	0	0	0
	2	n	83	0	78	0	78	0
		Normal	83 (100%)	0	78 (100%)	0	78 (100%)	0
	4	n	79	0	70	0	72	0
		Normal	79 (100%)	0	70 (100%)	0	72 (100%)	0
	6	n	73	0	60	0	66	0
		Normal	73 (100%)	0	60 (100%)	0	66 (100%)	0
	8	n	72	0	58	0	56	0
		Normal	72 (100%)	0	58 (100%)	0	56 (100%)	0
	12	n	67	0	50	0	50	0
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	65	0	29	0	31	0
		Normal	65 (100%)	0	29 (100%)	0	31 (100%)	0
	24	n	57	0	25	0	30	0
		Normal	57 (100%)	0	25 (100%)	0	30 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ALKALINE PHOSPHATASE	26	n	57	0	24	0	27	0
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	82	2	78	0	77	1
		Normal	82 (100%)	0	78 (100%)	0	77 (100%)	0
		High	0	2 (100%)	0	0	0	1 (100%)
	4	n	80	2	69	0	71	1
		Normal	80 (100%)	0	69 (100%)	0	71 (100%)	0
		High	0	2 (100%)	0	0	0	1 (100%)
	6	n	75	0	62	0	66	1
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
		High	0	0	0	0	0	1 (100%)
	8	n	72	1	58	0	55	1
		Normal	72 (100%)	0	57 (98%)	0	55 (100%)	0
		High	0	1 (100%)	1 (2%)	0	0	1 (100%)
	12	n	66	1	50	0	49	1
		Normal	66 (100%)	0	50 (100%)	0	49 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
	16	n	67	1	40	0	36	1
		Normal	67 (100%)	0	40 (100%)	0	36 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
	20	n	64	1	30	0	30	1
		Normal	63 (98%)	0	30 (100%)	0	30 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ASPARTATE AMINOTRANSFERASE	24	High	1 (2%)	1 (100%)	0	0	0	1 (100%)
		n	55	1	26	0	30	0
		Normal	54 (98%)	0	26 (100%)	0	30 (100%)	0
		High	1 (2%)	1 (100%)	0	0	0	0
		n	56	1	24	0	27	0
		Normal	55 (98%)	0	24 (100%)	0	27 (100%)	0
	26	High	1 (2%)	1 (100%)	0	0	0	0
		n	81	2	78	0	78	0
		Normal	80 (99%)	1 (50%)	77 (99%)	0	78 (100%)	0
		High	1 (1%)	1 (50%)	1 (1%)	0	0	0
		n	77	2	69	1	72	0
		Normal	76 (99%)	1 (50%)	69 (100%)	1 (100%)	72 (100%)	0
	4	High	1 (1%)	1 (50%)	0	0	0	0
		n	72	1	60	0	66	0
		Normal	71 (99%)	1 (100%)	60 (100%)	0	65 (98%)	0
		High	1 (1%)	0	0	0	1 (2%)	0
		n	71	1	58	0	56	0
		Normal	70 (99%)	1 (100%)	58 (100%)	0	55 (98%)	0
	6	High	1 (1%)	0	0	0	1 (2%)	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
		High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
	8	High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
		High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
	12	High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0
		High	1 (2%)	0	1 (2%)	0	0	0
		n	66	1	50	0	50	0
		Normal	65 (98%)	1 (100%)	49 (98%)	0	50 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
BILIRUBIN	16	n	67	1	40	0	37	0
		Normal	67 (100%)	1 (100%)	39 (98%)	0	37 (100%)	0
		High	0	0	1 (2%)	0	0	0
	20	n	64	1	29	0	31	0
		Normal	64 (100%)	1 (100%)	29 (100%)	0	31 (100%)	0
	24	n	56	1	25	0	30	0
		Normal	54 (96%)	1 (100%)	24 (96%)	0	30 (100%)	0
		High	2 (4%)	0	1 (4%)	0	0	0
	26	n	56	1	24	0	27	0
		Normal	55 (98%)	1 (100%)	23 (96%)	0	27 (100%)	0
		High	1 (2%)	0	1 (4%)	0	0	0
	2	n	83	0	78	0	77	1
		Normal	82 (99%)	0	78 (100%)	0	77 (100%)	1 (100%)
		High	1 (1%)	0	0	0	0	0
	4	n	79	0	70	0	71	1
		Normal	78 (99%)	0	70 (100%)	0	71 (100%)	0
		High	1 (1%)	0	0	0	0	1 (100%)
	6	n	73	0	60	0	65	1
		Normal	73 (100%)	0	60 (100%)	0	65 (100%)	1 (100%)
	8	n	72	0	58	0	55	1
		Normal	72 (100%)	0	58 (100%)	0	55 (100%)	1 (100%)
	12	n	67	0	50	0	49	1

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
CALCIUM	Normal	67 (100%)	0	50 (100%)	0	48 (98%)	1 (100%)
	High	0	0	0	0	1 (2%)	0
	16 n	68	0	40	0	36	1
	Normal	68 (100%)	0	40 (100%)	0	36 (100%)	1 (100%)
	20 n	65	0	29	0	30	1
	Normal	65 (100%)	0	29 (100%)	0	29 (97%)	1 (100%)
	High	0	0	0	0	1 (3%)	0
	24 n	57	0	25	0	29	1
	Normal	57 (100%)	0	25 (100%)	0	29 (100%)	1 (100%)
	26 n	57	0	24	0	26	1
	Normal	57 (100%)	0	23 (96%)	0	26 (100%)	1 (100%)
	High	0	0	1 (4%)	0	0	0
	2 n	84	0	78	0	78	0
	Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	4 n	82	0	70	0	72	0
	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	6 n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	8 n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
		to						
CHLORIDE	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	66	0	30	0	31	0
		Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0
	24	n	57	0	26	0	30	0
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	26	n	57	0	24	0	27	0
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	84	0	78	0	76	0
		Normal	84 (100%)	0	78 (100%)	0	76 (100%)	0
	4	n	82	0	70	0	71	0
		Normal	82 (100%)	0	70 (100%)	0	71 (100%)	0
	6	n	75	0	62	0	66	0
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
	8	n	73	0	58	0	56	0
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12	n	67	0	50	0	49	0
		Normal	67 (100%)	0	50 (100%)	0	49 (100%)	0
	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	65	0	30	0	31	0
		Normal	65 (100%)	0	30 (100%)	0	31 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
CHOLESTEROL	24	n	57	0	26	0	30
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)
	26	n	57	0	24	0	27
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)
	2	n	84	0	78	0	78
		Normal	84 (100%)	0	78 (100%)	0	78 (100%)
	4	n	82	0	70	0	72
		Normal	82 (100%)	0	70 (100%)	0	72 (100%)
	6	n	75	0	62	0	67
		Normal	75 (100%)	0	62 (100%)	0	67 (100%)
	8	n	73	0	58	0	56
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)
	12	n	67	0	50	0	50
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)
	16	n	68	0	40	0	37
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)
	20	n	66	0	30	0	31
		Normal	66 (100%)	0	30 (100%)	0	31 (100%)
	24	n	57	0	26	0	30
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)
	26	n	57	0	24	0	27
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
CREATINE KINASE	2	n	83	0	77	1	75	3
		Normal	81(98%)	0	74(96%)	1(100%)	74(99%)	3(100%)
		High	2(2%)	0	3(4%)	0	1(1%)	0
	4	n	79	0	69	1	69	3
		Normal	78(99%)	0	68(99%)	1(100%)	68(99%)	3(100%)
		High	1(1%)	0	1(1%)	0	1(1%)	0
	6	n	73	0	59	1	63	3
		Normal	73(100%)	0	58(98%)	1(100%)	61(97%)	2(67%)
		High	0	0	1(2%)	0	2(3%)	1(33%)
	8	n	72	0	57	1	54	2
		Normal	71(99%)	0	57(100%)	1(100%)	53(98%)	2(100%)
		High	1(1%)	0	0	0	1(2%)	0
	12	n	67	0	49	1	48	2
		Normal	65(97%)	0	48(98%)	1(100%)	47(98%)	1(50%)
		High	2(3%)	0	1(2%)	0	1(2%)	1(50%)
	16	n	68	0	39	1	36	1
		Normal	66(97%)	0	39(100%)	1(100%)	36(100%)	1(100%)
		High	2(3%)	0	0	0	0	0
	20	n	65	0	29	0	30	1
		Normal	65(100%)	0	27(93%)	0	29(97%)	1(100%)
		High	0	0	2(7%)	0	1(3%)	0
	24	n	57	0	25	0	29	1

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Week	to	Baseline	Baseline	Baseline	Baseline
CREATININE	Normal	55 (96%)	0	25 (100%)	0	29 (100%)	1 (100%)
	High	2 (4%)	0	0	0	0	0
	n	57	0	24	0	26	1
	Normal	57 (100%)	0	24 (100%)	0	25 (96%)	1 (100%)
	High	0	0	0	0	1 (4%)	0
	n	84	0	78	0	78	0
	Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	n	82	0	70	0	72	0
	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	n	68	0	40	0	37	0
	Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	n	66	0	30	0	31	0
	Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0
	n	57	0	26	0	30	0
	Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	n	57	0	24	0	27	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
GAMMA GLUTAMYL TRANSFERASE	2	Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
		n	82	2	76	2	76	2
	4	Normal	82 (100%)	1 (50%)	75 (99%)	1 (50%)	75 (99%)	1 (50%)
		High	0	1 (50%)	1 (1%)	1 (50%)	1 (1%)	1 (50%)
	6	n	80	2	68	2	70	2
		Normal	80 (100%)	1 (50%)	68 (100%)	1 (50%)	70 (100%)	1 (50%)
	8	High	0	1 (50%)	0	1 (50%)	0	1 (50%)
		n	74	1	61	1	66	1
	12	Normal	74 (100%)	0	61 (100%)	1 (100%)	66 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
	16	n	72	1	57	1	55	1
		Normal	72 (100%)	0	56 (98%)	1 (100%)	54 (98%)	0
	20	High	0	1 (100%)	1 (2%)	0	1 (2%)	1 (100%)
		n	66	1	49	1	49	1
		Normal	66 (100%)	0	49 (100%)	1 (100%)	49 (100%)	0
		High	0	1 (100%)	0	0	0	1 (100%)
		n	67	1	39	1	36	1
		Normal	67 (100%)	1 (100%)	39 (100%)	1 (100%)	36 (100%)	0
		High	0	0	0	0	0	1 (100%)
		n	65	1	29	1	31	0
		Normal	65 (100%)	0	29 (100%)	0	31 (100%)	0
		High	0	1 (100%)	0	1 (100%)	0	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
GLUCOSE	24	n	56	1	26	0	29	1
		Normal	54 (96%)	1 (100%)	25 (96%)	0	29 (100%)	0
		High	2 (4%)	0	1 (4%)	0	0	1 (100%)
	26	n	56	1	24	0	26	1
		Normal	55 (98%)	1 (100%)	23 (96%)	0	26 (100%)	0
		High	1 (2%)	0	1 (4%)	0	0	1 (100%)
	2	n	82	1	78	0	78	0
		Normal	82 (100%)	1 (100%)	78 (100%)	0	77 (99%)	0
		High	0	0	0	0	1 (1%)	0
	4	n	78	1	69	0	72	0
		Normal	78 (100%)	1 (100%)	69 (100%)	0	72 (100%)	0
	6	n	72	1	60	0	66	0
		Normal	72 (100%)	1 (100%)	60 (100%)	0	65 (98%)	0
		High	0	0	0	0	1 (2%)	0
	8	n	71	1	57	0	56	0
		Normal	71 (100%)	1 (100%)	57 (100%)	0	56 (100%)	0
	12	n	66	1	50	0	49	0
		Normal	66 (100%)	1 (100%)	49 (98%)	0	49 (100%)	0
		High	0	0	1 (2%)	0	0	0
	16	n	67	1	40	0	37	0
		Normal	67 (100%)	1 (100%)	40 (100%)	0	37 (100%)	0
	20	n	64	1	29	0	31	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
PHOSPHATE		Normal	64 (100%)	1 (100%)	29 (100%)	0	31 (100%)
	24	n	56	1	25	0	30
		Normal	56 (100%)	1 (100%)	25 (100%)	0	30 (100%)
	26	n	56	1	24	0	27
		Normal	56 (100%)	1 (100%)	24 (100%)	0	27 (100%)
	2	n	84	0	78	0	78
		Normal	84 (100%)	0	78 (100%)	0	78 (100%)
	4	n	82	0	68	0	72
		Normal	82 (100%)	0	68 (100%)	0	72 (100%)
	6	n	75	0	62	0	67
		Normal	75 (100%)	0	62 (100%)	0	67 (100%)
	8	n	73	0	58	0	56
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)
	12	n	67	0	50	0	50
		Normal	67 (100%)	0	50 (100%)	0	50 (100%)
	16	n	68	0	40	0	37
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)
	20	n	65	0	30	0	31
		Normal	65 (100%)	0	30 (100%)	0	31 (100%)
	24	n	56	0	26	0	30
		Normal	56 (100%)	0	26 (100%)	0	30 (100%)
	26	n	57	0	24	0	27

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
POTASSIUM		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	84	0	78	0	76	0
		Normal	84 (100%)	0	78 (100%)	0	76 (100%)	0
	4	n	82	0	68	0	71	0
		Normal	82 (100%)	0	68 (100%)	0	71 (100%)	0
	6	n	75	0	62	0	66	0
		Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
	8	n	73	0	58	0	56	0
		Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12	n	67	0	50	0	49	0
		Normal	67 (100%)	0	50 (100%)	0	49 (100%)	0
	16	n	68	0	40	0	37	0
		Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20	n	64	0	30	0	31	0
		Normal	64 (100%)	0	30 (100%)	0	31 (100%)	0
	24	n	56	0	26	0	30	0
		Normal	56 (100%)	0	26 (100%)	0	30 (100%)	0
PROTEIN	26	n	57	0	24	0	27	0
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2	n	84	0	78	0	78	0
		Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	4	n	82	0	70	0	72	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
SODIUM	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	6 n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	8 n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	16 n	68	0	40	0	37	0
	Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20 n	66	0	30	0	31	0
	Normal	66 (100%)	0	30 (100%)	0	31 (100%)	0
	24 n	57	0	26	0	30	0
	Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	26 n	57	0	24	0	27	0
	Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2 n	84	0	78	0	76	0
	Normal	84 (100%)	0	78 (100%)	0	76 (100%)	0
	4 n	82	0	70	0	71	0
	Normal	82 (100%)	0	70 (100%)	0	71 (100%)	0
	6 n	75	0	62	0	66	0
	Normal	75 (100%)	0	62 (100%)	0	66 (100%)	0
	8 n	73	0	58	0	56	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
URATE	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	49	0
	Normal	67 (100%)	0	50 (100%)	0	49 (100%)	0
	16 n	68	0	40	0	37	0
	Normal	68 (100%)	0	40 (100%)	0	37 (100%)	0
	20 n	65	0	30	0	31	0
	Normal	65 (100%)	0	30 (100%)	0	31 (100%)	0
	24 n	57	0	26	0	30	0
	Normal	57 (100%)	0	26 (100%)	0	30 (100%)	0
	26 n	57	0	24	0	27	0
	Normal	57 (100%)	0	24 (100%)	0	27 (100%)	0
	2 n	84	0	78	0	78	0
	Normal	84 (100%)	0	78 (100%)	0	78 (100%)	0
	4 n	82	0	70	0	72	0
	Normal	82 (100%)	0	70 (100%)	0	72 (100%)	0
	6 n	75	0	62	0	67	0
	Normal	75 (100%)	0	62 (100%)	0	67 (100%)	0
	8 n	73	0	58	0	56	0
	Normal	73 (100%)	0	58 (100%)	0	56 (100%)	0
	12 n	67	0	50	0	50	0
	Normal	67 (100%)	0	50 (100%)	0	50 (100%)	0
	16 n	68	0	40	0	37	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
UREA NITROGEN		Normal	68 (100%)	0	40 (100%)	0	37 (100%)
	20	n	66	0	30	0	31
		Normal	66 (100%)	0	30 (100%)	0	31 (100%)
	24	n	57	0	26	0	30
		Normal	57 (100%)	0	26 (100%)	0	30 (100%)
	26	n	57	0	24	0	27
		Normal	57 (100%)	0	24 (100%)	0	27 (100%)
	2	n	84	0	76	2	78
		Normal	84 (100%)	0	76 (100%)	2 (100%)	77 (99%)
		High	0	0	0	1 (1%)	0
	4	n	82	0	68	2	72
		Normal	82 (100%)	0	68 (100%)	2 (100%)	72 (100%)
	6	n	75	0	60	2	67
		Normal	75 (100%)	0	60 (100%)	2 (100%)	67 (100%)
	8	n	73	0	56	2	56
		Normal	73 (100%)	0	56 (100%)	2 (100%)	56 (100%)
	12	n	67	0	49	1	50
		Normal	67 (100%)	0	49 (100%)	1 (100%)	50 (100%)
	16	n	68	0	39	1	37
		Normal	68 (100%)	0	39 (100%)	1 (100%)	37 (100%)
	20	n	66	0	29	1	31
		Normal	66 (100%)	0	29 (100%)	1 (100%)	31 (100%)

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
	24	n	57	0	25	1	30	0
		Normal	57 (100%)	0	25 (100%)	1 (100%)	30 (100%)	0
	26	n	57	0	23	1	27	0
		Normal	57 (100%)	0	23 (100%)	1 (100%)	26 (96%)	0
		High	0	0	0	0	1 (4%)	0
HEMATOLOGY								

BASOPHILS	2	n	82	0	77	0	77	0
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4	n	78	0	69	0	69	0
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6	n	72	0	59	0	62	0
		Normal	72 (100%)	0	59 (100%)	0	62 (100%)	0
	8	n	71	0	56	0	55	0
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12	n	65	0	48	0	49	0
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16	n	67	0	39	0	36	0
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20	n	64	0	29	0	31	0
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
	24	n	57	0	24	0	29	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
EOSINOPHILS	26	Normal	57 (100%)	0	24 (100%)	0	29 (100%)
		n	56	0	24	0	26
	2	Normal	56 (100%)	0	24 (100%)	0	26 (100%)
		n	82	0	76	1	77
	4	Normal	82 (100%)	0	74 (97%)	1 (100%)	77 (100%)
		High	0	0	2 (3%)	0	0
	6	Normal	78 (100%)	0	69 (100%)	0	68 (99%)
		High	0	0	0	1 (1%)	0
	8	Normal	72 (100%)	0	59 (100%)	0	58 (94%)
		High	0	0	0	4 (6%)	0
	12	Normal	71 (100%)	0	53 (95%)	0	52 (95%)
		High	0	0	3 (5%)	0	3 (5%)
	16	Normal	65 (100%)	0	46 (96%)	0	49 (100%)
		High	0	0	2 (4%)	0	0
	20	Normal	67 (100%)	0	39 (100%)	0	35 (97%)
		High	0	0	0	1 (3%)	0
		n	64	0	29	0	31

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ERY. MEAN CORPUSCULAR HB CONCENTRATION	24	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
		n	57	0	24	0	29	0
	26	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
		n	56	0	24	0	26	0
	2	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	76	0	76	0
	4	Normal	82 (100%)	0	76 (100%)	0	76 (100%)	0
		n	76	0	67	0	67	0
	6	Normal	76 (100%)	0	67 (100%)	0	67 (100%)	0
		n	71	0	57	0	63	0
	8	Normal	71 (100%)	0	57 (100%)	0	63 (100%)	0
		n	70	0	53	0	55	0
	12	Normal	70 (100%)	0	53 (100%)	0	55 (100%)	0
		n	64	0	47	0	49	0
	16	Normal	64 (100%)	0	47 (100%)	0	49 (100%)	0
		n	67	0	39	0	36	0
	20	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
		n	63	0	29	0	31	0
	24	Normal	63 (100%)	0	29 (100%)	0	31 (100%)	0
		n	57	0	24	0	29	0
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ERY. MEAN CORPUSCULAR HEMOGLOBIN	26	n	55	0	24	0	26	0
		Normal	55 (100%)	0	24 (100%)	0	26 (100%)	0
	2	n	82	0	77	0	77	0
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4	n	78	0	69	0	69	0
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6	n	72	0	59	0	63	0
		Normal	72 (100%)	0	59 (100%)	0	63 (100%)	0
	8	n	71	0	56	0	55	0
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12	n	65	0	48	0	49	0
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16	n	67	0	39	0	36	0
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20	n	64	0	29	0	31	0
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
ERY. MEAN CORPUSCULAR VOLUME	24	n	57	0	24	0	29	0
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26	n	56	0	24	0	26	0
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
ERYTHROCYTES	Normal	82 (100%)	0	76 (100%)	0	76 (100%)	0
	4 n	76	0	67	0	67	0
	Normal	76 (100%)	0	67 (100%)	0	67 (100%)	0
	6 n	71	0	57	0	63	0
	Normal	71 (100%)	0	57 (100%)	0	63 (100%)	0
	8 n	70	0	53	0	55	0
	Normal	70 (100%)	0	53 (100%)	0	55 (100%)	0
	12 n	64	0	47	0	49	0
	Normal	64 (100%)	0	47 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	63	0	29	0	31	0
	Normal	63 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	55	0	24	0	26	0
	Normal	55 (100%)	0	24 (100%)	0	26 (100%)	0
ERYTHROCYTES	2 n	82	0	77	0	77	0
	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4 n	78	0	69	0	69	0
	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6 n	72	0	59	0	63	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
HEMATOCRIT	Normal	72 (100%)	0	59 (100%)	0	63 (100%)	0
	8 n	71	0	56	0	55	0
	Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12 n	65	0	48	0	49	0
	Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	64	0	29	0	31	0
	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	56	0	24	0	26	0
	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
	2 n	82	0	76	0	76	0
	Normal	82 (100%)	0	76 (100%)	0	76 (100%)	0
	4 n	76	0	67	0	67	0
	Normal	76 (100%)	0	67 (100%)	0	67 (100%)	0
	6 n	71	0	57	0	63	0
	Normal	71 (100%)	0	57 (100%)	0	63 (100%)	0
	8 n	70	0	53	0	55	0
	Normal	70 (100%)	0	53 (100%)	0	55 (100%)	0
	12 n	64	0	47	0	49	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
HEMOGLOBIN	Normal	64 (100%)	0	47 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	63	0	29	0	31	0
	Normal	63 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	55	0	24	0	26	0
	Normal	55 (100%)	0	24 (100%)	0	26 (100%)	0
	2 n	82	0	77	0	77	0
	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4 n	78	0	69	0	69	0
	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6 n	72	0	59	0	63	0
	Normal	72 (100%)	0	59 (100%)	0	63 (100%)	0
	8 n	71	0	56	0	55	0
	Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12 n	65	0	48	0	49	0
	Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16 n	67	0	39	0	36	0
	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	64	0	29	0	31	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline
LEUKOCYTES		Normal	64 (100%)	0	29 (100%)	0	31 (100%)
	24	n	57	0	24	0	29
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)
	26	n	56	0	24	0	26
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)
	2	n	82	0	77	0	77
		Normal	82 (100%)	0	77 (100%)	0	77 (100%)
	4	n	78	0	69	0	69
		Normal	78 (100%)	0	69 (100%)	0	69 (100%)
	6	n	72	0	59	0	63
		Normal	72 (100%)	0	59 (100%)	0	63 (100%)
	8	n	71	0	56	0	55
		Normal	71 (100%)	0	56 (100%)	0	55 (100%)
	12	n	65	0	48	0	49
		Normal	65 (100%)	0	48 (100%)	0	49 (100%)
	16	n	67	0	39	0	36
		Normal	67 (100%)	0	39 (100%)	0	36 (100%)
	20	n	64	0	29	0	31
		Normal	64 (100%)	0	29 (100%)	0	31 (100%)
	24	n	57	0	24	0	29
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)
	26	n	56	0	24	0	26

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

			Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
			Normal at	High at	Normal at	High at	Normal at	High at
	Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
LYMPHOCYTES	2	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	77	0	77	0
	4	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
		n	78	0	69	0	69	0
	6	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
		n	72	0	59	0	62	0
	8	Normal	72 (100%)	0	59 (100%)	0	62 (100%)	0
		n	71	0	56	0	55	0
	12	Normal	70 (99%)	0	56 (100%)	0	55 (100%)	0
		High	1 (1%)	0	0	0	0	0
	16	n	65	0	48	0	49	0
		Normal	64 (98%)	0	48 (100%)	0	49 (100%)	0
	20	High	1 (2%)	0	0	0	0	0
		n	67	0	39	0	36	0
	24	Normal	67 (100%)	0	39 (100%)	0	36 (100%)	0
		n	64	0	29	0	31	0
MONOCYTES	26	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
		n	57	0	24	0	29	0
		Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
		n	56	0	24	0	26	0
		Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
		n	82	0	77	0	77	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04
Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
	Shift	Baseline		Baseline		Baseline	
	Week to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
PLATELET	Normal	82 (100%)	0	77 (100%)	0	77 (100%)	0
	4 n	78	0	69	0	69	0
	Normal	78 (100%)	0	69 (100%)	0	69 (100%)	0
	6 n	71	0	59	0	62	0
	Normal	71 (100%)	0	59 (100%)	0	62 (100%)	0
	8 n	71	0	56	0	55	0
	Normal	71 (100%)	0	56 (100%)	0	55 (100%)	0
	12 n	65	0	48	0	49	0
	Normal	65 (100%)	0	48 (100%)	0	49 (100%)	0
	16 n	66	0	39	0	36	0
	Normal	66 (100%)	0	39 (100%)	0	36 (100%)	0
	20 n	64	0	29	0	31	0
	Normal	64 (100%)	0	29 (100%)	0	31 (100%)	0
	24 n	57	0	24	0	29	0
	Normal	57 (100%)	0	24 (100%)	0	29 (100%)	0
	26 n	56	0	24	0	26	0
	Normal	56 (100%)	0	24 (100%)	0	26 (100%)	0
PLATELET	2 n	82	0	74	0	77	0
	Normal	82 (100%)	0	74 (100%)	0	77 (100%)	0
	4 n	77	0	67	0	68	0
	Normal	77 (100%)	0	67 (100%)	0	68 (100%)	0
	6 n	72	0	57	0	61	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020

Table 14-6.04

Shifts of Laboratory Values During Treatment, Categorized Based on Threshold Ranges, by Visit

		Placebo (N=86)		Xan. Low (N=84)		Xan. High (N=84)	
		Normal at	High at	Normal at	High at	Normal at	High at
Week	Shift to	Baseline	Baseline	Baseline	Baseline	Baseline	Baseline
8	Normal	72 (100%)	0	57 (100%)	0	61 (100%)	0
	n	71	0	55	0	54	0
12	Normal	71 (100%)	0	55 (100%)	0	54 (100%)	0
	n	64	0	47	0	48	0
16	Normal	64 (100%)	0	47 (100%)	0	48 (100%)	0
	n	67	0	37	0	36	0
20	Normal	67 (100%)	0	37 (100%)	0	36 (100%)	0
	n	64	0	28	0	30	0
24	Normal	64 (100%)	0	28 (100%)	0	30 (100%)	0
	n	56	0	22	0	28	0
26	Normal	56 (100%)	0	22 (100%)	0	28 (100%)	0
	n	55	0	23	0	26	0
	Normal	55 (100%)	0	23 (100%)	0	26 (100%)	0

NOTES: Only subjects with baseline results are included in the summary.

There were no subjects with abnormal low values at baseline.

Source: programs/t-14-6.04.R

19:31 Tuesday, June 16, 2020