Cyber Resilience Act (Regulation (EU) 2024/2847): Annex I Part I, Annex I Part II, Annex II

Version 1.0 · Regulation

REPORT DETAILS

Assessment	Substation Cellular Router (TW800 Series)
Manufacturer	ACME Security
Status	Completed
Revision	Revision 1
Generated	26 Oct 2026 16:34 UTC
Approver	Bob Example (assessor)
Approved	26 Oct 2026 16:34 UTC
Pinned versions	

Model Version 1.0 · Questions Catalog Version 1.0 · Damage Scenarios Catalog Version 1.0 · Attack Steps Catalog Version 1.0 · Assumptions Catalog Version 1.0 · Countermeasures Catalog Version 1.0 · Cyber Resilience Act (Regulation (EU) 2024/2847): Annex I Part I, Annex I Part II, Annex II 1.0 · ISA/IEC 62443-4-2 1.0 · Radio Equipment Directive 2014/53/EU, Article 3(3)(d), (e): EN 18031-1, -2 1.0

Approved by Bob Example (assessor) on 26.10.2026. The approval covers these inputs (input hash 7bda1bf4aa5a0c9e).

TERMS OF THIS FRAMEWORK

The requirement texts are those of Regulation (EU) 2024/2847. A verdict here is a projection of this assessment, not a presumption of conformity.

Licence: EU law; free to reproduce.

Regulation · European Union · Source

Content as of 2026-09-26

41 controls: 7 addressed in full, 0 addressed in part, 0 not applicable, 28 not addressed, 6 not judgeable

☐ Not addressed	This catalog maps countermeasures to this row, and none of the risks they cover has an assigned mitigation.
■ Addressed	Every risk this row covers has an assigned mitigation; a row judged from questions has every bound question answered, and all answer yes; a row judged from documentation reads a field that holds what the obligation asks for.
◩ Partial	Some of the risks this row covers have an assigned mitigation.
☐ Not met	The questions bound to this row were answered, and none affirmatively.
⬚ Cannot be judged	Nothing in this assessment can evidence this row, so no verdict is possible — see the reason on the row.

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
annex-i	**Annex I, Part I: cybersecurity requirements relating to the properties of products with digital elements** 24 controls: 7 addressed in full, 0 addressed in part, 0 not applicable, 17 not addressed, 0 not judgeable	Rolled up from 14 controls Conditions on Manufacturer organisation: A4, A34 · Integrator: A13, A36, A47 · Operator: A1, A2, A3, A5, A6, A7-8, A12, A19, A20, A24, A28, A29, A38, A46	☐ Not addressed
1	Products with digital elements shall be designed, developed and produced in such a way that they ensure an appropriate level of cybersecurity based on the risks.	61 of 61 questions answered · 160 of 160 risks decided: 39 automatically, 121 by a person	■ Addressed
a	be made available on the market without known exploitable vulnerabilities	CM2 21 of 28 covered risks mitigated	◩ Partial
b	**be made available on the market with a secure by default configuration, unless otherwise agreed between manufacturer and business user in relation to a tailor-made product with digital elements, including the possibility to reset the product to its original state**	Rolled up from 2 controls Mapped to the section, not to one of its controls: C18, C30a Conditions on Manufacturer organisation: A34	☐ Not addressed
b.1	a secure by default configuration, unless otherwise agreed for a tailor-made product	A34 Conditions on Manufacturer organisation: A34	☐ Not addressed
b.2	the possibility to reset the product to its original state	A34 C30 Conditions on Manufacturer organisation: A34	☐ Not addressed
c	**ensure that vulnerabilities can be addressed through security updates, including, where applicable, through automatic security updates that are installed within an appropriate timeframe enabled as a default setting, with a clear and easy-to-use opt-out mechanism, through the notification of available updates to users, and the option to temporarily postpone them**	Rolled up from 5 controls Mapped to the section, not to one of its controls: CM23 Conditions on Integrator: A47 · Operator: A46	■ Addressed
c.1	vulnerabilities can be addressed through security updates	C27 CM12 28 of 28 covered risks mitigated	■ Addressed

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
c.2	automatic security updates, installed within an appropriate timeframe and enabled as a default setting, where applicable Applies: where_applicable	A46 7 of 7 covered risks mitigated Conditions on Operator: A46 Covered only by conditions: the product itself demonstrates nothing for this obligation.	■ Addressed
c.3	a clear and easy-to-use opt-out mechanism Applies: where_applicable	A46 7 of 7 covered risks mitigated Conditions on Operator: A46 Covered only by conditions: the product itself demonstrates nothing for this obligation.	■ Addressed
c.4	notification of available updates to users Applies: where_applicable	A47 7 of 7 covered risks mitigated Conditions on Integrator: A47 Covered only by conditions: the product itself demonstrates nothing for this obligation.	■ Addressed
c.5	the option to temporarily postpone updates Applies: where_applicable	A46 7 of 7 covered risks mitigated Conditions on Operator: A46 Covered only by conditions: the product itself demonstrates nothing for this obligation.	■ Addressed
d	**ensure protection from unauthorised access by appropriate control mechanisms, including but not limited to authentication, identity or access management systems, and report on possible unauthorised access**	Rolled up from 2 controls Conditions on Integrator: A36 · Operator: A12, A19, A20	◩ Partial

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
d.1	protection from unauthorised access by appropriate control mechanisms, including authentication, identity or access management systems	A12 A19 A20 A36 C4 C5 C6 C8 C9 C26 C28 C32 CM5 CM6 CM14 CM15 CM16 CM17 CM20 CM22 CM24 CM25 CM26 CM27 CM28 CM30 30 of 51 covered risks mitigated Conditions on Integrator: A36 · Operator: A12, A19, A20	◩ Partial
d.2	report on possible unauthorised access	C32 CM37 CM39 7 of 13 covered risks mitigated	◩ Partial
e	protect the confidentiality of stored, transmitted or otherwise processed data, personal or other, such as by encrypting relevant data at rest or in transit by state of the art mechanisms, and by using other technical means	A2 A3 A4 A12 A13 A24 A28 A36 C29 C31 CM3 CM4 CM8 CM10 CM11 CM20 CM21 CM22 52 of 70 covered risks mitigated Conditions on Manufacturer organisation: A4 · Integrator: A13, A36 · Operator: A2, A3, A12, A24, A28	◩ Partial
f	**protect the integrity of stored, transmitted or otherwise processed data, personal or other, commands, programs and configuration against any manipulation or modification not authorised by the user, and report on corruptions**	Rolled up from 2 controls Mapped to the section, not to one of its controls: C16 Conditions on Integrator: A13, A36 · Operator: A12	☐ Not addressed

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
f.1	protect the integrity of stored, transmitted or otherwise processed data, commands, programs and configuration against unauthorised manipulation or modification	A12 A13 A36 C14 C35 CM7 CM8 CM10 CM11 CM20 CM21 CM22 CM45 54 of 74 covered risks mitigated Conditions on Integrator: A13, A36 · Operator: A12	◩ Partial
f.2	report on corruptions	C13 C14	☐ Not addressed
g	process only data, personal or other, that are adequate, relevant and limited to what is necessary in relation to the intended purpose of the product with digital elements (data minimisation)	A1 A2 A3 C7 C33 C34 CM19 Conditions on Operator: A1, A2, A3	☐ Not addressed
h	**protect the availability of essential and basic functions, also after an incident, including through resilience and mitigation measures against denial-of-service attacks**	Rolled up from 2 controls	☐ Not addressed
h.1	protect the availability of essential and basic functions, also after an incident	C1 C20 C22 C30 C30a CM45	☐ Not addressed
h.2	resilience and mitigation measures against denial-of-service attacks	C20 C21 C22	☐ Not addressed
i	minimise the negative impact by the products themselves or connected devices on the availability of services provided by other devices or networks	A5 A6 A7-8 A29 C3 C11 Conditions on Operator: A5, A6, A7-8, A29	☐ Not addressed
j	be designed, developed and produced to limit attack surfaces, including external interfaces	A38 C15 C19 C23 C24 CM1 CM8 CM19 30 of 42 covered risks mitigated Conditions on Operator: A38	◩ Partial
k	be designed, developed and produced to reduce the impact of an incident using appropriate exploitation mitigation mechanisms and techniques	C2 C15 C25 C30 C30a CM2 23 of 30 covered risks mitigated	◩ Partial
l	**provide security related information by recording and monitoring relevant internal activity, including the access to or modification of data, services or functions, with an opt-out mechanism for the user**	Rolled up from 2 controls Mapped to the section, not to one of its controls: C9, CM46	☐ Not addressed

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
1.1	record and monitor relevant internal activity, including access to or modification of data, services or functions	C10 C12 CM37 CM39 1 of 1 covered risks mitigated	■ Addressed
1.2	an opt-out mechanism for the user	C36	☐ Not addressed
m	**provide the possibility for users to securely and easily remove on a permanent basis all data and settings and, where such data can be transferred to other products or systems, ensure that this is done in a secure manner**	Rolled up from 2 controls	◩ Partial
m.1	securely and easily remove on a permanent basis all data and settings	C17 1 of 2 covered risks mitigated	◩ Partial
m.2	where data can be transferred to other products or systems, ensure this is done securely	CM10 CM11 40 of 52 covered risks mitigated	◩ Partial
annex-i-part-ii	**Annex I, Part II: vulnerability handling requirements** **8 controls: 0 addressed in full, 0 addressed in part, 0 not applicable, 8 not addressed, 0 not judgeable**	Rolled up from 8 controls	☐ Not met
P2-1	identify and document vulnerabilities and components contained in products with digital elements, including by drawing up a software bill of materials in a commonly used and machine-readable format covering at the very least the top-level dependencies of the products; Maintain a component inventory and a machine-readable SBOM (e.g. CycloneDX or SPDX) covering at least top-level dependencies, regenerated for every release.	QVH1: No QVH2: No	☐ Not met
P2-2	in relation to the risks posed to products with digital elements, address and remediate vulnerabilities without delay, including by providing security updates; where technically feasible, new security updates shall be provided separately from functionality updates; Operate a remediation process with defined timelines; ship security fixes decoupled from feature releases where technically feasible.	QVH3: No QVH4: No	☐ Not met
P2-3	apply effective and regular tests and reviews of the security of the product with digital elements; Establish a recurring security testing cadence (e.g. penetration tests, fuzzing, dependency scanning, code review) and record the results.	QVH5: No	☐ Not met

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
P2-4	once a security update has been made available, share and publicly disclose information about fixed vulnerabilities, including a description of the vulnerabilities, information allowing users to identify the product with digital elements affected, the impacts of the vulnerabilities, their severity and clear and accessible information helping users to remediate the vulnerabilities; in duly justified cases, where manufacturers consider the security risks of publication to outweigh the security benefits, they may delay making public information regarding a fixed vulnerability until after users have been given the possibility to apply the relevant patch; Publish security advisories per fixed vulnerability: description, affected versions, impact, severity, and remediation steps. Delayed publication must be justified and time-bounded.	QVH6: No	☐ Not met
P2-5	put in place and enforce a policy on coordinated vulnerability disclosure; Adopt, publish and enforce a CVD policy (e.g. based on ISO/IEC 29147 and 30111).	QVH7: No	☐ Not met
P2-6	take measures to facilitate the sharing of information about potential vulnerabilities in their product with digital elements as well as in third-party components contained in that product, including by providing a contact address for the reporting of the vulnerabilities discovered in the product with digital elements; Provide a single, published point of contact (e.g. security@ address and security.txt) for vulnerability reports, covering third-party components.	QVH8: No	☐ Not met
P2-7	provide for mechanisms to securely distribute updates for products with digital elements to ensure that vulnerabilities are fixed or mitigated in a timely manner and, where applicable for security updates, in an automatic manner; Protect the update channel end-to-end (signed updates, integrity and authenticity verification on device); support automatic security updates where applicable.	QVH9: No QVH10: No	☐ Not met
P2-8	ensure that, where security updates are available to address identified security issues, they are disseminated without delay and, unless otherwise agreed between a manufacturer and a business user in relation to a tailor-made product with digital elements, free of charge, accompanied by advisory messages providing users with the relevant information, including on potential action to be taken. Distribute security updates promptly and free of charge for the committed support period, accompanied by advisories with recommended user actions.	QVH11: No QVH12: No	☐ Not met

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
annex-ii	**Annex II: information and instructions to the user** 9 controls: 0 addressed in full, 0 addressed in part, 0 not applicable, 3 not addressed, 6 not judgeable	Rolled up from 9 controls	☐ Not met
II-1	the name, registered trade name or registered trade mark of the manufacturer, and the postal address and the email address at which the manufacturer can be contacted, on the product or, where that is not possible, on its packaging or in a document accompanying the product	Read from: Contacts	⬚ Cannot be judged This report has no way to bind assessment evidence to this obligation yet.
II-2	point of contact where information about cybersecurity vulnerabilities of the product can be reported and received	`QVH8: No`	☐ Not met
II-3	the correct identification of the type, batch, version or serial number or other element allowing the identification of the product and the corresponding instructions and user information	Read from: Product identification	⬚ Cannot be judged This report has no way to bind assessment evidence to this obligation yet.
II-4	the intended use, including the security environment provided by the manufacturer, as well as the product's essential functionalities and information about the security properties	—	⬚ Cannot be judged This catalog maps no countermeasure to this row, so the assessment carries no evidence either way.
II-5	any known or foreseeable circumstance, related to the use of the product with digital elements in accordance with its intended purpose or under conditions of reasonably foreseeable misuse, which may lead to significant cybersecurity risks	—	⬚ Cannot be judged This catalog maps no countermeasure to this row, so the assessment carries no evidence either way.
II-6	if and, where applicable, where the software bill of materials can be accessed	`QVH2: No`	☐ Not met
II-7	where applicable, the internet address at which the EU declaration of conformity can be accessed	Read from: DoC address	⬚ Cannot be judged This report has no way to bind assessment evidence to this obligation yet.
II-8	the type of technical security support offered by the manufacturer and until when it will be provided, at the very least until when users can expect to receive security updates	`QVH12: No`	☐ Not met

© Atrekos. All rights reserved.

CONTROL	TITLE	EVIDENCE	VERDICT
II-9	detailed instructions or an internet address referring to such detailed instructions and information on: (a) the necessary measures during initial commissioning and throughout the lifetime of the product to ensure its secure use; (b) how changes to the product can affect the security of data; (c) how security-relevant updates can be installed; (d) the secure decommissioning of the product, including information on how user data can be securely removed	Read from: Instructions	⬚ **Cannot be judged** This report has no way to bind assessment evidence to this obligation yet.

Catalog content and licence

This describes the catalog pack as a whole, including changes made in versions later than the ones this report was computed against. Those versions are listed below.

Catalog content of "Standard"
Creator: Fraunhofer-Institut für Angewandte und Integrierte Sicherheit AISEC and SICK AG
Copyright: QuBA-libre is Copyright (c) by Fraunhofer-Institut für Angewandte und Integrierte Sicherheit AISEC and SICK AG. All Rights Reserved.
License: CC BY-SA 4.0 <https://creativecommons.org/licenses/by-sa/4.0/>
Source: https://github.com/SICKAG/QuBA-libre
Derived from: "QuBA-libre" <https://github.com/SICKAG/QuBA-libre> (CC BY-SA 4.0)
Modifications: The upstream spreadsheet workbook (version 1.1.2) was imported into relational catalogs (questions, damage scenarios, attack steps, assumptions, countermeasures and standards) for use in this application, and its content was changed. Added: 28 questions (23 asked, 5 headings), 11 damage scenarios, 2 attack steps, 2 assumptions and 6 countermeasures; 18 attack steps read the added questions and two of them gain a trigger; 16 countermeasure-to-step links. Rewritten: 51 countermeasure descriptions (38 upstream references replaced by authored text, 13 upstream texts extended or reworded); 1 description added where upstream had none; the organisation placeholder has been made dynamic; the elapsed-time scale follows CEM v3.1 revision 5 with seven options (AS41's estimate is labelled ≤ three months); the first stakeholder and the stakeholder names of 16 assumptions are the organisation placeholder. Restored as framework bindings: the attack-step mappings to the CRA (24 attack steps, 33 letters). The help texts of the personal-data questions QI2 and QI11 are filed under the option each explains (only their keys moved). The lowest risk level is renamed 'Negligible' (formerly 'No Risk').
Warranty: Unless required by applicable law or agreed to in writing, the licensor provides the work "as is", without warranties of any kind.

© Atrekos. All rights reserved.