

Calculational proof

Here are some examples of \LaTeX commands that could help you write a calculational proof.

Writing a code chunk on a line: `(length (append xs ys))`.

And here's a chunk of a calculational proof:

```
(length (append xs ys))  
  = { by assumption, xs = (cons z zs) }  
(length (append (cons z zs) ys))  
  = { append-cons law }  
(length (cons z (append zs ys)))
```

Inference Rules

Verbatim code: `(if x 2 3)`

Another way to put text in code font: `x`.

Putting text in the font to name rules: `IFFALSE`.

$$\frac{}{\langle \text{LITERAL}(v), \xi, \phi, \rho \rangle \Downarrow \langle v, \xi, \phi, \rho \rangle} \text{LITERAL}$$

$$\frac{x \in \text{dom } \rho}{\langle \text{VAR}(x), \xi, \phi, \rho \rangle \Downarrow \langle \rho(x), \xi, \phi, \rho \rangle} \text{FORMALVAR}$$

LITERAL to LIT):

$$\text{FORMALASSIGN} \frac{n \in \text{dom } \rho \quad \frac{}{\langle \text{LIT}(0), \xi, \phi, \rho \rangle \Downarrow \langle 0, \xi, \phi, \rho \rangle} \text{LITERAL}}{\langle \text{SET}(\text{VAR}(n), \text{LIT}(0)), \xi, \phi, \rho \rangle \Downarrow \langle 0, \xi, \phi, \rho \{n \mapsto 0\} \rangle}$$

$$\frac{\langle e_1, \xi, \phi, \rho \rangle \Downarrow \langle v_1, \xi', \phi, \rho' \rangle \quad v_1 = 0}{\langle \text{WHILE}(e_1, e_2), \xi, \phi, \rho \rangle \Downarrow \langle 0, \xi', \phi, \rho' \rangle} (\text{WHILEEND})$$

$$\frac{x \in \text{dom } \rho}{\langle \text{VAR}(x), \xi, \phi, \rho \rangle \Downarrow \langle \rho(x), \xi, \phi, \rho \rangle} (\text{FORMALVAR})$$

$$\frac{x \in \text{dom } \rho \quad \langle e, \xi, \phi, \rho \rangle \Downarrow \langle v, \xi', \phi, \rho' \rangle}{\langle \text{SET}(x, e), \xi, \phi, \rho \rangle \Downarrow \langle v, \xi', \phi, \rho' \{x \mapsto v\} \rangle} \text{ (FORMALASSIGN)}$$

$$\frac{x \notin \text{dom } \rho \quad x \in \text{dom } \xi}{\langle \text{VAR}(x), \xi, \phi, \rho \rangle \Downarrow \langle \xi(x), \xi, \phi, \rho \rangle} \text{ (GLOBALVAR)}$$

$$\frac{x \notin \text{dom } \rho \quad x \in \text{dom } \xi \quad \langle e, \xi, \phi, \rho \rangle \Downarrow \langle v, \xi', \phi, \rho' \rangle}{\langle \text{SET}(x, e), \xi, \phi, \rho \rangle \Downarrow \langle v, \xi' \{x \mapsto v\}, \phi, \rho' \rangle} \text{ (GLOBALASSIGN)}$$

$$\frac{\langle e_1, \xi, \phi, \rho \rangle \Downarrow \langle v_1, \xi', \phi, \rho' \rangle \quad v_1 \neq 0 \quad \langle e_2, \xi', \phi, \rho' \rangle \Downarrow \langle v_2, \xi'', \phi, \rho'' \rangle}{\langle \text{IF}(e_1, e_2, e_3), \xi, \phi, \rho \rangle \Downarrow \langle v_2, \xi'', \phi, \rho'' \rangle} \text{ (IFTRUE)}$$

$$\frac{\langle e_1, \xi, \phi, \rho \rangle \Downarrow \langle v_1, \xi', \phi, \rho' \rangle \quad v_1 = 0 \quad \langle e_3, \xi', \phi, \rho' \rangle \Downarrow \langle v_3, \xi'', \phi, \rho'' \rangle}{\langle \text{IF}(e_1, e_2, e_3), \xi, \phi, \rho \rangle \Downarrow \langle v_3, \xi'', \phi, \rho'' \rangle} \text{ (IFFALSE)}$$

Part A: Talking Operational Semantics (20%)

Part B: Operational Semantics and Language Design (35%)

Part C: Derivatives, Proofs, and Metatheory (45%)