

Nama: Atsilah Fakihatul Jannah

NIM: 242410101062

Kelas: A

TUGAS AKTIVITAS MANDIRI 5


1. Buat Resource Controller: `php artisan make:controller MahasiswaController --resource --model=Mahasiswa`

```
PS D:\LARAGON\laragon\www\muabylala> php artisan make:controller CustomerController --resource --model=Customer
INFO Controller [D:\LARAGON\laragon\www\muabylala\app\Http\Controllers\CustomerController.php] created successfully.
PS D:\LARAGON\laragon\www\muabylala> |
```

2. Daftarkan di routes/web.php: `Route::resource('customer', CustomerController::class)`

```
routes > web.php > ...
13
14 Route::resource('customer', CustomerController::class);
15
```

3. Buat semua view: `customer/index.blade.php` (tabel + pagination), `create.blade.php` (form), `edit.blade.php` (form pre-filled), `show.blade.php` (detail)



- create.blade.php:

```
resources > views > customer > create.blade.php > section.hero
1 @extends('layouts.app')
2
3 @section('content')
4 <section class="hero">
5     <h2>Add Customer </h2>
6     <p>Fill in the form to add a new customer booking</p>
7 </section>
8 <section class="container">
9     <main>
10         <section id="welcome">
11             <h2>Add Customer Form</h2>
12             <form action="{{ route('customer.store') }}" method="POST" enctype="multipart/form-data">
13                 @csrf
14                 <div class="form">
15                     <div class="fgroup">
```

- edit.blade.php

```
resources > views > customer > edit.blade.php > ...
1  @extends('layouts.app')
2
3  @section('content')
4  <section class="hero">
5      <h2>Edit Customer </h2>
6      <p>Update customer data below</p>
7  </section>
8  <section class="container">
9      <main>
10         <section id="Welcome">
11             <h2>Edit Customer Form</h2>
12             <form action="{{ route('customer.update', $customer->id) }}" method="POST" enctype="multipart/form-data">
13                 @csrf
14                 @method('PUT')
15                 <div class="frow">
```

- index.blade.php

```
resources > views > customer > index.blade.php > ...
1  @extends('layouts.app')
2
3  @section('content')
4  <section class="hero">
5      <h2>Customer Data </h2>
6      <p>List of Makeup Artist by Lala customers</p>
7  </section>
8  <section class="container">
9      <main>
10         <section id="Inventory">
11             <h2> Customer Data</h2>
12             <div class="inv-stats">
13                 <x-stat-card judul="Total Customer" nilai="{{ $customers->count() }}" ikon="👤" />
14                 <x-stat-card judul="Active Customer" nilai="{{ $customers->where('aktif', true)->count() }}" ikon="✅" />
15                 <x-stat-card judul="Avg Price" nilai="Rp {{ number_format($customers->avg('harga'), 0, ',', '.') }}" ikon="💰" />
```

- show.blade.customer

```
resources > views > customer > show.blade.php > ...
1  @extends('layouts.app')
2
3  @section('content')
4  <section class="hero">
5      <h2>Customer Detail </h2>
6      <p>Detail data customer Makeup Artist by Lala</p>
7  </section>
8  <section class="container">
9      <main>
10         <section id="Welcome">
11             <h2>{{ $customer->nama }}</h2>
12             <div style="margin-top:20px;">
13                 @if($customer->foto)
14                     
15                 @endif
```

4. Implementasi method index() — ambil semua customer dengan paginate(10) dan tampilkan ke view

```
app > Http > Controllers > CustomerController.php > PHP Intelephense > CustomerController > index
1  <?php
2
3  namespace App\Http\Controllers;
4
5  use App\Models\Customer;
6  use Illuminate\Http\Request;
7  use Illuminate\Support\Facades\Auth;
8
9  class CustomerController extends Controller
10 {
11     public function index()
12     {
13         $customers = Customer::query()->where('user_id', '=', Auth::id(), 'and')->paginate(10);
14
15         return view('customer.index', compact('customers'));
16     }
17 }
```

5. Implementasi create() dan store() — dengannama (required|min:3), email (required|email|unique), nomor HP (required), jenis makeup (required|in:Graduation,Wedding,Party,Engagement,Daily), harga (required|numeric|min:0), tanggal booking (required|date), foto (nullable|image|mimes:jpg,png|max:2048)

```
app > Http > Controllers > CustomerController.php > PHP Intelephense > CustomerController > store
9  class CustomerController extends Controller
18  public function create()
19  {
20      return view('customer.create');
21  }
22
23  public function store(Request $request)
24  {
25      $request->validate([
26          'nama'          => 'required|min:3',
27          'email'         => 'required|email|unique:customers,email',
28          'no_hp'        => 'required',
29          'jenis_makeup' => 'required|in:Graduation,Wedding,Party,Engagement,Daily',
30          'harga'        => 'required|numeric|min:0',
31          'tanggal_booking' => 'required|date',
32          'foto'         => 'nullable|image|mimes:jpg,png|max:2048',
33      ]);
34
35      $data = $request->all();
36      $data['aktif'] = $request->aktif == '1';
37      $data['user_id'] = Auth::id();
38
39      if ($request->hasFile('foto')) {
40          $data['foto'] = $request->file('foto')->store('fotos', 'public');
41      }
42
43      Customer::create($data);
44
45      return redirect()->route('customer.index')
46          ->with('success', 'Customer berhasil ditambahkan!');
47  }
```

6. Implementasi edit() dan update() — tampilkan form dengan old() atau \$mahasiswa->field, validasi unique kecuali ID ini

```

app > Http > Controllers > CustomerController.php > PHP Intelephense > CustomerController > store
9 class CustomerController extends Controller
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54 public function edit(Customer $customer)
55 {
56     return view('customer.edit', compact('customer'));
57 }
58
59 public function update(Request $request, Customer $customer)
60 {
61     $request->validate([
62         'nama' => 'required|min:3',
63         'email' => 'required|email|unique:customers,email,' . $customer->id,
64         'no_hp' => 'required',
65         'jenis_makeup' => 'required|in:Graduation,Wedding,Party,Engagement,Daily',
66         'harga' => 'required|numeric|min:0',
67         'tanggal_booking' => 'required|date',
68         'foto' => 'nullable|image|mimes:jpg,png|max:2048',
69     ]);
70
71     $data = $request->except('foto');
72     $data['aktif'] = $request->aktif == '1';
73
74     if ($request->hasFile('foto')) {
75         $data['foto'] = $request->file('foto')->store('fotos', 'public');
76     }
77
78     $customer->update($data);
79
80     return redirect()->route('customer.index')
81         ->with('success', 'Data customer berhasil diupdate!');
82 }
83

```

```

resources > views > customer > edit.blade.php > section.container > main > section#Welcome > form > div.frow > div.fgroup > input.({$errors->has('nama')?err-field:})
8 <action class="container">
9 <main>
10 <section id="Welcome">
11 <h2>Edit Customer Form</h2>
12 <form action="{{ route('customer.update', $customer->id) }}" method="POST" enctype="multipart/form-data">
13     @csrf
14     @method('PUT')
15     <div class="frow">
16         <div class="fgroup">
17             <label>Name</label>
18             <input type="text" name="nama" value="{{ old('nama', $customer->nama) }}" class="{{ $errors->has('nama') ? 'err-field' : '' }}>
19             @error('nama')<div class="ferr tampil">{{ $message }}</div>@enderror
20         </div>
21         <div class="fgroup">
22             <label>Email</label>
23             <input type="email" name="email" value="{{ old('email', $customer->email) }}" class="{{ $errors->has('email') ? 'err-field' : '' }}>
24             @error('email')<div class="ferr tampil">{{ $message }}</div>@enderror
25         </div>
26     </div>

```

7. Implementasi destroy() — dengan konfirmasi JavaScript sebelum hapus

```

resources > views > customer > index.blade.php > section.container > main > section#Inventory > div.inv-table-wrap > table#inv-table > tbody > tr > td > form
8 <section class="container">
9 <main>
10 <section id="Inventory">
11 <div class="inv-table-wrap">
12 <table id="inv-table">
13 <thead>
14 <tr>
15 <th>No</th>
16 <th>Nama</th>
17 <th>Email</th>
18 <th>No HP</th>
19 <th>Jenis Makeup</th>
20 <th>Harga</th>
21 <th>Tanggal Booking</th>
22 <th>Aktif</th>
23 <th>Aksi</th>
24 </tr>
25 </thead>
26 <tbody>
27 <tr>
28 <td>1</td>
29 <td>John Doe</td>
30 <td>john.doe@example.com</td>
31 <td>081234567890</td>
32 <td>Graduation</td>
33 <td>Rp. 1.500.000</td>
34 <td>2023-12-31</td>
35 <td>1</td>
36 <td>
37 <a href="{{ route('customer.edit', $c->id) }}" class="btn-edit-row">Edit</a>
38 <form action="{{ route('customer.destroy', $c->id) }}" method="POST" style="display:inline">
39     @csrf
40     @method('DELETE')
41     <button type="submit" class="btn-del-row" onclick="return confirm('Delete this customer?')>Delete</button>
42 </form>
43 </td>
44 </tr>
45 </tbody>
46 </table>
47 </div>
48 </section>
49 </main>
50 </section>
51 </div>
52 </tr>
53 @empty

```

8. Tambahkan flash message di layout dan tampilkan session('success') / session('error')

```
resources > views > layouts > app.blade.php > html > body > div.page-content
2   <html lang="en">
10  <body>
11  <div class="page-content">
14
15  @if(session('success'))
16      <div class="flash-success"> {{ session('success') }}</div>
17  @endif
18  @if(session('error'))
19      <div class="flash-error"> {{ session('error') }}</div>
20  @endif
21
22  @yield('content')
```

9. BONUS: Tambahkan fitur upload foto profil dengan validasi image|mimes:jpg,png|max:2048

```
app > Http > Controllers > CustomerController.php > PHP Intelephense > CustomerController > update
9   class CustomerController extends Controller
58
59   public function update(Request $request, Customer $customer)
60   {
61       $request->validate([
62           'nama'          => 'required|min:3',
63           'email'         => 'required|email|unique:customers,email,' . $customer->id,
64           'no_hp'         => 'required',
65           'jenis_makeup'  => 'required|in:Graduation,Wedding,Party,Engagement,Daily',
66           'harga'        => 'required|numeric|min:0',
67           'tanggal_booking' => 'required|date',
68           'foto'          => 'nullable|image|mimes:jpg,png|max:2048',
69       ]);
70
71       $data = $request->except('foto');
72       $data['aktif'] = $request->aktif == '1';
73
74       if ($request->hasFile('foto')) {
75           $data['foto'] = $request->file('foto')->store('fotos', 'public');
76       }
77
78       $customer->update($data);
79
80       return redirect()->route('customer.index')
81         ->with('success', 'Data customer berhasil diupdate!');
82   }
```

TUGAS AKTIVITAS MANDIRI 6

1. Instal Laravel Breeze: `composer require laravel/breeze --dev`, kemudian `php artisan breeze:install blade`

```
PS D:\LARAGON\laragon\www\muabylala> composer require laravel/breeze --dev
./composer.json has been updated
Running composer update laravel/breeze
Loading composer repositories with package information
Updating dependencies
Lock file operations: 1 install, 0 updates, 0 removals
- Locking laravel/breeze (v2.4.1)
Writing lock file
Installing dependencies from lock file (including require-dev)
Package operations: 1 install, 0 updates, 0 removals
- Downloading laravel/breeze (v2.4.1)
- Installing laravel/breeze (v2.4.1): Extracting archive
Generating optimized autoload files
```

```
PS D:\LARAGON\laragon\www\muabylala> php artisan breeze:install blade
>>
```

INFO Installing and building Node dependencies.

added 139 packages, and audited 140 packages in 1m

34 packages are looking for funding
run ``npm fund`` for details

2. Jalankan `php artisan migrate` untuk membuat tabel users

```
PS D:\LARAGON\laragon\www\muabylala> php artisan migrate
```

3. Jalankan `npm install` && `npm run dev` untuk build assets

```
● PS D:\LARAGON\laragon\www\muabylala> npm install
```

up to date, audited 140 packages in 3s

34 packages are looking for funding
run ``npm fund`` for details

found 0 vulnerabilities

```
○ PS D:\LARAGON\laragon\www\muabylala> █
```

```
PS D:\LARAGON\laragon\www\muaby1ala> npm run dev

> dev
> vite

VITE v8.0.12 ready in 601 ms

→ Local:   http://localhost:5173/
→ Network: use --host to expose
→ press h + enter to show help

LARAVEL v13.6.0 plugin v3.1.0

→ APP_URL: http://localhost
21.49.01 [vite] (client) [optimizer] bundling dependencies...
```

4. Coba register dan login di <http://127.0.0.1:8000/register>

 Dashboard

Create Account ✨
Register to start managing customers
Register

Name

Email

Password

Confirm Password

Already have account?  Register

5. Amankan semua route mahasiswa dengan middleware auth:
Route::middleware('auth')->resource('mahasiswa', MahasiswaController::class)

```

routes > web.php > Closure
10
17 Route::middleware('auth')->group(function () {
18
19     Route::resource('customer', CustomerController::class);
20
21     Route::get('/profile', [ProfileController::class, 'edit'])
22         ->name('profile.edit');
23
24     Route::patch('/profile', [ProfileController::class, 'update'])
25         ->name('profile.update');
26
27     Route::delete('/profile', [ProfileController::class, 'destroy'])
28         ->name('profile.destroy');
29 });
30
31 require __DIR__ . '/auth.php';
32

```

6. Coba akses /customer tanpa login — pastikan diredirect ke halaman login

7. Tambahkan nama user di navbar: {{ auth()->user()->name }}

```

resources > views > partials > navbar.blade.php > nav.navbar > ul.menu > li
1 <nav class="navbar">
2 
3 <h1>Makeup Artist by Lala</h1>
4 <ul class="menu">
5 <li><a href="{{ route('dashboard') }}">Home</a></li>
6 <li><a href="{{ route('about') }}">About</a></li>
7 <li><a href="{{ route('contact') }}">Contact</a></li>
8 <li><a href="{{ route('customer.index') }}">Customer</a></li>
9 @auth
10 <li><a href="#">{{ auth()->user()->name }}</a></li>
11 </li>
12 <form method="POST" action="{{ route('logout') }}" style="display:inline">
13 @csrf
14 <button type="submit" style="background:none;border:none;cursor:pointer;font-family:inherit;font-size:13.5px;font-weight:500">Logout</button>
15 </form>
16 </li>
17 @endauth
18 </ul>
19 </nav>

```

8. Buat custom middleware CekAdmin yang hanya mengizinkan user dengan role 'admin' mengakses route tertentu


```
PS D:\LARAGON\laragon\www\muabylala> php artisan make:middleware CekAdmin
```

```
INFO Middleware [D:\LARAGON\laragon\www\muabylala\app\Http\Middleware\CekAdmin.php] created successfully.
```

9. BONUS: Modifikasi index() Controller agar hanya menampilkan data yang dibuat oleh user yang sedang login

```
app > Http > Controllers > CustomerController.php > PHP Intelephense > CustomerController
9  class CustomerController extends Controller
10 {
11     public function index()
12     {
13         $customers = Customer::query()->where('user_id', '=', Auth::id(), 'and')->paginate(10);
14
15         return view('customer.index', compact('customers'));
16     }
17 }
```