


Nama: Atsilah Fakihatul Jannah

NIM: 242410101062

Kelas: A

## TUGAS AKTIVITAS 1

### 1. Menjalankan Laragon



### 2. Verifikasi PHP di terminal/CMD:

```
Command Prompt
Microsoft Windows [Version 10.0.26200.8246]
(c) Microsoft Corporation. All rights reserved.

C:\Users\ASUS>php --version
PHP 8.3.30 (cli) (built: Jan 13 2026 22:50:40) (ZTS Visual C++ 2019 x64)
Copyright (c) The PHP Group
Zend Engine v4.3.30, Copyright (c) Zend Technologies

C:\Users\ASUS>
```

### 3. Membuat project laravel baru dengan composer create-project laravel/laravel muablala

```
PS D:\LARAGON\laragon\www> composer create-project laravel/laravel muablala
Creating a "laravel/laravel" project at "./muablala"
Installing laravel/laravel (v13.3.0)
- Installing laravel/laravel (v13.3.0): Extracting archive
Created project in D:\LARAGON\laragon\www\muablala
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 107 installs, 0 updates, 0 removals
- Locking brick/math (0.14.8)
- Locking carbonphp/carbon-doctrine-types (3.2.0)
```

### 4. Membuat database muablala di phpmyadmin

|                          | Database           | Collation          | Primary replication | Action           |
|--------------------------|--------------------|--------------------|---------------------|------------------|
| <input type="checkbox"/> | data               | utf8mb4_0900_ai_ci | ✓ Replicated        | Check privileges |
| <input type="checkbox"/> | information_schema | utf8mb3_general_ci | ✓ Replicated        | Check privileges |
| <input type="checkbox"/> | muabylala          | utf8mb4_0900_ai_ci | ✓ Replicated        | Check privileges |
| <input type="checkbox"/> | mysql              | utf8mb4_0900_ai_ci | ✓ Replicated        | Check privileges |
| <input type="checkbox"/> | performance_schema | utf8mb4_0900_ai_ci | ✓ Replicated        | Check privileges |
| <input type="checkbox"/> | sys                | utf8mb4_0900_ai_ci | ✓ Replicated        | Check privileges |

Total: 6

|                          | Table                 | Action | Rows | Type   | Collation          | Size      | Overhead |
|--------------------------|-----------------------|--------|------|--------|--------------------|-----------|----------|
| <input type="checkbox"/> | cache                 |        | 0    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
| <input type="checkbox"/> | cache_locks           |        | 0    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
| <input type="checkbox"/> | failed_jobs           |        | 0    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
| <input type="checkbox"/> | jobs                  |        | 0    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
| <input type="checkbox"/> | job_batches           |        | 0    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
| <input type="checkbox"/> | migrations            |        | 3    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
| <input type="checkbox"/> | password_reset_tokens |        | 0    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
| <input type="checkbox"/> | sessions              |        | 2    | InnoDB | utf8mb4_unicode_ci | 48.0 KiB  | -        |
| <input type="checkbox"/> | users                 |        | 0    | InnoDB | utf8mb4_unicode_ci | 16.0 KiB  | -        |
|                          | 9 tables              | Sum    | 5    | InnoDB | utf8mb4_0900_ai_ci | 176.0 KiB | 0 B      |

☐ Check all

## 5. Konfigurasi file .env

|                   |    |                             |
|-------------------|----|-----------------------------|
| > routes          | 17 |                             |
| > storage         | 18 | LOG_CHANNEL=stack           |
| > tests           | 19 | LOG_STACK=single            |
| > vendor          | 20 | LOG_DEPRECATED_CHANNEL=null |
| ≡ .editorconfig   | 21 | LOG_LEVEL=debug             |
| ⚙ .env            | 22 | ✨                           |
| ⚙ .env.example    | 23 | DB_CONNECTION=sqlite        |
| 🔍 .gitattributes  | 24 | DB_HOST=127.0.0.1           |
| 🔍 .gitignore      | 25 | DB_PORT=3306                |
| 📄 .npmrc          | 26 | DB_DATABASE=muabylala       |
| ≡ artisan         | 27 | DB_USERNAME=root            |
| { } composer.json | 28 | DB_PASSWORD=                |
| { } composer.lock | 29 |                             |
| { } package.json  | 30 | SESSION_DRIVER=database     |
| 📄 phpunit.xml     | 31 | SESSION_LIFETIME=120        |
| 📄 README.md       | 32 | SESSION_ENCRYPT=false       |
|                   | 33 | SESSION_PATH=/              |
|                   | 34 | SESSION_DOMAIN=null         |
|                   | 35 |                             |


## 6. Menjalankan php artisan key:generate

| PROBLEMS | OUTPUT | DEBUG CONSOLE | TERMINAL                                                      | PORTS | DEVDB |
|----------|--------|---------------|---------------------------------------------------------------|-------|-------|
|          |        |               | PS D:\LARAGON\laragon\www\muabylala> php artisan key:generate |       |       |
|          |        |               | INFO Application key set successfully.                        |       |       |
|          |        |               | PS D:\LARAGON\laragon\www\muabylala>                          |       |       |

## 7. Menjalankan server php artisan serve dan membuka http://127.0.0.1:8000 di browser



## 8. Eksplorasi setiap struktur folder



## 9. Menjalankan php artisan route:list

```
PS D:\LARAGON\laragon\www\muabylala> php artisan route:list

GET|HEAD / ..... routes/web.php:5
GET|HEAD storage/{path} storage.local > vendor/laravel/framework...
PUT      storage/{path} storage.local.upload > vendor/laravel/...
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation...

Showing [4] routes

PS D:\LARAGON\laragon\www\muabylala> 
```

Route yang sudah terdaftar:

- a. Route /  
Route ini menggunakan method GET/HEAD. Fungsinya menampilkan halaman utama Laravel, yaitu halaman default saat baru membuat project. Jadi ketika kita membuka alamat `http://127.0.0.1:8000` di browser, Laravel akan memanggil file `welcome.blade.php` dan menampilkan tampilan awal Laravel.
- b. Route `storage/{path}`  
Route ini dipakai untuk mengakses file yang ada di folder storage, seperti gambar atau file hasil upload. Route ini mendukung method GET/HEAD untuk mengambil file, dan PUT untuk menyimpan atau memperbarui file.
- c. Route `/up`  
Route ini biasanya digunakan oleh sistem untuk mengecek apakah aplikasi Laravel berjalan dengan normal. Fungsinya lebih ke pemeriksaan internal, jadi bukan ditujukan untuk diakses langsung oleh pengguna biasa.

## TUGAS AKTIVITAS MANDIRI 2

### 1. Membuat Controller

```
PS D:\LARAGON\laragon\www\muabylala> php artisan make:controller DashboardController

INFO Controller [D:\LARAGON\laragon\www\muabylala\app\Http\Controllers\DashboardController.php] created successfully.

PS D:\LARAGON\laragon\www\muabylala>
```

### 2. Menambahkan method index() yang mengembalikan view('dashboard')

```
<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;

class DashboardController extends Controller
{
    public function index()
    {
        return view('dashboard');
    }
}
```

### 3. Mendaftarkan route di routes/web.php Route::get('/dashboard', [DashboardController::class, 'index']) -> name('dashboard');

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\DashboardController;

Route::get('/', function () {
    return view('welcome');
});


Route::get('/dashboard', [DashboardController::class, 'index']) -> name('dashboard');
```

### 4. Membuat file view sementara resources/view/dashboard.blade.php yang berisi <h1>Dashboard Makeup Artist by Lala</h1>

```
resources > views > dashboard.blade.php > h1

1 <h1>Dashboard Makeup Artist by Lala</h1>
2 <ul>
3     <li><a href="home.html">Home</a></li>
4     <li><a href="catalog.html">Catalog</a></li>
5     <li><a href="booking.html">Booking</a></li>
6     <li><a href="review.html">Review</a></li>
7     <li><a href="gallery.html">Gallery</a></li>
8 </ul>
```

### 5. Mengakses http://127.0.0.1:8000 di browser



6. Membuat route /tentang dengan `Route::view('/tentang', 'tentang');` dan membuat view-nya


```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\DashboardController;

Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', [DashboardController::class, 'index']) -> name('dashboard');
Route::view('/tentang', 'tentang');
```

```
resources > views > tentang.blade.php > ...
1 <h1>Halaman Tentang Makeup Artist by Lala</h1>
2 <p>Ini halaman tentang</p>
3
4
```



7. Menjalankan php artisan route:list

```
PS D:\LARAGON\laragon\www\muabylala> php artisan route:list

GET|HEAD / ..... routes/web.php:6
GET|HEAD dashboard ..... dashboard > DashboardController@index
GET|HEAD storage/{path} storage.local > vendor/laravel/framework...
PUT storage/{path} storage.local.upload > vendor/laravel/...
GET|HEAD tentang .....
GET|HEAD up vendor/laravel/framework/src/Illuminate/Foundation...

Showing [6] routes

PS D:\LARAGON\laragon\www\muabylala>
```

8. Membuat `Route::get('/hitung/{a}/{b}', fn($a, $b) => $a + $b)` dan akses /hitung/10/25

```
<?php

use Illuminate\Support\Facades\Route;
use App\Http\Controllers\DashboardController;

Route::get('/', function () {
    return view('welcome');
});

Route::get('/dashboard', [DashboardController::class, 'index']) -> name('dashboard');
Route::view('/tentang', 'tentang');
Route::get('/hitung/{a}/{b}', function($a, $b) {
    ✨ return $a + $b;
});
```

← ↻ ⓘ 127.0.0.1:8000/hitung/10/25

35