

Nama: Atsilah Fakihatul Jannah

NIM: 242410101062

Kelas: A

TUGAS AKTIVITAS MANDIRI 3

1. Buat layout master: resources/views/layouts/app.blade.php dengan navbar, main content area (@yield('content')), dan footer

```
resources > views > layouts > app.blade.php > html > body
 2  <html lang="en">
10  <body>
11  <div class="page-content">
12
13      @include('partials.navbar')
14
15      @if(session('success'))
16          <div class="flash-success">✅ {{ session('success') }}</div>
17      @endif
18      @if(session('error'))
19          <div class="flash-error">❌ {{ session('error') }}</div>
20      @endif
21
22      @yield('content')
23
24      <footer>
25          <p>📧 <a href="mailto:muabylala@gmail.com">muabylala@gmail.com</a></p>
26          <p>© 2026 Makeup Artist by Lala</p>
27          <p>📷 Instagram: <a href="#">@muabylalajember</a></p>
28      </footer>
29  </div>
```

2. Buat partial: resources/views/partials/navbar.blade.php dan sisipkan dengan @include di layout

```
resources > views > layouts > app.blade.php > html > body > div.page-content
 2  <html lang="en">
10  <body>
11  <div class="page-content">
12
13  ✨ @include('partials.navbar')
14
15  @if(session('success'))
16      <div class="flash-success">✅ {{ session('success') }}</div>
17  @endif
18  @if(session('error'))
19      <div class="flash-error">❌ {{ session('error') }}</div>
20  @endif
21
22  @yield('content')
23
24  <footer>
25      <p>📧 <a href="mailto:muabylala@gmail.com">muabylala@gmail.com</a></p>
26      <p>© 2026 Makeup Artist by Lala</p>
27      <p>📷 Instagram: <a href="#">@muabylalajember</a></p>
28  </footer>
29 </div>
30
```

3. Buat halaman dashboard: resources/views/dashboard.blade.php yang @extends('layouts.app')

```
resources > views > dashboard.blade.php > ...
 1  @extends('layouts.app')
 2  ✨
 3  @section('content')
 4  <section class="hero">
 5      <h2>Beauty Starts Here ✨</h2>
 6      <p>Enhance your natural beauty with professional makeup</p>
 7  </section>
 8
```

4. Tampilkan flash session message di layout: @if(session('success')) ... @endif

```
resources > views > layouts > app.blade.php > html > body > div.page-content
 2  <html lang="en">
10  <body>
11  <div class="page-content">
12
13      @include('partials.navbar')
14
15  ✨ @if(session('success'))
16      <div class="flash-success">✅ {{ session('success') }}</div>
17  @endif
18  @if(session('error'))
19      <div class="flash-error">❌ {{ session('error') }}</div>
20  @endif
21
22  @yield('content')
23
```

5. Buat komponen: resources/views/components/stat-card.blade.php (kartu statistik dengan props: judul, nilai, ikon, warna)

```
resources > views > components > stat-card.blade.php > ...
1 @props(['judul', 'nilai', 'ikon' => '📊', 'warna' => ''])
2
3 <div class="stat-card {{ $warna }}">
4     <div class="sc-label">{{ $ikon }} {{ $judul }}</div>
5     <div class="sc-value">{{ $nilai }}</div>
6 </div>
7
8
```

6. Gunakan @forelse di dashboard untuk loop array data dummy (jumlah mahasiswa, mata kuliah, dll)

```
resources > views > dashboard.blade.php > section.container > main > section#StatistikDashboard > div.inv-stats
9 <section class="container">
17 <main>
29 <section id="StatistikDashboard">
30 <h2>📊 Service Statistics</h2>
31 <div class="inv-stats">
32 @php
33 $statsData = [
34 ['judul' => 'Total Customer', 'nilai' => $totalCustomer, 'ikon' => '👤', 'warna' => ''],
35 ['judul' => 'Active Customer', 'nilai' => $customerAktif, 'ikon' => '✅', 'warna' => ''],
36 ['judul' => 'Low Stock', 'nilai' => 0, 'ikon' => '⚠️', 'warna' => 'danger'],
37 ];
38 @endphp
39 @forelse($statsData as $stat)
40 <x-stat-card
41     judul="{{ $stat['judul'] }}"
42     nilai="{{ $stat['nilai'] }}"
43     ikon="{{ $stat['ikon'] }}"
44     warna="{{ $stat['warna'] }}"
45 >
46 @empty
47 <p>No statistics available.</p>
48 @endforelse
49 </div>
50 </section>
51
```

7. Buat halaman 'Tentang' dan 'Kontak' yang @extends layout yang sama about.blade.php:

```
resources > views > about.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4 <section class="hero">
5 <h2>About Us 🌟</h2>
6 <p>Get to know Makeup Artist by Lala</p>
7 </section>
8 <section class="container">
9 <main>
10 <section id="Welcome">
11 <h2>About Makeup Artist by Lala</h2>
12 <p>Makeup Artist by Lala provides professional makeup services for various special occasions such as graduation, parties, engagements...</p>
13 </section>
14 <section id="WhyChooseUs">
15 <h2>Why Choose Us?</h2>
16 <p>👩‍💻 Experienced Makeup Artist <br> 🌟 High Quality Products <br> 📦 Customized Look <br> ⏰ On Time Service</p>
17 </section>
18 </main>
19 </section>
20 @endsection
21
```

contact.blade.php:

```
resources > views > contact.blade.php > ...
1 @extends('layouts.app')
2
3 @section('content')
4 <section class="hero">
5     <h2>Contact Us 📬</h2>
6     <p>Reach out for bookings and more information</p>
7 </section>
8 <section class="container">
9     <main>
10         <section id="Welcome">
11             <h2>Get In Touch</h2>
12             <p>✉ Email: <a href="mailto:muabylala@gmail.com">muabylala@gmail.com</a></p>
13             <p>📷 Instagram: <a href="#">@muabylalajember</a></p>
14             <p>📍 Location: Jember, East Java</p>
15         </section>
16     </main>
17 </section>
18 @endsection
19
20 @push('scripts')
21 @endpush
22
```

8. Gunakan @push('scripts') dan @stack('scripts') untuk menambahkan JavaScript spesifik per halaman

```
resources > views > layouts > app.blade.php > html > body > script
2 <html lang="en">
10 <body>
99
100 <div class="inv-toast" id="inv-toast"></div>
101 <script src="{{ asset('script.js') }}"></script>
102 @stack('scripts')
103 </body>
104 </html>
105
```

TUGAS AKTIVITAS MANDIRI 4

1. Buat Model dan Migration sekaligus: `php artisan make:model Mahasiswa -m`

```
PS D:\LARAGON\laragon\www\muabylala> php artisan make:model Customer -m
```

```
INFO Migration [D:\LARAGON\laragon\www\muabylala\database\Migrations\2026_05_05_141959_create_customers_table.php] created successfully.
```

2. Edit file migration: tambahkan kolom nim, nama, email, jurusan (enum), ipk (decimal), semester, aktif (boolean), foto (nullable)

```
database > migrations > 2026_05_04_052115_create_customers_table.php > ...
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     public function up(): void
10    {
11        Schema::create('customers', function (Blueprint $table) {
12            $table->id();
13            $table->string('nama');
14            $table->string('email')->unique();
15            $table->string('no_hp');
16            $table->enum('jenis_makeup', [
17                'Graduation',
18                'Wedding',
19                'Party',
20                'Engagement',
21                'Daily',
22            ]);
23            $table->decimal('harga', 10, 2)->default(0);
24            $table->date('tanggal_booking');
25            $table->boolean('aktif')->default(true);
26            $table->string('foto')->nullable();
27            $table->timestamps();
28        });
29    }
30
31    public function down(): void
32    {
33        Schema::dropIfExists('customers');
34    }
35 };
36
```

3. Jalankan migration: `php artisan migrate` — cek di phpMyAdmin bahwa tabel sudah terbuat

```
PS D:\LARAGON\laragon\www\muabylala> php artisan migrate
```

phpMyAdmin

Server: localhost:3306 » Database: muabyala

Structure SQL Search Query Export Import Operations Privileges Routines Events Triggers

Filters

Containing the word:

Table	Action	Rows	Type	Collation	Size	Overhead
☐ cache	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ cache_locks	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ customers	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ failed_jobs	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ jobs	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ job_batches	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ migrations	★ Browse Structure Search Insert Empty Drop	4	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ password_reset_tokens	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
☐ sessions	★ Browse Structure Search Insert Empty Drop	2	InnoDB	utf8mb4_unicode_ci	48.0 KiB	-
☐ users	★ Browse Structure Search Insert Empty Drop	0	InnoDB	utf8mb4_unicode_ci	16.0 KiB	-
10 tables	Sum	6	InnoDB	utf8mb4_0900_ai_ci	192.0 KiB	0 B

☐ Check all

[Print](#)
[Data dictionary](#)

[Create new table](#)

- Edit Model Mahasiswa: isi \$fillable, tambahkan \$casts, dan buat local scope scopeAktif()

```

app > Models > Customer.php > ...
1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Factories\HasFactory;
6  use Illuminate\Database\Eloquent\Model;
7
8  class Customer extends Model
9  {
10     use HasFactory;
11
12     protected $fillable = [
13         'nama',
14         'email',
15         'no_hp',
16         'jenis_makeup',
17         'harga',
18         'tanggal_booking',
19         'aktif',
20         'foto',
21     ];
22
23     protected $casts = [
24         'harga' => 'decimal:2',
25         'aktif' => 'boolean',
26         'tanggal_booking' => 'date',
27     ];
28
29     public function scopeAktif($query)
30     {
31         return $query->where('aktif', true);
32     }
33 }
34

```

5. Buat seeder: php artisan make:seeder MahasiswaSeeder — isi dengan 5-10 data dummy

```

PS D:\LARAGON\laragon\www\muabylala> php artisan make:seeder CustomerSeeder

```

```

database > seeders > CustomerSeeder.php > ...
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6  use App\Models\Customer;
7
8  class CustomerSeeder extends Seeder
9  {
10     public function run(): void
11     {
12         $customers = [
13             ['nama'=>'Bela Safitri','email'=>'bela@example.com','no_hp'=>'081234567002','jenis_makeup'=>'Graduation','harga'=>200000,'tanggal_booking'=>'2023-05-15'],
14             ['nama'=>'Citra Dewi','email'=>'citra@example.com','no_hp'=>'081234567003','jenis_makeup'=>'Party','harga'=>300000,'tanggal_booking'=>'2023-05-15'],
15             ['nama'=>'Dina Marlina','email'=>'dina@example.com','no_hp'=>'081234567004','jenis_makeup'=>'Engagement','harga'=>400000,'tanggal_booking'=>'2023-05-15'],
16             ['nama'=>'Eka Putri','email'=>'eka@example.com','no_hp'=>'081234567005','jenis_makeup'=>'Daily','harga'=>150000,'tanggal_booking'=>'2023-05-15'],
17             ['nama'=>'Fitri Handayani','email'=>'fitri@example.com','no_hp'=>'081234567006','jenis_makeup'=>'Wedding','harga'=>500000,'tanggal_booking'=>'2023-05-15'],
18             ['nama'=>'Gita Maharani','email'=>'gita@example.com','no_hp'=>'081234567007','jenis_makeup'=>'Graduation','harga'=>200000,'tanggal_booking'=>'2023-05-15'],
19             ['nama'=>'Hana Pertiwi','email'=>'hana@example.com','no_hp'=>'081234567008','jenis_makeup'=>'Party','harga'=>300000,'tanggal_booking'=>'2023-05-15'],
20             ['nama'=>'Indah Sari','email'=>'indah@example.com','no_hp'=>'081234567009','jenis_makeup'=>'Engagement','harga'=>400000,'tanggal_booking'=>'2023-05-15'],
21             ['nama'=>'Julia Wati','email'=>'julia@example.com','no_hp'=>'081234567010','jenis_makeup'=>'Wedding','harga'=>500000,'tanggal_booking'=>'2023-05-15'],
22         ];
23
24         foreach ($customers as $data) {
25             Customer::create($data);
26         }
27     }
28 }

```

- Daftarkan seeder di DatabaseSeeder.php dan jalankan: php artisan db:seed

```

database > seeders > DatabaseSeeder.php > PHP Intelephense > DatabaseSeeder
1  <?php
2
3  namespace Database\Seeders;
4
5  use Illuminate\Database\Seeder;
6
7  class DatabaseSeeder extends Seeder
8  {
9      public function run(): void
10     {
11         $this->call([
12             CustomerSeeder::class,
13         ]);
14     }
15 }
16

```

```

PS D:\LARAGON\laragon\www\muaby1ala> php artisan db:seed

INFO Seeding database.
Database\Seeders\CustomerSeeder ..... RUNNING
Database\Seeders\CustomerSeeder ..... 90 ms DONE

PS D:\LARAGON\laragon\www\muaby1ala>

```