



RESTful API untuk mengkonversi QRIS statis menjadi QRIS dinamis dengan nominal custom, fee, dan payment link yang bisa di-share.

Terima notifikasi real-time saat status pembayaran berubah. [Lihat dokumentasi →](#)



Authentication

Semua API endpoint memerlukan autentikasi. Gunakan API Key yang bisa Anda dapatkan dari [Dashboard Settings](#).

API Key

Gunakan API Key untuk semua request ke TemanQRIS API.

X-API-Key: YOUR_API_KEY



Keamanan API Key

Jangan pernah expose API Key di frontend atau commit ke repository. Gunakan environment variables.



Quick Start

Tiga langkah untuk mulai menggunakan TemanQRIS API:

1

Upload QRIS Statis

Upload gambar atau string QRIS statis Anda (sekali saja)

2

Generate QRIS Dinamis

Buat QRIS dengan nominal kapan saja

3

Share atau Embed

Gunakan payment link atau embed widget



Rate Limits

Batas request harian berdasarkan tier akun:

TIER	DAILY LIMIT	STORED QRIS	FEATURES
Free	50 requests/day	1 QRIS	Basic features
Premium	1000 requests/day	Unlimited*	All features + Priority support

Gunakan endpoint `GET /api/qris/usage` untuk monitoring penggunaan API real-time.



Upload Static QRIS

Upload QRIS statis Anda. Ini hanya perlu dilakukan **SEKALI** saja.

ⓘ Penting!

Upload QRIS statis **hanya diperlukan sekali** saat pertama kali setup. Setelah berhasil upload, Anda bisa langsung menggunakan endpoint `/generate` untuk membuat QRIS dinamis tanpa perlu upload ulang. Gunakan endpoint `/my-qr` untuk mengecek apakah Anda sudah pernah upload QRIS.

POST**/upload**

Upload QRIS image or string (one-time only)

Option 1: Upload Image

Upload file gambar QRIS (jpg, png, webp)

```
# Upload image file
curl -X POST https://temanqris.com/api/qr/upload \
  -H "X-API-Key: YOUR_API_KEY" \
  -F "qr_image=@/path/to/qr.png"
```

Option 2: Upload String

Jika sudah punya QRIS string (hasil decode)

```
# Upload QRIS string
curl -X POST https://temanqris.com/api/qr/upload \
  -H "X-API-Key: YOUR_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
```

```
"qris_string": "00020101021126670016COM.NOBUBANK.WWW..."
}'
```

Response

👌 200 OK

```
{
  "message": "QRIS uploaded successfully",
  "qris_string": "00020101021126...",
  "merchant": {
    "name": "TOKO EXAMPLE",
    "city": "JAKARTA"
  }
}
```

👌 Check QRIS Status

Cek apakah Anda sudah pernah upload QRIS statis. Gunakan sebelum memanggil /upload untuk menghindari upload yang tidak perlu.

GET

/my-qris

Check if QRIS has been uploaded

Request

```
# Check QRIS status
curl -X GET https://temanqris.com/api/qris/my-qris \
  -H "X-API-Key: YOUR_API_KEY"
```

Response (QRIS exists)

👌 200 OK

```
{
  "success": true,
  "has_qris": true,
  "qris": {
    "id": 123,
    "qris_string": "00020101021126...",
    "merchant_name": "TOKO EXAMPLE",
    "merchant_city": "JAKARTA",
    "created_at": "2024-01-15T10:30:00Z",
    "updated_at": "2024-01-15T10:30:00Z"
  }
}
```

Response (No QRIS yet)

👌 200 OK

```
{
  "success": true,
  "has_qris": false,
  "message": "No QRIS found. Please upload your static QRIS first (only needed once)."
```



Generate Dynamic QRIS

Endpoint utama untuk membuat QRIS dinamis dengan nominal transaksi.

POST

/generate

Generate QRIS with amount

Request Body

FIELD	TYPE	DESCRIPTION
amount	number required	Nominal transaksi (contoh: 50000)
fee_type	string optional	"rupiah" atau "percent"
fee_value	number optional	Nilai fee yang ditambahkan
qris_id	number optional	ID QRIS spesifik (jika punya multiple)
order_id	string optional	ID unik order Anda (max 30 chars). Auto-generate jika kosong.
webhook_url	string optional	URL untuk menerima notifikasi webhook saat status berubah.
callback_url	string optional	URL redirect customer setelah klik "Sudah Bayar".

Example Request

```
# Generate QRIS Rp 50.000 + fee Rp 1.000 with webhook
curl -X POST https://temanqris.com/api/qris/generate \
  -H "X-API-Key: YOUR_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
    "amount": 50000,
    "fee_type": "rupiah",
    "fee_value": 1000,
    "order_id": "INV-2025-001",
    "webhook_url": "https://yoursite.com/webhook"
  }'
```

Response

🟢 200 OK

```
{
  "success": true,
  "qris": "00020101021226...",
}
```

```
"qr_image": "data:image/png;base64,...",
"amount": 50000,
"fee": { "type": "rupiah", "value": 1000 },
"expires_at": "2025-12-25T10:00:00.000Z",
"payment_link": {
  "id": 456,
  "link_code": "BTN3EV2X",
  "order_id": "INV-2025-001",
  "url": "/p/BTN3EV2X",
  "amount": 50000,
  "merchant_name": "TOKO EXAMPLE",
  "webhook_url": "https://yoursite.com/webhook",
  "expires_at": "2025-12-26T10:00:00.000Z"
}
```



Field `qr_image` berisi Base64 image yang bisa langsung ditampilkan dengan ``



Render QR Image

Generate gambar QR code dari string QRIS.

POST

/render

Render QR from string

Provide either `qris_string` or `qris_data_id`.

Option 1: Using String

```
curl -X POST https://temanqris.com/api/qris/render \
-H "X-API-Key: YOUR_API_KEY" \
-H "Content-Type: application/json" \
-d '{
```

```
"qris_string": "00020101021126..."
}'
```

Option 2: Using Saved ID

Jika sudah punya QRIS yang tersimpan (dari /my-qris), cukup kirim ID-nya.

```
curl -X POST https://temanqris.com/api/qris/render \
-H "X-API-Key: YOUR_API_KEY" \
-H "Content-Type: application/json" \
-d '{
  "qris_data_id": 123
}'
```

Response

```
{
  "success": true,
  "qr_image": "..."
}
```



Create Payment Link

Buat link pembayaran yang bisa di-share ke pelanggan.

POST**/payment-link**

Create shareable payment link

Request Body

FIELD	TYPE	DESCRIPTION
amount	number required	Nominal pembayaran
description	string optional	Deskripsi pembayaran (e.g. "Order #123")
order_id	string optional	ID unik order Anda (max 30 chars). Auto-generate jika kosong.
webhook_url	string optional	URL untuk menerima notifikasi webhook saat status berubah.
callback_url	string optional	URL untuk redirect customer setelah klik "Sudah Bayar".

```
curl -X POST https://temanqris.com/api/qris/payment-link \
-H "X-API-Key: YOUR_API_KEY" \
-H "Content-Type: application/json" \
-d '{
  "amount": 75000,
  "description": "Pembayaran Order #12345",
  "order_id": "INV-2025-001",
  "webhook_url": "https://yoursite.com/webhook",
  "callback_url": "https://yoursite.com/thank-you"
}'
```

Response

```
{
  "success": true,
  "payment_link": {
    "id": 456,
    "link_code": "ABC12345",
    "order_id": "INV-2025-001",
    "url": "/p/ABC12345",
    "amount": 75000,
    "description": "Pembayaran Order #12345",
    "webhook_url": "https://yoursite.com/webhook",
    "callback_url": "https://yoursite.com/thank-you",
    "expires_at": "2025-12-26T14:00:00.000Z"
```

```
}  
}
```



Link lengkap: <https://temanqris.com/p/ABC12345> - Share ke pelanggan via WhatsApp, email, dll.

List Payment Links

Ambil daftar semua payment link Anda.

GET**/payment-links**

Get all payment links

```
curl https://temanqris.com/api/qris/payment-links \  
-H "X-API-Key: YOUR_API_KEY"
```

Response

```
{  
  "payment_links": [  
    {  
      "id": 456,  
      "link_code": "ABC12345",  
      "url": "/p/ABC12345",  
      "amount": 75000,  
      "description": "Order #12345",  
      "merchant_name": "TOKO EXAMPLE",  
      "is_active": true,  
      "view_count": 5,  
      "expires_at": "2025-12-31T23:59:59Z",  
      "created_at": "2025-12-24T10:00:00.000Z",  
      "is_expired": false  
    }  
  ]  
}
```

```
]
}
```

Check Order Status

Cek status pembayaran order/payment link via API. Berguna untuk integrasi backend-to-backend.

GET

/orders/:orderId

Check single order status

Request

```
# Check specific order by order_id
curl -X GET https://temanqris.com/api/qris/orders/ORD-ABC123 \
-H "X-API-Key: YOUR_API_KEY"
```

Response

🟢 200 OK

Order Status Definitions

STATUS	DESCRIPTION
pending	Menunggu pembayaran dari customer.
awaiting_confirmation	Pembayaran dikonfirmasi customer (widget), menunggu verifikasi.
paid	Pembayaran berhasil dan terverifikasi.
expired	Batas waktu pembayaran telah habis.

STATUS	DESCRIPTION
cancelled	Order dibatalkan.

```
{
  "success": true,
  "order": {
    "order_id": "ORD-ABC123",
    "title": "Pembayaran Invoice #001",
    "amount": 50000,
    "total_amount": 51000,
    "status": "paid",
    "is_paid": true,
    "is_expired": false,
    "created_at": "2024-01-15T10:30:00Z",
    "paid_at": "2024-01-15T10:35:00Z"
  }
}
```

GET

/orders

List all orders with pagination

Query Parameters

PARAMETER	TYPE	DESCRIPTION
status	string	Filter by status: pending, paid, expired, cancelled
limit	number	Max results (default: 20)
offset	number	Offset for pagination

Request

```
# Get all paid orders
```

```
curl -X GET "https://temanqris.com/api/qris/orders?status=paid&limit=10" \  
-H "X-API-Key: YOUR_API_KEY"
```

Response

🕒 200 OK

```
{  
  "success": true,  
  "orders": [  
    {  
      "order_id": "ORD-ABC123",  
      "title": "Invoice #001",  
      "amount": 50000,  
      "status": "paid",  
      "is_paid": true  
    }  
  ],  
  "pagination": {  
    "total": 25,  
    "limit": 10,  
    "offset": 0  
  }  
}
```



Verify Order (Merchant)

Verifikasi pembayaran order via API. Merchant bisa langsung mark order sebagai paid tanpa perlu buka dashboard.



Use Case: Setelah customer klik "Sudah Bayar" (status = `awaiting_confirmation`), merchant bisa verifikasi via API dan otomatis update ke `paid`.

POST

`/orders/:orderId/verify`

Verify payment as paid

URL Parameter

PARAMETER	TYPE	DESCRIPTION
orderId	string	Required. Order ID Anda (e.g., INV-2025-001)

Request Body (optional)

FIELD	TYPE	DESCRIPTION
payer_name	string optional	Nama pembayar
payer_note	string optional	Catatan pembayaran

Request

```
# Verify order as paid
curl -X POST https://temanqris.com/api/qris/orders/INV-2025-001/verify \
  -H "X-API-Key: YOUR_API_KEY" \
  -H "Content-Type: application/json" \
  -d '{
    "payer_name": "John Doe",
    "payer_note": "Pembayaran via OVO"
  }'
```

Response

🕒 200 OK

```
{
  "success": true,
  "message": "Payment verified successfully",
  "order": {
    "order_id": "INV-2025-001",
    "amount": 75000,
    "status": "paid",
    "paid_at": "2025-12-27T16:30:00.000Z",
    "confirmed_by": "api"
  }
}
```

```
}  
}
```

Error Responses

⊗ 404 Not Found

```
{  
  "success": false,  
  "error": "Order not found",  
  "message": "No order found with order_id \"INV-999\" for your account."  
}
```

⊗ 400 Bad Request

```
{  
  "success": false,  
  "error": "Order already verified",  
  "message": "This order has already been marked as paid."  
}
```

Integration Flow

1. Buat payment link via POST /api/qris/payment-link atau POST /api/qris/generate
2. Share link ke customer
3. Customer scan QRIS dan bayar
4. Customer klik "Sudah Bayar" → status = awaiting_confirmation
5. Terima webhook payment.awaiting_confirmation 🔔
6. Cek status via GET /api/qris/orders/:orderId
7. Verifikasi dana masuk di e-wallet/rekening
8. **Call** POST /api/qris/orders/:orderId/verify → **status = paid** ✅

⊗ Cancel Order

Batalkan order/payment link yang belum dibayar.

POST**/orders/:orderId/cancel**

Cancel an order

Request

Cancel an order

```
curl -X POST https://temanqris.com/api/qris/orders/INV-2025-001/cancel \
-H "X-API-Key: YOUR_API_KEY"
```

Response

🟢 200 OK

```
{
  "success": true,
  "message": "Order cancelled successfully",
  "order": {
    "order_id": "INV-2025-001",
    "status": "cancelled"
  }
}
```

Error Responses

🔴 400 Bad Request

```
{
  "success": false,
  "error": "Cannot cancel paid order",
  "message": "This order has already been verified as paid and cannot be cancelled."
}
```



Delete Payment Link

Hapus/nonaktifkan payment link yang sudah tidak digunakan.

DELETE

/payment-link/:id

Delete a payment link

```
curl -X DELETE https://temanqris.com/api/qris/payment-link/456 \
-H "X-API-Key: YOUR_API_KEY"
```

Response

```
{
  "message": "Payment link deleted successfully"
}
```

Webhooks

Terima notifikasi real-time saat status pembayaran berubah. Webhook dikirim ke URL yang Anda tentukan saat membuat payment link.

Event Types

EVENT	TRIGGER	DESCRIPTION
payment.awaiting_confirmation	Customer klik "Sudah Bayar"	Customer mengklaim sudah bayar, menunggu verifikasi Anda
payment.confirmed	Merchant approve di Dashboard atau via API	Pembayaran sudah diverifikasi dan dikonfirmasi (via POST /orders/:orderId/verify atau Dashboard)

Webhook Payload

```
{
  "event": "payment.awaiting_confirmation",

```

```
"timestamp": "2025-12-27T16:00:00.000Z",
"data": {
  "order_id": "INV-2025-001",
  "link_code": "ABC12345",
  "amount": 75000,
  "description": "Pembayaran Order #12345",
  "status": "awaiting_confirmation",
  "paid_at": null,
  "created_at": "2025-12-27T15:55:00.000Z"
}
```

Webhook Headers

HEADER	DESCRIPTION
X-TemanQRIS-Signature	HMAC-SHA256 signature untuk verifikasi (format: sha256= ...)
X-TemanQRIS-Event	Nama event (e.g. payment.awaiting_confirmation)
X-TemanQRIS-Retry	Nomor retry (jika sebelumnya gagal)

Verifikasi Signature (Node.js)

```
const crypto = require('crypto');

function verifyWebhook(payload, signature, secret) {
  const expected = 'sha256=' + crypto
    .createHmac('sha256', secret)
    .update(JSON.stringify(payload))
    .digest('hex');
  return crypto.timingSafeEqual(
    Buffer.from(signature),
    Buffer.from(expected)
  );
}

// Contoh penggunaan di Express
app.post('/webhook', (req, res) => {
  const signature = req.headers['x-temanqris-signature'];
  const isValid = verifyWebhook(req.body, signature, 'YOUR_WEBHOOK_SECRET');

  if (!isValid) {
```

```
    return res.status(401).json({ error: 'Invalid signature' });
  }

  // Process webhook...
  if (req.body.event === 'payment.confirmed') {
    // Update order status di database Anda
  }

  res.json({ received: true });
});
```



Retry Policy: Jika webhook gagal (non-2xx response), kami akan retry hingga 3 kali dengan interval: 30 detik → 2 menit → 10 menit.



Customer Sudah Bayar (Public)

API publik untuk **mencatat bahwa customer mengklaim sudah membayar**. Status transaksi akan berubah menjadi `awaiting_confirmation` dan merchant perlu memverifikasi di dashboard.



⚠ Ini BUKAN konfirmasi pembayaran!

Endpoint ini hanya mengubah status ke `awaiting_confirmation`. Merchant tetap harus verifikasi manual bahwa dana sudah masuk di e-wallet/rekening mereka.



Public API - Tidak Perlu API Key

Endpoint ini dipanggil dari frontend saat customer klik tombol "Sudah Bayar" di halaman pembayaran.

POST

`/api/pay/:link_code/confirm`

Customer claims payment done

URL Parameter

PARAMETER	TYPE	DESCRIPTION
<code>link_code</code>	string	Required. Kode payment link (e.g., ABC12345)

Request

```
# Customer confirms payment via Link code
curl -X POST https://temanqris.com/api/pay/ABC12345/confirm \
  -H "Content-Type: application/json"
```

JavaScript Example

```
// Call from payment page after customer finishes paying
const linkCode = 'ABC12345';

fetch(`/api/pay/${linkCode}/confirm`, {
  method: 'POST',
  headers: { 'Content-Type': 'application/json' }
})
.then(res => res.json())
.then(data => {
  if (data.success) {
    alert('Konfirmasi pembayaran berhasil!');
  }
});
```

Response

👌 200 OK

```
{
  "success": true,
  "message": "Konfirmasi pembayaran berhasil dikirim",
  "order_id": "ORD-ABC12345XYZ",
  "status": "awaiting_confirmation"
}
```

Flow Explanation

1. Customer membuka halaman pembayaran (/p/ABC12345)
2. Customer scan QRIS dan melakukan pembayaran di e-wallet
3. Customer klik tombol **"Sudah Bayar"**
4. Frontend memanggil POST /api/pay/ABC12345/confirm
5. Status berubah menjadi awaiting_confirmation (belum confirmed!)
6. 📢 **Webhook dikirim** ke URL yang di-configure (jika ada)

7. 📧 Merchant menerima **Email Notifikasi**
8. 🔗 Customer di-redirect ke **callback_url** (jika ada)
9. Merchant verifikasi manual di dashboard atau e-wallet
10. Setelah verifikasi, merchant approve via [API](#) atau Dashboard → status = paid

Error Response

⊗ 404 Not Found

```
{
  "error": "Link pembayaran tidak ditemukan"
}
```

API Usage Statistics

Monitor penggunaan API dan sisa limit Anda.

GET

/usage

Get usage statistics

```
curl https://temanqris.com/api/qris/usage \
-H "X-API-Key: YOUR_API_KEY"
```

Response

```
{
  "tier": "free",
  "daily_limit": 100,
  "usage": {
    "today": {
      "total": 15,
      "remaining": 85,
      "by_endpoint": [
        { "endpoint": "/qris/generate", "request_count": 10 },
        { "endpoint": "/qris/payment-link", "request_count": 5 }
      ]
    }
  }
}
```

```
    ]  
  },  
  "this_month": {  
    "total": 250,  
    "by_endpoint": [...]  
  }  
}  
}
```

</> Embed Widget (widget.js)

Pasang tombol pembayaran QRIS di website Anda dengan satu baris kode. Widget akan menampilkan modal pembayaran yang cantik dan responsif.

EMBED**widget.js**

Embeddable payment button

Installation

Tambahkan kode ini di halaman website Anda:

```
<script  
  src="https://temanqris.com/widget.js"  
  data-merchant="YOUR_MERCHANT_ID"  
></script>
```

💡 **Mendapatkan Merchant ID:** Login ke [Dashboard](#) → [Widget](#) untuk melihat Merchant ID Anda.

Result

Widget akan otomatis menampilkan tombol seperti ini:

A rounded rectangular button with a dark blue border and the text "Bayar dengan QRIS" in a light blue font.

Preview tombol widget



Widget Options

Kustomisasi widget sesuai kebutuhan Anda dengan data attributes:

ATTRIBUTE	TYPE	DESCRIPTION
data-merchant	string *	Merchant ID Anda (wajib)
data-amount	number	Nominal tetap (jika tidak diisi, user bisa input sendiri)
data-button-text	string	Teks tombol (default: "Bayar dengan QRIS")
data-button-color	string	Warna tombol dalam hex (default: "#ff6b35")
data-description	string	Deskripsi pembayaran (opsional)
data-callback	string (URL)	Callback URL - Redirect browser customer setelah klik "Sudah Bayar". Query params: order_id , amount , status
data-webhook	string (URL)	 Webhook URL - Notifikasi server-to-server saat status berubah (untuk update database)

Full Example with Callback & Webhook

```
<script
  src="https://temanqris.com/widget.js"
  data-merchant="abc123xyz"
  data-amount="50000"
```

```
data-button-text="Bayar Sekarang"
data-button-color="#22c55e"
data-description="Pembayaran Order #123"
data-callback="https://yoursite.com/thank-you"
data-webhook="https://yoursite.com/webhook"
</script>
```

 **Callback URL (data-callback):** Customer di-redirect ke URL setelah klik "Sudah Bayar":

`https://yoursite.com/thank-you?order_id=xxx&amount=50000&status=confirmed`

 **Webhook URL (data-webhook):** Server TemanQRIS akan mengirim POST request ke URL Anda dengan payload JSON:

```
{ "event": "payment.awaiting_confirmation", "order_id": "xxx", ... }
```

Lihat [dokumentasi webhook](#) untuk verifikasi signature.

 **Catatan Keamanan:** Jangan tampilkan Merchant ID di repositori publik. Widget ini aman digunakan di frontend karena pembayaran diproses via server TemanQRIS.