



# Database Management Systems

Week 3, Day 3

MySQL—SQL Views

**Atta Muhammad**

**+92-333-1971110**

**[attapanhyar@quest.edu.pk](mailto:attapanhyar@quest.edu.pk)**

# What Are **Views**?

- A **view** is a virtual table based on a result set of a **query**.
- Provides a simplified way to access complex **queries**.
- Does not store data physically; it references the original data.

# Why Use **Views**?

- **Simplify Complex Queries:** Encapsulate complex logic in a **view**.
- **Enhance Security:** Restrict access to specific columns or rows.
- **Maintain Consistency:** Avoid duplication of query logic.
- **Facilitate Reusability:** Use the same view in multiple applications.

# Creating a View

- Syntax for Creating a View

```
1  CREATE VIEW HighStockProducts AS
2  SELECT ProductName, Price, Unit
3  FROM Products
4  WHERE Unit > 50;
```

# Querying a View

- Querying Data From a View

```
select * from HighStockProducts
```

# Create a **view**

- Create a **view** that filters all the employee starting with letter 'A'

# Modifying a View

```
CREATE OR REPLACE VIEW HighStockProducts AS  
SELECT ProductName, Price, Unit, SupplierID  
FROM Products  
WHERE Price > 50;
```



# What would be output?

```
CREATE VIEW Products_Above_Average_Price AS  
SELECT ProductName, Price  
FROM Products  
WHERE Price > (SELECT AVG(Price) FROM Products);
```

# Dropping a View

```
DROP VIEW view_name;
```

# Question(s)

---