

Hypothesis testing on rates

Te Rutherford

January 22, 2015

Today

- ▶ Using samples to estimate true rates.
- ▶ Bootstrap method for hypothesis testing on rates.
- ▶ Bootstrap method for finding a confidence interval.

How do you estimate the true rate?

- ▶ Examples of rates:
 - ▶ The rate of a coin landing heads
 - ▶ The rate of a new medication being effective on patients
- ▶ What is the formula for estimating the rate from samples?
 - ▶ If a coin lands heads 56 times and tails 54 times, the rate of landing heads is $56 / (56 + 54)$
 - ▶ If a new medication works on 300 patients but does not work on 150 patients, the rate of medication being effective is $300 / (300 + 150)$
- ▶ In general, the success rate is equal to

$$\frac{\#successes}{\#successes + \#failures}$$

Inference on true rates

- ▶ Inference means you try to get close to the answer or the truth.
- ▶ Unfortunately, we never know the true rate of anything really. . .
:(

What kind of question can we answer?

- ▶ Is the rate of medication being effective more than 0.7?
- ▶ Is the rate of a coin landing heads more 0.5?
 - ▶ If the rate is > 0.5 , then we learn that the coin is crooked or not symmetric.

Hypothesis testing

- ▶ Instead we ask, what is the probability that the rate is > 0.7 ?
 - ▶ The hypothesis is the rate is > 0.7 . \leftarrow We will test this.
- ▶ Instead we ask, what is the probability that the rate is > 0.5 ?
 - ▶ The hypothesis is the rate is > 0.5 . \leftarrow We will test this.
- ▶ If the probability of the hypothesis is > 0.95 , we accept it and conclude that the hypothesis is true.
 - ▶ 0.95 is agreed upon by people.

Bootstrap hypothesis testing on rates

The general procedure is

- ▶ Generate a bunch of rate*s (using bootstrap function)
- ▶ Compute the probability that the hypothesis is true

Let's do Bootstrapping in R

```
library(bootstrap)
medication_data = c(rep(0,150), rep(1,300))
crazybootstrapthingie=
  bootstrap(medication_data, nboot=10000, theta=mean)
sum(crazybootstrapthingie$thetastar> 0.7)
```

```
## [1] 594
```

```
sum(crazybootstrapthingie$thetastar> 0.7) / 10000
```

```
## [1] 0.0594
```