

DAX Cheat Sheet — Cybersecurity Attack Dashboard

Aggregation Functions

Function	Description	Example
<code>COUNTROWS(table)</code>	Counts rows in a table	<code>COUNTROWS('cybersecurity_attacks')</code>
<code>DISTINCTCOUNT(column)</code>	Counts unique values	<code>DISTINCTCOUNT([Source IP Address])</code>
<code>AVERAGE(column)</code>	Calculates mean	<code>AVERAGE([Anomaly Scores])</code>

Intelligence

Function	Description	Example
<code>TOTALYTD(expr, dates)</code>	Year-to-date total	<code>TOTALYTD([Total Incidents], 'Date'[Date])</code>
<code>SAMEPERIODLASTYEAR(dates)</code>	Same period last year	<code>SAMEPERIODLASTYEAR('Date'[Date])</code>
<code>DATEADD(dates, number, interval)</code>	Shifts date range	<code>DATEADD('Date'[Date], -1, MONTH)</code>
<code>TODAY()</code>	Current date	<code>YEAR(TODAY())</code>

Logical & Conditional

Function	Description	Example
----------	-------------	---------

<code>IF(condition, true, false)</code>	Conditional logic	<code>IF([Score] > 70, "High", "Low")</code>
<code>ISBLANK(value)</code>	Checks for blank	<code>ISBLANK([Alerts])</code>
<code>NOT()</code>	Logical NOT	<code>NOT(ISBLANK([Malware Indicators]))</code>

Safe Math

Function	Description	Example
<code>DIVIDE(numerator, denominator, alternate)</code>	Safe division	<code>DIVIDE([A], [B], 0)</code>

Context & Filtering

Function	Description	Example
<code>CALCULATE(expr, filters...)</code>	Changes filter context	<code>CALCULATE([Total], [Severity] = "Critical")</code>
<code>FILTER(table, condition)</code>	Filters a table	<code>FILTER('Date', [Month] = 10)</code>
<code>ALL(table)</code>	Removes filters	<code>ALL('Date')</code>

Variables

Function	Description	Example
<code>VAR name = value</code>	Stores value	<code>VAR Prev = [Incidents LY]</code>
<code>RETURN expression</code>	Returns result	<code>RETURN DIVIDE(Curr - Prev, Prev)</code>

Formatting & Text

Function	Description	Example
<code>FORMAT(value, format_string)</code>	Formats value	<code>FORMAT([Timestamp], "yyyyMMdd")</code>
<code>LEFT(text, num_chars)</code>	Extracts left part	<code>LEFT([IP], 15)</code>