

PRODUCT	DESCRIPTION	APPLICATION NOTES
Tyzor® TnBT	Tetra-n-butyl titanate, a highly reactive organic alkoxy titanate	• A binder and adhesion promoter or crosslinker for –OH or –COOH functional polymers and other binders in paints • Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance • Forms micro- or nano-scale TiO₂ pigments and can be used to create polymeric TiO₂ surface films using pyrolytic or hydrolytic processes • Total or partial hydrolysis in sol-gel applications, typically in combination with other metal alkoxides, produces metal oxide systems for use as binders or coatings
Tyzor® TOT	Reactive liquid organic alkoxy titanate	• A binder and adhesion promoter or crosslinker for –OH or –COOH functional polymers and other binders in paints • Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance • Forms micro- or nano-scale TiO₂ pigments and can be used to create polymeric TiO₂ surface films using pyrolytic or hydrolytic processes • Total or partial hydrolysis in sol-gel applications, typically in combination with other metal alkoxides, produces metal oxide systems for use as binders or coatings
Tyzor® TPT	Tetra-isopropyl titanate, a highly reactive organic alkoxy titanate	• A binder and adhesion promoter or crosslinker for –OH or –COOH functional polymers and other binders in paints • Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance • Forms micro- or nano-scale TiO₂ pigments and can be used to create polymeric TiO₂ surface films using pyrolytic or hydrolytic processes • Total or partial hydrolysis in sol-gel applications, typically in combination with other metal alkoxides, produces metal oxide systems for use as binders or coatings
Tyzor® BTP	Polymeric butyl titanate	• Promotes adhesion as an inorganic binder by itself or in combination with other metal oxides in mineral-filled systems that are resistant to high temperatures • Crosslinks functional polymers or binders containing –OH, –COOH and similar functional groups to promote adhesion • Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance • Forms micro- or nano-scale TiO₂ pigments and can be used to create polymeric TiO₂ surface films using pyrolytic or hydrolytic (e.g. sol-gel) processes

PRODUCT	DESCRIPTION	APPLICATION NOTES
Tyzor® AA Products –AA-105 – AA-75	Liquid titanium chelates with acetylacetonate as the chelating agent	• An adhesion promoter or a crosslinker for –OH functional polymers and other binders in paints • Acts as a surface treatment to increase surface hardness, promote adhesion, enhance resistance to scratches and corrosion, add coloring effects, improve heat and light reflection and add iridescence • Forms micro- or nano-scale TiO₂ pigments and can be used to create polymeric TiO₂ surface films using pyrolytic or hydrolytic (e.g. sol-gel) processes
Tyzor® IAM	Titanium-based phosphate complex	• Tyzor® IAM improves adhesion promotion and crosslinking properties of solvent-borne printing inks resulting in improved water, solvent, and heat resistance and provides high effectiveness even at low dosage
Tyzor® CLA	Titanate with triethanolamine and acetyl acetone	• Acts as an adhesion promoter on functionalized surfaces • An effective crosslinker of carbohydrate-coated latex particles in highly viscous thixotropic paints • An excellent cross linker for the binders in acrylics and other water-borne paints
Tyzor® GBA	Specialty grade of titanium chelates	• Cross-links functional polymers or binders, promotes adhesion, and acts as binder itself • Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance

PRODUCT	DESCRIPTION	APPLICATION NOTES
Tyzor® TLF 11010	Water-based titanium chelate with lactic acid	• Cross-links binders in -OH functional water-borne paints • Surface modifier and adhesion promoter for enhancing paper, glass, metal, pigments and other materials having oxidized surfaces
Tyzor® LA	Water-based titanium chelate with lactic acid	• Cross-links binders in -OH functional water-borne paints • Forms a polymeric titanium dioxide layer in binders or coatings on various substrates to improve adhesion, increase surface hardness, enhance heat and light reflectivity, or improve corrosion resistance or scratch resistance
Tyzor® TE	Bis-triethanolamine titanium complex	• Crosslinker of carbohydrate-coated latex particles in highly viscous thixotropic paints • Crosslinker for the pigments and binders in acrylics and other water-borne paints • Acts as an adhesion promoter on functionalized surfaces.
Tyzor® OGT	Reactive organic alkoxy titanate	• A binder that can also be used as an adhesion promoter or cross-linker for -OH or -COOH functional polymers and other binders in paints • Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance • Total or partial hydrolysis in sol-gel applications, typically in combination with other metal alkoxides, produces metal oxide systems for use as binders or coatings
Tyzor® NBZ	Tetra n-butyl zirconate an organic alkoxy zirconate	• Cross-links functional polymers or binders and promotes adhesion • Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance
Tyzor® NPZ	Tetra-n-propyl zirconate, an organic alkoxy zirconate	• Forms micro- or nano-scale ZrO₂ pigments and can also be used in pyrolytic or hydrolytic processes to create polymeric ZrO₂ surface films • Total or partial hydrolysis in sol-gel processes with other metal alkoxides creates metal oxide systems for use in binders or coatings
Tyzor® TEAZ	Triethanolamine zirconium complex	• Acts as an adhesion promoter on -OH functionalized surfaces • Crosslinker of carbohydrate-coated latex particles in highly viscous thixotropic paints and binders in acrylics and other water-borne paints.
Tyzor® 217	Water-based zirconium chelate	• A Crosslinking agent for carbohydrates such as -OH or -COOH groups and functionalized polymers such as polyvinyl alcohol • Surface modifier and adhesion promoter for enhancing paper, glass, metal, pigments and other materials having oxidized surfaces • functional polymers and other binders in paints

PRODUCT	DESCRIPTION	APPLICATION NOTES
Tyzor® 726	Titanium ethyl acetoacetate complex	Tyzor® 726 catalyzes and crosslinks silicone sealants and adhesives as well as silanol end-capped polymers, functional polymers, and binders used in paint and coating applications.
Tyzor® 9000	Reactive organic alkoxy titanate	- A binder and crosslinker for –OH or –COOH functional polymers and other binders in paints - Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance
Tyzor® 795	Titanium complex formulation	Tyzor® 795 is designed for use in RTV-1 silicone sealants, MS polymer sealants, and other silicone sealants. Tyzor® 795 gives very good adhesion, achieves a wide range of tack free time and provides a good balance in tack free time and in-depth cure. The curing profile is comparable to certain tin catalysts.
Tyzor® IBAY	Titanium ethyl acetoacetate complex	Tyzor® IBAY promotes adhesion and crosslinks RTV-1 silicone sealants, as well as silanol end-capped polymers, functional polymers, and binders used in paint and coating applications.
Tyzor® KE 6	Titanium ethyl acetoacetate complex	Tyzor® KE-6 is particularly well-suited to increase cure rates, crosslink silanes and promote adhesion in silicones such as RTV-1 silicone sealants and silanol end-capped polymers. It is also used as catalyst in processes such as esterification, transesterification, (poly)addition, (poly)condensation and similar reactions.acts as an adhesion promoter on functionalized surfaces
Tyzor® ET	Tetra ethyl titanate	- Cross-links polymers containing functional groups such as – OH or –COOH - Acts as a surface treatment to increase surface hardness, promote adhesion, add coloring effects and iridescence, reflect heat and light, and improve corrosion resistance - Forms micro- or nano-scale TiO2 pigments and can be used to create polymeric TiO2 surface films using pyrolytic or hydrolytic processes - Total or partial hydrolysis in sol-gel applications, typically in combination with other metal alkoxides, and produces metal oxide systems for use as binders or coatings

PRODUCT	DESCRIPTION	APPLICATION NOTES
Tyzor® ACtivate 422	Liquid titanium chelates	Hydrolytically stable titanate catalyst for PET • PET resin production (bottle and film grades) • PET: hydrolytically stable; high reaction rates; excellent clarity; low color. • Excellent thermal properties for bottle resin • High reactivity for polycondensation with SSP rates similar to antimony • Low-residue technology produces brighter, lower-haze PET than conventional catalysis
Tyzor® 436	Titanium-based complex in a glycol/water diluent.	• Excellent thermal properties for fiber • High reactivity and demonstrated plant capacity improvements of more than 15% • Ultra-low-residue technology produces brighter, haze-free PET than conventional catalysis • Stable and easy to handle • Disperses easily in water or glycol solution • Compatible with organic phosphorus-based stabilizers and organic dyes
Tyzor® PC 64	Titanium complex in ethylene glycol and isopropyl alcohol	• Reduced Catalyst Loading The required catalyst loading of Tyzor® PC-64 is more than 10 times lower (by weight) compared to traditional antimony oxide catalysts • Process Optimization reduction in the temperature required through the polymerization plant, resulting in reduced energy costs. • Improved Quality of Bottle Resin With the reduced operating temperatures, Tyzor® PC-64 offers improved polymer quality. The b* color and acetaldehyde level in bottle resins produced using Tyzor® PC-64 is excellent and matches or betters the polymer produced using current conventional catalysts.