

Check Point Certified Troubleshooting Administrator Practice Quiz Bank

CCTA R82 aligned - 100 original practice questions

Prepared for Attique Bhatti | Generated 2026-06-26

This quiz bank is designed for instructor-led revision, student self-assessment, and import into a custom quiz platform. The questions are original practice questions and are not copied from official exams or exam dumps. Each item includes difficulty, topic tag, correct answer, and a short explanation.

Scope alignment references

- Check Point Certification Program: <https://www.checkpoint.com/services/training/certification-program/>
- Pearson VUE Check Point exam announcements: <https://www.pearsonvue.com/us/en/checkpoint.html>
- CCSA Exam Prep Guide: <https://www.checkpoint.com/downloads/training/CCSA-Exam-Prep-Guide.pdf>
- R82 CCSA Course Overview: <https://www.checkpoint.com/resources/items/course-overview-certified-security-administrator-ccsa-r82>
- R82 CCSE Training Datasheet: <https://www.checkpoint.com/resources/items/datasheet-r82-ccse-training>
- CCTE R81.10 Training Datasheet: <https://www.checkpoint.com/downloads/training/DOC-Training-Data-Sheet-CCTE-R81.10-V1.0.pdf>

Questions

Q001. [Easy] [Methodology] What is the first step in structured troubleshooting?

- A. Define the problem and collect symptoms
- B. Restart all devices immediately
- C. Delete old logs
- D. Disable policy

Q002. [Medium] [Methodology] Why should timestamps be collected during troubleshooting?

- A. They increase throughput
- B. They create NAT rules
- C. They reset SIC
- D. They help correlate logs, captures, and user reports

Q003. [Medium] [Logs] What should be checked first when traffic is unexpectedly dropped?

- A. Admin theme
- B. Keyboard layout
- C. Traffic logs and matched rule/reason
- D. Object color

Q004. [Medium] [Logs] What does a log entry action of Reject usually mean?

- A. NAT was disabled
- B. Traffic was blocked and a response may be sent
- C. Traffic was silently allowed
- D. Policy was not installed

Q005. [Easy] [Packet Capture] What is tcpdump useful for?

- A. Capturing packets on an interface
- B. Publishing policy
- C. Creating users
- D. Changing licenses

Q006. [Medium] [Packet Capture] What is fw monitor useful for?

- A. Editing objects
- B. Viewing PDFs
- C. Creating DNS records
- D. Capturing packet flow through firewall inspection points

Q007. [Medium] [SIC] If SIC is broken, what is likely affected?

- A. Disk snapshots only
- B. Log colors
- C. Management-to-gateway communication
- D. Client browser history

Q008. [Medium] [Policy Install] If policy installation fails, what should be checked?

- A. Only comments
- B. Validation errors, SIC, connectivity, versions, and licenses
- C. Only monitor brightness
- D. Only NAT hide address

Q009. [Easy] [Routing] If traffic enters but does not leave the gateway, what should be investigated?

- A. Routing, policy, NAT, drops, and egress interface
- B. Only admin role
- C. Only certificate email
- D. Only object icon

Q010. [Medium] [NAT] What commonly causes NAT failures?

- A. Too many logs
- B. SmartConsole closed
- C. Hostname length
- D. Wrong NAT rule order, missing object translation, or routing issue

Q011. [Medium] [Anti-Spoofing] What is anti-spoofing intended to prevent?

- A. Log export
- B. VPN negotiation
- C. Traffic entering an interface with invalid source networks

D. Admin session timeout

Q012. [Medium] [Topology] Why can wrong interface topology break traffic?

- A. It removes logs
- B. It can trigger anti-spoofing or VPN domain issues
- C. It changes administrator names
- D. It disables DNS

Q013. [Easy] [Identity Awareness] What should be checked if Access Roles do not match?

- A. Identity acquisition, AD connectivity, groups, and learned identities
- B. Only NAT comments
- C. Only VPN proposal
- D. Only disk space

Q014. [Medium] [Threat Prevention] If Threat Prevention blocks a business application, what should be reviewed?

- A. Only Gaia timezone
- B. Only object UID
- C. Only admin picture
- D. Blade log, protection, profile action, exception options, and risk

Q015. [Medium] [VPN] If VPN does not establish, what should be checked first?

- A. Only object color
- B. Only SmartConsole font
- C. IKE/IPsec settings, peer IP, certificates/PSK, logs, and reachability
- D. Only hit count

Q016. [Medium] [VPN] If VPN establishes but traffic fails, what should be checked?

- A. Only admin password age
- B. Policy, routes, NAT exemption, encryption domains, and return path
- C. Only license comment
- D. Only disk inode

Q017. [Easy] [Cluster] What should be checked when cluster failover happens unexpectedly?

- A. Cluster status, interfaces, sync, CCP, logs, and resource usage
- B. Only object groups
- C. Only rule comments
- D. Only browser cache

Q018. [Medium] [Performance] What is CPView useful for?

- A. Editing rules
- B. Creating NAT
- C. Resetting SIC only
- D. Viewing performance and system statistics

Q019. [Medium] [Processes] What is cpwd responsible for?

- A. Translating NAT
- B. Changing interface speed
- C. Monitoring and restarting critical Check Point processes
- D. Creating VPN tunnels

Q020. [Medium] [Services] What do cpstop and cpstart do?

- A. Export logs only
- B. Stop and start Check Point services
- C. Install policy only
- D. Create database revisions

Q021. [Easy] [Change Control] Why should production restarts follow change control?

- A. They can interrupt security enforcement and business traffic
- B. They improve GUI colors
- C. They delete old revisions
- D. They create backups automatically

Q022. [Medium] [Licensing] How can licensing issues affect troubleshooting?

- A. They improve throughput
- B. They change DNS settings
- C. They replace policy
- D. They can disable or limit blades/features

Q023. [Medium] [DNS] Why can DNS matter for some gateway features?

- A. DNS creates SIC
- B. DNS disables NAT
- C. Services like updates, reputation, and identity integrations may require name resolution
- D. DNS replaces policy

Q024. [Medium] [Validation] After applying a fix, what should be done?

- A. Close without testing
- B. Validate with logs, captures, and user/application testing
- C. Delete all evidence
- D. Disable tracking

Q025. [Easy] [Escalation] What information helps escalation?

- A. Topology, versions, timestamps, logs, captures, debugs, and impact statement
- B. Only screenshot of desktop
- C. Only object color
- D. Only admin first name

Q026. [Medium] [Methodology] In a customer environment, an administrator is reviewing methodology behavior. Which statement is most accurate: What is the first step in structured troubleshooting?

- A. Restart all devices immediately
- B. Delete old logs
- C. Disable policy
- D. Define the problem and collect symptoms

Q027. [Medium] [Methodology] In a customer environment, a student asks about methodology. What is the best answer to this question: Why should timestamps be collected during troubleshooting?

- A. They create NAT rules
- B. They reset SIC
- C. They help correlate logs, captures, and user reports
- D. They increase throughput

Q028. [Hard] [Logs] In a customer environment, a change is planned related to logs. Which option best matches the expected Check Point behavior: What should be checked first when traffic is unexpectedly dropped?

- A. Keyboard layout
- B. Traffic logs and matched rule/reason
- C. Object color
- D. Admin theme

Q029. [Medium] [Logs] In a customer environment, logs or symptoms point to logs. Which answer is the most technically correct: What does a log entry action of Reject usually mean?

- A. Traffic was blocked and a response may be sent
- B. Traffic was silently allowed
- C. Policy was not installed
- D. NAT was disabled

Q030. [Medium] [Packet Capture] In a customer environment, an administrator is reviewing packet capture behavior. Which statement is most accurate: What is tcpdump useful for?

- A. Publishing policy
- B. Creating users
- C. Changing licenses
- D. Capturing packets on an interface

Q031. [Hard] [Packet Capture] In a customer environment, a student asks about packet capture. What is the best answer to this question: What is fw monitor useful for?

- A. Viewing PDFs
- B. Creating DNS records
- C. Capturing packet flow through firewall inspection points
- D. Editing objects

Q032. [Medium] [SIC] In a customer environment, a change is planned related to sic. Which option best matches the expected Check Point behavior: If SIC is broken, what is likely affected?

- A. Log colors
- B. Management-to-gateway communication
- C. Client browser history
- D. Disk snapshots only

- Q033. [Medium] [Policy Install] In a customer environment, logs or symptoms point to policy install. Which answer is the most technically correct: If policy installation fails, what should be checked?
- A. Validation errors, SIC, connectivity, versions, and licenses
 - B. Only monitor brightness
 - C. Only NAT hide address
 - D. Only comments
- Q034. [Hard] [Routing] In a customer environment, an administrator is reviewing routing behavior. Which statement is most accurate: If traffic enters but does not leave the gateway, what should be investigated?
- A. Only admin role
 - B. Only certificate email
 - C. Only object icon
 - D. Routing, policy, NAT, drops, and egress interface
- Q035. [Medium] [NAT] In a customer environment, a student asks about nat. What is the best answer to this question: What commonly causes NAT failures?
- A. SmartConsole closed
 - B. Hostname length
 - C. Wrong NAT rule order, missing object translation, or routing issue
 - D. Too many logs
- Q036. [Medium] [Anti-Spoofing] In a customer environment, a change is planned related to anti-spoofing. Which option best matches the expected Check Point behavior: What is anti-spoofing intended to prevent?
- A. VPN negotiation
 - B. Traffic entering an interface with invalid source networks
 - C. Admin session timeout
 - D. Log export
- Q037. [Hard] [Topology] In a customer environment, logs or symptoms point to topology. Which answer is the most technically correct: Why can wrong interface topology break traffic?
- A. It can trigger anti-spoofing or VPN domain issues
 - B. It changes administrator names
 - C. It disables DNS
 - D. It removes logs
- Q038. [Medium] [Identity Awareness] In a customer environment, an administrator is reviewing identity awareness behavior. Which statement is most accurate: What should be checked if Access Roles do not match?
- A. Only NAT comments
 - B. Only VPN proposal
 - C. Only disk space
 - D. Identity acquisition, AD connectivity, groups, and learned identities
- Q039. [Medium] [Threat Prevention] In a customer environment, a student asks about threat prevention. What is the best answer to this question: If Threat Prevention blocks a business application, what should be reviewed?
- A. Only object UID
 - B. Only admin picture
 - C. Blade log, protection, profile action, exception options, and risk
 - D. Only Gaia timezone
- Q040. [Hard] [VPN] In a customer environment, a change is planned related to vpn. Which option best matches the expected Check Point behavior: If VPN does not establish, what should be checked first?
- A. Only SmartConsole font
 - B. IKE/IPsec settings, peer IP, certificates/PSK, logs, and reachability
 - C. Only hit count
 - D. Only object color
- Q041. [Medium] [VPN] In a customer environment, logs or symptoms point to vpn. Which answer is the most technically correct: If VPN establishes but traffic fails, what should be checked?
- A. Policy, routes, NAT exemption, encryption domains, and return path
 - B. Only license comment
 - C. Only disk inode
 - D. Only admin password age
- Q042. [Medium] [Cluster] In a customer environment, an administrator is reviewing cluster behavior. Which statement is most accurate: What should be checked when cluster failover happens unexpectedly?

- A. Only object groups
- B. Only rule comments
- C. Only browser cache
- D. Cluster status, interfaces, sync, CCP, logs, and resource usage

Q043. [Hard] [Performance] In a customer environment, a student asks about performance. What is the best answer to this question: What is CPView useful for?

- A. Creating NAT
- B. Resetting SIC only
- C. Viewing performance and system statistics
- D. Editing rules

Q044. [Medium] [Processes] In a customer environment, a change is planned related to processes. Which option best matches the expected Check Point behavior: What is cpwd responsible for?

- A. Changing interface speed
- B. Monitoring and restarting critical Check Point processes
- C. Creating VPN tunnels
- D. Translating NAT

Q045. [Medium] [Services] In a customer environment, logs or symptoms point to services. Which answer is the most technically correct: What do cpstop and cpstart do?

- A. Stop and start Check Point services
- B. Install policy only
- C. Create database revisions
- D. Export logs only

Q046. [Hard] [Change Control] In a customer environment, an administrator is reviewing change control behavior. Which statement is most accurate: Why should production restarts follow change control?

- A. They improve GUI colors
- B. They delete old revisions
- C. They create backups automatically
- D. They can interrupt security enforcement and business traffic

Q047. [Medium] [Licensing] In a customer environment, a student asks about licensing. What is the best answer to this question: How can licensing issues affect troubleshooting?

- A. They change DNS settings
- B. They replace policy
- C. They can disable or limit blades/features
- D. They improve throughput

Q048. [Medium] [DNS] In a customer environment, a change is planned related to dns. Which option best matches the expected Check Point behavior: Why can DNS matter for some gateway features?

- A. DNS disables NAT
- B. Services like updates, reputation, and identity integrations may require name resolution
- C. DNS replaces policy
- D. DNS creates SIC

Q049. [Hard] [Validation] In a customer environment, logs or symptoms point to validation. Which answer is the most technically correct: After applying a fix, what should be done?

- A. Validate with logs, captures, and user/application testing
- B. Delete all evidence
- C. Disable tracking
- D. Close without testing

Q050. [Medium] [Escalation] In a customer environment, an administrator is reviewing escalation behavior. Which statement is most accurate: What information helps escalation?

- A. Only screenshot of desktop
- B. Only object color
- C. Only admin first name
- D. Topology, versions, timestamps, logs, captures, debugs, and impact statement

Q051. [Medium] [Methodology] During implementation, a student asks about methodology. What is the best answer to this question: What is the first step in structured troubleshooting?

- A. Delete old logs
- B. Disable policy
- C. Define the problem and collect symptoms

D. Restart all devices immediately

Q052. [Hard] [Methodology] During implementation, a change is planned related to methodology. Which option best matches the expected Check Point behavior: Why should timestamps be collected during troubleshooting?

- A. They reset SIC
- B. They help correlate logs, captures, and user reports
- C. They increase throughput
- D. They create NAT rules

Q053. [Medium] [Logs] During implementation, logs or symptoms point to logs. Which answer is the most technically correct: What should be checked first when traffic is unexpectedly dropped?

- A. Traffic logs and matched rule/reason
- B. Object color
- C. Admin theme
- D. Keyboard layout

Q054. [Medium] [Logs] During implementation, an administrator is reviewing logs behavior. Which statement is most accurate: What does a log entry action of Reject usually mean?

- A. Traffic was silently allowed
- B. Policy was not installed
- C. NAT was disabled
- D. Traffic was blocked and a response may be sent

Q055. [Hard] [Packet Capture] During implementation, a student asks about packet capture. What is the best answer to this question: What is tcpdump useful for?

- A. Creating users
- B. Changing licenses
- C. Capturing packets on an interface
- D. Publishing policy

Q056. [Medium] [Packet Capture] During implementation, a change is planned related to packet capture. Which option best matches the expected Check Point behavior: What is fw monitor useful for?

- A. Creating DNS records
- B. Capturing packet flow through firewall inspection points
- C. Editing objects
- D. Viewing PDFs

Q057. [Medium] [SIC] During implementation, logs or symptoms point to sic. Which answer is the most technically correct: If SIC is broken, what is likely affected?

- A. Management-to-gateway communication
- B. Client browser history
- C. Disk snapshots only
- D. Log colors

Q058. [Hard] [Policy Install] During implementation, an administrator is reviewing policy install behavior. Which statement is most accurate: If policy installation fails, what should be checked?

- A. Only monitor brightness
- B. Only NAT hide address
- C. Only comments
- D. Validation errors, SIC, connectivity, versions, and licenses

Q059. [Medium] [Routing] During implementation, a student asks about routing. What is the best answer to this question: If traffic enters but does not leave the gateway, what should be investigated?

- A. Only certificate email
- B. Only object icon
- C. Routing, policy, NAT, drops, and egress interface
- D. Only admin role

Q060. [Medium] [NAT] During implementation, a change is planned related to nat. Which option best matches the expected Check Point behavior: What commonly causes NAT failures?

- A. Hostname length
- B. Wrong NAT rule order, missing object translation, or routing issue
- C. Too many logs
- D. SmartConsole closed

- Q061. [Hard] [Anti-Spoofing] During implementation, logs or symptoms point to anti-spoofing. Which answer is the most technically correct: What is anti-spoofing intended to prevent?
- A. Traffic entering an interface with invalid source networks
 - B. Admin session timeout
 - C. Log export
 - D. VPN negotiation
- Q062. [Medium] [Topology] During implementation, an administrator is reviewing topology behavior. Which statement is most accurate: Why can wrong interface topology break traffic?
- A. It changes administrator names
 - B. It disables DNS
 - C. It removes logs
 - D. It can trigger anti-spoofing or VPN domain issues
- Q063. [Medium] [Identity Awareness] During implementation, a student asks about identity awareness. What is the best answer to this question: What should be checked if Access Roles do not match?
- A. Only VPN proposal
 - B. Only disk space
 - C. Identity acquisition, AD connectivity, groups, and learned identities
 - D. Only NAT comments
- Q064. [Hard] [Threat Prevention] During implementation, a change is planned related to threat prevention. Which option best matches the expected Check Point behavior: If Threat Prevention blocks a business application, what should be reviewed?
- A. Only admin picture
 - B. Blade log, protection, profile action, exception options, and risk
 - C. Only Gaia timezone
 - D. Only object UID
- Q065. [Medium] [VPN] During implementation, logs or symptoms point to vpn. Which answer is the most technically correct: If VPN does not establish, what should be checked first?
- A. IKE/IPsec settings, peer IP, certificates/PSK, logs, and reachability
 - B. Only hit count
 - C. Only object color
 - D. Only SmartConsole font
- Q066. [Medium] [VPN] During implementation, an administrator is reviewing vpn behavior. Which statement is most accurate: If VPN establishes but traffic fails, what should be checked?
- A. Only license comment
 - B. Only disk inode
 - C. Only admin password age
 - D. Policy, routes, NAT exemption, encryption domains, and return path
- Q067. [Hard] [Cluster] During implementation, a student asks about cluster. What is the best answer to this question: What should be checked when cluster failover happens unexpectedly?
- A. Only rule comments
 - B. Only browser cache
 - C. Cluster status, interfaces, sync, CCP, logs, and resource usage
 - D. Only object groups
- Q068. [Medium] [Performance] During implementation, a change is planned related to performance. Which option best matches the expected Check Point behavior: What is CPView useful for?
- A. Resetting SIC only
 - B. Viewing performance and system statistics
 - C. Editing rules
 - D. Creating NAT
- Q069. [Medium] [Processes] During implementation, logs or symptoms point to processes. Which answer is the most technically correct: What is cpwd responsible for?
- A. Monitoring and restarting critical Check Point processes
 - B. Creating VPN tunnels
 - C. Translating NAT
 - D. Changing interface speed
- Q070. [Hard] [Services] During implementation, an administrator is reviewing services behavior. Which statement is most accurate: What do cpstop and cpstart do?

- A. Install policy only
- B. Create database revisions
- C. Export logs only
- D. Stop and start Check Point services

Q071. [Medium] [Change Control] During implementation, a student asks about change control. What is the best answer to this question: Why should production restarts follow change control?

- A. They delete old revisions
- B. They create backups automatically
- C. They can interrupt security enforcement and business traffic
- D. They improve GUI colors

Q072. [Medium] [Licensing] During implementation, a change is planned related to licensing. Which option best matches the expected Check Point behavior: How can licensing issues affect troubleshooting?

- A. They replace policy
- B. They can disable or limit blades/features
- C. They improve throughput
- D. They change DNS settings

Q073. [Hard] [DNS] During implementation, logs or symptoms point to dns. Which answer is the most technically correct: Why can DNS matter for some gateway features?

- A. Services like updates, reputation, and identity integrations may require name resolution
- B. DNS replaces policy
- C. DNS creates SIC
- D. DNS disables NAT

Q074. [Medium] [Validation] During implementation, an administrator is reviewing validation behavior. Which statement is most accurate: After applying a fix, what should be done?

- A. Delete all evidence
- B. Disable tracking
- C. Close without testing
- D. Validate with logs, captures, and user/application testing

Q075. [Medium] [Escalation] During implementation, a student asks about escalation. What is the best answer to this question: What information helps escalation?

- A. Only object color
- B. Only admin first name
- C. Topology, versions, timestamps, logs, captures, debugs, and impact statement
- D. Only screenshot of desktop

Q076. [Hard] [Methodology] While troubleshooting, a change is planned related to methodology. Which option best matches the expected Check Point behavior: What is the first step in structured troubleshooting?

- A. Disable policy
- B. Define the problem and collect symptoms
- C. Restart all devices immediately
- D. Delete old logs

Q077. [Medium] [Methodology] While troubleshooting, logs or symptoms point to methodology. Which answer is the most technically correct: Why should timestamps be collected during troubleshooting?

- A. They help correlate logs, captures, and user reports
- B. They increase throughput
- C. They create NAT rules
- D. They reset SIC

Q078. [Medium] [Logs] While troubleshooting, an administrator is reviewing logs behavior. Which statement is most accurate: What should be checked first when traffic is unexpectedly dropped?

- A. Object color
- B. Admin theme
- C. Keyboard layout
- D. Traffic logs and matched rule/reason

Q079. [Hard] [Logs] While troubleshooting, a student asks about logs. What is the best answer to this question: What does a log entry action of Reject usually mean?

- A. Policy was not installed
- B. NAT was disabled
- C. Traffic was blocked and a response may be sent

D. Traffic was silently allowed

Q080. [Medium] [Packet Capture] While troubleshooting, a change is planned related to packet capture. Which option best matches the expected Check Point behavior: What is tcpdump useful for?

- A. Changing licenses
- B. Capturing packets on an interface
- C. Publishing policy
- D. Creating users

Q081. [Medium] [Packet Capture] While troubleshooting, logs or symptoms point to packet capture. Which answer is the most technically correct: What is fw monitor useful for?

- A. Capturing packet flow through firewall inspection points
- B. Editing objects
- C. Viewing PDFs
- D. Creating DNS records

Q082. [Hard] [SIC] While troubleshooting, an administrator is reviewing sic behavior. Which statement is most accurate: If SIC is broken, what is likely affected?

- A. Client browser history
- B. Disk snapshots only
- C. Log colors
- D. Management-to-gateway communication

Q083. [Medium] [Policy Install] While troubleshooting, a student asks about policy install. What is the best answer to this question: If policy installation fails, what should be checked?

- A. Only NAT hide address
- B. Only comments
- C. Validation errors, SIC, connectivity, versions, and licenses
- D. Only monitor brightness

Q084. [Medium] [Routing] While troubleshooting, a change is planned related to routing. Which option best matches the expected Check Point behavior: If traffic enters but does not leave the gateway, what should be investigated?

- A. Only object icon
- B. Routing, policy, NAT, drops, and egress interface
- C. Only admin role
- D. Only certificate email

Q085. [Hard] [NAT] While troubleshooting, logs or symptoms point to nat. Which answer is the most technically correct: What commonly causes NAT failures?

- A. Wrong NAT rule order, missing object translation, or routing issue
- B. Too many logs
- C. SmartConsole closed
- D. Hostname length

Q086. [Medium] [Anti-Spoofing] While troubleshooting, an administrator is reviewing anti-spoofing behavior. Which statement is most accurate: What is anti-spoofing intended to prevent?

- A. Admin session timeout
- B. Log export
- C. VPN negotiation
- D. Traffic entering an interface with invalid source networks

Q087. [Medium] [Topology] While troubleshooting, a student asks about topology. What is the best answer to this question: Why can wrong interface topology break traffic?

- A. It disables DNS
- B. It removes logs
- C. It can trigger anti-spoofing or VPN domain issues
- D. It changes administrator names

Q088. [Hard] [Identity Awareness] While troubleshooting, a change is planned related to identity awareness. Which option best matches the expected Check Point behavior: What should be checked if Access Roles do not match?

- A. Only disk space
- B. Identity acquisition, AD connectivity, groups, and learned identities
- C. Only NAT comments
- D. Only VPN proposal

- Q089. [Medium] [Threat Prevention] While troubleshooting, logs or symptoms point to threat prevention. Which answer is the most technically correct: If Threat Prevention blocks a business application, what should be reviewed?
- A. Blade log, protection, profile action, exception options, and risk
 - B. Only Gaia timezone
 - C. Only object UID
 - D. Only admin picture
- Q090. [Medium] [VPN] While troubleshooting, an administrator is reviewing vpn behavior. Which statement is most accurate: If VPN does not establish, what should be checked first?
- A. Only hit count
 - B. Only object color
 - C. Only SmartConsole font
 - D. IKE/IPsec settings, peer IP, certificates/PSK, logs, and reachability
- Q091. [Hard] [VPN] While troubleshooting, a student asks about vpn. What is the best answer to this question: If VPN establishes but traffic fails, what should be checked?
- A. Only disk inode
 - B. Only admin password age
 - C. Policy, routes, NAT exemption, encryption domains, and return path
 - D. Only license comment
- Q092. [Medium] [Cluster] While troubleshooting, a change is planned related to cluster. Which option best matches the expected Check Point behavior: What should be checked when cluster failover happens unexpectedly?
- A. Only browser cache
 - B. Cluster status, interfaces, sync, CCP, logs, and resource usage
 - C. Only object groups
 - D. Only rule comments
- Q093. [Medium] [Performance] While troubleshooting, logs or symptoms point to performance. Which answer is the most technically correct: What is CPView useful for?
- A. Viewing performance and system statistics
 - B. Editing rules
 - C. Creating NAT
 - D. Resetting SIC only
- Q094. [Hard] [Processes] While troubleshooting, an administrator is reviewing processes behavior. Which statement is most accurate: What is cpwd responsible for?
- A. Creating VPN tunnels
 - B. Translating NAT
 - C. Changing interface speed
 - D. Monitoring and restarting critical Check Point processes
- Q095. [Medium] [Services] While troubleshooting, a student asks about services. What is the best answer to this question: What do cpstop and cpstart do?
- A. Create database revisions
 - B. Export logs only
 - C. Stop and start Check Point services
 - D. Install policy only
- Q096. [Medium] [Change Control] While troubleshooting, a change is planned related to change control. Which option best matches the expected Check Point behavior: Why should production restarts follow change control?
- A. They create backups automatically
 - B. They can interrupt security enforcement and business traffic
 - C. They improve GUI colors
 - D. They delete old revisions
- Q097. [Hard] [Licensing] While troubleshooting, logs or symptoms point to licensing. Which answer is the most technically correct: How can licensing issues affect troubleshooting?
- A. They can disable or limit blades/features
 - B. They improve throughput
 - C. They change DNS settings
 - D. They replace policy
- Q098. [Medium] [DNS] While troubleshooting, an administrator is reviewing dns behavior. Which statement is most accurate: Why can DNS matter for some gateway features?

- A. DNS replaces policy
- B. DNS creates SIC
- C. DNS disables NAT
- D. Services like updates, reputation, and identity integrations may require name resolution

Q099. [Medium] [Validation] While troubleshooting, a student asks about validation. What is the best answer to this question: After applying a fix, what should be done?

- A. Disable tracking
- B. Close without testing
- C. Validate with logs, captures, and user/application testing
- D. Delete all evidence

Q100. [Hard] [Escalation] While troubleshooting, a change is planned related to escalation. Which option best matches the expected Check Point behavior: What information helps escalation?

- A. Only admin first name
- B. Topology, versions, timestamps, logs, captures, debugs, and impact statement
- C. Only screenshot of desktop
- D. Only object color

Answer Key with Explanations

Q	Topic	Diff	Ans	Explanation
1	Methodology	Easy	A	A clear problem statement prevents random changes.
2	Methodology	Medium	D	Accurate timestamps make evidence correlation possible.
3	Logs	Medium	C	Logs usually show action, rule, blade, and reason.
4	Logs	Medium	B	Reject differs from Drop by actively responding in many cases.
5	Packet Capture	Easy	A	tcpdump captures packets as seen on selected interfaces.
6	Packet Capture	Medium	D	fw monitor shows firewall inspection path, not just interface packets.
7	SIC	Medium	C	SIC issues can prevent policy install and trusted communication.
8	Policy Install	Medium	B	Policy install failures can result from configuration, communication, and compatibility issues.
9	Routing	Easy	A	Packet path analysis should confirm ingress, decision, and egress.
10	NAT	Medium	D	NAT depends on matching rules and correct routing.
11	Anti-Spoofing	Medium	C	Anti-spoofing validates source networks according to interface topology.
12	Topology	Medium	B	Incorrect topology can cause legitimate traffic to be seen as spoofed.
13	Identity Awareness	Easy	A	Identity-based access requires correct identity mapping.
14	Threat Prevention	Medium	D	Threat logs reveal the blade and protection responsible.
15	VPN	Medium	C	VPN phase negotiation requires matching parameters and peer reachability.
16	VPN	Medium	B	Tunnel status does not guarantee traffic matching and routing are correct.
17	Cluster	Easy	A	Cluster failover can be caused by health, links, sync, and load.
18	Performance	Medium	D	CPView provides system and traffic performance visibility.
19	Processes	Medium	C	cpwd watches Check Point processes and can restart them as needed.
20	Services	Medium	B	They control Check Point service startup and shutdown.
21	Change Control	Easy	A	Service restarts can impact traffic and management operations.
22	Licensing	Medium	D	Feature availability may depend on valid licenses/contracts.
23	DNS	Medium	C	Many integrations and update services rely on DNS resolution.
24	Validation	Medium	B	Validation confirms the fix actually solved the issue.
25	Escalation	Easy	A	Good evidence reduces escalation time and ambiguity.
26	Methodology	Medium	D	A clear problem statement prevents random changes.
27	Methodology	Medium	C	Accurate timestamps make evidence correlation possible.
28	Logs	Hard	B	Logs usually show action, rule, blade, and reason.
29	Logs	Medium	A	Reject differs from Drop by actively responding in many cases.
30	Packet Capture	Medium	D	tcpdump captures packets as seen on selected interfaces.
31	Packet Capture	Hard	C	fw monitor shows firewall inspection path, not just interface packets.
32	SIC	Medium	B	SIC issues can prevent policy install and trusted communication.
33	Policy Install	Medium	A	Policy install failures can result from configuration, communication, and compatibility issues.
34	Routing	Hard	D	Packet path analysis should confirm ingress, decision, and egress.
35	NAT	Medium	C	NAT depends on matching rules and correct routing.
36	Anti-Spoofing	Medium	B	Anti-spoofing validates source networks according to interface topology.
37	Topology	Hard	A	Incorrect topology can cause legitimate traffic to be seen as spoofed.
38	Identity Awareness	Medium	D	Identity-based access requires correct identity mapping.
39	Threat Prevention	Medium	C	Threat logs reveal the blade and protection responsible.
40	VPN	Hard	B	VPN phase negotiation requires matching parameters and peer reachability.
41	VPN	Medium	A	Tunnel status does not guarantee traffic matching and routing are correct.
42	Cluster	Medium	D	Cluster failover can be caused by health, links, sync, and load.
43	Performance	Hard	C	CPView provides system and traffic performance visibility.
44	Processes	Medium	B	cpwd watches Check Point processes and can restart them as needed.
45	Services	Medium	A	They control Check Point service startup and shutdown.
46	Change Control	Hard	D	Service restarts can impact traffic and management operations.
47	Licensing	Medium	C	Feature availability may depend on valid licenses/contracts.
48	DNS	Medium	B	Many integrations and update services rely on DNS resolution.
49	Validation	Hard	A	Validation confirms the fix actually solved the issue.

Q	Topic	Diff	Ans	Explanation
50	Escalation	Medium	D	Good evidence reduces escalation time and ambiguity.
51	Methodology	Medium	C	A clear problem statement prevents random changes.
52	Methodology	Hard	B	Accurate timestamps make evidence correlation possible.
53	Logs	Medium	A	Logs usually show action, rule, blade, and reason.
54	Logs	Medium	D	Reject differs from Drop by actively responding in many cases.
55	Packet Capture	Hard	C	tcpdump captures packets as seen on selected interfaces.
56	Packet Capture	Medium	B	fw monitor shows firewall inspection path, not just interface packets.
57	SIC	Medium	A	SIC issues can prevent policy install and trusted communication.
58	Policy Install	Hard	D	Policy install failures can result from configuration, communication, and compatibility issues.
59	Routing	Medium	C	Packet path analysis should confirm ingress, decision, and egress.
60	NAT	Medium	B	NAT depends on matching rules and correct routing.
61	Anti-Spoofing	Hard	A	Anti-spoofing validates source networks according to interface topology.
62	Topology	Medium	D	Incorrect topology can cause legitimate traffic to be seen as spoofed.
63	Identity Awareness	Medium	C	Identity-based access requires correct identity mapping.
64	Threat Prevention	Hard	B	Threat logs reveal the blade and protection responsible.
65	VPN	Medium	A	VPN phase negotiation requires matching parameters and peer reachability.
66	VPN	Medium	D	Tunnel status does not guarantee traffic matching and routing are correct.
67	Cluster	Hard	C	Cluster failover can be caused by health, links, sync, and load.
68	Performance	Medium	B	CPView provides system and traffic performance visibility.
69	Processes	Medium	A	cpwd watches Check Point processes and can restart them as needed.
70	Services	Hard	D	They control Check Point service startup and shutdown.
71	Change Control	Medium	C	Service restarts can impact traffic and management operations.
72	Licensing	Medium	B	Feature availability may depend on valid licenses/contracts.
73	DNS	Hard	A	Many integrations and update services rely on DNS resolution.
74	Validation	Medium	D	Validation confirms the fix actually solved the issue.
75	Escalation	Medium	C	Good evidence reduces escalation time and ambiguity.
76	Methodology	Hard	B	A clear problem statement prevents random changes.
77	Methodology	Medium	A	Accurate timestamps make evidence correlation possible.
78	Logs	Medium	D	Logs usually show action, rule, blade, and reason.
79	Logs	Hard	C	Reject differs from Drop by actively responding in many cases.
80	Packet Capture	Medium	B	tcpdump captures packets as seen on selected interfaces.
81	Packet Capture	Medium	A	fw monitor shows firewall inspection path, not just interface packets.
82	SIC	Hard	D	SIC issues can prevent policy install and trusted communication.
83	Policy Install	Medium	C	Policy install failures can result from configuration, communication, and compatibility issues.
84	Routing	Medium	B	Packet path analysis should confirm ingress, decision, and egress.
85	NAT	Hard	A	NAT depends on matching rules and correct routing.
86	Anti-Spoofing	Medium	D	Anti-spoofing validates source networks according to interface topology.
87	Topology	Medium	C	Incorrect topology can cause legitimate traffic to be seen as spoofed.
88	Identity Awareness	Hard	B	Identity-based access requires correct identity mapping.
89	Threat Prevention	Medium	A	Threat logs reveal the blade and protection responsible.
90	VPN	Medium	D	VPN phase negotiation requires matching parameters and peer reachability.
91	VPN	Hard	C	Tunnel status does not guarantee traffic matching and routing are correct.
92	Cluster	Medium	B	Cluster failover can be caused by health, links, sync, and load.
93	Performance	Medium	A	CPView provides system and traffic performance visibility.
94	Processes	Hard	D	cpwd watches Check Point processes and can restart them as needed.
95	Services	Medium	C	They control Check Point service startup and shutdown.
96	Change Control	Medium	B	Service restarts can impact traffic and management operations.
97	Licensing	Hard	A	Feature availability may depend on valid licenses/contracts.
98	DNS	Medium	D	Many integrations and update services rely on DNS resolution.
99	Validation	Medium	C	Validation confirms the fix actually solved the issue.
100	Escalation	Hard	B	Good evidence reduces escalation time and ambiguity.