

Check Point Certified Troubleshooting Expert Practice Quiz Bank

CCTE aligned - 100 original practice questions

Prepared for Attique Bhatti | Generated 2026-06-26

This quiz bank is designed for instructor-led revision, student self-assessment, and import into a custom quiz platform. The questions are original practice questions and are not copied from official exams or exam dumps. Each item includes difficulty, topic tag, correct answer, and a short explanation.

Scope alignment references

- Check Point Certification Program: <https://www.checkpoint.com/services/training/certification-program/>
- Pearson VUE Check Point exam announcements: <https://www.pearsonvue.com/us/en/checkpoint.html>
- CCSA Exam Prep Guide: <https://www.checkpoint.com/downloads/training/CCSA-Exam-Prep-Guide.pdf>
- R82 CCSA Course Overview: <https://www.checkpoint.com/resources/items/course-overview-certified-security-administrator-ccsa-r82>
- R82 CCSE Training Datasheet: <https://www.checkpoint.com/resources/items/datasheet-r82-ccse-training>
- CCTE R81.10 Training Datasheet: <https://www.checkpoint.com/downloads/training/DOC-Training-Data-Sheet-CCTE-R81.10-V1.0.pdf>

Questions

Q001. [Easy] [Advanced Methodology] What distinguishes expert-level troubleshooting?

- A. Evidence-driven isolation across management, kernel, VPN, acceleration, and blades
- B. Random restarts
- C. Only GUI changes
- D. Only checking passwords

Q002. [Medium] [Kernel Debug] Why must kernel debug be used carefully?

- A. It deletes all objects
- B. It disables routing permanently
- C. It formats disk
- D. It can generate heavy output and impact performance

Q003. [Medium] [Kernel Debug] What is kernel debug mainly used to investigate?

- A. User email aliases
- B. Disk labels
- C. Firewall kernel packet handling and decision points
- D. SmartConsole font rendering

Q004. [Medium] [User Mode] What is user-mode troubleshooting focused on?

- A. URL category names only
- B. Processes running outside the kernel data path
- C. Physical cable color
- D. Rule comments only

Q005. [Easy] [Management DB] What does the Management database contain?

- A. Objects, policies, settings, sessions, and management configuration
- B. Only packet payloads
- C. Only client MAC addresses
- D. Only CPU counters

Q006. [Medium] [Management DB] What should be checked in management database problems?

- A. Only VPN proposal
- B. Only NAT hit count
- C. Only interface duplex
- D. Disk space, locks, services, database consistency, and recent changes

Q007. [Medium] [Logs] What is advanced log troubleshooting concerned with?

- A. Only NAT comments
- B. Only Gaia banner
- C. Indexing, log server connectivity, retention, filtering, and missing events
- D. Only object names

Q008. [Medium] [Packet Flow] Why is inspection point analysis important?

- A. It disables logs
- B. It identifies where traffic is accepted, dropped, NATed, encrypted, or accelerated
- C. It creates users
- D. It replaces routing

Q009. [Easy] [Acceleration] What does SecureXL acceleration do?

- A. Accelerates eligible traffic for higher performance
- B. Creates admin accounts
- C. Stores backups
- D. Replaces VPN

Q010. [Medium] [Acceleration] Why might traffic be non-accelerated?

- A. The admin is logged out
- B. The object has comments
- C. The route has a name
- D. It requires deeper inspection or is not eligible for fast path

Q011. [Medium] [CoreXL] What does CoreXL improve?

- A. Log colors
- B. DNS zones
- C. Parallel processing across CPU cores

D. SmartConsole spelling

Q012. [Medium] [CoreXL] What is CoreXL affinity related to?

- A. Mapping logs to colors
- B. Mapping processing work to CPU cores/instances
- C. Mapping users to groups
- D. Mapping NAT to policy comments

Q013. [Easy] [Performance] What should be reviewed in high CPU cases?

- A. Per-core CPU, top processes, traffic rate, drops, acceleration, and blades
- B. Only admin session count
- C. Only object icons
- D. Only certificate comments

Q014. [Medium] [Performance] What should be reviewed in memory pressure cases?

- A. Only VPN peers
- B. Only rule colors
- C. Only DNS name length
- D. Memory usage, process consumption, logs, blades, and recent changes

Q015. [Medium] [VPN] What commonly causes site-to-site VPN negotiation failure?

- A. Policy comment missing
- B. Object icon mismatch
- C. Mismatch in IKE/IPsec parameters, peer identity, certificates/PSK, or reachability
- D. Too many admins

Q016. [Medium] [VPN] Why can NAT break VPN traffic?

- A. NAT deletes certificates
- B. Traffic may be translated before encryption or fail domain matching
- C. NAT always enables VPN
- D. NAT replaces IKE

Q017. [Easy] [Remote Access] What should be checked in remote access VPN failures?

- A. Authentication, client version, portal/gateway reachability, policy, and logs
- B. Only object comments
- C. Only rule color
- D. Only admin theme

Q018. [Medium] [Identity] What makes advanced Identity Awareness troubleshooting complex?

- A. Only log colors
- B. Only VPN PSK
- C. Only disk labels
- D. Multiple identity sources, group mapping, caching, PDP/PEP behavior, and AD dependencies

Q019. [Medium] [Access Control] What is rule shadowing?

- A. A VPN phase 1 failure
- B. A SecureXL template
- C. A higher rule matches traffic before a lower intended rule
- D. A log server outage

Q020. [Medium] [Threat Prevention] What is expert Threat Prevention troubleshooting focused on?

- A. Only admin passwords
- B. Identifying blade verdicts, protections, profiles, exceptions, updates, and false positives
- C. Only rule colors
- D. Only license comments

Q021. [Easy] [Cluster] What can cause state sync issues?

- A. Sync network problems, version mismatch, load, configuration issues, or drops
- B. Object comments
- C. SmartConsole zoom
- D. DNS suffix only

Q022. [Medium] [Cluster] Why can asymmetric routing cause problems in a cluster?

- A. It improves inspection
- B. It disables NAT
- C. It creates users
- D. Stateful return traffic may arrive at a member/path without connection state

Q023. [Medium] [Escalation] What should be done after collecting debug output?

- A. Delete captures
- B. Disable logging
- C. Stop debug, preserve evidence, and verify system stability
- D. Leave debug enabled forever

Q024. [Medium] [Escalation] What makes a support escalation strong?

- A. Only object names
- B. Clear impact, topology, versions, exact times, logs, captures, debugs, and reproduction steps
- C. Only one screenshot
- D. Only verbal notes

Q025. [Easy] [Root Cause] What is the difference between workaround and root cause fix?

- A. A workaround restores service temporarily; root cause fix addresses the underlying cause
- B. They are always identical
- C. A workaround is permanent by definition
- D. Root cause means deleting logs

Q026. [Medium] [Advanced Methodology] In a customer environment, an administrator is reviewing advanced methodology behavior. Which statement is most accurate: What distinguishes expert-level troubleshooting?

- A. Random restarts
- B. Only GUI changes
- C. Only checking passwords
- D. Evidence-driven isolation across management, kernel, VPN, acceleration, and blades

Q027. [Medium] [Kernel Debug] In a customer environment, a student asks about kernel debug. What is the best answer to this question: Why must kernel debug be used carefully?

- A. It disables routing permanently
- B. It formats disk
- C. It can generate heavy output and impact performance
- D. It deletes all objects

Q028. [Hard] [Kernel Debug] In a customer environment, a change is planned related to kernel debug. Which option best matches the expected Check Point behavior: What is kernel debug mainly used to investigate?

- A. Disk labels
- B. Firewall kernel packet handling and decision points
- C. SmartConsole font rendering
- D. User email aliases

Q029. [Medium] [User Mode] In a customer environment, logs or symptoms point to user mode. Which answer is the most technically correct: What is user-mode troubleshooting focused on?

- A. Processes running outside the kernel data path
- B. Physical cable color
- C. Rule comments only
- D. URL category names only

Q030. [Medium] [Management DB] In a customer environment, an administrator is reviewing management db behavior. Which statement is most accurate: What does the Management database contain?

- A. Only packet payloads
- B. Only client MAC addresses
- C. Only CPU counters
- D. Objects, policies, settings, sessions, and management configuration

Q031. [Hard] [Management DB] In a customer environment, a student asks about management db. What is the best answer to this question: What should be checked in management database problems?

- A. Only NAT hit count
- B. Only interface duplex
- C. Disk space, locks, services, database consistency, and recent changes
- D. Only VPN proposal

Q032. [Medium] [Logs] In a customer environment, a change is planned related to logs. Which option best matches the expected Check Point behavior: What is advanced log troubleshooting concerned with?

- A. Only Gaia banner
- B. Indexing, log server connectivity, retention, filtering, and missing events
- C. Only object names
- D. Only NAT comments

- Q033. [Medium] [Packet Flow] In a customer environment, logs or symptoms point to packet flow. Which answer is the most technically correct: Why is inspection point analysis important?
- A. It identifies where traffic is accepted, dropped, NATed, encrypted, or accelerated
 - B. It creates users
 - C. It replaces routing
 - D. It disables logs
- Q034. [Hard] [Acceleration] In a customer environment, an administrator is reviewing acceleration behavior. Which statement is most accurate: What does SecureXL acceleration do?
- A. Creates admin accounts
 - B. Stores backups
 - C. Replaces VPN
 - D. Accelerates eligible traffic for higher performance
- Q035. [Medium] [Acceleration] In a customer environment, a student asks about acceleration. What is the best answer to this question: Why might traffic be non-accelerated?
- A. The object has comments
 - B. The route has a name
 - C. It requires deeper inspection or is not eligible for fast path
 - D. The admin is logged out
- Q036. [Medium] [CoreXL] In a customer environment, a change is planned related to corexl. Which option best matches the expected Check Point behavior: What does CoreXL improve?
- A. DNS zones
 - B. Parallel processing across CPU cores
 - C. SmartConsole spelling
 - D. Log colors
- Q037. [Hard] [CoreXL] In a customer environment, logs or symptoms point to corexl. Which answer is the most technically correct: What is CoreXL affinity related to?
- A. Mapping processing work to CPU cores/instances
 - B. Mapping users to groups
 - C. Mapping NAT to policy comments
 - D. Mapping logs to colors
- Q038. [Medium] [Performance] In a customer environment, an administrator is reviewing performance behavior. Which statement is most accurate: What should be reviewed in high CPU cases?
- A. Only admin session count
 - B. Only object icons
 - C. Only certificate comments
 - D. Per-core CPU, top processes, traffic rate, drops, acceleration, and blades
- Q039. [Medium] [Performance] In a customer environment, a student asks about performance. What is the best answer to this question: What should be reviewed in memory pressure cases?
- A. Only rule colors
 - B. Only DNS name length
 - C. Memory usage, process consumption, logs, blades, and recent changes
 - D. Only VPN peers
- Q040. [Hard] [VPN] In a customer environment, a change is planned related to vpn. Which option best matches the expected Check Point behavior: What commonly causes site-to-site VPN negotiation failure?
- A. Object icon mismatch
 - B. Mismatch in IKE/IPsec parameters, peer identity, certificates/PSK, or reachability
 - C. Too many admins
 - D. Policy comment missing
- Q041. [Medium] [VPN] In a customer environment, logs or symptoms point to vpn. Which answer is the most technically correct: Why can NAT break VPN traffic?
- A. Traffic may be translated before encryption or fail domain matching
 - B. NAT always enables VPN
 - C. NAT replaces IKE
 - D. NAT deletes certificates
- Q042. [Medium] [Remote Access] In a customer environment, an administrator is reviewing remote access behavior. Which statement is most accurate: What should be checked in remote access VPN failures?

- A. Only object comments
- B. Only rule color
- C. Only admin theme
- D. Authentication, client version, portal/gateway reachability, policy, and logs

Q043. [Hard] [Identity] In a customer environment, a student asks about identity. What is the best answer to this question: What makes advanced Identity Awareness troubleshooting complex?

- A. Only VPN PSK
- B. Only disk labels
- C. Multiple identity sources, group mapping, caching, PDP/PEP behavior, and AD dependencies
- D. Only log colors

Q044. [Medium] [Access Control] In a customer environment, a change is planned related to access control. Which option best matches the expected Check Point behavior: What is rule shadowing?

- A. A SecureXL template
- B. A higher rule matches traffic before a lower intended rule
- C. A log server outage
- D. A VPN phase 1 failure

Q045. [Medium] [Threat Prevention] In a customer environment, logs or symptoms point to threat prevention. Which answer is the most technically correct: What is expert Threat Prevention troubleshooting focused on?

- A. Identifying blade verdicts, protections, profiles, exceptions, updates, and false positives
- B. Only rule colors
- C. Only license comments
- D. Only admin passwords

Q046. [Hard] [Cluster] In a customer environment, an administrator is reviewing cluster behavior. Which statement is most accurate: What can cause state sync issues?

- A. Object comments
- B. SmartConsole zoom
- C. DNS suffix only
- D. Sync network problems, version mismatch, load, configuration issues, or drops

Q047. [Medium] [Cluster] In a customer environment, a student asks about cluster. What is the best answer to this question: Why can asymmetric routing cause problems in a cluster?

- A. It disables NAT
- B. It creates users
- C. Stateful return traffic may arrive at a member/path without connection state
- D. It improves inspection

Q048. [Medium] [Escalation] In a customer environment, a change is planned related to escalation. Which option best matches the expected Check Point behavior: What should be done after collecting debug output?

- A. Disable logging
- B. Stop debug, preserve evidence, and verify system stability
- C. Leave debug enabled forever
- D. Delete captures

Q049. [Hard] [Escalation] In a customer environment, logs or symptoms point to escalation. Which answer is the most technically correct: What makes a support escalation strong?

- A. Clear impact, topology, versions, exact times, logs, captures, debugs, and reproduction steps
- B. Only one screenshot
- C. Only verbal notes
- D. Only object names

Q050. [Medium] [Root Cause] In a customer environment, an administrator is reviewing root cause behavior. Which statement is most accurate: What is the difference between workaround and root cause fix?

- A. They are always identical
- B. A workaround is permanent by definition
- C. Root cause means deleting logs
- D. A workaround restores service temporarily; root cause fix addresses the underlying cause

Q051. [Medium] [Advanced Methodology] During implementation, a student asks about advanced methodology. What is the best answer to this question: What distinguishes expert-level troubleshooting?

- A. Only GUI changes
- B. Only checking passwords
- C. Evidence-driven isolation across management, kernel, VPN, acceleration, and blades

D. Random restarts

Q052. [Hard] [Kernel Debug] During implementation, a change is planned related to kernel debug. Which option best matches the expected Check Point behavior: Why must kernel debug be used carefully?

- A. It formats disk
- B. It can generate heavy output and impact performance
- C. It deletes all objects
- D. It disables routing permanently

Q053. [Medium] [Kernel Debug] During implementation, logs or symptoms point to kernel debug. Which answer is the most technically correct: What is kernel debug mainly used to investigate?

- A. Firewall kernel packet handling and decision points
- B. SmartConsole font rendering
- C. User email aliases
- D. Disk labels

Q054. [Medium] [User Mode] During implementation, an administrator is reviewing user mode behavior. Which statement is most accurate: What is user-mode troubleshooting focused on?

- A. Physical cable color
- B. Rule comments only
- C. URL category names only
- D. Processes running outside the kernel data path

Q055. [Hard] [Management DB] During implementation, a student asks about management db. What is the best answer to this question: What does the Management database contain?

- A. Only client MAC addresses
- B. Only CPU counters
- C. Objects, policies, settings, sessions, and management configuration
- D. Only packet payloads

Q056. [Medium] [Management DB] During implementation, a change is planned related to management db. Which option best matches the expected Check Point behavior: What should be checked in management database problems?

- A. Only interface duplex
- B. Disk space, locks, services, database consistency, and recent changes
- C. Only VPN proposal
- D. Only NAT hit count

Q057. [Medium] [Logs] During implementation, logs or symptoms point to logs. Which answer is the most technically correct: What is advanced log troubleshooting concerned with?

- A. Indexing, log server connectivity, retention, filtering, and missing events
- B. Only object names
- C. Only NAT comments
- D. Only Gaia banner

Q058. [Hard] [Packet Flow] During implementation, an administrator is reviewing packet flow behavior. Which statement is most accurate: Why is inspection point analysis important?

- A. It creates users
- B. It replaces routing
- C. It disables logs
- D. It identifies where traffic is accepted, dropped, NATed, encrypted, or accelerated

Q059. [Medium] [Acceleration] During implementation, a student asks about acceleration. What is the best answer to this question: What does SecureXL acceleration do?

- A. Stores backups
- B. Replaces VPN
- C. Accelerates eligible traffic for higher performance
- D. Creates admin accounts

Q060. [Medium] [Acceleration] During implementation, a change is planned related to acceleration. Which option best matches the expected Check Point behavior: Why might traffic be non-accelerated?

- A. The route has a name
- B. It requires deeper inspection or is not eligible for fast path
- C. The admin is logged out
- D. The object has comments

- Q061. [Hard] [CoreXL] During implementation, logs or symptoms point to corexl. Which answer is the most technically correct: What does CoreXL improve?
- A. Parallel processing across CPU cores
 - B. SmartConsole spelling
 - C. Log colors
 - D. DNS zones
- Q062. [Medium] [CoreXL] During implementation, an administrator is reviewing corexl behavior. Which statement is most accurate: What is CoreXL affinity related to?
- A. Mapping users to groups
 - B. Mapping NAT to policy comments
 - C. Mapping logs to colors
 - D. Mapping processing work to CPU cores/instances
- Q063. [Medium] [Performance] During implementation, a student asks about performance. What is the best answer to this question: What should be reviewed in high CPU cases?
- A. Only object icons
 - B. Only certificate comments
 - C. Per-core CPU, top processes, traffic rate, drops, acceleration, and blades
 - D. Only admin session count
- Q064. [Hard] [Performance] During implementation, a change is planned related to performance. Which option best matches the expected Check Point behavior: What should be reviewed in memory pressure cases?
- A. Only DNS name length
 - B. Memory usage, process consumption, logs, blades, and recent changes
 - C. Only VPN peers
 - D. Only rule colors
- Q065. [Medium] [VPN] During implementation, logs or symptoms point to vpn. Which answer is the most technically correct: What commonly causes site-to-site VPN negotiation failure?
- A. Mismatch in IKE/IPsec parameters, peer identity, certificates/PSK, or reachability
 - B. Too many admins
 - C. Policy comment missing
 - D. Object icon mismatch
- Q066. [Medium] [VPN] During implementation, an administrator is reviewing vpn behavior. Which statement is most accurate: Why can NAT break VPN traffic?
- A. NAT always enables VPN
 - B. NAT replaces IKE
 - C. NAT deletes certificates
 - D. Traffic may be translated before encryption or fail domain matching
- Q067. [Hard] [Remote Access] During implementation, a student asks about remote access. What is the best answer to this question: What should be checked in remote access VPN failures?
- A. Only rule color
 - B. Only admin theme
 - C. Authentication, client version, portal/gateway reachability, policy, and logs
 - D. Only object comments
- Q068. [Medium] [Identity] During implementation, a change is planned related to identity. Which option best matches the expected Check Point behavior: What makes advanced Identity Awareness troubleshooting complex?
- A. Only disk labels
 - B. Multiple identity sources, group mapping, caching, PDP/PEP behavior, and AD dependencies
 - C. Only log colors
 - D. Only VPN PSK
- Q069. [Medium] [Access Control] During implementation, logs or symptoms point to access control. Which answer is the most technically correct: What is rule shadowing?
- A. A higher rule matches traffic before a lower intended rule
 - B. A log server outage
 - C. A VPN phase 1 failure
 - D. A SecureXL template
- Q070. [Hard] [Threat Prevention] During implementation, an administrator is reviewing threat prevention behavior. Which statement is most accurate: What is expert Threat Prevention troubleshooting focused on?

- A. Only rule colors
- B. Only license comments
- C. Only admin passwords
- D. Identifying blade verdicts, protections, profiles, exceptions, updates, and false positives

Q071. [Medium] [Cluster] During implementation, a student asks about cluster. What is the best answer to this question: What can cause state sync issues?

- A. SmartConsole zoom
- B. DNS suffix only
- C. Sync network problems, version mismatch, load, configuration issues, or drops
- D. Object comments

Q072. [Medium] [Cluster] During implementation, a change is planned related to cluster. Which option best matches the expected Check Point behavior: Why can asymmetric routing cause problems in a cluster?

- A. It creates users
- B. Stateful return traffic may arrive at a member/path without connection state
- C. It improves inspection
- D. It disables NAT

Q073. [Hard] [Escalation] During implementation, logs or symptoms point to escalation. Which answer is the most technically correct: What should be done after collecting debug output?

- A. Stop debug, preserve evidence, and verify system stability
- B. Leave debug enabled forever
- C. Delete captures
- D. Disable logging

Q074. [Medium] [Escalation] During implementation, an administrator is reviewing escalation behavior. Which statement is most accurate: What makes a support escalation strong?

- A. Only one screenshot
- B. Only verbal notes
- C. Only object names
- D. Clear impact, topology, versions, exact times, logs, captures, debugs, and reproduction steps

Q075. [Medium] [Root Cause] During implementation, a student asks about root cause. What is the best answer to this question: What is the difference between workaround and root cause fix?

- A. A workaround is permanent by definition
- B. Root cause means deleting logs
- C. A workaround restores service temporarily; root cause fix addresses the underlying cause
- D. They are always identical

Q076. [Hard] [Advanced Methodology] While troubleshooting, a change is planned related to advanced methodology. Which option best matches the expected Check Point behavior: What distinguishes expert-level troubleshooting?

- A. Only checking passwords
- B. Evidence-driven isolation across management, kernel, VPN, acceleration, and blades
- C. Random restarts
- D. Only GUI changes

Q077. [Medium] [Kernel Debug] While troubleshooting, logs or symptoms point to kernel debug. Which answer is the most technically correct: Why must kernel debug be used carefully?

- A. It can generate heavy output and impact performance
- B. It deletes all objects
- C. It disables routing permanently
- D. It formats disk

Q078. [Medium] [Kernel Debug] While troubleshooting, an administrator is reviewing kernel debug behavior. Which statement is most accurate: What is kernel debug mainly used to investigate?

- A. SmartConsole font rendering
- B. User email aliases
- C. Disk labels
- D. Firewall kernel packet handling and decision points

Q079. [Hard] [User Mode] While troubleshooting, a student asks about user mode. What is the best answer to this question: What is user-mode troubleshooting focused on?

- A. Rule comments only
- B. URL category names only
- C. Processes running outside the kernel data path

D. Physical cable color

Q080. [Medium] [Management DB] While troubleshooting, a change is planned related to management db. Which option best matches the expected Check Point behavior: What does the Management database contain?

- A. Only CPU counters
- B. Objects, policies, settings, sessions, and management configuration
- C. Only packet payloads
- D. Only client MAC addresses

Q081. [Medium] [Management DB] While troubleshooting, logs or symptoms point to management db. Which answer is the most technically correct: What should be checked in management database problems?

- A. Disk space, locks, services, database consistency, and recent changes
- B. Only VPN proposal
- C. Only NAT hit count
- D. Only interface duplex

Q082. [Hard] [Logs] While troubleshooting, an administrator is reviewing logs behavior. Which statement is most accurate: What is advanced log troubleshooting concerned with?

- A. Only object names
- B. Only NAT comments
- C. Only Gaia banner
- D. Indexing, log server connectivity, retention, filtering, and missing events

Q083. [Medium] [Packet Flow] While troubleshooting, a student asks about packet flow. What is the best answer to this question: Why is inspection point analysis important?

- A. It replaces routing
- B. It disables logs
- C. It identifies where traffic is accepted, dropped, NATed, encrypted, or accelerated
- D. It creates users

Q084. [Medium] [Acceleration] While troubleshooting, a change is planned related to acceleration. Which option best matches the expected Check Point behavior: What does SecureXL acceleration do?

- A. Replaces VPN
- B. Accelerates eligible traffic for higher performance
- C. Creates admin accounts
- D. Stores backups

Q085. [Hard] [Acceleration] While troubleshooting, logs or symptoms point to acceleration. Which answer is the most technically correct: Why might traffic be non-accelerated?

- A. It requires deeper inspection or is not eligible for fast path
- B. The admin is logged out
- C. The object has comments
- D. The route has a name

Q086. [Medium] [CoreXL] While troubleshooting, an administrator is reviewing corexl behavior. Which statement is most accurate: What does CoreXL improve?

- A. SmartConsole spelling
- B. Log colors
- C. DNS zones
- D. Parallel processing across CPU cores

Q087. [Medium] [CoreXL] While troubleshooting, a student asks about corexl. What is the best answer to this question: What is CoreXL affinity related to?

- A. Mapping NAT to policy comments
- B. Mapping logs to colors
- C. Mapping processing work to CPU cores/instances
- D. Mapping users to groups

Q088. [Hard] [Performance] While troubleshooting, a change is planned related to performance. Which option best matches the expected Check Point behavior: What should be reviewed in high CPU cases?

- A. Only certificate comments
- B. Per-core CPU, top processes, traffic rate, drops, acceleration, and blades
- C. Only admin session count
- D. Only object icons

Q089. [Medium] [Performance] While troubleshooting, logs or symptoms point to performance. Which answer is the most technically correct: What should be reviewed in memory pressure cases?

- A. Memory usage, process consumption, logs, blades, and recent changes
- B. Only VPN peers
- C. Only rule colors
- D. Only DNS name length

Q090. [Medium] [VPN] While troubleshooting, an administrator is reviewing vpn behavior. Which statement is most accurate: What commonly causes site-to-site VPN negotiation failure?

- A. Too many admins
- B. Policy comment missing
- C. Object icon mismatch
- D. Mismatch in IKE/IPsec parameters, peer identity, certificates/PSK, or reachability

Q091. [Hard] [VPN] While troubleshooting, a student asks about vpn. What is the best answer to this question: Why can NAT break VPN traffic?

- A. NAT replaces IKE
- B. NAT deletes certificates
- C. Traffic may be translated before encryption or fail domain matching
- D. NAT always enables VPN

Q092. [Medium] [Remote Access] While troubleshooting, a change is planned related to remote access. Which option best matches the expected Check Point behavior: What should be checked in remote access VPN failures?

- A. Only admin theme
- B. Authentication, client version, portal/gateway reachability, policy, and logs
- C. Only object comments
- D. Only rule color

Q093. [Medium] [Identity] While troubleshooting, logs or symptoms point to identity. Which answer is the most technically correct: What makes advanced Identity Awareness troubleshooting complex?

- A. Multiple identity sources, group mapping, caching, PDP/PEP behavior, and AD dependencies
- B. Only log colors
- C. Only VPN PSK
- D. Only disk labels

Q094. [Hard] [Access Control] While troubleshooting, an administrator is reviewing access control behavior. Which statement is most accurate: What is rule shadowing?

- A. A log server outage
- B. A VPN phase 1 failure
- C. A SecureXL template
- D. A higher rule matches traffic before a lower intended rule

Q095. [Medium] [Threat Prevention] While troubleshooting, a student asks about threat prevention. What is the best answer to this question: What is expert Threat Prevention troubleshooting focused on?

- A. Only license comments
- B. Only admin passwords
- C. Identifying blade verdicts, protections, profiles, exceptions, updates, and false positives
- D. Only rule colors

Q096. [Medium] [Cluster] While troubleshooting, a change is planned related to cluster. Which option best matches the expected Check Point behavior: What can cause state sync issues?

- A. DNS suffix only
- B. Sync network problems, version mismatch, load, configuration issues, or drops
- C. Object comments
- D. SmartConsole zoom

Q097. [Hard] [Cluster] While troubleshooting, logs or symptoms point to cluster. Which answer is the most technically correct: Why can asymmetric routing cause problems in a cluster?

- A. Stateful return traffic may arrive at a member/path without connection state
- B. It improves inspection
- C. It disables NAT
- D. It creates users

Q098. [Medium] [Escalation] While troubleshooting, an administrator is reviewing escalation behavior. Which statement is most accurate: What should be done after collecting debug output?

- A. Leave debug enabled forever
- B. Delete captures
- C. Disable logging
- D. Stop debug, preserve evidence, and verify system stability

Q099. [Medium] [Escalation] While troubleshooting, a student asks about escalation. What is the best answer to this question: What makes a support escalation strong?

- A. Only verbal notes
- B. Only object names
- C. Clear impact, topology, versions, exact times, logs, captures, debugs, and reproduction steps
- D. Only one screenshot

Q100. [Hard] [Root Cause] While troubleshooting, a change is planned related to root cause. Which option best matches the expected Check Point behavior: What is the difference between workaround and root cause fix?

- A. Root cause means deleting logs
- B. A workaround restores service temporarily; root cause fix addresses the underlying cause
- C. They are always identical
- D. A workaround is permanent by definition

Answer Key with Explanations

Q	Topic	Diff	Ans	Explanation
1	Advanced Methodology	Easy	A	Expert troubleshooting isolates failure domains using evidence.
2	Kernel Debug	Medium	D	Kernel debug is powerful but can be resource intensive.
3	Kernel Debug	Medium	C	Kernel debug provides visibility into low-level firewall processing.
4	User Mode	Medium	B	User-mode investigation focuses on daemons and services.
5	Management DB	Easy	A	The management database stores the control-plane configuration.
6	Management DB	Medium	D	Database issues can be caused by resources, locks, corruption, and service state.
7	Logs	Medium	C	Log issues may involve ingestion, indexing, storage, and forwarding.
8	Packet Flow	Medium	B	Different points show different stages of the packet path.
9	Acceleration	Easy	A	SecureXL is a performance acceleration technology.
10	Acceleration	Medium	D	Certain blades and packet types require slower/deeper inspection paths.
11	CoreXL	Medium	C	CoreXL distributes firewall work over multiple CPU cores.
12	CoreXL	Medium	B	Affinity controls or describes how workloads align to CPU cores.
13	Performance	Easy	A	CPU troubleshooting requires both system and traffic-plane visibility.
14	Performance	Medium	D	Memory pressure may be process-, logging-, or feature-related.
15	VPN	Medium	C	VPN negotiation requires compatible parameters and identity/trust.
16	VPN	Medium	B	NAT order and exemptions can affect VPN selection.
17	Remote Access	Easy	A	Remote access spans client, identity, gateway, policy, and logs.
18	Identity	Medium	D	Identity issues can arise from acquisition, propagation, and policy matching.
19	Access Control	Medium	C	Shadowing occurs when earlier rules prevent later rules from being reached.
20	Threat Prevention	Medium	B	Threat Prevention troubleshooting requires blade-specific verdict and profile analysis.
21	Cluster	Easy	A	State sync depends on connectivity, compatibility, configuration, and performance.
22	Cluster	Medium	D	Stateful firewalls need consistent path or synchronized state awareness.
23	Escalation	Medium	C	Debugs should not remain enabled longer than necessary.
24	Escalation	Medium	B	Complete evidence helps support reproduce and isolate the issue.
25	Root Cause	Easy	A	Operational recovery and permanent remediation are different goals.
26	Advanced Methodology	Medium	D	Expert troubleshooting isolates failure domains using evidence.
27	Kernel Debug	Medium	C	Kernel debug is powerful but can be resource intensive.
28	Kernel Debug	Hard	B	Kernel debug provides visibility into low-level firewall processing.
29	User Mode	Medium	A	User-mode investigation focuses on daemons and services.
30	Management DB	Medium	D	The management database stores the control-plane configuration.
31	Management DB	Hard	C	Database issues can be caused by resources, locks, corruption, and service state.
32	Logs	Medium	B	Log issues may involve ingestion, indexing, storage, and forwarding.
33	Packet Flow	Medium	A	Different points show different stages of the packet path.
34	Acceleration	Hard	D	SecureXL is a performance acceleration technology.
35	Acceleration	Medium	C	Certain blades and packet types require slower/deeper inspection paths.
36	CoreXL	Medium	B	CoreXL distributes firewall work over multiple CPU cores.
37	CoreXL	Hard	A	Affinity controls or describes how workloads align to CPU cores.
38	Performance	Medium	D	CPU troubleshooting requires both system and traffic-plane visibility.
39	Performance	Medium	C	Memory pressure may be process-, logging-, or feature-related.
40	VPN	Hard	B	VPN negotiation requires compatible parameters and identity/trust.
41	VPN	Medium	A	NAT order and exemptions can affect VPN selection.
42	Remote Access	Medium	D	Remote access spans client, identity, gateway, policy, and logs.
43	Identity	Hard	C	Identity issues can arise from acquisition, propagation, and policy matching.
44	Access Control	Medium	B	Shadowing occurs when earlier rules prevent later rules from being reached.
45	Threat Prevention	Medium	A	Threat Prevention troubleshooting requires blade-specific verdict and profile analysis.
46	Cluster	Hard	D	State sync depends on connectivity, compatibility, configuration, and performance.
47	Cluster	Medium	C	Stateful firewalls need consistent path or synchronized state awareness.
48	Escalation	Medium	B	Debugs should not remain enabled longer than necessary.
49	Escalation	Hard	A	Complete evidence helps support reproduce and isolate the issue.

Q	Topic	Diff	Ans	Explanation
50	Root Cause	Medium	D	Operational recovery and permanent remediation are different goals.
51	Advanced Methodology	Medium	C	Expert troubleshooting isolates failure domains using evidence.
52	Kernel Debug	Hard	B	Kernel debug is powerful but can be resource intensive.
53	Kernel Debug	Medium	A	Kernel debug provides visibility into low-level firewall processing.
54	User Mode	Medium	D	User-mode investigation focuses on daemons and services.
55	Management DB	Hard	C	The management database stores the control-plane configuration.
56	Management DB	Medium	B	Database issues can be caused by resources, locks, corruption, and service state.
57	Logs	Medium	A	Log issues may involve ingestion, indexing, storage, and forwarding.
58	Packet Flow	Hard	D	Different points show different stages of the packet path.
59	Acceleration	Medium	C	SecureXL is a performance acceleration technology.
60	Acceleration	Medium	B	Certain blades and packet types require slower/deeper inspection paths.
61	CoreXL	Hard	A	CoreXL distributes firewall work over multiple CPU cores.
62	CoreXL	Medium	D	Affinity controls or describes how workloads align to CPU cores.
63	Performance	Medium	C	CPU troubleshooting requires both system and traffic-plane visibility.
64	Performance	Hard	B	Memory pressure may be process-, logging-, or feature-related.
65	VPN	Medium	A	VPN negotiation requires compatible parameters and identity/trust.
66	VPN	Medium	D	NAT order and exemptions can affect VPN selection.
67	Remote Access	Hard	C	Remote access spans client, identity, gateway, policy, and logs.
68	Identity	Medium	B	Identity issues can arise from acquisition, propagation, and policy matching.
69	Access Control	Medium	A	Shadowing occurs when earlier rules prevent later rules from being reached.
70	Threat Prevention	Hard	D	Threat Prevention troubleshooting requires blade-specific verdict and profile analysis.
71	Cluster	Medium	C	State sync depends on connectivity, compatibility, configuration, and performance.
72	Cluster	Medium	B	Stateful firewalls need consistent path or synchronized state awareness.
73	Escalation	Hard	A	Debugs should not remain enabled longer than necessary.
74	Escalation	Medium	D	Complete evidence helps support reproduce and isolate the issue.
75	Root Cause	Medium	C	Operational recovery and permanent remediation are different goals.
76	Advanced Methodology	Hard	B	Expert troubleshooting isolates failure domains using evidence.
77	Kernel Debug	Medium	A	Kernel debug is powerful but can be resource intensive.
78	Kernel Debug	Medium	D	Kernel debug provides visibility into low-level firewall processing.
79	User Mode	Hard	C	User-mode investigation focuses on daemons and services.
80	Management DB	Medium	B	The management database stores the control-plane configuration.
81	Management DB	Medium	A	Database issues can be caused by resources, locks, corruption, and service state.
82	Logs	Hard	D	Log issues may involve ingestion, indexing, storage, and forwarding.
83	Packet Flow	Medium	C	Different points show different stages of the packet path.
84	Acceleration	Medium	B	SecureXL is a performance acceleration technology.
85	Acceleration	Hard	A	Certain blades and packet types require slower/deeper inspection paths.
86	CoreXL	Medium	D	CoreXL distributes firewall work over multiple CPU cores.
87	CoreXL	Medium	C	Affinity controls or describes how workloads align to CPU cores.
88	Performance	Hard	B	CPU troubleshooting requires both system and traffic-plane visibility.
89	Performance	Medium	A	Memory pressure may be process-, logging-, or feature-related.
90	VPN	Medium	D	VPN negotiation requires compatible parameters and identity/trust.
91	VPN	Hard	C	NAT order and exemptions can affect VPN selection.
92	Remote Access	Medium	B	Remote access spans client, identity, gateway, policy, and logs.
93	Identity	Medium	A	Identity issues can arise from acquisition, propagation, and policy matching.
94	Access Control	Hard	D	Shadowing occurs when earlier rules prevent later rules from being reached.
95	Threat Prevention	Medium	C	Threat Prevention troubleshooting requires blade-specific verdict and profile analysis.
96	Cluster	Medium	B	State sync depends on connectivity, compatibility, configuration, and performance.
97	Cluster	Hard	A	Stateful firewalls need consistent path or synchronized state awareness.
98	Escalation	Medium	D	Debugs should not remain enabled longer than necessary.
99	Escalation	Medium	C	Complete evidence helps support reproduce and isolate the issue.
100	Root Cause	Hard	B	Operational recovery and permanent remediation are different goals.