

CyberArk PAM Install and Configure Practice Quiz Bank

PAM Install and Configure

Question Count	100
Format	Multiple choice (A-D) with answer and explanation
Use Case	Instructor-led revision, self-assessment, CyberQuiz import planning
Disclaimer	Original practice content. Not affiliated with or endorsed by CyberArk. Not exam dumps.

Practice Questions

Q1. During CyberArk PAM installation and configuration, why is Vault hardening important?

- A. reduces attack surface and protects the credential repository
- B. It replaces the need for target system connectivity.
- C. It is used only for classroom lab screenshots.
- D. It bypasses all security controls for faster onboarding.

Answer: A - reduces attack surface and protects the credential repository

Explanation: Vault hardening is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q2. During CyberArk PAM installation and configuration, why is PVWA installation important?

- A. deploys the web portal used for PAM access and administration
- B. It bypasses all security controls for faster onboarding.
- C. It is used only for classroom lab screenshots.
- D. It replaces the need for target system connectivity.

Answer: A - deploys the web portal used for PAM access and administration

Explanation: PVWA installation is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q3. During CyberArk PAM installation and configuration, why is CPM installation important?

- A. It replaces the need for target system connectivity.
- B. enables automated password management services
- C. It is used only for classroom lab screenshots.
- D. It bypasses all security controls for faster onboarding.

Answer: B - enables automated password management services

Explanation: CPM installation is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q4. During CyberArk PAM installation and configuration, why is PSM installation important?

- A. It is used only for classroom lab screenshots.
- B. It bypasses all security controls for faster onboarding.
- C. It replaces the need for target system connectivity.
- D. enables privileged session brokering and recording

Answer: D - enables privileged session brokering and recording

Explanation: PSM installation is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q5. During CyberArk PAM installation and configuration, why is Component registration important?

- A. It bypasses all security controls for faster onboarding.
- B. establishes trusted communication between components
- C. It is used only for classroom lab screenshots.
- D. It replaces the need for target system connectivity.

Answer: B - establishes trusted communication between components

Explanation: Component registration is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q6. During CyberArk PAM installation and configuration, why is License validation important?

- A. It bypasses all security controls for faster onboarding.
- B. confirms entitled features and system capacity
- C. It replaces the need for target system connectivity.
- D. It is used only for classroom lab screenshots.

Answer: B - confirms entitled features and system capacity

Explanation: License validation is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q7. During CyberArk PAM installation and configuration, why is DR Vault important?

- A. provides disaster recovery capability for Vault availability
- B. It is used only for classroom lab screenshots.
- C. It bypasses all security controls for faster onboarding.
- D. It replaces the need for target system connectivity.

Answer: A - provides disaster recovery capability for Vault availability

Explanation: DR Vault is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q8. During CyberArk PAM installation and configuration, why is LDAP integration important?

- A. It bypasses all security controls for faster onboarding.
- B. It is used only for classroom lab screenshots.
- C. It replaces the need for target system connectivity.
- D. connects CyberArk identity workflows to directory users and groups

Answer: D - connects CyberArk identity workflows to directory users and groups

Explanation: LDAP integration is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q9. During CyberArk PAM installation and configuration, why is Safe creation important?

- A. prepares logical containers for account onboarding
- B. It replaces the need for target system connectivity.
- C. It bypasses all security controls for faster onboarding.
- D. It is used only for classroom lab screenshots.

Answer: A - prepares logical containers for account onboarding

Explanation: Safe creation is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q10. During CyberArk PAM installation and configuration, why is Platform import important?

- A. It bypasses all security controls for faster onboarding.
- B. It is used only for classroom lab screenshots.
- C. adds or customizes policy templates for target systems
- D. It replaces the need for target system connectivity.

Answer: C - adds or customizes policy templates for target systems

Explanation: Platform import is a core installation or configuration activity that affects security and operations.

Difficulty: Easy | Topic: Install and Configure

Q11. What is the best reason to include the step "plan sizing and topology" in a PAM deployment plan?

- A. It removes the need for backup and recovery planning.
- B. It helps build a validated deployment with known dependencies and measurable acceptance tests.
- C. It guarantees that all network firewalls can be removed.
- D. It allows production passwords to be stored outside the Vault.

Answer: B - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q12. What is the best reason to include the step "prepare servers and prerequisites" in a PAM deployment plan?

- A. It guarantees that all network firewalls can be removed.
- B. It removes the need for backup and recovery planning.
- C. It allows production passwords to be stored outside the Vault.
- D. It helps build a validated deployment with known dependencies and measurable acceptance tests.

Answer: D - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q13. What is the best reason to include the step "install the Vault" in a PAM deployment plan?

- A. It removes the need for backup and recovery planning.
- B. It allows production passwords to be stored outside the Vault.
- C. It helps build a validated deployment with known dependencies and measurable acceptance tests.
- D. It guarantees that all network firewalls can be removed.

Answer: C - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q14. What is the best reason to include the step "install PVWA" in a PAM deployment plan?

- A. It allows production passwords to be stored outside the Vault.
- B. It helps build a validated deployment with known dependencies and measurable acceptance tests.
- C. It removes the need for backup and recovery planning.
- D. It guarantees that all network firewalls can be removed.

Answer: B - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q15. What is the best reason to include the step "install CPM" in a PAM deployment plan?

- A. It guarantees that all network firewalls can be removed.
- B. It allows production passwords to be stored outside the Vault.
- C. It removes the need for backup and recovery planning.
- D. It helps build a validated deployment with known dependencies and measurable acceptance tests.

Answer: D - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q16. What is the best reason to include the step "install PSM" in a PAM deployment plan?

- A. It removes the need for backup and recovery planning.
- B. It guarantees that all network firewalls can be removed.
- C. It allows production passwords to be stored outside the Vault.
- D. It helps build a validated deployment with known dependencies and measurable acceptance tests.

Answer: D - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q17. What is the best reason to include the step "configure LDAP" in a PAM deployment plan?

- A. It helps build a validated deployment with known dependencies and measurable acceptance tests.
- B. It guarantees that all network firewalls can be removed.
- C. It removes the need for backup and recovery planning.
- D. It allows production passwords to be stored outside the Vault.

Answer: A - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q18. What is the best reason to include the step "create Safes" in a PAM deployment plan?

- A. It allows production passwords to be stored outside the Vault.
- B. It removes the need for backup and recovery planning.
- C. It helps build a validated deployment with known dependencies and measurable acceptance tests.
- D. It guarantees that all network firewalls can be removed.

Answer: C - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q19. What is the best reason to include the step "onboard test accounts" in a PAM deployment plan?

- A. It allows production passwords to be stored outside the Vault.
- B. It helps build a validated deployment with known dependencies and measurable acceptance tests.
- C. It removes the need for backup and recovery planning.
- D. It guarantees that all network firewalls can be removed.

Answer: B - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q20. What is the best reason to include the step "validate password rotation and PSM sessions" in a PAM deployment plan?

- A. It removes the need for backup and recovery planning.
- B. It allows production passwords to be stored outside the Vault.
- C. It helps build a validated deployment with known dependencies and measurable acceptance tests.
- D. It guarantees that all network firewalls can be removed.

Answer: C - It helps build a validated deployment with known dependencies and measurable acceptance tests.

Explanation: Successful PAM deployments rely on sequenced implementation, validation, and rollback planning.

Difficulty: Medium | Topic: Deployment Methodology

Q21. In a new PAM deployment, what should be checked first when component cannot reach the Vault?

- A. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.
- B. Disable all security controls permanently.
- C. Share the Master password with the operations team.
- D. Delete the production Vault and reinstall without review.

Answer: A - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q22. In a new PAM deployment, what should be checked first when PVWA login fails?

- A. Delete the production Vault and reinstall without review.
- B. Share the Master password with the operations team.
- C. Disable all security controls permanently.
- D. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Answer: D - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q23. In a new PAM deployment, what should be checked first when CPM service does not start?

- A. Share the Master password with the operations team.
- B. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.
- C. Disable all security controls permanently.
- D. Delete the production Vault and reinstall without review.

Answer: B - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q24. In a new PAM deployment, what should be checked first when PSM session fails to launch?

- A. Delete the production Vault and reinstall without review.
- B. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.
- C. Disable all security controls permanently.
- D. Share the Master password with the operations team.

Answer: B - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q25. In a new PAM deployment, what should be checked first when LDAP group mapping is wrong?

- A. Share the Master password with the operations team.
- B. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.
- C. Delete the production Vault and reinstall without review.
- D. Disable all security controls permanently.

Answer: B - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q26. In a new PAM deployment, what should be checked first when target account password cannot rotate?

- A. Disable all security controls permanently.
- B. Delete the production Vault and reinstall without review.
- C. Share the Master password with the operations team.
- D. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Answer: D - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q27. In a new PAM deployment, what should be checked first when DR replication is unhealthy?

- A. Share the Master password with the operations team.
- B. Disable all security controls permanently.
- C. Delete the production Vault and reinstall without review.
- D. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Answer: D - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q28. In a new PAM deployment, what should be checked first when certificate trust problem?

- A. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.
- B. Disable all security controls permanently.
- C. Share the Master password with the operations team.
- D. Delete the production Vault and reinstall without review.

Answer: A - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q29. In a new PAM deployment, what should be checked first when service account permission error?

- A. Delete the production Vault and reinstall without review.
- B. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.
- C. Disable all security controls permanently.
- D. Share the Master password with the operations team.

Answer: B - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q30. In a new PAM deployment, what should be checked first when Safe permissions are missing?

- A. Share the Master password with the operations team.
- B. Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.
- C. Delete the production Vault and reinstall without review.
- D. Disable all security controls permanently.

Answer: B - Check prerequisites, connectivity, service logs, permissions, certificates, and documented configuration steps.

Explanation: Installation issues should be isolated using logs and dependency checks before disruptive changes.

Difficulty: Medium | Topic: Deployment Troubleshooting

Q31. Scenario 1: A project team is configuring the CyberArk Vault area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Skip logs and test only from the administrator workstation.
- C. Place all components on one unmanaged server for production.
- D. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Answer: D - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Vault configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Vault

Q32. Scenario 2: A project team is configuring the CyberArk PVWA area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Place all components on one unmanaged server for production.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Use shared domain admin credentials for all components.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PVWA configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PVWA

Q33. Scenario 3: A project team is configuring the CyberArk CPM area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Skip logs and test only from the administrator workstation.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: CPM configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: CPM

Q34. Scenario 4: A project team is configuring the CyberArk PSM area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Skip logs and test only from the administrator workstation.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PSM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PSM

Q35. Scenario 5: A project team is configuring the CyberArk LDAP area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Place all components on one unmanaged server for production.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Skip logs and test only from the administrator workstation.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: LDAP configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: LDAP

Q36. Scenario 6: A project team is configuring the CyberArk DR area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Use shared domain admin credentials for all components.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: DR configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: DR

Q37. Scenario 7: A project team is configuring the CyberArk platforms area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Place all components on one unmanaged server for production.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: platforms configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: platforms

Q38. Scenario 8: A project team is configuring the CyberArk Safes area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Answer: D - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Safes configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Safes

Q39. Scenario 9: A project team is configuring the CyberArk validation area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: validation configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: validation

Q40. Scenario 10: A project team is configuring the CyberArk Architecture area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Skip logs and test only from the administrator workstation.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Architecture configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Architecture

Q41. Scenario 11: A project team is configuring the CyberArk Vault area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Skip logs and test only from the administrator workstation.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Vault configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Vault

Q42. Scenario 12: A project team is configuring the CyberArk PVWA area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PVWA configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: PVWA

Q43. Scenario 13: A project team is configuring the CyberArk CPM area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: CPM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: CPM

Q44. Scenario 14: A project team is configuring the CyberArk PSM area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PSM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PSM

Q45. Scenario 15: A project team is configuring the CyberArk LDAP area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: LDAP configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: LDAP

Q46. Scenario 16: A project team is configuring the CyberArk DR area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: DR configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: DR

Q47. Scenario 17: A project team is configuring the CyberArk platforms area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: platforms configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: platforms

Q48. Scenario 18: A project team is configuring the CyberArk Safes area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Skip logs and test only from the administrator workstation.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Safes configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: Safes

Q49. Scenario 19: A project team is configuring the CyberArk validation area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: validation configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: validation

Q50. Scenario 20: A project team is configuring the CyberArk Architecture area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Skip logs and test only from the administrator workstation.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Use shared domain admin credentials for all components.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Architecture configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Architecture

Q51. Scenario 21: A project team is configuring the CyberArk Vault area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Vault configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: Vault

Q52. Scenario 22: A project team is configuring the CyberArk PVWA area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PVWA configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PVWA

Q53. Scenario 23: A project team is configuring the CyberArk CPM area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: CPM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: CPM

Q54. Scenario 24: A project team is configuring the CyberArk PSM area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Skip logs and test only from the administrator workstation.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Use shared domain admin credentials for all components.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PSM configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: PSM

Q55. Scenario 25: A project team is configuring the CyberArk LDAP area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: LDAP configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: LDAP

Q56. Scenario 26: A project team is configuring the CyberArk DR area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: DR configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: DR

Q57. Scenario 27: A project team is configuring the CyberArk platforms area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Use shared domain admin credentials for all components.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: platforms configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: platforms

Q58. Scenario 28: A project team is configuring the CyberArk Safes area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Safes configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Safes

Q59. Scenario 29: A project team is configuring the CyberArk validation area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use shared domain admin credentials for all components.
- C. Place all components on one unmanaged server for production.
- D. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Answer: D - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: validation configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: validation

Q60. Scenario 30: A project team is configuring the CyberArk Architecture area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Architecture configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: Architecture

Q61. Scenario 31: A project team is configuring the CyberArk Vault area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Vault configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Vault

Q62. Scenario 32: A project team is configuring the CyberArk PVWA area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PVWA configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PVWA

Q63. Scenario 33: A project team is configuring the CyberArk CPM area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Use shared domain admin credentials for all components.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: CPM configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: CPM

Q64. Scenario 34: A project team is configuring the CyberArk PSM area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PSM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PSM

Q65. Scenario 35: A project team is configuring the CyberArk LDAP area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Use shared domain admin credentials for all components.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: LDAP configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: LDAP

Q66. Scenario 36: A project team is configuring the CyberArk DR area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: DR configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: DR

Q67. Scenario 37: A project team is configuring the CyberArk platforms area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Skip logs and test only from the administrator workstation.
- C. Use shared domain admin credentials for all components.
- D. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Answer: D - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: platforms configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: platforms

Q68. Scenario 38: A project team is configuring the CyberArk Safes area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Skip logs and test only from the administrator workstation.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Safes configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Safes

Q69. Scenario 39: A project team is configuring the CyberArk validation area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Skip logs and test only from the administrator workstation.
- D. Use shared domain admin credentials for all components.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: validation configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: validation

Q70. Scenario 40: A project team is configuring the CyberArk Architecture area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Architecture configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Architecture

Q71. Scenario 41: A project team is configuring the CyberArk Vault area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Place all components on one unmanaged server for production.
- C. Use shared domain admin credentials for all components.
- D. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Answer: D - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Vault configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Vault

Q72. Scenario 42: A project team is configuring the CyberArk PVWA area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Skip logs and test only from the administrator workstation.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PVWA configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: PVWA

Q73. Scenario 43: A project team is configuring the CyberArk CPM area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Place all components on one unmanaged server for production.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: CPM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: CPM

Q74. Scenario 44: A project team is configuring the CyberArk PSM area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PSM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PSM

Q75. Scenario 45: A project team is configuring the CyberArk LDAP area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: LDAP configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: LDAP

Q76. Scenario 46: A project team is configuring the CyberArk DR area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Skip logs and test only from the administrator workstation.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Use shared domain admin credentials for all components.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: DR configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: DR

Q77. Scenario 47: A project team is configuring the CyberArk platforms area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Use shared domain admin credentials for all components.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: platforms configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: platforms

Q78. Scenario 48: A project team is configuring the CyberArk Safes area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Safes configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: Safes

Q79. Scenario 49: A project team is configuring the CyberArk validation area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Use shared domain admin credentials for all components.
- C. Skip logs and test only from the administrator workstation.
- D. Place all components on one unmanaged server for production.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: validation configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: validation

Q80. Scenario 50: A project team is configuring the CyberArk Architecture area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Place all components on one unmanaged server for production.
- C. Skip logs and test only from the administrator workstation.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Architecture configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Architecture

Q81. Scenario 51: A project team is configuring the CyberArk Vault area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Skip logs and test only from the administrator workstation.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Vault configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: Vault

Q82. Scenario 52: A project team is configuring the CyberArk PVWA area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Place all components on one unmanaged server for production.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Use shared domain admin credentials for all components.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PVWA configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PVWA

Q83. Scenario 53: A project team is configuring the CyberArk CPM area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Place all components on one unmanaged server for production.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: CPM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: CPM

Q84. Scenario 54: A project team is configuring the CyberArk PSM area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PSM configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: PSM

Q85. Scenario 55: A project team is configuring the CyberArk LDAP area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Skip logs and test only from the administrator workstation.
- C. Use shared domain admin credentials for all components.
- D. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Answer: D - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: LDAP configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: LDAP

Q86. Scenario 56: A project team is configuring the CyberArk DR area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Skip logs and test only from the administrator workstation.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: DR configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: DR

Q87. Scenario 57: A project team is configuring the CyberArk platforms area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Skip logs and test only from the administrator workstation.
- D. Use shared domain admin credentials for all components.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: platforms configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: platforms

Q88. Scenario 58: A project team is configuring the CyberArk Safes area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Place all components on one unmanaged server for production.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Safes configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Safes

Q89. Scenario 59: A project team is configuring the CyberArk validation area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use shared domain admin credentials for all components.
- C. Skip logs and test only from the administrator workstation.
- D. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Answer: D - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: validation configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: validation

Q90. Scenario 60: A project team is configuring the CyberArk Architecture area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Skip logs and test only from the administrator workstation.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Place all components on one unmanaged server for production.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Architecture configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: Architecture

Q91. Scenario 61: A project team is configuring the CyberArk Vault area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Use shared domain admin credentials for all components.
- D. Place all components on one unmanaged server for production.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Vault configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Vault

Q92. Scenario 62: A project team is configuring the CyberArk PVWA area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Skip logs and test only from the administrator workstation.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PVWA configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PVWA

Q93. Scenario 63: A project team is configuring the CyberArk CPM area. Which practice is most appropriate?

- A. Skip logs and test only from the administrator workstation.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Place all components on one unmanaged server for production.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: CPM configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: CPM

Q94. Scenario 64: A project team is configuring the CyberArk PSM area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Use shared domain admin credentials for all components.
- D. Skip logs and test only from the administrator workstation.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: PSM configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: PSM

Q95. Scenario 65: A project team is configuring the CyberArk LDAP area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Skip logs and test only from the administrator workstation.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Use shared domain admin credentials for all components.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: LDAP configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: LDAP

Q96. Scenario 66: A project team is configuring the CyberArk DR area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Skip logs and test only from the administrator workstation.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: DR configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: DR

Q97. Scenario 67: A project team is configuring the CyberArk platforms area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- C. Place all components on one unmanaged server for production.
- D. Skip logs and test only from the administrator workstation.

Answer: B - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: platforms configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: platforms

Q98. Scenario 68: A project team is configuring the CyberArk Safes area. Which practice is most appropriate?

- A. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- B. Skip logs and test only from the administrator workstation.
- C. Place all components on one unmanaged server for production.
- D. Use shared domain admin credentials for all components.

Answer: A - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Safes configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Safes

Q99. Scenario 69: A project team is configuring the CyberArk validation area. Which practice is most appropriate?

- A. Use shared domain admin credentials for all components.
- B. Skip logs and test only from the administrator workstation.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Place all components on one unmanaged server for production.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: validation configuration should be secure, repeatable, and validated end to end.

Difficulty: Hard | Topic: validation

Q100. Scenario 70: A project team is configuring the CyberArk Architecture area. Which practice is most appropriate?

- A. Place all components on one unmanaged server for production.
- B. Use shared domain admin credentials for all components.
- C. Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.
- D. Skip logs and test only from the administrator workstation.

Answer: C - Use documented prerequisites, least privilege service accounts, secure communication, and post-change validation.

Explanation: Architecture configuration should be secure, repeatable, and validated end to end.

Difficulty: Medium | Topic: Architecture