

CyberArk Secrets Manager SaaS Fundamentals Practice Quiz Bank

Secrets Manager SaaS Fundamentals

Question Count	100
Format	Multiple choice (A-D) with answer and explanation
Use Case	Instructor-led revision, self-assessment, CyberQuiz import planning
Disclaimer	Original practice content. Not affiliated with or endorsed by CyberArk. Not exam dumps.

Practice Questions

Q1. In CyberArk Secrets Manager SaaS fundamentals, what does machine identity refer to?

- A. a replacement for all application security testing
- B. a non-human identity used by applications, services, pipelines, or workloads
- C. a public value safe to store in source code
- D. a reason to disable audit logging

Answer: B - a non-human identity used by applications, services, pipelines, or workloads

Explanation: machine identity is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q2. In CyberArk Secrets Manager SaaS fundamentals, what does secret refer to?

- A. a reason to disable audit logging
- B. a sensitive value such as password, API key, token, certificate, or private key
- C. a replacement for all application security testing
- D. a public value safe to store in source code

Answer: B - a sensitive value such as password, API key, token, certificate, or private key

Explanation: secret is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q3. In CyberArk Secrets Manager SaaS fundamentals, what does centralized secrets management refer to?

- A. a reason to disable audit logging
- B. reduces scattered secrets and improves governance
- C. a public value safe to store in source code
- D. a replacement for all application security testing

Answer: B - reduces scattered secrets and improves governance

Explanation: centralized secrets management is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q4. In CyberArk Secrets Manager SaaS fundamentals, what does policy-based access refer to?

- A. a reason to disable audit logging
- B. a public value safe to store in source code
- C. a replacement for all application security testing
- D. controls which identity can retrieve which secret

Answer: D - controls which identity can retrieve which secret

Explanation: policy-based access is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q5. In CyberArk Secrets Manager SaaS fundamentals, what does rotation refer to?

- A. a reason to disable audit logging
- B. a public value safe to store in source code
- C. periodically changes secrets to reduce long-term exposure
- D. a replacement for all application security testing

Answer: C - periodically changes secrets to reduce long-term exposure

Explanation: rotation is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q6. In CyberArk Secrets Manager SaaS fundamentals, what does audit logging refer to?

- A. records secret access events for compliance and investigation
- B. a reason to disable audit logging
- C. a public value safe to store in source code
- D. a replacement for all application security testing

Answer: A - records secret access events for compliance and investigation

Explanation: audit logging is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q7. In CyberArk Secrets Manager SaaS fundamentals, what does CI/CD integration refer to?

- A. a replacement for all application security testing
- B. a reason to disable audit logging
- C. allows pipelines to retrieve authorized secrets without embedding them in code
- D. a public value safe to store in source code

Answer: C - allows pipelines to retrieve authorized secrets without embedding them in code

Explanation: CI/CD integration is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q8. In CyberArk Secrets Manager SaaS fundamentals, what does application onboarding refer to?

- A. a reason to disable audit logging
- B. a public value safe to store in source code
- C. registers an application identity and assigns secret permissions
- D. a replacement for all application security testing

Answer: C - registers an application identity and assigns secret permissions

Explanation: application onboarding is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q9. In CyberArk Secrets Manager SaaS fundamentals, what does tenant administration refer to?

- A. a reason to disable audit logging
- B. a replacement for all application security testing
- C. manages users, roles, and configuration in a SaaS service
- D. a public value safe to store in source code

Answer: C - manages users, roles, and configuration in a SaaS service

Explanation: tenant administration is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q10. In CyberArk Secrets Manager SaaS fundamentals, what does break-glass access refer to?

- A. a reason to disable audit logging
- B. a public value safe to store in source code
- C. controlled emergency access used only when standard access is unavailable
- D. a replacement for all application security testing

Answer: C - controlled emergency access used only when standard access is unavailable

Explanation: break-glass access is a core concept in protecting secrets for modern applications and automation.

Difficulty: Easy | Topic: Secrets Manager Fundamentals

Q11. Why should teams remove secrets from source code when using a SaaS secrets manager?

- A. It reduces secret exposure, improves accountability, and supports secure automation.
- B. It eliminates the need for application owners.
- C. It makes secrets easier to share in chat.
- D. It allows every application to use the same static token.

Answer: A - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q12. Why should teams integrate CI/CD securely when using a SaaS secrets manager?

- A. It allows every application to use the same static token.
- B. It reduces secret exposure, improves accountability, and supports secure automation.
- C. It eliminates the need for application owners.
- D. It makes secrets easier to share in chat.

Answer: B - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q13. Why should teams assign least privilege to applications when using a SaaS secrets manager?

- A. It reduces secret exposure, improves accountability, and supports secure automation.
- B. It eliminates the need for application owners.
- C. It makes secrets easier to share in chat.
- D. It allows every application to use the same static token.

Answer: A - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q14. Why should teams rotate API keys when using a SaaS secrets manager?

- A. It eliminates the need for application owners.
- B. It makes secrets easier to share in chat.
- C. It reduces secret exposure, improves accountability, and supports secure automation.
- D. It allows every application to use the same static token.

Answer: C - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q15. Why should teams review audit logs when using a SaaS secrets manager?

- A. It makes secrets easier to share in chat.
- B. It eliminates the need for application owners.
- C. It reduces secret exposure, improves accountability, and supports secure automation.
- D. It allows every application to use the same static token.

Answer: C - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q16. Why should teams separate development and production secrets when using a SaaS secrets manager?

- A. It reduces secret exposure, improves accountability, and supports secure automation.
- B. It makes secrets easier to share in chat.
- C. It allows every application to use the same static token.
- D. It eliminates the need for application owners.

Answer: A - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q17. Why should teams use approved authentication methods when using a SaaS secrets manager?

- A. It eliminates the need for application owners.
- B. It reduces secret exposure, improves accountability, and supports secure automation.
- C. It allows every application to use the same static token.
- D. It makes secrets easier to share in chat.

Answer: B - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q18. Why should teams document application ownership when using a SaaS secrets manager?

- A. It makes secrets easier to share in chat.
- B. It allows every application to use the same static token.
- C. It reduces secret exposure, improves accountability, and supports secure automation.
- D. It eliminates the need for application owners.

Answer: C - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q19. Why should teams respond to leaked secrets when using a SaaS secrets manager?

- A. It eliminates the need for application owners.
- B. It allows every application to use the same static token.
- C. It reduces secret exposure, improves accountability, and supports secure automation.
- D. It makes secrets easier to share in chat.

Answer: C - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q20. Why should teams manage tenant roles when using a SaaS secrets manager?

- A. It reduces secret exposure, improves accountability, and supports secure automation.
- B. It eliminates the need for application owners.
- C. It allows every application to use the same static token.
- D. It makes secrets easier to share in chat.

Answer: A - It reduces secret exposure, improves accountability, and supports secure automation.

Explanation: Secrets management is most effective when integrated into development and operations workflows.

Difficulty: Medium | Topic: SaaS Operations

Q21. What is the best response when secret appears in Git history?

- A. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- B. Ignore it if the application still works.
- C. Publish the secret in a shared document for visibility.
- D. Disable all authentication checks temporarily.

Answer: A - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q22. What is the best response when pipeline fails to retrieve a secret?

- A. Ignore it if the application still works.
- B. Publish the secret in a shared document for visibility.
- C. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- D. Disable all authentication checks temporarily.

Answer: C - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q23. What is the best response when application identity has too much access?

- A. Disable all authentication checks temporarily.
- B. Publish the secret in a shared document for visibility.
- C. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- D. Ignore it if the application still works.

Answer: C - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q24. What is the best response when rotation breaks an application?

- A. Publish the secret in a shared document for visibility.
- B. Ignore it if the application still works.
- C. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- D. Disable all authentication checks temporarily.

Answer: C - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q25. What is the best response when developer asks for direct production secret access?

- A. Disable all authentication checks temporarily.
- B. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- C. Publish the secret in a shared document for visibility.
- D. Ignore it if the application still works.

Answer: B - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q26. What is the best response when audit shows unexpected secret retrieval?

- A. Ignore it if the application still works.
- B. Disable all authentication checks temporarily.
- C. Publish the secret in a shared document for visibility.
- D. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Answer: D - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q27. What is the best response when expired token causes outage?

- A. Ignore it if the application still works.
- B. Disable all authentication checks temporarily.
- C. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- D. Publish the secret in a shared document for visibility.

Answer: C - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q28. What is the best response when tenant admin role is over-assigned?

- A. Publish the secret in a shared document for visibility.
- B. Ignore it if the application still works.
- C. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- D. Disable all authentication checks temporarily.

Answer: C - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q29. What is the best response when secret naming is inconsistent?

- A. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- B. Publish the secret in a shared document for visibility.
- C. Ignore it if the application still works.
- D. Disable all authentication checks temporarily.

Answer: A - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q30. What is the best response when no owner is assigned to a secret?

- A. Disable all authentication checks temporarily.
- B. Ignore it if the application still works.
- C. Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.
- D. Publish the secret in a shared document for visibility.

Answer: C - Investigate access and configuration, apply least privilege, rotate affected secrets where needed, and document remediation.

Explanation: Secret incidents and misconfigurations require controlled remediation and improved governance.

Difficulty: Medium | Topic: Incident and Governance

Q31. Scenario 1: A team is adopting CyberArk Secrets Manager SaaS for policy design. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes policy design safer and easier to govern at scale.

Difficulty: Medium | Topic: policy design

Q32. Scenario 2: A team is adopting CyberArk Secrets Manager SaaS for rotation. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Allow anonymous retrieval for faster deployments.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Store the same shared token in every application repository.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes rotation safer and easier to govern at scale.

Difficulty: Medium | Topic: rotation

Q33. Scenario 3: A team is adopting CyberArk Secrets Manager SaaS for audit. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Store the same shared token in every application repository.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Allow anonymous retrieval for faster deployments.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes audit safer and easier to govern at scale.

Difficulty: Medium | Topic: audit

Q34. Scenario 4: A team is adopting CyberArk Secrets Manager SaaS for CI/CD. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Store the same shared token in every application repository.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Disable rotation because cloud systems do not need it.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes CI/CD safer and easier to govern at scale.

Difficulty: Hard | Topic: CI/CD

Q35. Scenario 5: A team is adopting CyberArk Secrets Manager SaaS for tenant administration. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes tenant administration safer and easier to govern at scale.

Difficulty: Medium | Topic: tenant administration

Q36. Scenario 6: A team is adopting CyberArk Secrets Manager SaaS for developer enablement. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Store the same shared token in every application repository.
- C. Allow anonymous retrieval for faster deployments.
- D. Disable rotation because cloud systems do not need it.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes developer enablement safer and easier to govern at scale.

Difficulty: Medium | Topic: developer enablement

Q37. Scenario 7: A team is adopting CyberArk Secrets Manager SaaS for incident response. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Allow anonymous retrieval for faster deployments.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes incident response safer and easier to govern at scale.

Difficulty: Medium | Topic: incident response

Q38. Scenario 8: A team is adopting CyberArk Secrets Manager SaaS for naming standards. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Allow anonymous retrieval for faster deployments.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes naming standards safer and easier to govern at scale.

Difficulty: Hard | Topic: naming standards

Q39. Scenario 9: A team is adopting CyberArk Secrets Manager SaaS for ownership. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes ownership safer and easier to govern at scale.

Difficulty: Medium | Topic: ownership

Q40. Scenario 10: A team is adopting CyberArk Secrets Manager SaaS for application onboarding. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Allow anonymous retrieval for faster deployments.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes application onboarding safer and easier to govern at scale.

Difficulty: Medium | Topic: application onboarding

Q41. Scenario 11: A team is adopting CyberArk Secrets Manager SaaS for policy design. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Allow anonymous retrieval for faster deployments.
- C. Disable rotation because cloud systems do not need it.
- D. Store the same shared token in every application repository.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes policy design safer and easier to govern at scale.

Difficulty: Medium | Topic: policy design

Q42. Scenario 12: A team is adopting CyberArk Secrets Manager SaaS for rotation. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes rotation safer and easier to govern at scale.

Difficulty: Hard | Topic: rotation

Q43. Scenario 13: A team is adopting CyberArk Secrets Manager SaaS for audit. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Store the same shared token in every application repository.
- C. Disable rotation because cloud systems do not need it.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes audit safer and easier to govern at scale.

Difficulty: Medium | Topic: audit

Q44. Scenario 14: A team is adopting CyberArk Secrets Manager SaaS for CI/CD. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Allow anonymous retrieval for faster deployments.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes CI/CD safer and easier to govern at scale.

Difficulty: Medium | Topic: CI/CD

Q45. Scenario 15: A team is adopting CyberArk Secrets Manager SaaS for tenant administration. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Allow anonymous retrieval for faster deployments.
- C. Store the same shared token in every application repository.
- D. Disable rotation because cloud systems do not need it.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes tenant administration safer and easier to govern at scale.

Difficulty: Medium | Topic: tenant administration

Q46. Scenario 16: A team is adopting CyberArk Secrets Manager SaaS for developer enablement. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes developer enablement safer and easier to govern at scale.

Difficulty: Hard | Topic: developer enablement

Q47. Scenario 17: A team is adopting CyberArk Secrets Manager SaaS for incident response. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes incident response safer and easier to govern at scale.

Difficulty: Medium | Topic: incident response

Q48. Scenario 18: A team is adopting CyberArk Secrets Manager SaaS for naming standards. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes naming standards safer and easier to govern at scale.

Difficulty: Medium | Topic: naming standards

Q49. Scenario 19: A team is adopting CyberArk Secrets Manager SaaS for ownership. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Store the same shared token in every application repository.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Allow anonymous retrieval for faster deployments.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes ownership safer and easier to govern at scale.

Difficulty: Medium | Topic: ownership

Q50. Scenario 20: A team is adopting CyberArk Secrets Manager SaaS for application onboarding. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Disable rotation because cloud systems do not need it.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes application onboarding safer and easier to govern at scale.

Difficulty: Hard | Topic: application onboarding

Q51. Scenario 21: A team is adopting CyberArk Secrets Manager SaaS for policy design. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Store the same shared token in every application repository.
- C. Disable rotation because cloud systems do not need it.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes policy design safer and easier to govern at scale.

Difficulty: Medium | Topic: policy design

Q52. Scenario 22: A team is adopting CyberArk Secrets Manager SaaS for rotation. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Allow anonymous retrieval for faster deployments.
- C. Store the same shared token in every application repository.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes rotation safer and easier to govern at scale.

Difficulty: Medium | Topic: rotation

Q53. Scenario 23: A team is adopting CyberArk Secrets Manager SaaS for audit. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes audit safer and easier to govern at scale.

Difficulty: Medium | Topic: audit

Q54. Scenario 24: A team is adopting CyberArk Secrets Manager SaaS for CI/CD. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes CI/CD safer and easier to govern at scale.

Difficulty: Hard | Topic: CI/CD

Q55. Scenario 25: A team is adopting CyberArk Secrets Manager SaaS for tenant administration. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Disable rotation because cloud systems do not need it.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes tenant administration safer and easier to govern at scale.

Difficulty: Medium | Topic: tenant administration

Q56. Scenario 26: A team is adopting CyberArk Secrets Manager SaaS for developer enablement. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Disable rotation because cloud systems do not need it.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes developer enablement safer and easier to govern at scale.

Difficulty: Medium | Topic: developer enablement

Q57. Scenario 27: A team is adopting CyberArk Secrets Manager SaaS for incident response. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Allow anonymous retrieval for faster deployments.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Disable rotation because cloud systems do not need it.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes incident response safer and easier to govern at scale.

Difficulty: Medium | Topic: incident response

Q58. Scenario 28: A team is adopting CyberArk Secrets Manager SaaS for naming standards. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Store the same shared token in every application repository.
- C. Disable rotation because cloud systems do not need it.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes naming standards safer and easier to govern at scale.

Difficulty: Hard | Topic: naming standards

Q59. Scenario 29: A team is adopting CyberArk Secrets Manager SaaS for ownership. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Allow anonymous retrieval for faster deployments.
- C. Store the same shared token in every application repository.
- D. Disable rotation because cloud systems do not need it.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes ownership safer and easier to govern at scale.

Difficulty: Medium | Topic: ownership

Q60. Scenario 30: A team is adopting CyberArk Secrets Manager SaaS for application onboarding. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Store the same shared token in every application repository.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes application onboarding safer and easier to govern at scale.

Difficulty: Medium | Topic: application onboarding

Q61. Scenario 31: A team is adopting CyberArk Secrets Manager SaaS for policy design. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes policy design safer and easier to govern at scale.

Difficulty: Medium | Topic: policy design

Q62. Scenario 32: A team is adopting CyberArk Secrets Manager SaaS for rotation. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes rotation safer and easier to govern at scale.

Difficulty: Hard | Topic: rotation

Q63. Scenario 33: A team is adopting CyberArk Secrets Manager SaaS for audit. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes audit safer and easier to govern at scale.

Difficulty: Medium | Topic: audit

Q64. Scenario 34: A team is adopting CyberArk Secrets Manager SaaS for CI/CD. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes CI/CD safer and easier to govern at scale.

Difficulty: Medium | Topic: CI/CD

Q65. Scenario 35: A team is adopting CyberArk Secrets Manager SaaS for tenant administration. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes tenant administration safer and easier to govern at scale.

Difficulty: Medium | Topic: tenant administration

Q66. Scenario 36: A team is adopting CyberArk Secrets Manager SaaS for developer enablement. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes developer enablement safer and easier to govern at scale.

Difficulty: Hard | Topic: developer enablement

Q67. Scenario 37: A team is adopting CyberArk Secrets Manager SaaS for incident response. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes incident response safer and easier to govern at scale.

Difficulty: Medium | Topic: incident response

Q68. Scenario 38: A team is adopting CyberArk Secrets Manager SaaS for naming standards. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Allow anonymous retrieval for faster deployments.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes naming standards safer and easier to govern at scale.

Difficulty: Medium | Topic: naming standards

Q69. Scenario 39: A team is adopting CyberArk Secrets Manager SaaS for ownership. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Allow anonymous retrieval for faster deployments.
- C. Disable rotation because cloud systems do not need it.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes ownership safer and easier to govern at scale.

Difficulty: Medium | Topic: ownership

Q70. Scenario 40: A team is adopting CyberArk Secrets Manager SaaS for application onboarding. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes application onboarding safer and easier to govern at scale.

Difficulty: Hard | Topic: application onboarding

Q71. Scenario 41: A team is adopting CyberArk Secrets Manager SaaS for policy design. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes policy design safer and easier to govern at scale.

Difficulty: Medium | Topic: policy design

Q72. Scenario 42: A team is adopting CyberArk Secrets Manager SaaS for rotation. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Allow anonymous retrieval for faster deployments.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Store the same shared token in every application repository.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes rotation safer and easier to govern at scale.

Difficulty: Medium | Topic: rotation

Q73. Scenario 43: A team is adopting CyberArk Secrets Manager SaaS for audit. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Allow anonymous retrieval for faster deployments.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Disable rotation because cloud systems do not need it.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes audit safer and easier to govern at scale.

Difficulty: Medium | Topic: audit

Q74. Scenario 44: A team is adopting CyberArk Secrets Manager SaaS for CI/CD. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes CI/CD safer and easier to govern at scale.

Difficulty: Hard | Topic: CI/CD

Q75. Scenario 45: A team is adopting CyberArk Secrets Manager SaaS for tenant administration. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Allow anonymous retrieval for faster deployments.
- C. Disable rotation because cloud systems do not need it.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes tenant administration safer and easier to govern at scale.

Difficulty: Medium | Topic: tenant administration

Q76. Scenario 46: A team is adopting CyberArk Secrets Manager SaaS for developer enablement. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes developer enablement safer and easier to govern at scale.

Difficulty: Medium | Topic: developer enablement

Q77. Scenario 47: A team is adopting CyberArk Secrets Manager SaaS for incident response. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Disable rotation because cloud systems do not need it.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes incident response safer and easier to govern at scale.

Difficulty: Medium | Topic: incident response

Q78. Scenario 48: A team is adopting CyberArk Secrets Manager SaaS for naming standards. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Store the same shared token in every application repository.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes naming standards safer and easier to govern at scale.

Difficulty: Hard | Topic: naming standards

Q79. Scenario 49: A team is adopting CyberArk Secrets Manager SaaS for ownership. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Store the same shared token in every application repository.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes ownership safer and easier to govern at scale.

Difficulty: Medium | Topic: ownership

Q80. Scenario 50: A team is adopting CyberArk Secrets Manager SaaS for application onboarding. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes application onboarding safer and easier to govern at scale.

Difficulty: Medium | Topic: application onboarding

Q81. Scenario 51: A team is adopting CyberArk Secrets Manager SaaS for policy design. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Store the same shared token in every application repository.
- C. Disable rotation because cloud systems do not need it.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes policy design safer and easier to govern at scale.

Difficulty: Medium | Topic: policy design

Q82. Scenario 52: A team is adopting CyberArk Secrets Manager SaaS for rotation. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Allow anonymous retrieval for faster deployments.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Disable rotation because cloud systems do not need it.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes rotation safer and easier to govern at scale.

Difficulty: Hard | Topic: rotation

Q83. Scenario 53: A team is adopting CyberArk Secrets Manager SaaS for audit. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes audit safer and easier to govern at scale.

Difficulty: Medium | Topic: audit

Q84. Scenario 54: A team is adopting CyberArk Secrets Manager SaaS for CI/CD. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Allow anonymous retrieval for faster deployments.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes CI/CD safer and easier to govern at scale.

Difficulty: Medium | Topic: CI/CD

Q85. Scenario 55: A team is adopting CyberArk Secrets Manager SaaS for tenant administration. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Disable rotation because cloud systems do not need it.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes tenant administration safer and easier to govern at scale.

Difficulty: Medium | Topic: tenant administration

Q86. Scenario 56: A team is adopting CyberArk Secrets Manager SaaS for developer enablement. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes developer enablement safer and easier to govern at scale.

Difficulty: Hard | Topic: developer enablement

Q87. Scenario 57: A team is adopting CyberArk Secrets Manager SaaS for incident response. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Store the same shared token in every application repository.
- C. Disable rotation because cloud systems do not need it.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes incident response safer and easier to govern at scale.

Difficulty: Medium | Topic: incident response

Q88. Scenario 58: A team is adopting CyberArk Secrets Manager SaaS for naming standards. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Store the same shared token in every application repository.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Allow anonymous retrieval for faster deployments.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes naming standards safer and easier to govern at scale.

Difficulty: Medium | Topic: naming standards

Q89. Scenario 59: A team is adopting CyberArk Secrets Manager SaaS for ownership. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes ownership safer and easier to govern at scale.

Difficulty: Medium | Topic: ownership

Q90. Scenario 60: A team is adopting CyberArk Secrets Manager SaaS for application onboarding. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Allow anonymous retrieval for faster deployments.
- C. Disable rotation because cloud systems do not need it.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes application onboarding safer and easier to govern at scale.

Difficulty: Hard | Topic: application onboarding

Q91. Scenario 61: A team is adopting CyberArk Secrets Manager SaaS for policy design. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes policy design safer and easier to govern at scale.

Difficulty: Medium | Topic: policy design

Q92. Scenario 62: A team is adopting CyberArk Secrets Manager SaaS for rotation. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes rotation safer and easier to govern at scale.

Difficulty: Medium | Topic: rotation

Q93. Scenario 63: A team is adopting CyberArk Secrets Manager SaaS for audit. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Allow anonymous retrieval for faster deployments.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes audit safer and easier to govern at scale.

Difficulty: Medium | Topic: audit

Q94. Scenario 64: A team is adopting CyberArk Secrets Manager SaaS for CI/CD. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Store the same shared token in every application repository.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes CI/CD safer and easier to govern at scale.

Difficulty: Hard | Topic: CI/CD

Q95. Scenario 65: A team is adopting CyberArk Secrets Manager SaaS for tenant administration. Which design choice is best?

- A. Allow anonymous retrieval for faster deployments.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Store the same shared token in every application repository.
- D. Disable rotation because cloud systems do not need it.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes tenant administration safer and easier to govern at scale.

Difficulty: Medium | Topic: tenant administration

Q96. Scenario 66: A team is adopting CyberArk Secrets Manager SaaS for developer enablement. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Allow anonymous retrieval for faster deployments.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Disable rotation because cloud systems do not need it.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes developer enablement safer and easier to govern at scale.

Difficulty: Medium | Topic: developer enablement

Q97. Scenario 67: A team is adopting CyberArk Secrets Manager SaaS for incident response. Which design choice is best?

- A. Store the same shared token in every application repository.
- B. Disable rotation because cloud systems do not need it.
- C. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- D. Allow anonymous retrieval for faster deployments.

Answer: C - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes incident response safer and easier to govern at scale.

Difficulty: Medium | Topic: incident response

Q98. Scenario 68: A team is adopting CyberArk Secrets Manager SaaS for naming standards. Which design choice is best?

- A. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- B. Disable rotation because cloud systems do not need it.
- C. Store the same shared token in every application repository.
- D. Allow anonymous retrieval for faster deployments.

Answer: A - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes naming standards safer and easier to govern at scale.

Difficulty: Hard | Topic: naming standards

Q99. Scenario 69: A team is adopting CyberArk Secrets Manager SaaS for ownership. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Store the same shared token in every application repository.
- C. Allow anonymous retrieval for faster deployments.
- D. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Answer: D - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes ownership safer and easier to govern at scale.

Difficulty: Medium | Topic: ownership

Q100. Scenario 70: A team is adopting CyberArk Secrets Manager SaaS for application onboarding. Which design choice is best?

- A. Disable rotation because cloud systems do not need it.
- B. Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.
- C. Allow anonymous retrieval for faster deployments.
- D. Store the same shared token in every application repository.

Answer: B - Centralize secrets, authenticate machine identities, grant only required access, and monitor retrieval events.

Explanation: This design makes application onboarding safer and easier to govern at scale.

Difficulty: Medium | Topic: application onboarding