

F5 BIG-IP DNS Specialist Practice Quiz Bank

Covers BIG-IP DNS/GSLB concepts, wide IPs, DNS pools, topology, health monitoring, iQuery, listeners, delegation, and DNS troubleshooting.

Use: Instructor revision, CyberQuiz import planning, student self-assessment, and concept validation.

Disclaimer: These are original practice questions. They are not official F5 exam questions, brain dumps, or a guarantee of exam coverage. Validate final study plans against the latest F5 exam blueprint.

Topic	Questions
BIG-IP DNS concepts	10
GSLB pools	10
Load balancing methods	10
Health monitoring	10
iQuery	10
DNSSEC	10
Listeners	10
Prober selection	10
Troubleshooting DNS	10
Delegation	10

Q1. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. To represent a globally load-balanced DNS name
- B. It encrypts all HTTP payloads between client and server
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: A - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q2. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. Members representing application endpoints used for DNS load balancing
- D. It replaces the need for application health checks

Answer: C - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q3. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It replaces the need for application health checks
- B. To select responses based on client location or defined topology records
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: B - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q4. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It creates server-side SSL profiles automatically
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. It prevents DNS responses from directing users to unavailable resources

Answer: D - It prevents DNS responses from directing users to unavailable resources

Explanation: DNS availability depends on accurate endpoint health signals.

Q5. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It encrypts all HTTP payloads between client and server
- B. Exchanging availability and configuration information for BIG-IP DNS operations
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: B - Exchanging availability and configuration information for BIG-IP DNS operations

Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q6. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. It replaces the need for application health checks
- D. DNS response authenticity and integrity through signing

Answer: D - DNS response authenticity and integrity through signing

Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q7. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. It creates server-side SSL profiles automatically
- B. It encrypts all HTTP payloads between client and server
- C. It replaces the need for application health checks
- D. An IP address on which BIG-IP DNS receives DNS queries

Answer: D - An IP address on which BIG-IP DNS receives DNS queries

Explanation: Listeners are query entry points for DNS services.

Q8. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. It replaces the need for application health checks
- D. It determines which BIG-IP system performs health checks for resources

Answer: D - It determines which BIG-IP system performs health checks for resources

Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q9. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. Wide IP configuration, pool status, load balancing method, topology, and logs
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - Wide IP configuration, pool status, load balancing method, topology, and logs

Explanation: DNS answers are influenced by multiple configuration and health factors.

Q10. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. It creates server-side SSL profiles automatically
- B. It encrypts all HTTP payloads between client and server
- C. To direct queries for selected zones/names toward BIG-IP DNS
- D. It replaces the need for application health checks

Answer: C - To direct queries for selected zones/names toward BIG-IP DNS

Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q11. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. It creates server-side SSL profiles automatically
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. To represent a globally load-balanced DNS name

Answer: D - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q12. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. It creates server-side SSL profiles automatically
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. Members representing application endpoints used for DNS load balancing

Answer: D - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q13. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It encrypts all HTTP payloads between client and server
- B. To select responses based on client location or defined topology records
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: B - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q14. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It replaces the need for application health checks

- B. It encrypts all HTTP payloads between client and server
- C. It prevents DNS responses from directing users to unavailable resources
- D. It creates server-side SSL profiles automatically

Answer: C - It prevents DNS responses from directing users to unavailable resources
Explanation: DNS availability depends on accurate endpoint health signals.

Q15. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. Exchanging availability and configuration information for BIG-IP DNS operations
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. It creates server-side SSL profiles automatically

Answer: A - Exchanging availability and configuration information for BIG-IP DNS operations
Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q16. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. It creates server-side SSL profiles automatically
- B. DNS response authenticity and integrity through signing
- C. It encrypts all HTTP payloads between client and server
- D. It replaces the need for application health checks

Answer: B - DNS response authenticity and integrity through signing
Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q17. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. It creates server-side SSL profiles automatically
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. An IP address on which BIG-IP DNS receives DNS queries

Answer: D - An IP address on which BIG-IP DNS receives DNS queries
Explanation: Listeners are query entry points for DNS services.

Q18. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It determines which BIG-IP system performs health checks for resources
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: A - It determines which BIG-IP system performs health checks for resources
Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q19. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. It creates server-side SSL profiles automatically
- B. It encrypts all HTTP payloads between client and server
- C. Wide IP configuration, pool status, load balancing method, topology, and logs
- D. It replaces the need for application health checks

Answer: C - Wide IP configuration, pool status, load balancing method, topology, and logs
Explanation: DNS answers are influenced by multiple configuration and health factors.

Q20. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. It creates server-side SSL profiles automatically
- B. It encrypts all HTTP payloads between client and server
- C. To direct queries for selected zones/names toward BIG-IP DNS
- D. It replaces the need for application health checks

Answer: C - To direct queries for selected zones/names toward BIG-IP DNS
Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q21. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. To represent a globally load-balanced DNS name
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: A - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q22. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. Members representing application endpoints used for DNS load balancing
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. It replaces the need for application health checks

Answer: A - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q23. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. It replaces the need for application health checks
- D. To select responses based on client location or defined topology records

Answer: D - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q24. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It replaces the need for application health checks
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It prevents DNS responses from directing users to unavailable resources

Answer: D - It prevents DNS responses from directing users to unavailable resources

Explanation: DNS availability depends on accurate endpoint health signals.

Q25. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It encrypts all HTTP payloads between client and server
- B. Exchanging availability and configuration information for BIG-IP DNS operations
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: B - Exchanging availability and configuration information for BIG-IP DNS operations

Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q26. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. DNS response authenticity and integrity through signing
- B. It encrypts all HTTP payloads between client and server
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: A - DNS response authenticity and integrity through signing

Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q27. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. An IP address on which BIG-IP DNS receives DNS queries
- D. It creates server-side SSL profiles automatically

Answer: C - An IP address on which BIG-IP DNS receives DNS queries

Explanation: Listeners are query entry points for DNS services.

Q28. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It creates server-side SSL profiles automatically
- B. It encrypts all HTTP payloads between client and server
- C. It determines which BIG-IP system performs health checks for resources
- D. It replaces the need for application health checks

Answer: C - It determines which BIG-IP system performs health checks for resources

Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q29. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. Wide IP configuration, pool status, load balancing method, topology, and logs
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: A - Wide IP configuration, pool status, load balancing method, topology, and logs

Explanation: DNS answers are influenced by multiple configuration and health factors.

Q30. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. To direct queries for selected zones/names toward BIG-IP DNS
- B. It encrypts all HTTP payloads between client and server
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: A - To direct queries for selected zones/names toward BIG-IP DNS

Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q31. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. To represent a globally load-balanced DNS name
- B. It encrypts all HTTP payloads between client and server
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: A - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q32. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. Members representing application endpoints used for DNS load balancing
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q33. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. To select responses based on client location or defined topology records
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. It replaces the need for application health checks

Answer: A - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q34. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It creates server-side SSL profiles automatically

- B. It replaces the need for application health checks
- C. It prevents DNS responses from directing users to unavailable resources
- D. It encrypts all HTTP payloads between client and server

Answer: C - It prevents DNS responses from directing users to unavailable resources
Explanation: DNS availability depends on accurate endpoint health signals.

Q35. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. Exchanging availability and configuration information for BIG-IP DNS operations
- D. It replaces the need for application health checks

Answer: C - Exchanging availability and configuration information for BIG-IP DNS operations
Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q36. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. It replaces the need for application health checks
- B. It creates server-side SSL profiles automatically
- C. DNS response authenticity and integrity through signing
- D. It encrypts all HTTP payloads between client and server

Answer: C - DNS response authenticity and integrity through signing
Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q37. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. An IP address on which BIG-IP DNS receives DNS queries
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - An IP address on which BIG-IP DNS receives DNS queries
Explanation: Listeners are query entry points for DNS services.

Q38. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It replaces the need for application health checks
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It determines which BIG-IP system performs health checks for resources

Answer: D - It determines which BIG-IP system performs health checks for resources
Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q39. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. It replaces the need for application health checks
- B. Wide IP configuration, pool status, load balancing method, topology, and logs
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: B - Wide IP configuration, pool status, load balancing method, topology, and logs
Explanation: DNS answers are influenced by multiple configuration and health factors.

Q40. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. To direct queries for selected zones/names toward BIG-IP DNS
- D. It replaces the need for application health checks

Answer: C - To direct queries for selected zones/names toward BIG-IP DNS
Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q41. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. To represent a globally load-balanced DNS name
- D. It replaces the need for application health checks

Answer: C - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q42. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. It encrypts all HTTP payloads between client and server
- B. Members representing application endpoints used for DNS load balancing
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: B - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q43. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. To select responses based on client location or defined topology records
- D. It creates server-side SSL profiles automatically

Answer: C - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q44. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It prevents DNS responses from directing users to unavailable resources
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. It replaces the need for application health checks

Answer: A - It prevents DNS responses from directing users to unavailable resources

Explanation: DNS availability depends on accurate endpoint health signals.

Q45. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It replaces the need for application health checks
- B. Exchanging availability and configuration information for BIG-IP DNS operations
- C. It encrypts all HTTP payloads between client and server
- D. It creates server-side SSL profiles automatically

Answer: B - Exchanging availability and configuration information for BIG-IP DNS operations

Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q46. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. It creates server-side SSL profiles automatically
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. DNS response authenticity and integrity through signing

Answer: D - DNS response authenticity and integrity through signing

Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q47. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. It replaces the need for application health checks
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. An IP address on which BIG-IP DNS receives DNS queries

Answer: D - An IP address on which BIG-IP DNS receives DNS queries

Explanation: Listeners are query entry points for DNS services.

Q48. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. It determines which BIG-IP system performs health checks for resources
- D. It creates server-side SSL profiles automatically

Answer: C - It determines which BIG-IP system performs health checks for resources

Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q49. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. It replaces the need for application health checks
- B. It creates server-side SSL profiles automatically
- C. Wide IP configuration, pool status, load balancing method, topology, and logs
- D. It encrypts all HTTP payloads between client and server

Answer: C - Wide IP configuration, pool status, load balancing method, topology, and logs

Explanation: DNS answers are influenced by multiple configuration and health factors.

Q50. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. To direct queries for selected zones/names toward BIG-IP DNS

Answer: D - To direct queries for selected zones/names toward BIG-IP DNS

Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q51. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. It encrypts all HTTP payloads between client and server
- B. To represent a globally load-balanced DNS name
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: B - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q52. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. Members representing application endpoints used for DNS load balancing
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. It creates server-side SSL profiles automatically

Answer: A - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q53. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. To select responses based on client location or defined topology records
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q54. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It encrypts all HTTP payloads between client and server

- B. It prevents DNS responses from directing users to unavailable resources
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: B - It prevents DNS responses from directing users to unavailable resources

Explanation: DNS availability depends on accurate endpoint health signals.

Q55. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. Exchanging availability and configuration information for BIG-IP DNS operations

Answer: D - Exchanging availability and configuration information for BIG-IP DNS operations

Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q56. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. It encrypts all HTTP payloads between client and server
- B. DNS response authenticity and integrity through signing
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: B - DNS response authenticity and integrity through signing

Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q57. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. It creates server-side SSL profiles automatically
- B. It replaces the need for application health checks
- C. An IP address on which BIG-IP DNS receives DNS queries
- D. It encrypts all HTTP payloads between client and server

Answer: C - An IP address on which BIG-IP DNS receives DNS queries

Explanation: Listeners are query entry points for DNS services.

Q58. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It determines which BIG-IP system performs health checks for resources

Answer: D - It determines which BIG-IP system performs health checks for resources

Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q59. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. Wide IP configuration, pool status, load balancing method, topology, and logs
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. It creates server-side SSL profiles automatically

Answer: A - Wide IP configuration, pool status, load balancing method, topology, and logs

Explanation: DNS answers are influenced by multiple configuration and health factors.

Q60. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. To direct queries for selected zones/names toward BIG-IP DNS
- D. It replaces the need for application health checks

Answer: C - To direct queries for selected zones/names toward BIG-IP DNS

Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q61. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. To represent a globally load-balanced DNS name
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q62. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. Members representing application endpoints used for DNS load balancing
- D. It creates server-side SSL profiles automatically

Answer: C - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q63. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It encrypts all HTTP payloads between client and server
- B. To select responses based on client location or defined topology records
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: B - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q64. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. It prevents DNS responses from directing users to unavailable resources
- D. It creates server-side SSL profiles automatically

Answer: C - It prevents DNS responses from directing users to unavailable resources

Explanation: DNS availability depends on accurate endpoint health signals.

Q65. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It replaces the need for application health checks
- B. Exchanging availability and configuration information for BIG-IP DNS operations
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: B - Exchanging availability and configuration information for BIG-IP DNS operations

Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q66. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. DNS response authenticity and integrity through signing

Answer: D - DNS response authenticity and integrity through signing

Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q67. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. An IP address on which BIG-IP DNS receives DNS queries
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - An IP address on which BIG-IP DNS receives DNS queries

Explanation: Listeners are query entry points for DNS services.

Q68. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It replaces the need for application health checks
- B. It encrypts all HTTP payloads between client and server
- C. It determines which BIG-IP system performs health checks for resources
- D. It creates server-side SSL profiles automatically

Answer: C - It determines which BIG-IP system performs health checks for resources

Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q69. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. Wide IP configuration, pool status, load balancing method, topology, and logs
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - Wide IP configuration, pool status, load balancing method, topology, and logs

Explanation: DNS answers are influenced by multiple configuration and health factors.

Q70. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. To direct queries for selected zones/names toward BIG-IP DNS
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: A - To direct queries for selected zones/names toward BIG-IP DNS

Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q71. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. To represent a globally load-balanced DNS name
- D. It creates server-side SSL profiles automatically

Answer: C - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q72. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. Members representing application endpoints used for DNS load balancing
- B. It encrypts all HTTP payloads between client and server
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: A - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q73. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It encrypts all HTTP payloads between client and server
- B. It creates server-side SSL profiles automatically
- C. To select responses based on client location or defined topology records
- D. It replaces the need for application health checks

Answer: C - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q74. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It creates server-side SSL profiles automatically

- B. It prevents DNS responses from directing users to unavailable resources
- C. It replaces the need for application health checks
- D. It encrypts all HTTP payloads between client and server

Answer: B - It prevents DNS responses from directing users to unavailable resources
Explanation: DNS availability depends on accurate endpoint health signals.

Q75. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It encrypts all HTTP payloads between client and server
- B. Exchanging availability and configuration information for BIG-IP DNS operations
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: B - Exchanging availability and configuration information for BIG-IP DNS operations
Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q76. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. DNS response authenticity and integrity through signing
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: A - DNS response authenticity and integrity through signing
Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q77. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. It creates server-side SSL profiles automatically
- B. It encrypts all HTTP payloads between client and server
- C. An IP address on which BIG-IP DNS receives DNS queries
- D. It replaces the need for application health checks

Answer: C - An IP address on which BIG-IP DNS receives DNS queries
Explanation: Listeners are query entry points for DNS services.

Q78. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It replaces the need for application health checks
- B. It encrypts all HTTP payloads between client and server
- C. It determines which BIG-IP system performs health checks for resources
- D. It creates server-side SSL profiles automatically

Answer: C - It determines which BIG-IP system performs health checks for resources
Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q79. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. Wide IP configuration, pool status, load balancing method, topology, and logs
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. It replaces the need for application health checks

Answer: A - Wide IP configuration, pool status, load balancing method, topology, and logs
Explanation: DNS answers are influenced by multiple configuration and health factors.

Q80. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. It encrypts all HTTP payloads between client and server
- B. To direct queries for selected zones/names toward BIG-IP DNS
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: B - To direct queries for selected zones/names toward BIG-IP DNS
Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q81. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. To represent a globally load-balanced DNS name
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: A - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q82. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. Members representing application endpoints used for DNS load balancing
- B. It replaces the need for application health checks
- C. It encrypts all HTTP payloads between client and server
- D. It creates server-side SSL profiles automatically

Answer: A - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q83. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It replaces the need for application health checks
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. To select responses based on client location or defined topology records

Answer: D - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q84. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It prevents DNS responses from directing users to unavailable resources
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. It replaces the need for application health checks

Answer: A - It prevents DNS responses from directing users to unavailable resources

Explanation: DNS availability depends on accurate endpoint health signals.

Q85. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It replaces the need for application health checks
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. Exchanging availability and configuration information for BIG-IP DNS operations

Answer: D - Exchanging availability and configuration information for BIG-IP DNS operations

Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q86. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. It replaces the need for application health checks
- B. DNS response authenticity and integrity through signing
- C. It encrypts all HTTP payloads between client and server
- D. It creates server-side SSL profiles automatically

Answer: B - DNS response authenticity and integrity through signing

Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q87. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. An IP address on which BIG-IP DNS receives DNS queries
- B. It creates server-side SSL profiles automatically
- C. It replaces the need for application health checks
- D. It encrypts all HTTP payloads between client and server

Answer: A - An IP address on which BIG-IP DNS receives DNS queries

Explanation: Listeners are query entry points for DNS services.

Q88. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It determines which BIG-IP system performs health checks for resources
- B. It encrypts all HTTP payloads between client and server
- C. It replaces the need for application health checks
- D. It creates server-side SSL profiles automatically

Answer: A - It determines which BIG-IP system performs health checks for resources

Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q89. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. It replaces the need for application health checks
- B. It encrypts all HTTP payloads between client and server
- C. It creates server-side SSL profiles automatically
- D. Wide IP configuration, pool status, load balancing method, topology, and logs

Answer: D - Wide IP configuration, pool status, load balancing method, topology, and logs

Explanation: DNS answers are influenced by multiple configuration and health factors.

Q90. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. To direct queries for selected zones/names toward BIG-IP DNS
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: A - To direct queries for selected zones/names toward BIG-IP DNS

Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.

Q91. [Easy] [BIG-IP DNS concepts] In a multi-data-center design, What is the purpose of a wide IP?

- A. It encrypts all HTTP payloads between client and server
- B. It replaces the need for application health checks
- C. To represent a globally load-balanced DNS name
- D. It creates server-side SSL profiles automatically

Answer: C - To represent a globally load-balanced DNS name

Explanation: A wide IP maps a DNS name to pools of virtual servers for GSLB decisions.

Q92. [Easy] [GSLB pools] While configuring global server load balancing, What does a BIG-IP DNS pool contain?

- A. It creates server-side SSL profiles automatically
- B. Members representing application endpoints used for DNS load balancing
- C. It replaces the need for application health checks
- D. It encrypts all HTTP payloads between client and server

Answer: B - Members representing application endpoints used for DNS load balancing

Explanation: GSLB pools group service endpoints for DNS responses.

Q93. [Medium] [Load balancing methods] During DNS failover validation, Why use topology-based load balancing?

- A. It encrypts all HTTP payloads between client and server
- B. To select responses based on client location or defined topology records
- C. It creates server-side SSL profiles automatically
- D. It replaces the need for application health checks

Answer: B - To select responses based on client location or defined topology records

Explanation: Topology methods support location-aware DNS responses.

Q94. [Easy] [Health monitoring] When troubleshooting user resolution issues, Why is health monitoring important for BIG-IP DNS?

- A. It encrypts all HTTP payloads between client and server

- B. It replaces the need for application health checks
- C. It prevents DNS responses from directing users to unavailable resources
- D. It creates server-side SSL profiles automatically

Answer: C - It prevents DNS responses from directing users to unavailable resources

Explanation: DNS availability depends on accurate endpoint health signals.

Q95. [Medium] [iQuery] For a resilient application deployment, What is iQuery used for between BIG-IP systems?

- A. It replaces the need for application health checks
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. Exchanging availability and configuration information for BIG-IP DNS operations

Answer: D - Exchanging availability and configuration information for BIG-IP DNS operations

Explanation: iQuery helps DNS systems learn LTM object status and other metrics.

Q96. [Medium] [DNSSEC] In a multi-data-center design, What does DNSSEC provide?

- A. DNS response authenticity and integrity through signing
- B. It replaces the need for application health checks
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: A - DNS response authenticity and integrity through signing

Explanation: DNSSEC helps validate that DNS responses have not been tampered with.

Q97. [Easy] [Listeners] While configuring global server load balancing, What is a DNS listener?

- A. An IP address on which BIG-IP DNS receives DNS queries
- B. It creates server-side SSL profiles automatically
- C. It encrypts all HTTP payloads between client and server
- D. It replaces the need for application health checks

Answer: A - An IP address on which BIG-IP DNS receives DNS queries

Explanation: Listeners are query entry points for DNS services.

Q98. [Medium] [Prober selection] During DNS failover validation, Why is prober selection important?

- A. It replaces the need for application health checks
- B. It encrypts all HTTP payloads between client and server
- C. It determines which BIG-IP system performs health checks for resources
- D. It creates server-side SSL profiles automatically

Answer: C - It determines which BIG-IP system performs health checks for resources

Explanation: Correct prober selection improves monitoring accuracy and efficiency.

Q99. [Medium] [Troubleshooting DNS] When troubleshooting user resolution issues, What should be checked if clients receive an unexpected DNS answer?

- A. It replaces the need for application health checks
- B. Wide IP configuration, pool status, load balancing method, topology, and logs
- C. It creates server-side SSL profiles automatically
- D. It encrypts all HTTP payloads between client and server

Answer: B - Wide IP configuration, pool status, load balancing method, topology, and logs

Explanation: DNS answers are influenced by multiple configuration and health factors.

Q100. [Medium] [Delegation] For a resilient application deployment, Why is DNS delegation required in many BIG-IP DNS deployments?

- A. It replaces the need for application health checks
- B. It creates server-side SSL profiles automatically
- C. To direct queries for selected zones/names toward BIG-IP DNS
- D. It encrypts all HTTP payloads between client and server

Answer: C - To direct queries for selected zones/names toward BIG-IP DNS

Explanation: Delegation makes BIG-IP DNS authoritative or reachable for target names.