
## SQL/Database work

Tuesday, February 01, 2022

Database was created in PGAdmin
There are multiple tables in the database

5:26 PM

- 1) Conference (records:27), games distinct (Records: 4918), stadium (records:166) and teamlist (records:247) are direct from Kaggle 2008-2013 (with small adjustments to conferences that may have changed between those five years)
- 2) Halfstats (records: 9590) was imported from game statistics to align with what is needed for machine learning
- 3) Halfstats expanded (records 4795) was imported from csv, it was created from halfstats (in excel) to place Team A and Team B within a distinct primary key = game\_code.--and was matched to tbl\_mapped\_stadium\_games (records: 4918).
- 4) Mapped stadium games and team conference was required to turn each game code into meaningful team names, stadium names and conference names.
- 5) Halfstats expanded version 1 is the gold copy expanded form of data to be used for machine learning and visuals. Where clauses can be created to trim anomolies (or not) as the team proceeds.
- 6) Table structure below (see ERD in folder)



## Steps in PGADMIN for joining data

- --Step 1 Bring in normalized and distinct conference name into table = conference
- --Step 2 Create a table that maps conference against teamlist conference code (tbl\_mapped\_team\_conference)

## **SELECT**

teamlist.team\_code, teamlist.team\_name, teamlist.conference\_code, conference.name\_conference,

```
conference.subdivision
INTO mapped_team_conference
  FROM teamlist INNER JOIN conference ON teamlist.conference code=conference.conference code;
--Step 3 Bring in all games from 2008-2013
--Step 4 Bring in stadium codes that dropped since 2008, 123 North Tex and 26-Ft Laud
--Step 5 Right Join Stadium Name from Stadium.stadium code to games.stadium code
SELECT
games.game_code,
games.visit_date,
games.stadium_code,
stadium.stadium_name,
games.home_team_code,
games.visit_team_code,
games.site,
games.year,
stadium.city,
stadium.state,
stadium.capacity,
stadium.surface,
stadium.year_opened
INTO tbl_mapped_stadium_games
  FROM stadium RIGHT JOIN games ON stadium.stadium code=games.stadium code
     ORDER BY games.game_code,home_team_code;
Select * from tbl mapped stadium games
ORDER BY game code, home team code
Select * from tbl_mapped_team_conference
Select * from tbl_halfstats_expanded
---Step 6 input halfstats_expanded where Team a and Team b are on distinct game_code
---Step 7 link halfstats_expanded to mapped stadium games in order to get stadium details
SELECT
tbl_halfstats_expanded.year,
tbl halfstats expanded.game code,
tbl_halfstats_expanded.a_team_code,
tbl halfstats expanded.b team code,
tbl_halfstats_expanded.a_result,
tbl_halfstats_expanded.b_result,
tbl_halfstats_expanded.a_points,
tbl_halfstats_expanded.b_points,
tbl_halfstats_expanded.a_rush,
tbl_halfstats_expanded.b_rush,
tbl_halfstats_expanded.a_offense_rush_yards,
tbl_halfstats_expanded.b_defense_rush_yards,
tbl halfstats expanded.a defense rush yards,
tbl_halfstats_expanded.b_offense_rush_yards,
```

tbl\_halfstats\_expanded.a\_offense\_pass\_yards, tbl\_halfstats\_expanded.b\_defense\_pass\_yards,

```
tbl_halfstats_expanded.a_defense_pass_yards,
tbl halfstats expanded.b offense pass yards,
tbl_halfstats_expanded.a_pass,
tbl_halfstats_expanded.b_pass,
tbl halfstats expanded.a incomplete pass,
tbl_halfstats_expanded.b_incomplete_pass,
tbl halfstats expanded.a penalty,
tbl halfstats expanded.b penalty,
tbl halfstats expanded.a penalty yards,
tbl_halfstats_expanded.b_penalty_yards,
tbl_halfstats_expanded.half_diff_score,
tbl_halfstats_expanded.half_diff_score_abs,
tbl_halfstats_expanded.half_leader,
tbl_mapped_stadium_games.visit_date,
tbl_mapped_stadium_games.stadium_code,
tbl mapped stadium games.stadium name,
tbl_mapped_stadium_games.site,
tbl mapped stadium games.city,
tbl mapped stadium games.state,
tbl_mapped_stadium_games.capacity,
tbl_mapped_stadium_games.surface,
tbl_mapped_stadium_games.year_opened
INTO tbl_halfstats_expanded_with_stadium
  FROM tbl halfstats expanded RIGHT JOIN tbl mapped stadium games ON
tbl_halfstats_expanded.game_code=tbl_mapped_stadium_games.game_code
     ORDER BY tbl halfstats expanded.game code
--Step 8 Link halfstats with stadium for team and conferences for team a and team b
SELECT
tbl halfstats expanded with stadium.year,
tbl_halfstats_expanded_with_stadium.game_code,
tbl halfstats expanded with stadium.a team code,
tbl_halfstats_expanded_with_stadium.b_team_code,
tbl halfstats_expanded_with_stadium.a_result,
tbl_halfstats_expanded_with_stadium.b_result,
tbl halfstats expanded with stadium.a points,
tbl_halfstats_expanded_with_stadium.b_points,
tbl_halfstats_expanded_with_stadium.a_rush,
tbl halfstats expanded with stadium.b rush,
tbl_halfstats_expanded_with_stadium.a_offense_rush_yards,
tbl halfstats expanded with stadium.b defense rush yards,
tbl_halfstats_expanded_with_stadium.a_defense_rush_yards,
tbl halfstats expanded with stadium.b offense rush yards,
tbl_halfstats_expanded_with_stadium.a_offense_pass_yards,
tbl halfstats expanded with stadium.b defense pass yards,
tbl_halfstats_expanded_with_stadium.a_defense_pass_yards,
tbl_halfstats_expanded_with_stadium.b_offense_pass_yards,
tbl_halfstats_expanded_with_stadium.a_pass,
tbl_halfstats_expanded_with_stadium.b_pass,
tbl halfstats expanded with stadium.a incomplete pass,
tbl_halfstats_expanded_with_stadium.b_incomplete_pass,
tbl halfstats expanded with stadium.a penalty,
tbl_halfstats_expanded_with_stadium.b_penalty,
```

```
tbl_halfstats_expanded_with_stadium.a_penalty_yards,
tbl_halfstats_expanded_with_stadium.b_penalty_yards,
tbl_halfstats_expanded_with_stadium.half_diff_score,
tbl_halfstats_expanded_with_stadium.half_diff_score_abs,
tbl halfstats expanded with stadium.half leader,
tbl_halfstats_expanded_with_stadium.visit_date,
tbl halfstats expanded with stadium.stadium code,
tbl halfstats expanded with stadium.stadium name,
tbl halfstats expanded with stadium.site,
tbl_halfstats_expanded_with_stadium.city,
tbl_halfstats_expanded_with_stadium.state,
tbl_halfstats_expanded_with_stadium.capacity,
tbl_halfstats_expanded_with_stadium.surface,
tbl_halfstats_expanded_with_stadium.year_opened,
tbl_mapped_team_conference.team_name,
tbl mapped team conference.name conference
     INTO tbl halfstats expanded with stadium teama
  FROM tbl halfstats expanded with stadium INNER JOIN tbl mapped team conference ON
tbl_halfstats_expanded_with_stadium.a_team_code=tbl_mapped_team_conference.team_code
     ORDER BY tbl_halfstats_expanded_with_stadium.game_code
SELECT
tbl_halfstats_expanded_with_stadium_teama.year,
tbl halfstats expanded with stadium teama.game code,
tbl_halfstats_expanded_with_stadium_teama.a_team_code,
tbl halfstats expanded with stadium teama.b team code,
tbl_halfstats_expanded_with_stadium_teama.a_result,
tbl halfstats expanded with stadium teama.b result,
tbl halfstats expanded with stadium teama.a points,
tbl_halfstats_expanded_with_stadium_teama.b_points,
tbl halfstats expanded with stadium teama.a rush,
tbl_halfstats_expanded_with_stadium_teama.b_rush,
tbl halfstats expanded with stadium teama.a offense rush yards,
tbl_halfstats_expanded_with_stadium_teama.b_defense_rush_yards,
tbl halfstats expanded with stadium teama.a defense rush yards,
tbl_halfstats_expanded_with_stadium_teama.b_offense_rush_yards,
tbl_halfstats_expanded_with_stadium_teama.a_offense_pass_yards,
tbl halfstats expanded with stadium teama.b defense pass yards,
tbl_halfstats_expanded_with_stadium_teama.a_defense_pass_yards,
tbl halfstats expanded with stadium teama.b offense pass yards,
tbl_halfstats_expanded_with_stadium_teama.a_pass,
tbl halfstats expanded with stadium teama.b pass,
tbl_halfstats_expanded_with_stadium_teama.a_incomplete_pass,
tbl halfstats expanded with stadium teama.b incomplete pass,
tbl_halfstats_expanded_with_stadium_teama.a_penalty,
tbl_halfstats_expanded_with_stadium_teama.b_penalty,
tbl_halfstats_expanded_with_stadium_teama.a_penalty_yards,
tbl_halfstats_expanded_with_stadium_teama.b_penalty_yards,
tbl halfstats expanded with stadium teama.half diff score,
tbl_halfstats_expanded_with_stadium_teama.half_diff_score_abs,
tbl halfstats expanded with stadium teama.half leader,
tbl_halfstats_expanded_with_stadium_teama.visit_date,
```

```
tbl_halfstats_expanded_with_stadium_teama.stadium_code,
tbl_halfstats_expanded_with_stadium_teama.stadium_name,
tbl_halfstats_expanded_with_stadium_teama.site,
tbl_halfstats_expanded_with_stadium_teama.city,
tbl_halfstats_expanded_with_stadium_teama.state,
tbl_halfstats_expanded_with_stadium_teama.capacity,
tbl_halfstats_expanded_with_stadium_teama.surface,
tbl_halfstats_expanded_with_stadium_teama.year_opened,
tbl_halfstats_expanded_with_stadium_teama.a_team_name,
tbl_halfstats_expanded_with_stadium_teama.a_name_conference,
tbl_mapped_team_conference.team_name,
tbl_mapped_team_conference.name_conference
```

 $INTO\ tbl\_halfstats\_expanded\_version 1$ 

FROM tbl\_halfstats\_expanded\_with\_stadium\_teama INNER JOIN tbl\_mapped\_team\_conference ON tbl\_halfstats\_expanded\_with\_stadium\_teama.b\_team\_code=tbl\_mapped\_team\_conference.team\_code ORDER BY tbl\_halfstats\_expanded\_with\_stadium\_teama.game\_code