opensanctions

Data dictionary

In this reference you'll find detailed explanations of the data model used by OpenSanctions, including the used entity types and their respective properties.

Entities

OpenSanctions collects data about real-world **entities**, such as people, companies, sanctions and addresses, but also the relationships between them. In order to process that data, it is internally converted into an object graph that is defined below. Different exporters then might simplify the data for end-users.

The data model used by OpenSanctions is FollowTheMoney, an ontology used in anti-corruption data analysis - in particular by the OpenAleph data platform. Only a subset of the entity types defined in FtM are used by OpenSanctions.

Developer note: All of the information detailed below is also available in the JSON model file for OpenSanctions. FollowTheMoney additionally provides libraries for Python, Java and TypeScript that can be used to process and analyse entities more easily.

Schema types

All entities in OpenSanctions must conform to a schema, a definition that states what properties they are allowed to have. Some properties also allow entities to reference other entities, turning the entities into a graph. Read more about the entity graph...

The following schema types are currently referenced in OpenSanctions:

- `Address`
- `Airplane`
- `Article`
- `Asset`
- `Associate`
- `Company`
- `CryptoWallet`
- `Debt`
- `Directorship`
- `Documentation`
- `Employment`
- `Family`

- LegalEntity
- Membership
- Occupancy
- Organization
- Ownership
- Passport
- Payment
- Person
- Position
- PublicBody
- Representation
- Sanction
- Security
- Succession
- UnknownLink
- Vessel

Schema definitions in detail

Address

A location associated with an entity.

Extends	Thing
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing: previousName	name	384	Previous name	A former name of the entity
Thing: weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)

Property	Type	Length	Title	Description
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing: description	text	65000	Description	A longer description; see also notes, summary
Thing: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing: publisher	string	1024	Publishing source	
Thing: wikipediaUrl	url	4096	Wikipedia Article	
Thing: wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing: addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing: createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing: modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-

Property	Type	Length	Title	Description
				style metadata field
Thing: retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Address:full	address	250	Full address	
Address: remarks	string	1024	Remarks	Handling instructions, like 'care of'
Address: postOfficeBox	string	1024	PO Box	A mailbox identifier at the post office
Address:street	string	1024	Street address	
Address:city	string	1024	City	City, town, village or other locality
Address: postalCode	string	16	Postal code	Zip code or postcode
Address:region	string	1024	Region	Also province or area
Address:state	string	1024	State	State or federal unit

Airplane

An airplane, helicopter or other flying vehicle.

Extends	Vehicle · Asset · Thing · Value
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing:previousName	name	384	Previous name	A former name of the entity
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.

Property	Type	Length	Title	Description
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing:addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an

Property	Type	Length	Title	Description
				internal 'first saved'-style metadata field
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing:retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	
Vehicle: registrationNumber	identifier	64	Registration number	
Vehicle:type	string	1024	Type	Examples: - Bulk carrier
Vehicle:model	string	1024	Model	
Vehicle:buildDate	date	32	Build Date	
Airplane: serialNumber	identifier	64	Serial Number	

Analyzable

An entity suitable for being processed via named-entity recognition.

Extends	
Sub-types	Article · Document
See also	FollowTheMoney documentation

Article

A piece of media reporting about a subject.

Extends	Document · Analyzable · Thing
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Thing:name`	`name`	384	Name	The primary name of the entity
`Thing:alias`	`name`	384	Alias	An alternative or secondary name
`Thing:previousName`	`name`	384	Previous name	A former name of the entity
`Thing:weakAlias`	`name`	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
`Thing:country`	`country`	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. `jurisdiction`, `birthCountry`, `mainCountry`)
`Thing:summary`	`text`	65000	Summary	A short one-liner description; see also `description`, `notes`
`Thing:notes`	`text`	65000	Notes	Narrative description of the entity; see also `description`, `summary`
`Thing:description`	`text`	65000	Description	A longer description; see also `notes`, `summary`
`Thing:sourceUrl`	`url`	4096	Source link	A deep link to a source website for the profile
`Thing:publisher`	`string`	1024	Publishing source	
`Thing:wikipediaUrl`	`url`	4096	Wikipedia Article	

`Thing:wikidataId`	`identifier`	32	Wikidata ID	`format: wikidata`
				Examples:
				`- Q7747`

`Thing:keywords`	`string`	1024	Keywords	Plain text keywords provided for the entity; prefer more specific `type`, `status`, etc. as appropriate

`Thing:topics`	`topic`	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category
				Examples:
				`- sanction`
				`- debarment`
				`- role.pep`

Property	Type	Length	Title	Description
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing: addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing: createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing: modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing: retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Document:title	string	1024	Title	
Document: publishedAt	date	32	Published on	

Asset

A piece of property which can be owned and assigned a monetary value.

Extends	Thing · Value
Sub-types	Security · Vehicle · Company · Airplane · Vessel
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing: previousName	name	384	Previous name	A former name of the entity
Thing: weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems.

Property	Type	Length	Title	Description
				purposes, particularly in confirming a possible match triggered by other identifier information.
`Thing:country`	`country`	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. `jurisdiction`, `birthCountry`, `mainCountry`)
`Thing:summary`	`text`	65000	Summary	A short one-liner description; see also `description`, `notes`
`Thing:notes`	`text`	65000	Notes	Narrative description of the entity; see also `description`, `summary`
`Thing:description`	`text`	65000	Description	A longer description; see also `notes`, `summary`
`Thing:sourceUrl`	`url`	4096	Source link	A deep link to a source website for the profile
`Thing:publisher`	`string`	1024	Publishing source	
`Thing:wikipediaUrl`	`url`	4096	Wikipedia Article	
`Thing:wikidataId`	`identifier`	32	Wikidata ID	`format: wikidata` Examples: - `Q7747`
`Thing:keywords`	`string`	1024	Keywords	Plain text keywords provided for the entity; prefer more specific `type`, `status`, etc. as appropriate
`Thing:topics`	`topic`	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - `sanction` - `debarment` - `role.pep`
`Thing:address`	`address`	250	Address	A textual description of an address linked to the entity
`Thing:addressEntity` inverse: `Address:things`	`Address`	200	Address	A reference to an `Address` entity with structured place information

Property	Type	Length	Title	Description
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing: createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing: modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing: retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Value:amount	number	250	Amount	
Value: currency	string	1024	Currency	
Value: amountUsd	number	250	Amount in USD	

Associate

Non-family association between two people.

Extends	Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval: endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval: summary	text	65000	Summary	

Property	Type	Length	Title	Description
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Associate: person inverse: Person: associates	Person	200	Person	The subject of the association
Associate: associate inverse: Person: associations	Person	200	Associate	An associate of the subject person
Associate: relationship	string	1024	Relationship	Nature of the association

Company

A corporation, usually for profit. Does not distinguish between private and public companies, and can also be used to model more specific constructs like trusts and funds. Companies are assets, so they can be owned by other legal entities.

Extends	Asset · Thing · Value · Organization · LegalEntity
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing:previousName	name	384	Previous name	A former name of the entity

Property	Type	Length	Title	Description
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep

Property	Type	Length	Title	Description
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing:addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing:retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	
LegalEntity:abbreviation	name	384	Abbreviation	Abbreviated name or acronym
LegalEntity:email	email	250	Email	Email address
LegalEntity:phone	phone	32	Phone	Phone number
LegalEntity:website	url	4096	Website	Website address
LegalEntity:legalForm	string	1024	Legal form	Company or organization type Examples: - Joint Stock Company
LegalEntity:incorporationDate	date	32	Incorporation date	The date the legal entity was incorporated
LegalEntity:dissolutionDate	date	32	Dissolution date	The date the legal entity was dissolved, if applicable

Property	Type	Length	Title	Description
LegalEntity:status	string	1024	Status	A short string describing how 'active' (broadly defined) an entity is Examples: - Current / Former / Sitting / Retired - Active / Inactive - Dissolved (last known activity October 2024) - Liquidated on 12 November 2022
LegalEntity:sector	string	1024	Sector	Industrial or trade sector as provided by the data source Examples: - Registered Nurse - Retail and wholesale - Sea and coastal freight water transport
LegalEntity:classification	string	1024	Classification	Classification as provided by the data source or inferred based on other provided data; prefer sector if relevant Examples: - Local government (current) - Banking operations license - - Priority Sector Apparel - Entities Directly Serving the Defense and Security Sectors
LegalEntity:registrationNumber	identifier	64	Registration number	Company registration number
LegalEntity:idNumber	identifier	64	ID Number	ID of any applicable personal identification document. Used mainly for people and their national ID cards.
LegalEntity:taxNumber	identifier	64	Tax Number	Tax identification number
LegalEntity:vatCode	identifier	32	V.A.T. Identifier	(EU) VAT number
LegalEntity:jurisdiction	country	16	Jurisdiction	Country or region in which this entity operates; prefer over broader country when relevant
LegalEntity:mainCountry	country	16	Country of origin	Primary country of this entity; prefer over broader country when relevant

Property	Type	Length	Title	Description
LegalEntity: opencorporatesUrl	url	4096	OpenCorporates URL	
LegalEntity: brightQueryId	identifier	64	BrightQuery ID	
LegalEntity:uscCode	identifier	64	USCC	Chinese Unified Social Credit Identifier format: uscc
LegalEntity:icijId	string	1024	ICIJ ID	ID according to International Consortium for Investigative Journalists
LegalEntity: okpoCode	identifier	64	OKPO	Russian industry classifier
LegalEntity:innCode	identifier	32	INN	(RU, ИНН) Russian tax identification number. Issued to businesses and individuals in Russia. format: inn
LegalEntity: ogrnCode	identifier	32	OGRN	(RU, ОГРН) Registration number used in Russia's Unified State Register of Legal Entities (EGRUL) format: ogrn
LegalEntity:leiCode	identifier	32	LEI	Legal Entity Identifier format: lei
LegalEntity: dunsCode	identifier	16	DUNS	Data Universal Numbering System - Dun & Bradstreet identifier
LegalEntity: uniqueEntityId	identifier	32	Unique Entity ID	UEI from SAM.gov format: uei
LegalEntity:npiCode	identifier	16	NPI	National Provider Identifier, issued to health care providers in the United States format: npi
LegalEntity: swiftBic	identifier	16	SWIFT/BIC	SWIFT Bank identifier code from ISO9362 format: bic
Organization: cageCode	identifier	16	CAGE	Commercial and Government Entity Code (CAGE)

Property	Type	Length	Title	Description
Organization:permId	identifier	16	PermID	LSEG/Refinitiv code for a company
Organization: imoNumber	identifier	16	IMO Number	format: imo
Organization: giiNumber	identifier	20	GIIN	Global Intermediary Identification Number
Company:cikCode	identifier	64	SEC Central Index Key	US SEC Central Index Key for listed companies
Company:kppCode	identifier	64	KPP	(RU, КПП) Russian code issued by the tax authority, identifies the reason for registration at the Federal Tax Service. A company may have multiple KPP codes (e.g. for different branches), and the codes are not unique across companies.
Company:bikCode	identifier	64	BIK	Russian bank account code
Company:ticker	identifier	64	Stock ticker symbol	
Company:ricCode	identifier	16	Reuters Instrument Code	

CryptoWallet

A cryptocurrency wallet is a view on the transactions conducted by one participant on a blockchain / distributed ledger system.

Extends	Thing · Value
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing: previousName	name	384	Previous name	A former name of the entity
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes,

Property	Type	Length	Title	Description
				particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing: wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing: addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information

Property	Type	Length	Title	Description
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing:retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	
CryptoWallet: publicKey	identifier	128	Address	Public key used to identify the wallet
CryptoWallet: accountId	identifier	64	Account ID	Platform-specific user/account identifier
CryptoWallet: managingExchange	string	1024	Managing exchange	
CryptoWallet: holder inverse: LegalEntity: cryptoWallets	LegalEntity	200	Wallet holder	
CryptoWallet: balance	number	250	Balance	

Debt

A monetary debt between two parties.

Extends	Interval · Value
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval: endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval: summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	
Debt:debtor inverse: LegalEntity: debtDebtor	LegalEntity	200	Debtor	
Debt:creditor inverse: LegalEntity: debtCreditor	LegalEntity	200	Creditor	

Directorship

Extends	Interest · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval:startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval:endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval:summary	text	65000	Summary	
Interval:description	text	65000	Description	
Interval:recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval:publisher	string	1024	Publishing source	
Interval:modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest:status	string	1024	Status	
Directorship:director inverse: LegalEntity: directorshipDirector	LegalEntity	200	Director	The entity exercising control over another

Property	Type	Length	Title	Description
Directorship:organization inverse: Organization: directorshipOrganization	Organization	200	Organization	

Document

Extends	Analyzable · Thing
Sub-types	Article
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing: previousName	name	384	Previous name	A former name of the entity
Thing: weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing: description	text	65000	Description	A longer description; see also notes, summary
Thing: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing: publisher	string	1024	Publishing source	

Property	Type	Length	Title	Description
Thing: wikipediaUrl	url	4096	Wikipedia Article	
Thing: wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing: addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing: createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing: modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing: retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Document:title	string	1024	Title	
Document: publishedAt	date	32	Published on	

Documentation

Links some entity to a document, which might provide further detail or evidence regarding the entity.

Extends	Interest · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval:endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval:summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval:recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest:status	string	1024	Status	
Documentation: document inverse: Document: relatedEntities	Document	200	Document	
Documentation: entity	Thing	200	Entity	

Property	Type	Length	Title	Description
inverse: Thing: documentedBy				

Employment

Extends	Interest · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval: endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval: summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest:status	string	1024	Status	
Employment:	Organization	200	Employer	

Property	Type	Length	Title	Description
inverse: Organization: employees				
Employment: employee inverse: Person: employers	Person	200	Employee	

Family

Family relationship between two people.

Extends	Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval:endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval:summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused

Property	Type	Length	Title	Description
				with an internal 'last updated'-style metadata field
`Family:person` inverse: `Person:familyPerson`	`Person`	200	Person	The subject of the familial relation
`Family:relative` inverse: `Person:familyRelative`	`Person`	200	Relative	The relative of the subject person

`Family:relationship`	`string`	1024	Relationship	Nature of the relationship from the `person`'s perspective, e.g. 'mother', where `relative` is the mother of `person`
				Examples:
				`- mother`
				`- sibling`

Identification

A form of identification associated with its holder and some issuing country. This can be used for national ID cards, voter enrollments, and similar instruments.

Extends	`Interval`
Sub-types	`Passport`
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Interval:startDate`	`date`	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
`Interval:endDate`	`date`	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
`Interval:date`	`date`	32	Date	Date associated with an Interval that isn't explicitly its `startDate` or `endDate` (prefer those when available)
`Interval:summary`	`text`	65000	Summary	

Property	Type	Length	Title	Description
Interval: description	text	65000	Description	
Interval:recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Identification: holder inverse: LegalEntity: identification	LegalEntity	200	Identification holder	
Identification: type	string	1024	Type	Examples: - Passport - Driving license
Identification: country	country	16	Country	
Identification: number	identifier	64	Document number	
Identification: authority	string	1024	Authority	Government body issuing the identification document

Interest

Extends	Interval
Sub-types	Directorship · Ownership · Succession · UnknownLink · Membership · Documentation · Employment · Representation
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc

Property	Type	Length	Title	Description
				started
Interval: endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval: summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest: status	string	1024	Status	

Interval

An object which is bounded in time.

Extends	
Sub-types	Directorship · Ownership · Payment · Associate · Passport · Succession · UnknownLink · Membership · Sanction · Documentation · Employment · Representation · Family · Debt · Occupancy · Identification · Interest
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval:startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval:endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval:summary	text	65000	Summary	
Interval:description	text	65000	Description	
Interval:recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval:publisher	string	1024	Publishing source	
Interval:modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field

LegalEntity

Any party to legal proceedings, such as asset ownership, corporate governance or social interactions. Often used when raw data does not specify if something is a person, organization or company.

Extends	Thing
Sub-types	Person · Company · Organization · PublicBody
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing:previousName	name	384	Previous name	A former name of the entity

Property	Type	Length	Title	Description
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep

Property	Type	Length	Title	Description
`Thing:address`	`address`	250	Address	A textual description of an address linked to the entity
`Thing:addressEntity` inverse: `Address:things`	`Address`	200	Address	A reference to an `Address` entity with structured place information
`Thing:program`	`string`	1024	Program	Regulatory program or sanctions list on which an entity is listed
`Thing:createdAt`	`date`	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
`Thing:modifiedAt`	`date`	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
`Thing:retrievedAt`	`date`	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
`LegalEntity:abbreviation`	`name`	384	Abbreviation	Abbreviated name or acronym
`LegalEntity:email`	`email`	250	Email	Email address
`LegalEntity:phone`	`phone`	32	Phone	Phone number
`LegalEntity:website`	`url`	4096	Website	Website address
`LegalEntity:legalForm`	`string`	1024	Legal form	Company or organization type Examples: `- Joint Stock Company`
`LegalEntity:incorporationDate`	`date`	32	Incorporation date	The date the legal entity was incorporated
`LegalEntity:dissolutionDate`	`date`	32	Dissolution date	The date the legal entity was dissolved, if applicable
`LegalEntity:status`	`string`	1024	Status	A short string describing how 'active' (broadly defined) an entity is Examples: `- Current / Former / Sitting / Retired`

Property	Type	Length	Title	Description
				- Dissolved (last known activity October 2024) - Liquidated on 12 November 2022
LegalEntity:sector	string	1024	Sector	Industrial or trade sector as provided by the data source Examples: - Registered Nurse - Retail and wholesale - Sea and coastal freight water transport
LegalEntity: classification	string	1024	Classification	Classification as provided by the data source or inferred based on other provided data; prefer sector if relevant Examples: - Local government (current) - Banking operations license - - Priority Sector Apparel - Entities Directly Serving the Defense and Security Sectors
LegalEntity: registrationNumber	identifier	64	Registration number	Company registration number
LegalEntity: idNumber	identifier	64	ID Number	ID of any applicable personal identification document. Used mainly for people and their national ID cards.
LegalEntity: taxNumber	identifier	64	Tax Number	Tax identification number
LegalEntity:vatCode	identifier	32	V.A.T. Identifier	(EU) VAT number
LegalEntity: jurisdiction	country	16	Jurisdiction	Country or region in which this entity operates; prefer over broader country when relevant
LegalEntity: mainCountry	country	16	Country of origin	Primary country of this entity; prefer over broader country when relevant
LegalEntity: opencorporatesUrl	url	4096	OpenCorporates URL	
LegalEntity: brightQueryId	identifier	64	BrightQuery ID	

Property	Type	Length	Title	Description
LegalEntity:uscCode	identifier	64	USCC	Chinese Unified Social Credit Identifier format: uscc
LegalEntity:icijId	string	1024	ICIJ ID	ID according to International Consortium for Investigative Journalists
LegalEntity:okpoCode	identifier	64	OKPO	Russian industry classifier
LegalEntity:innCode	identifier	32	INN	(RU, ИНН) Russian tax identification number. Issued to businesses and individuals in Russia. format: inn
LegalEntity:ogrnCode	identifier	32	OGRN	(RU, ОГРН) Registration number used in Russia's Unified State Register of Legal Entities (EGRUL) format: ogrn
LegalEntity:leiCode	identifier	32	LEI	Legal Entity Identifier format: lei
LegalEntity:dunsCode	identifier	16	DUNS	Data Universal Numbering System - Dun & Bradstreet identifier
LegalEntity:uniqueEntityId	identifier	32	Unique Entity ID	UEI from SAM.gov format: uei
LegalEntity:npiCode	identifier	16	NPI	National Provider Identifier, issued to health care providers in the United States format: npi
LegalEntity:swiftBic	identifier	16	SWIFT/BIC	SWIFT Bank identifier code from ISO9362 format: bic

Membership

Extends	Interest · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Interval:startDate`	`date`	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
`Interval:endDate`	`date`	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
`Interval:date`	`date`	32	Date	Date associated with an Interval that isn't explicitly its `startDate` or `endDate` (prefer those when available)
`Interval:summary`	`text`	65000	Summary	
`Interval:description`	`text`	65000	Description	
`Interval:recordId`	`string`	1024	Record ID	Identifier of a record upon which this link is based
`Interval:sourceUrl`	`url`	4096	Source link	A deep link to a source website for the profile
`Interval:publisher`	`string`	1024	Publishing source	
`Interval:modifiedAt`	`date`	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
`Interest:role`	`string`	1024	Role	
`Interest:status`	`string`	1024	Status	
`Membership:member` inverse: `LegalEntity:membershipMember`	`LegalEntity`	200	Member	
`Membership:organization` inverse: `Organization:membershipOrganization`	`Organization`	200	Organization	

Occupancy

The occupation of a position by a person for a specific period of time.

Extends	`Interval`
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Interval:startDate`	`date`	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
`Interval:endDate`	`date`	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
`Interval:date`	`date`	32	Date	Date associated with an Interval that isn't explicitly its `startDate` or `endDate` (prefer those when available)
`Interval:summary`	`text`	65000	Summary	
`Interval:description`	`text`	65000	Description	
`Interval:recordId`	`string`	1024	Record ID	Identifier of a record upon which this link is based
`Interval:sourceUrl`	`url`	4096	Source link	A deep link to a source website for the profile
`Interval:publisher`	`string`	1024	Publishing source	
`Interval:modifiedAt`	`date`	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
`Occupancy:holder` inverse: `Person:positionOccupancies`	`Person`	200	Holder	
`Occupancy:post` inverse: `Position:occupancies`	`Position`	200	Position occupied	
`Occupancy:declarationDate`	`date`	32	Declaration date	If established by an asset declaration

Property	Type	Length	Title	Description
`Occupancy:constituency`	`string`	1024	Constituency	The geographic area/distict represented by the holder
`Occupancy:status`	`string`	1024	Status	Examples: - `current` - `ended`

Organization

Any type of incorporated entity that cannot be owned by another (see `Company`). This might include charities, foundations or state-owned enterprises, depending on their jurisdiction.

Extends	`LegalEntity` · `Thing`
Sub-types	`Company` · `PublicBody`
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Thing:name`	`name`	384	Name	The primary name of the entity
`Thing:alias`	`name`	384	Alias	An alternative or secondary name
`Thing:previousName`	`name`	384	Previous name	A former name of the entity
`Thing:weakAlias`	`name`	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
`Thing:country`	`country`	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. `jurisdiction`, `birthCountry`, `mainCountry`)
`Thing:summary`	`text`	65000	Summary	A short one-liner description; see also `description`, `notes`
`Thing:notes`	`text`	65000	Notes	Narrative description of the entity; see also `description`, `summary`

Property	Type	Length	Title	Description
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing:addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing:retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be

Property	Type	Length	Title	Description
				confused with an internal 'first found'-style metadata field
LegalEntity: abbreviation	name	384	Abbreviation	Abbreviated name or acronym
LegalEntity:email	email	250	Email	Email address
LegalEntity:phone	phone	32	Phone	Phone number
LegalEntity:website	url	4096	Website	Website address
LegalEntity: legalForm	string	1024	Legal form	Company or organization type Examples: - Joint Stock Company
LegalEntity: incorporationDate	date	32	Incorporation date	The date the legal entity was incorporated
LegalEntity: dissolutionDate	date	32	Dissolution date	The date the legal entity was dissolved, if applicable
LegalEntity:status	string	1024	Status	A short string describing how 'active' (broadly defined) an entity is Examples: - Current / Former / Sitting / Retired - Active / Inactive - Dissolved (last known activity October 2024) - Liquidated on 12 November 2022
LegalEntity:sector	string	1024	Sector	Industrial or trade sector as provided by the data source Examples: - Registered Nurse - Retail and wholesale - Sea and coastal freight water transport
LegalEntity: classification	string	1024	Classification	Classification as provided by the data source or inferred based on other provided data; prefer sector if relevant Examples: - Local government (current) - Banking operations license - - Priority Sector Apparel

Property	Type	Length	Title	Description
				- Entities Directly Serving the Defense and Security Sectors
LegalEntity: registrationNumber	identifier	64	Registration number	Company registration number
LegalEntity: idNumber	identifier	64	ID Number	ID of any applicable personal identification document. Used mainly for people and their national ID cards.
LegalEntity: taxNumber	identifier	64	Tax Number	Tax identification number
LegalEntity:vatCode	identifier	32	V.A.T. Identifier	(EU) VAT number
LegalEntity: jurisdiction	country	16	Jurisdiction	Country or region in which this entity operates; prefer over broader country when relevant
LegalEntity: mainCountry	country	16	Country of origin	Primary country of this entity; prefer over broader country when relevant
LegalEntity: opencorporatesUrl	url	4096	OpenCorporates URL	
LegalEntity: brightQueryId	identifier	64	BrightQuery ID	
LegalEntity:uscCode	identifier	64	USCC	Chinese Unified Social Credit Identifier format: uscc
LegalEntity:icijId	string	1024	ICIJ ID	ID according to International Consortium for Investigative Journalists
LegalEntity: okpoCode	identifier	64	OKPO	Russian industry classifier
LegalEntity:innCode	identifier	32	INN	(RU, ИНН) Russian tax identification number. Issued to businesses and individuals in Russia. format: inn
LegalEntity: ogrnCode	identifier	32	OGRN	(RU, ОГРН) Registration number used in Russia's Unified State Register of Legal Entities (EGRUL) format: ogrn

Property	Type	Length	Title	Description
LegalEntity:leiCode	identifier	32	LEI	Legal Entity Identifier format: lei
LegalEntity:dunsCode	identifier	16	DUNS	Data Universal Numbering System - Dun & Bradstreet identifier
LegalEntity:uniqueEntityId	identifier	32	Unique Entity ID	UEI from SAM.gov format: uei
LegalEntity:npiCode	identifier	16	NPI	National Provider Identifier, issued to health care providers in the United States format: npi
LegalEntity:swiftBic	identifier	16	SWIFT/BIC	SWIFT Bank identifier code from ISO9362 format: bic
Organization:cageCode	identifier	16	CAGE	Commercial and Government Entity Code (CAGE)
Organization:permId	identifier	16	PermID	LSEG/Refinitiv code for a company
Organization:imoNumber	identifier	16	IMO Number	format: imo
Organization:giiNumber	identifier	20	GIIN	Global Intermediary Identification Number

Ownership

Extends	Interest · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval:startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval:endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer

Property	Type	Length	Title	Description
				those when available)
Interval:summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest:status	string	1024	Status	
Ownership:owner inverse: LegalEntity: ownershipOwner	LegalEntity	200	Owner	
Ownership:asset inverse: Asset: ownershipAsset	Asset	200	Asset	
Ownership: percentage	string	1024	Percentage held	
Ownership: sharesCount	string	1024	Number of shares	
Ownership: sharesValue	string	1024	Value of shares	
Ownership: sharesCurrency	string	1024	Currency of shares	
Ownership: ownershipType	string	1024	Type of ownership	Examples: - beneficial - direct - indirect - ultimate

Passport

A passport held by a person.

Extends	Identification · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval:endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval:summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval:recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Identification: holder inverse: LegalEntity: identification	LegalEntity	200	Identification holder	
Identification: type	string	1024	Type	Examples: - Passport - Driving license

Property	Type	Length	Title	Description
`Identification:country`	`country`	16	Country	
`Identification:number`	`identifier`	64	Document number	
`Identification:authority`	`string`	1024	Authority	Government body issuing the identification document

Payment

A monetary payment between two parties.

Extends	`Interval` · `Value`
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Interval:startDate`	`date`	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
`Interval:endDate`	`date`	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
`Interval:date`	`date`	32	Date	Date associated with an Interval that isn't explicitly its `startDate` or `endDate` (prefer those when available)
`Interval:summary`	`text`	65000	Summary	
`Interval:description`	`text`	65000	Description	
`Interval:recordId`	`string`	1024	Record ID	Identifier of a record upon which this link is based
`Interval:sourceUrl`	`url`	4096	Source link	A deep link to a source website for the profile
`Interval:publisher`	`string`	1024	Publishing source	
`Interval:modifiedAt`	`date`	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
`Value:amount`	`real`	256	Amount	

Property	Type	Length	Title	Description
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	
Payment:payer inverse: LegalEntity: paymentPayer	LegalEntity	200	Payer	
Payment:beneficiary inverse: LegalEntity: paymentBeneficiary	LegalEntity	200	Beneficiary	

Person

A natural person, as opposed to a corporation of some type.

Extends	LegalEntity · Thing
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing:previousName	name	384	Previous name	A former name of the entity
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes

Property	Type	Length	Title	Description
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing:addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field

Property	Type	Length	Title	Description
`Thing:retrievedAt`	`date`	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
`LegalEntity:abbreviation`	`name`	384	Abbreviation	Abbreviated name or acronym
`LegalEntity:email`	`email`	250	Email	Email address
`LegalEntity:phone`	`phone`	32	Phone	Phone number
`LegalEntity:website`	`url`	4096	Website	Website address
`LegalEntity:legalForm`	`string`	1024	Legal form	Company or organization type Examples: `- Joint Stock Company`
`LegalEntity:incorporationDate`	`date`	32	Incorporation date	The date the legal entity was incorporated
`LegalEntity:dissolutionDate`	`date`	32	Dissolution date	The date the legal entity was dissolved, if applicable

`LegalEntity:status`	`string`	1024	Status	A short string describing how 'active' (broadly defined) an entity is
				Examples:
				`- Current / Former / Sitting / Retired`
				`- Active / Inactive`
				`- Dissolved (last known activity October 2024)`
				`- Liquidated on 12 November 2022`

`LegalEntity:sector`	`string`	1024	Sector	Industrial or trade sector as provided by the data source
				Examples:
				`- Registered Nurse`
				`- Retail and wholesale`
				`- Sea and coastal freight water transport`

`LegalEntity:classification`	`string`	1024	Classification	Classification as provided by the data source or inferred based on other provided data; prefer `sector` if relevant Examples:

Property	Type	Length	Title	Description
				- Local government (current) - Banking operations license - - Priority Sector Apparel - Entities Directly Serving the Defense and Security Sectors
LegalEntity: registrationNumber	identifier	64	Registration number	Company registration number
LegalEntity:idNumber	identifier	64	ID Number	ID of any applicable personal identification document. Used mainly for people and their national ID cards.
LegalEntity: taxNumber	identifier	64	Tax Number	Tax identification number
LegalEntity:vatCode	identifier	32	V.A.T. Identifier	(EU) VAT number
LegalEntity: jurisdiction	country	16	Jurisdiction	Country or region in which this entity operates; prefer over broader country when relevant
LegalEntity: mainCountry	country	16	Country of origin	Primary country of this entity; prefer over broader country when relevant
LegalEntity: opencorporatesUrl	url	4096	OpenCorporates URL	
LegalEntity: brightQueryId	identifier	64	BrightQuery ID	
LegalEntity:uscCode	identifier	64	USCC	Chinese Unified Social Credit Identifier format: uscc
LegalEntity:icijId	string	1024	ICIJ ID	ID according to International Consortium for Investigative Journalists
LegalEntity:okpoCode	identifier	64	OKPO	Russian industry classifier
LegalEntity:innCode	identifier	32	INN	(RU, ИНН) Russian tax identification number. Issued to businesses and individuals in Russia. format: inn

Property	Type	Length	Title	Description
LegalEntity:ogrnCode	identifier	32	OGRN	(RU, ОГРН) Registration number used in Russia's Unified State Register of Legal Entities (EGRUL) format: ogrn
LegalEntity:leiCode	identifier	32	LEI	Legal Entity Identifier format: lei
LegalEntity:dunsCode	identifier	16	DUNS	Data Universal Numbering System - Dun & Bradstreet identifier
LegalEntity: uniqueEntityId	identifier	32	Unique Entity ID	UEI from SAM.gov format: uei
LegalEntity:npiCode	identifier	16	NPI	National Provider Identifier, issued to health care providers in the United States format: npi
LegalEntity:swiftBic	identifier	16	SWIFT/BIC	SWIFT Bank identifier code from ISO9362 format: bic
Person:title	string	1024	Title	
Person:firstName	string	1024	First name	The part of a name that indicates the person, also often called given name or forename
Person:middleName	string	1024	Middle name	The part of name written between a person's given name and family name. Often abbreviated as a middle initial.
Person:fatherName	string	1024	Patronymic	The part of a name based on the given name of one's father
Person:motherName	string	1024	Matronymic	The part of a name based on the given name of one's mother
Person:lastName	string	1024	Last name	The part of a name that indicates one's family, also often called surname or family name
Person:nameSuffix	string	1024	Name suffix	Examples: - OBE

Property	Type	Length	Title	Description
Person:birthPlace	string	1024	Place of birth	
Person:birthCountry	country	16	Country of birth	
Person:deathDate	date	32	Death date	Joined the choir invisible.
Person:position	string	1024	Position	
Person:nationality	country	16	Nationality	
Person:citizenship	country	16	Citizenship	
Person: passportNumber	identifier	64	Passport number	
Person: socialSecurityNumber	identifier	64	Social security number	format: ssn
Person:gender	gender	16	Gender	
Person:ethnicity	string	1024	Ethnicity	
Person:height	number	250	Height	
Person:weight	number	250	Weight	
Person:eyeColor	string	1024	Eye color	
Person:hairColor	string	1024	Hair color	
Person:appearance	string	1024	Physical appearance	
Person:religion	string	1024	Religion	
Person:political	string	1024	Political association	
Person:education	string	1024	Education	
Person: spokenLanguage	language	16	Spoken language	

Position

A post, role or position within an organization or body. This describes a position one or more people may occupy and not the occupation of the post by a specific individual at a specific point in time (see `Occupancy`).

Extends	Thing
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Thing:name`	`name`	384	Name	The primary name of the entity
`Thing:alias`	`name`	384	Alias	An alternative or secondary name
`Thing:previousName`	`name`	384	Previous name	A former name of the entity
`Thing:weakAlias`	`name`	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
`Thing:country`	`country`	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. `jurisdiction`, `birthCountry`, `mainCountry`)
`Thing:summary`	`text`	65000	Summary	A short one-liner description; see also `description`, `notes`
`Thing:notes`	`text`	65000	Notes	Narrative description of the entity; see also `description`, `summary`
`Thing:description`	`text`	65000	Description	A longer description; see also `notes`, `summary`
`Thing:sourceUrl`	`url`	4096	Source link	A deep link to a source website for the profile
`Thing:publisher`	`string`	1024	Publishing source	
`Thing:wikipediaUrl`	`url`	4096	Wikipedia Article	

`Thing:wikidataId`	`identifier`	32	Wikidata ID	`format: wikidata`
				Examples:
				`- Q7747`

`Thing:keywords`	`string`	1024	Keywords	Plain text keywords provided for the entity; prefer more specific `type`, `status`, etc. as appropriate
`Thing:topics`	`topic`	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples:

Property	Type	Length	Title	Description
				- debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing: addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing: modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing: retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Position: organization inverse: Organization: positions	Organization	200	Organization	
Position: inceptionDate	date	32	Inception date	
Position: dissolutionDate	date	32	Dissolution date	
Position: subnationalArea	string	1024	Subnational area	The name or code of a subnational jurisdiction, only when the position is geographically limited. Prefer Occupancy:constituency where relevant.

PublicBody

A public body, such as a ministry, department or state company.

Extends	`Organization` · `LegalEntity` · `Thing`
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Thing:name`	`name`	384	Name	The primary name of the entity
`Thing:alias`	`name`	384	Alias	An alternative or secondary name
`Thing:previousName`	`name`	384	Previous name	A former name of the entity
`Thing:weakAlias`	`name`	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
`Thing:country`	`country`	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. `jurisdiction`, `birthCountry`, `mainCountry`)
`Thing:summary`	`text`	65000	Summary	A short one-liner description; see also `description`, `notes`
`Thing:notes`	`text`	65000	Notes	Narrative description of the entity; see also `description`, `summary`
`Thing:description`	`text`	65000	Description	A longer description; see also `notes`, `summary`
`Thing:sourceUrl`	`url`	4096	Source link	A deep link to a source website for the profile
`Thing:publisher`	`string`	1024	Publishing source	
`Thing:wikipediaUrl`	`url`	4096	Wikipedia Article	

`Thing:wikidataId`	`identifier`	32	Wikidata ID	`format: wikidata`
				Examples:
				`- Q7747`

`Thing:keywords`	`string`	1024	Keywords	Plain text keywords provided for the entity; prefer more specific `type`, `status`, etc. as appropriate

Property	Type	Length	Title	Description

`Thing:topics`	`topic`	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category
				Examples:
				`- sanction`
				`- debarment`
				`- role.pep`

`Thing:address`	`address`	250	Address	A textual description of an address linked to the entity
`Thing:addressEntity` inverse: `Address:things`	`Address`	200	Address	A reference to an `Address` entity with structured place information
`Thing:program`	`string`	1024	Program	Regulatory program or sanctions list on which an entity is listed
`Thing:createdAt`	`date`	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
`Thing:modifiedAt`	`date`	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
`Thing:retrievedAt`	`date`	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
`LegalEntity:abbreviation`	`name`	384	Abbreviation	Abbreviated name or acronym
`LegalEntity:email`	`email`	250	Email	Email address
`LegalEntity:phone`	`phone`	32	Phone	Phone number
`LegalEntity:website`	`url`	4096	Website	Website address
`LegalEntity:legalForm`	`string`	1024	Legal form	Company or organization type Examples: `- Joint Stock Company`
`LegalEntity:incorporationDate`	`date`	32	Incorporation date	The date the legal entity was incorporated

Property	Type	Length	Title	Description
LegalEntity: dissolutionDate	date	32	Dissolution date	The date the legal entity was dissolved, if applicable
LegalEntity:status	string	1024	Status	A short string describing how 'active' (broadly defined) an entity is Examples: - Current / Former / Sitting / Retired - Active / Inactive - Dissolved (last known activity October 2024) - Liquidated on 12 November 2022
LegalEntity:sector	string	1024	Sector	Industrial or trade sector as provided by the data source Examples: - Registered Nurse - Retail and wholesale - Sea and coastal freight water transport
LegalEntity: classification	string	1024	Classification	Classification as provided by the data source or inferred based on other provided data; prefer sector if relevant Examples: - Local government (current) - Banking operations license - - Priority Sector Apparel - Entities Directly Serving the Defense and Security Sectors
LegalEntity: registrationNumber	identifier	64	Registration number	Company registration number
LegalEntity: idNumber	identifier	64	ID Number	ID of any applicable personal identification document. Used mainly for people and their national ID cards.
LegalEntity: taxNumber	identifier	64	Tax Number	Tax identification number
LegalEntity:vatCode	identifier	32	V.A.T. Identifier	(EU) VAT number
LegalEntity: jurisdiction	country	16	Jurisdiction	Country or region in which this entity operates; prefer over broader country when relevant

Property	Type	Length	Title	Description
LegalEntity: mainCountry	country	16	Country of origin	Primary country of this entity; prefer over broader country when relevant
LegalEntity: opencorporatesUrl	url	4096	OpenCorporates URL	
LegalEntity: brightQueryId	identifier	64	BrightQuery ID	
LegalEntity:uscCode	identifier	64	USCC	Chinese Unified Social Credit Identifier format: uscc
LegalEntity:icijId	string	1024	ICIJ ID	ID according to International Consortium for Investigative Journalists
LegalEntity: okpoCode	identifier	64	OKPO	Russian industry classifier
LegalEntity:innCode	identifier	32	INN	(RU, ИНН) Russian tax identification number. Issued to businesses and individuals in Russia. format: inn
LegalEntity: ogrnCode	identifier	32	OGRN	(RU, ОГРН) Registration number used in Russia's Unified State Register of Legal Entities (EGRUL) format: ogrn
LegalEntity:leiCode	identifier	32	LEI	Legal Entity Identifier format: lei
LegalEntity: dunsCode	identifier	16	DUNS	Data Universal Numbering System - Dun & Bradstreet identifier
LegalEntity: uniqueEntityId	identifier	32	Unique Entity ID	UEI from SAM.gov format: uei
LegalEntity:npiCode	identifier	16	NPI	National Provider Identifier, issued to health care providers in the United States format: npi
LegalEntity: swiftBic	identifier	16	SWIFT/BIC	SWIFT Bank identifier code from ISO9362 format: bic

Property	Type	Length	Title	Description
Organization: cageCode	identifier	16	CAGE	Commercial and Government Entity Code (CAGE)
Organization:permId	identifier	16	PermID	LSEG/Refinitiv code for a company
Organization: imoNumber	identifier	16	IMO Number	format: imo
Organization: giiNumber	identifier	20	GIIN	Global Intermediary Identification Number

Representation

A mediatory, intermediary, middleman, or broker acting on behalf of a legal entity.

Extends	Interest · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval:startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval:endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval:summary	text	65000	Summary	
Interval:description	text	65000	Description	
Interval:recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval:publisher	string	1024	Publishing source	

Property	Type	Length	Title	Description
Interval:modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest:status	string	1024	Status	
Representation:agent inverse: LegalEntity: agencyClient	LegalEntity	200	Agent	
Representation:client inverse: LegalEntity: agentRepresentation	LegalEntity	200	Client	

Sanction

A sanction designation.

Extends	Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
Interval: endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval: summary	text	65000	Summary	
Interval: description	text	65000	Description	

Property	Type	Length	Title	Description
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Sanction: entity inverse: Thing: sanctions	Thing	200	Entity	
Sanction: authority	string	1024	Authority	
Sanction: authorityId	identifier	64	Authority-issued identifier	
Sanction: unscId	identifier	16	UN SC identifier	Identifier issued by the UN Security Council for sanctions designations
Sanction: program	string	1024	Program	
Sanction: programId	identifier	64	Program ID	
Sanction: programUrl	url	4096	Program URL	
Sanction: provisions	string	1024	Scope of sanctions	
Sanction: status	string	1024	Status	Examples: - Active - Inactive - Expired - Suspended
Sanction: duration	number	250	Duration	

Property	Type	Length	Title	Description
Sanction:reason	text	65000	Reason	An explanation of the designation's justification.
Sanction:country	country	16	Country	
Sanction:listingDate	date	32	Listing date	The date on which the designation is listed; distinct from the startDate, which is the date on which the designation goes into effect

Security

A tradeable financial asset.

Extends	Asset · Thing · Value
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing:previousName	name	384	Previous name	A former name of the entity
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary

Property	Type	Length	Title	Description
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing:addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing:retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused

Property	Type	Length	Title	Description
				with an internal 'first found'-style metadata field
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	
Security:isin	identifier	16	ISIN	International Securities Identification Number format: isin
Security: registrationNumber	identifier	64	Registration number	
Security:ticker	identifier	64	Stock ticker symbol	
Security:figiCode	identifier	16	Financial Instrument Global Identifier	format: figi
Security:issuer inverse: LegalEntity: securities	LegalEntity	200	Issuer	
Security:issueDate	date	32	Date issued	
Security: maturityDate	date	32	Maturity date	
Security:type	string	1024	Type	
Security: classification	string	1024	Classification	

Succession

Two entities that legally succeed each other.

Extends	Interest · Interval
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Interval: startDate	date	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started

Property	Type	Length	Title	Description
Interval: endDate	date	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval: summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest:status	string	1024	Status	
Succession: predecessor inverse: LegalEntity: successors	LegalEntity	200	Predecessor	
Succession: successor inverse: LegalEntity: predecessors	LegalEntity	200	Successor	

Thing

Extends	

Sub-types	Position · LegalEntity · Security · Asset · Vehicle · Person · Company · CryptoWallet · Organization · Airplane · Article · Address · Document · PublicBody · Vessel
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing: previousName	name	384	Previous name	A former name of the entity
Thing: weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing: description	text	65000	Description	A longer description; see also notes, summary
Thing: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing: publisher	string	1024	Publishing source	
Thing: wikipediaUrl	url	4096	Wikipedia Article	
Thing: wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing: keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and

Property	Type	Length	Title	Description
				Examples: - `sanction` - `debarment` - `role.pep`
`Thing:address`	`address`	250	Address	A textual description of an address linked to the entity
`Thing:addressEntity` inverse: `Address:things`	`Address`	200	Address	A reference to an `Address` entity with structured place information
`Thing:program`	`string`	1024	Program	Regulatory program or sanctions list on which an entity is listed
`Thing:createdAt`	`date`	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
`Thing:modifiedAt`	`date`	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
`Thing:retrievedAt`	`date`	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field

UnknownLink

Extends	`Interest` · `Interval`
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
`Interval:startDate`	`date`	32	Start date	The date of issue of a document, or on which a relationship, sanctioned status, occupation, etc. started
`Interval:endDate`	`date`	32	End date	The date of expiry of a document, or on which a relationship, sanctioned status, occupation, etc. ended

Property	Type	Length	Title	Description
Interval:date	date	32	Date	Date associated with an Interval that isn't explicitly its startDate or endDate (prefer those when available)
Interval:summary	text	65000	Summary	
Interval: description	text	65000	Description	
Interval: recordId	string	1024	Record ID	Identifier of a record upon which this link is based
Interval: sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Interval: publisher	string	1024	Publishing source	
Interval: modifiedAt	date	32	Modified on	The date on which the entity (like the ID document) was modified, not to be confused with an internal 'last updated'-style metadata field
Interest:role	string	1024	Role	
Interest:status	string	1024	Status	
UnknownLink: subject inverse: Thing: unknownLinkTo	Thing	200	Subject	
UnknownLink: object inverse: Thing: unknownLinkFrom	Thing	200	Object	

Value

Extends	
Sub-types	Payment · Security · Asset · Vehicle · Company · CryptoWallet · Airplane · Debt · Vessel
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	

Vehicle

Extends	Asset · Thing · Value
Sub-types	Airplane · Vessel
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing:previousName	name	384	Previous name	A former name of the entity
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile

Property	Type	Length	Title	Description
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing:addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing:retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	

Property	Type	Length	Title	Description
Value:amountUsd	number	250	Amount in USD	
Vehicle: registrationNumber	identifier	64	Registration number	
Vehicle:type	string	1024	Type	Examples: - Bulk carrier
Vehicle:model	string	1024	Model	
Vehicle:buildDate	date	32	Build Date	

Vessel

A boat or ship. Typically flying some sort of national flag.

Extends	Vehicle · Asset · Thing · Value
See also	FollowTheMoney documentation

Property	Type	Length	Title	Description
Thing:name	name	384	Name	The primary name of the entity
Thing:alias	name	384	Alias	An alternative or secondary name
Thing:previousName	name	384	Previous name	A former name of the entity
Thing:weakAlias	name	384	Weak alias	A relatively broad or generic alias that should not be used for matching in screening systems. It may still may be useful for identification purposes, particularly in confirming a possible match triggered by other identifier information.
Thing:country	country	16	Country	An association between the entity and a country that is not covered by a more specific property (e.g. jurisdiction, birthCountry, mainCountry)
Thing:summary	text	65000	Summary	A short one-liner description; see also description, notes

Property	Type	Length	Title	Description
Thing:notes	text	65000	Notes	Narrative description of the entity; see also description, summary
Thing:description	text	65000	Description	A longer description; see also notes, summary
Thing:sourceUrl	url	4096	Source link	A deep link to a source website for the profile
Thing:publisher	string	1024	Publishing source	
Thing:wikipediaUrl	url	4096	Wikipedia Article	
Thing:wikidataId	identifier	32	Wikidata ID	format: wikidata Examples: - Q7747
Thing:keywords	string	1024	Keywords	Plain text keywords provided for the entity; prefer more specific type, status, etc. as appropriate
Thing:topics	topic	64	Topics	Controlled tags used to qualify the entity and associate it with a risk category Examples: - sanction - debarment - role.pep
Thing:address	address	250	Address	A textual description of an address linked to the entity
Thing:addressEntity inverse: Address:things	Address	200	Address	A reference to an Address entity with structured place information
Thing:program	string	1024	Program	Regulatory program or sanctions list on which an entity is listed
Thing:createdAt	date	32	Created at	The date on which the entity was created, not to be confused with an internal 'first saved'-style metadata field

Property	Type	Length	Title	Description
Thing:modifiedAt	date	32	Modified on	The date on which the entity was modified, not to be confused with an internal 'last updated'-style metadata field
Thing:retrievedAt	date	32	Retrieved on	Retrieval date generated by a data gathering system, not to be confused with an internal 'first found'-style metadata field
Value:amount	number	250	Amount	
Value:currency	string	1024	Currency	
Value:amountUsd	number	250	Amount in USD	
Vehicle: registrationNumber	identifier	64	Registration number	
Vehicle:type	string	1024	Type	Examples: - Bulk carrier
Vehicle:model	string	1024	Model	
Vehicle:buildDate	date	32	Build Date	
Vessel:imoNumber	identifier	16	IMO Number	format: imo
Vessel:flag	country	16	Flag	
Vessel:tonnage	number	250	Tonnage	
Vessel: grossRegisteredTonnage	number	250	Gross Registered Tonnage	
Vessel: deadweightTonnage	number	250	Deadweight Tonnage	Weight of the vessel when not carrying freight
Vessel:callSign	identifier	64	Call Sign	
Vessel:pastFlags	country	16	Past Flags	
Vessel:mmsi	identifier	16	MMSI	

OpenSanctions is **free for non-commercial users.** Businesses must acquire a data license to use the dataset.

OpenSanctions · Supreme Data on Supreme Leaders
OpenSanctions Datenbanken GmbH · info@opensanctions.org · https://opensanctions.org/meeting