ADMIN REFERENCE

Who does what, where.

Every administrative feature in EventFlow, mapped to the role that owns it and the URL you reach it from.

EventFlow

Revision 1.0 · Generated 22 April 2026

Role hierarchy at a glance

EventFlow has nine roles. Each user has one "global" role — their default power level when they're not acting inside a specific enterprise or organization. When they enter an org (by visiting /admin/org), the role is re-derived from their membership in that org. So a user can be Event Manager inside one org and Viewer inside another.

Super Admin	Platform operator. Sees every enterprise, org, user, payment, audit log across every tenant. Only role with /super-admin access.
Enterprise Admin	Owns an enterprise (e.g. a university). Creates and deletes orgs inside it, manages billing, sees cross-org analytics.
Enterprise Manager	Enterprise admin minus billing and delete. Reads everything, writes most things inside the enterprise.
Org Admin	Full read/write inside a single organization. Creates events, invites members, sets up payments and coupons, manages the org's website.
Event Manager	Creates and runs events, edits registration forms, sends communications. No billing access, no member management.
Coordinator	Day-of-event operations: check people in, see the live attendee list. Read-only everywhere else.
Finance Manager	Payments-focused. Refunds, financial reports, coupons, payments analytics. Reads events and registrations but doesn't edit them.
Viewer	Read-only across events, registrations, payments (amounts only), check-ins, basic analytics. Cannot change anything.
User	Default attendee role. No admin access. Gets /dashboard and the public-facing app.

Key routes

Public (logged-in or anonymous)

/	Marketing landing page with the WebGL hero.
/events	Public events catalogue.
/events/[slug]	Individual event page. Sidebar shows registration CTA; returning users see a "You're registered" badge.
/events/[slug]/register	Three-step registration wizard ending in a success screen with QR + add-to-calendar.
/events/[slug]/feedback	Post-event feedback form. Accessible after the event has started.
/verify/[code]	Public certificate / ticket verification by code — anyone can check authenticity.

Attendee dashboard

/dashboard	Counters, upcoming events, quick actions.
/dashboard/events	My registrations — upcoming / past / cancelled tabs.
/dashboard/tickets	Active tickets with full-screen QR. Cached offline.
/dashboard/saved	Wishlisted events.
/dashboard/certificates	Issued certificates, downloadable.
/dashboard/payments	Payment history and receipts.
/dashboard/profile	Personal details.
/dashboard/settings	Notifications, password, 2FA.
/dashboard/notifications	Inbox for platform notifications.

Organization admin (/admin/org/*)

/admin/org	Org dashboard — counters, recent activity, upcoming events.
/admin/org/events	Events list. Three-dot menu on each row: View, Edit, Registrations, Check-in, Duplicate, Cancel.
/admin/org/events/create	Six-step event creation wizard.
/admin/org/events/[id]/edit	Same wizard against an existing event.
/admin/org/events/[id]/registrations	Registrations table with search, status filter, manual approve / reject, CSV export.
/admin/org/events/[id]/check-in	QR scanner + manual lookup + live stats dashboard.
/admin/org/events/[id]/analytics	Funnel, conversion, geography, ticket-type breakdown.
/admin/org/registrations	All registrations across all events in the org.
/admin/org/payments	Payments across all events. Click a row to refund.
/admin/org/members	Team members of the organization. Invite, change role, remove.
/admin/org/communications	Email campaigns to registrants, announcements, message templates.

/admin/org/certificates	Certificate templates + bulk issuance for past events.
/admin/org/coupons	Discount codes — percentage / fixed, usage limits, validity window, event scope.
/admin/org/analytics	Org-wide reporting.
/admin/org/audit-logs	Every write action in the org with actor, target, timestamp, IP.
/admin/org/website	Website builder home — pick a template or open the editor.
/admin/org/website/editor	Drag-and-drop visual editor with live preview.
/admin/org/website/modules	Feature modules — quiz, poll, blog, leaderboard, gallery, etc. Enable / configure.
/admin/org/website/media	Media library for images used across the website.
/admin/org/settings	Org name, branding, payment settings, notification settings.
	Enterprise admin (/admin/enterprise/*)
/admin/enterprise	Cross-org dashboard.
/admin/enterprise/organizations	All orgs inside the enterprise. Create / deactivate.
/admin/enterprise/members	Enterprise-level team (admins / managers).
/admin/enterprise/payments	Cross-org payment and revenue view.
/admin/enterprise/billing	Subscription plan, invoices, payment method (Enterprise Admin only).
/admin/enterprise/settings	Enterprise branding, domain, defaults.
	Super admin (/super-admin/*)
/super-admin	Platform KPIs.
/super-admin/enterprises	All enterprises. Verify, suspend, impersonate.
/super-admin/organizations	All orgs across all enterprises.
/super-admin/events	Every event on the platform.
/super-admin/users	All users. Ban, change role, impersonate.
/super-admin/subscriptions	Subscription plans + assignments.
/super-admin/analytics	Platform-wide analytics.
/super-admin/audit	Platform-wide audit log.
/super-admin/messages	Contact-form inbox.
/super-admin/settings	Global platform settings, feature flags.

Who can do what

The system has ~60 granular permissions. The most common ones and which roles hold them, in order of severity:

Event lifecycle	
Create event	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï Coord %Ë Finance %Ë Viewer %Ë
Publish event	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï Coord %Ë Finance %Ë Viewer %Ë
Cancel event	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï Coord %Ë Finance %Ë Viewer %Ë
Delete event	Super %ï Ent-Adm %ï Ent-Mgr %Ë Org-Adm %Ë Event-Mgr %Ë Coord %Ë Finance Viewer %Ë
Duplicate event	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï Coord %Ë Finance %Ë Viewer %Ë
	Registrations
View registrations	All admin roles %ï
Approve / reject	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï others %Ë
Manually add registration	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï others %Ë
Export CSV	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï others %Ë
	Payments
View payments	All admin roles %ï
Process refund	Super %ï Ent-Adm %ï Org-Adm %ï Finance %ï others %Ë
View financial reports	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Finance %ï Viewer %Ë
Export payment data	Super %ï Ent-Adm %ï Org-Adm %ï Finance %ï others %Ë
	Check-in
Scan QR / manual check-in	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Coord %ï Event team %ï
View check-in stats	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï Event-Mgr %ï Coord %ï Viewer %ï
Undo a check-in	Super %ï Ent-Adm %ï Org-Adm %ï Coord (within 5 min)
	Members & roles
Invite org member	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï others %Ë
Change member role	Super %ï Ent-Adm %ï Org-Adm %ï others %Ë
Remove member	Super %ï Ent-Adm %ï Org-Adm %ï others %Ë
	Website builder
Edit sections / styles	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï others %Ë
Enable / configure modules	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï others %Ë
Publish website	Super %ï Ent-Adm %ï Ent-Mgr %ï Org-Adm %ï others %Ë
	Audit

View audit log	Super %Ï Ent-Adm %Ï Ent-Mgr %Ï Org-Adm %Ï others %Ë
Export audit log	Super %Ï Ent-Adm %Ï others %Ë

Day-in-the-life walkthroughs

Org Admin runs a new event end-to-end

1. /admin/org/events !’ Create Event. Fill the six-step wizard.
2. On Step 6, click Preview — the event opens in a new tab with a yellow Preview mode banner so you can check the public experience.
3. Back in the wizard, click Publish Event. Confirm the dialog.
4. /admin/org/coupons !’ create an early-bird coupon for this event.
5. /admin/org/communications !’ compose an announcement email with the event link; send to a target list (your members, past attendees, or a custom CSV).
6. As registrations land, /admin/org/events/[id]/registrations shows them live. Approve pending registrations in bulk if approval is required.
7. On event day, load /admin/org/events/[id]/check-in on a tablet and scan QRs. Live stats update beside the scanner.
8. After the event, go to /admin/org/certificates !’ bulk-issue certificates to attendees. They'll appear in each user's /dashboard/certificates.
9. Review the debrief on /admin/org/events/[id]/analytics.

Finance Manager issues a refund

1. /admin/org/payments !’ search by registration number or email.
2. Click the payment row. A detail drawer opens with the original amount, method, gateway transaction ID.
3. Click Process Refund. Enter amount (defaults to full), reason, click Confirm.
4. The refund is marked COMPLETED, the associated registration is cancelled, any coupon use is decremented, the user is notified, and the audit log records who did what.

Coordinator covers the door on event day

1. /admin/org/events/[id]/check-in on a phone / tablet.
2. Tap QR Scan. Allow camera access the first time.
3. Point at each attendee's QR on their phone. A green banner confirms the check-in.
4. If someone's QR is broken, tap Manual and search by name, email, or registration number. Click Check-in on the matching row.
5. Live stats update at the top — total expected, checked-in, percentage.

Enterprise Admin adds a new org

1. /admin/enterprise/organizations !’ New Organization.
2. Fill name, slug, category, contact email; pick an owner from your enterprise members (or invite one).
3. On save, the org appears in the sidebar's Context Switcher, and its Org Admin can start creating events immediately.

Super Admin investigates a reported user

1. /super-admin/users !’ search by email.
2. Click the user row. See their role, orgs, registrations, payments, login history.
3. If action is needed: Suspend (reversible, they can't log in), Ban (irreversible without manual unban), or Change Role.
4. /super-admin/audit !’ filter to that user's ID to see every action they've taken.

Appendix — full permission list

Grouped by resource. Format: permission constant !’ who holds it (by default).

Enterprise	
enterprise:view	Super, Ent-Adm, Ent-Mgr
enterprise:edit	Super, Ent-Adm, Ent-Mgr
enterprise:delete	Super, Ent-Adm
enterprise:manage_billing	Super, Ent-Adm
enterprise:view_analytics	Super, Ent-Adm, Ent-Mgr
enterprise:export_data	Super, Ent-Adm, Ent-Mgr
Organization	
org:create	Super, Ent-Adm, Ent-Mgr
org:view	All admin roles
org:edit	Super, Ent-Adm, Ent-Mgr, Org-Adm
org:delete	Super, Ent-Adm, Ent-Mgr
org:manage_settings	Super, Ent-Adm, Org-Adm
org:view_analytics	Super, Ent-Adm, Ent-Mgr, Org-Adm
Events	
event:create	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
event:edit	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
event:publish	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
event:cancel	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
event:delete	Super, Ent-Adm
event:duplicate	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
Registrations	
registration:view	All admin roles
registration:manage	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
registration:approve	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
registration:export	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr, Finance
Payments	
payment:view	All admin roles
payment:manage	Super, Ent-Adm, Org-Adm, Finance
payment:refund	Super, Ent-Adm, Org-Adm, Finance
payment:view_reports	Super, Ent-Adm, Ent-Mgr, Org-Adm, Finance
Check-in	
checkin:perform	Super, Ent-Adm, Ent-Mgr, Org-Adm, Coord, event team
checkin:view	All admin roles

checkin:manage	Super, Ent-Adm, Ent-Mgr, Org-Adm
checkin:undo	Super, Ent-Adm, Org-Adm, Coord
	Audit
audit:view	Super, Ent-Adm, Ent-Mgr, Org-Adm
audit:export	Super, Ent-Adm

Appendix — the environment variables you'll need

Any production deployment needs the following populated — at minimum.

DATABASE_URL	Postgres (Supabase or your own) connection string.
NEXTAUTH_SECRET	32+ char random string used to sign JWTs.
NEXTAUTH_URL	The public URL your app is served at.
RESEND_API_KEY	Transactional email provider API key.
EMAIL_FROM	From-address. Refuses to send in prod without it, so SPF/DKIM pass.
TICKET_SECRET	32+ char HMAC secret used to sign QR payloads.
RAZORPAY_KEY_ID / RAZORPAY_KEY_SECRET	Payment gateway credentials (India). Test keys work in dev.
GOOGLE_CLIENT_ID / GOOGLE_CLIENT_SECRET	For Sign in with Google.
MICROSOFT_CLIENT_ID / MICROSOFT_CLIENT_SECRET	For Sign in with Microsoft.
REDIS_URL	Optional. Unlocks proper rate-limiting and background email queue.