REVISION 1.0 · ADMIN REFERENCE

EventFlow

Who does what, where.

Every administrative feature of EventFlow, mapped to the role that owns it and the URL you reach it from. A reference book, not a tutorial.

9 roles

60+ permissions

5 surface areas

CONTENTS

What's in this reference

01	**The nine roles**	A visual pyramid of the RBAC model.
02	**Route atlas**	Every URL that matters, grouped by audience.
03	**Permission matrix**	Who can create, edit, delete, refund, check in, audit.
04	**Day-in-the-life**	Four realistic walkthroughs across four roles.
A1	**Permission constants**	Every constant in `permissions.ts` with default holders.
A2	**Environment variables**	The env keys a production deployment expects.

9
ROLES

60+
PERMISSIONS

40+
ADMIN ROUTES


THE NINE ROLES

The RBAC pyramid.

01

Each user has one global role — their default power level outside any specific organization. Inside an org or event, the role is re-derived from their membership there. Same user can be Event Manager in one org and Viewer in another.

The hierarchy at a glance



Super Admin	Platform operator. Sees every enterprise, org, user, payment, audit log across every tenant. Only role with `/super-admin` access. Can impersonate other users.
Enterprise Admin	Owns an enterprise (e.g. a whole university). Creates and deletes orgs inside it, manages billing, sees cross-org analytics.
Enterprise Manager	Enterprise Admin minus billing and delete. Reads everything, writes most things inside the enterprise.
Org Admin	Full read/write inside a single organization. Creates events, invites members, sets up payments and coupons, manages the org's public website.
Event Manager	Creates and runs events, edits registration forms, sends communications. No billing access, no member management.
Coordinator	Day-of-event operations: checks people in, sees the live attendee list. Read-only everywhere else.
Finance Manager	Payments-focused. Refunds, financial reports, coupons, payment analytics. Reads events and registrations but can't edit them.
Viewer	Read-only across events, registrations, payments, check-ins, and basic analytics. Cannot change anything. Good for auditors and observers.

User	Default attendee role. No admin access. Gets `/dashboard` and the public-facing app.

ROUTE ATLAS

Every URL that matters.

02

Five surface areas. Each route in the right column, each "what you do there" in the left.

Public · unauthenticated or logged-in

`/`	Marketing landing page with the WebGL mesh-gradient hero.
`/events`	Public events catalogue with search and filters.
`/events/[slug]`	Individual event page. Sidebar shows registration CTA; returning users see a "You're registered" badge.
`/events/[slug]/register`	Three-step registration wizard ending in the success screen.
`/events/[slug]/feedback`	Post-event feedback form, accessible once the event has started.
`/verify/[code]`	Public certificate / ticket verification — anyone can check authenticity.
`/pricing`, `/for-organizers`, `/about`, `/contact`	Marketing pages.

Attendee dashboard · any logged-in user

`/dashboard`	Home. Counters, upcoming events, quick actions.
`/dashboard/events`	My registrations. Cancel from here before the event starts.
`/dashboard/tickets`	Active tickets with full-screen QR. Cached offline.
`/dashboard/saved`	Wishlisted events.
`/dashboard/certificates`	Issued certificates, downloadable as PDF.
`/dashboard/payments`	Payment history and receipts.
`/dashboard/profile`	Personal details.
`/dashboard/settings`	Notifications, password, two-factor auth.
`/dashboard/notifications`	Platform notification inbox.

Organization admin · Org Admin, Event Manager, Coordinator, Finance Manager, Viewer

`/admin/org`	Org dashboard — counters, recent activity, upcoming events.
`/admin/org/events`	Events list. Three-dot menu: View, Edit, Registrations, Check-in, Duplicate, Cancel.
`/admin/org/events/create`	Six-step event creation wizard.
`/admin/org/events/[id]/edit`	Same wizard against an existing event.
`/admin/org/events/[id]/registrations`	Registrations table — search, filter, approve/reject, CSV export.
`/admin/org/events/[id]/check-in`	QR scanner + manual lookup + live stats dashboard.
`/admin/org/events/[id]/analytics`	Funnel, conversion, geography, ticket-type breakdown.
`/admin/org/registrations`	All registrations across every event in the org.
`/admin/org/payments`	Payments across all events. Click a row to refund.
`/admin/org/members`	Team members. Invite, change role, remove.
`/admin/org/communications`	Email campaigns, announcements, message templates.
`/admin/org/certificates`	Certificate templates + bulk issuance for past events.
`/admin/org/coupons`	Discount codes — percentage or fixed, usage limits, validity window, event scope.
`/admin/org/analytics`	Org-wide reporting.
`/admin/org/audit-logs`	Every write action with actor, target, timestamp, IP.
`/admin/org/website`	Website builder home — pick a template or open the editor.
`/admin/org/website/editor`	Drag-and-drop visual editor with live preview.
`/admin/org/website/modules`	Feature modules — quiz, poll, blog, leaderboard, gallery, etc.
`/admin/org/website/media`	Media library for images used across the website.

`/admin/org/settings`	Org name, branding, payment settings.

Enterprise admin · Enterprise Admin, Enterprise Manager

`/admin/enterprise`	Cross-org dashboard.
`/admin/enterprise/organizations`	All orgs inside the enterprise. Create and deactivate.
`/admin/enterprise/members`	Enterprise-level team (admins and managers).
`/admin/enterprise/payments`	Cross-org payment and revenue view.
`/admin/enterprise/billing`	Subscription plan, invoices, payment method. *Enterprise Admin only.*
`/admin/enterprise/settings`	Enterprise branding, domain, defaults.

Super admin · Super Admin only

`/super-admin`	Platform KPIs.
`/super-admin/enterprises`	All enterprises. Verify, suspend, impersonate.
`/super-admin/organizations`	All orgs across every enterprise.
`/super-admin/events`	Every event on the platform.
`/super-admin/users`	All users. Ban, change role, impersonate.
`/super-admin/subscriptions`	Subscription plans and assignments.
`/super-admin/analytics`	Platform-wide analytics.
`/super-admin/audit`	Platform-wide audit log.
`/super-admin/messages`	Contact-form inbox.
`/super-admin/settings`	Global platform settings and feature flags.

PERMISSION MATRIX

Who can do what.

03

The system has around sixty granular permissions. These are the ones you'll care about day-to-day, arranged by resource and role.

Events

ACTION	SUPER	ENT ADM	ENT MGR	ORG ADM	EVENT MGR	COORD	FINANCE	VIEWER
Create event	●	●	●	●	●	○	○	○
Edit event	●	●	●	●	●	○	○	○
Publish event	●	●	●	●	●	○	○	○
Cancel event	●	●	●	●	●	○	○	○
Delete event	●	●	○	○	○	○	○	○
Duplicate event	●	●	●	●	●	○	○	○
View analytics	●	●	●	●	●	○	○	●

Registrations

ACTION	SUPER	ENT ADM	ENT MGR	ORG ADM	EVENT MGR	COORD	FINANCE	VIEWER
View registrations	●	●	●	●	●	●	●	●
Approve / reject	●	●	●	●	●	○	○	○
Add registration manually	●	●	●	●	●	○	○	○
Export CSV	●	●	●	●	●	○	●	○

Payments

ACTION	SUPER	ENT ADM	ENT MGR	ORG ADM	EVENT MGR	COORD	FINANCE	VIEWER
View payments	●	●	●	●	●	○	●	●
Process refund	●	●	○	●	○	○	●	○
View financial reports	●	●	●	●	○	○	●	○

ACTION	SUPER	ENT ADM	ENT MGR	ORG ADM	EVENT MGR	COORD	FINANCE	VIEWER
Export payment data	●	●	○	●	○	○	●	○

Check-in

ACTION	SUPER	ENT ADM	ENT MGR	ORG ADM	EVENT MGR	COORD	FINANCE	VIEWER
Scan QR / check in	●	●	●	●	○	●	○	○
View check-in stats	●	●	●	●	●	●	○	●
Undo a check-in	●	●	○	●	○	●	○	○

Members

ACTION	SUPER	ENT ADM	ENT MGR	ORG ADM	EVENT MGR	COORD	FINANCE	VIEWER
Invite org member	●	●	●	●	○	○	○	○
Change member role	●	●	○	●	○	○	○	○
Remove member	●	●	○	●	○	○	○	○

Website builder

ACTION	SUPER	ENT ADM	ENT MGR	ORG ADM	EVENT MGR	COORD	FINANCE	VIEWER
Edit sections / styles	●	●	●	●	○	○	○	○
Enable / configure modules	●	●	●	●	○	○	○	○
Publish website	●	●	●	●	○	○	○	○

DAY IN THE LIFE

Four real walkthroughs.

04

Concrete step-by-steps for the four roles that actually spend their day inside the admin. The remaining five either rarely log in or act through one of these.

Org Admin Running a new event end-to-end

01 `/admin/org/events` → *Create Event*. Fill the six-step wizard.

02 On Step 6, click *Preview* — the event opens in a new tab with a yellow *Preview mode* banner. Confirm the public view looks right.

03 Back in the wizard, click *Publish Event*. Confirm the dialog.

04 `/admin/org/coupons` → create an early-bird discount scoped to this event.

05 `/admin/org/communications` → compose an announcement email with the event link; send to your members or a custom list.

06 As registrations land, `/admin/org/events/[id]/registrations` shows them live. Bulk-approve if your event requires approval.

07 On event day, load `/admin/org/events/[id]/check-in` on a tablet and scan QRs. Live stats update alongside.

08 After the event, `/admin/org/certificates` → bulk-issue certificates. They appear in each attendee's `/dashboard/certificates`.

09 Review the debrief on `/admin/org/events/[id]/analytics`.

Finance Manager Issuing a refund

01 `/admin/org/payments` → search by registration number or email.

02 Click the payment row. A detail drawer opens with amount, method, gateway transaction ID.

03 Click *Process Refund*. Enter amount (defaults to full), reason, confirm.

04 The refund is marked COMPLETED, the registration is cancelled, any coupon use is decremented, the user is notified, and the audit log captures who did what.

Coordinator Covering the door on event day

01 `/admin/org/events/[id]/check-in` on a phone or tablet.

02 Tap *QR Scan*. Allow camera access the first time.

03 Point at each attendee's QR. A green banner confirms a successful check-in.

04 If a QR won't scan, tap *Manual*. Search by name, email, or registration number. Click *Check In* on the matching row.

05 Live stats at the top — total expected, checked-in, percentage — update as the queue moves.

Super Admin Investigating a reported user

01 `/super-admin/users` → search by email.

02 Click the user row. Review their role, orgs, registrations, payments, login history.

03 If action is needed: *Suspend* (reversible, user can't sign in), *Ban* (permanent without manual unban), or *Change Role*.

04 `/super-admin/audit` → filter to that user's ID to see every action they've taken.

> **ONE PATTERN RUNS THROUGH ALL FOUR**
>
> Every destructive action (cancel, refund, ban, delete) triggers a confirmation dialog *and* an audit log row. If you can't find the dialog, check the role — you may not have permission.

APPENDIX

Permission constants.

Every constant in `src/lib/permissions.ts`, grouped by resource, with the roles that hold them out of the box.

Enterprise

`enterprise:view`	Super, Ent-Adm, Ent-Mgr
`enterprise:edit`	Super, Ent-Adm, Ent-Mgr
`enterprise:delete`	Super, Ent-Adm
`enterprise:manage_billing`	Super, Ent-Adm
`enterprise:view_analytics`	Super, Ent-Adm, Ent-Mgr
`enterprise:export_data`	Super, Ent-Adm, Ent-Mgr

Organization

`org:create`	Super, Ent-Adm, Ent-Mgr
`org:view`	All admin roles
`org:edit`	Super, Ent-Adm, Ent-Mgr, Org-Adm
`org:delete`	Super, Ent-Adm, Ent-Mgr
`org:manage_settings`	Super, Ent-Adm, Org-Adm
`org:view_analytics`	Super, Ent-Adm, Ent-Mgr, Org-Adm

Events

`event:create`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
`event:edit`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
`event:publish`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
`event:cancel`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
`event:delete`	Super, Ent-Adm

`event:duplicate`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr

Registrations

`registration:view`	All admin roles
`registration:manage`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
`registration:approve`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr
`registration:export`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Event-Mgr, Finance

Payments

`payment:view`	All admin roles
`payment:manage`	Super, Ent-Adm, Org-Adm, Finance
`payment:refund`	Super, Ent-Adm, Org-Adm, Finance
`payment:view_reports`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Finance

Check-in

`checkin:perform`	Super, Ent-Adm, Ent-Mgr, Org-Adm, Coord, event team
`checkin:view`	All admin roles
`checkin:manage`	Super, Ent-Adm, Ent-Mgr, Org-Adm
`checkin:undo`	Super, Ent-Adm, Org-Adm, Coord

Audit

`audit:view`	Super, Ent-Adm, Ent-Mgr, Org-Adm
`audit:export`	Super, Ent-Adm

APPENDIX

Environment variables.

A production deployment expects the following to be populated. Grouped by concern so you know which system each connects to.

Core

`DATABASE_URL`	Postgres connection string (Supabase or self-hosted).
`NEXTAUTH_SECRET`	32+ character random string used to sign session JWTs.
`NEXTAUTH_URL`	Public URL your app is served at.
`REDIS_URL`	Optional. Unlocks proper rate-limiting and the background email queue.

Email

`RESEND_API_KEY`	Transactional email provider API key.
`EMAIL_FROM`	From-address. In production the app refuses to send without it, to avoid SPF/DKIM failures.

Security

`TICKET_SECRET`	32+ character HMAC secret used to sign QR payloads. Required — no fallback.
`API_KEY_SALT`	Salt for hashing user-generated API keys.

Payments

`RAZORPAY_KEY_ID` / `RAZORPAY_KEY_SECRET`	Gateway credentials (India). Test keys work in dev.
`RAZORPAY_WEBHOOK_SECRET`	Used to verify incoming webhook calls.
`STRIPE_SECRET_KEY` / `STRIPE_WEBHOOK_SECRET`	Optional, for Stripe-backed deployments.

OAuth

`GOOGLE_CLIENT_ID` / `GOOGLE_CLIENT_SECRET`	Sign in with Google.
`MICROSOFT_CLIENT_ID` / `MICROSOFT_CLIENT_SECRET`	Sign in with Microsoft.

End of Admin Reference. For the attendee-facing walkthrough, see the companion **EventFlow User Guide**.