

Qualification Pack



Car Painting

QP Code: ASC/Q3307

Version: 1.0

NSQF Level: 4.5

Automotive Skills Development Council || 153, GF, Okhla Industrial Area, Phase 3
New Delhi 110020 || email:ayushi@asdc.org.in

Qualification Pack

Contents

ASC/Q3307: Car Painting	3
<i>Brief Job Description</i>	3
Applicable National Occupational Standards (NOS)	3
<i>Compulsory NOS</i>	3
<i>Qualification Pack (QP) Parameters</i>	3
ASC/N9824: Work organization and management (Car painting)	5
ASC/N9825: Communication and interpersonal skills (Car painting)	9
ASC/N3315: Preparation for painting	12
ASC/N3316: Application of adhesion promoters and primers	15
ASC/N3317: Base coat and ground coat application	18
ASC/N3318: Clear coat application	21
ASC/N3319: Colour evaluation and colour adjustment	24
ASC/N3320: Design, layout, and measurement	27
ASC/N3321: Remove minor damage and defects from painted and non-painted surfaces	30
Assessment Guidelines and Weightage	32
<i>Assessment Guidelines</i>	32
<i>Assessment Weightage</i>	33
Acronyms	34
Glossary	35

Qualification Pack

ASC/Q3307: Car Painting

Brief Job Description

Car painters (refinishers) are responsible for reinstating the pre-accident paint finish to cars after the structure and/or the panels have been repaired or replaced. They may also be asked to completely repaint a whole vehicle either to change its colour or reinstate its newness. Car painters may also become involved in matching colours to an original colour no longer available or to colours that prove difficult to match. A car painter must match the colour, shade, and texture of the adjoining panels that are not being painted.

Personal Attributes

The person should be patient, organised, team-oriented and have the ability to work for long hours in adverse conditions. They should be keen observers and have an eye for detail and quality.

Applicable National Occupational Standards (NOS)

Compulsory NOS:

1. [ASC/N9824: Work organization and management \(Car painting\)](#)
2. [ASC/N9825: Communication and interpersonal skills \(Car painting\)](#)
3. [ASC/N3315: Preparation for painting](#)
4. [ASC/N3316: Application of adhesion promoters and primers](#)
5. [ASC/N3317: Base coat and ground coat application](#)
6. [ASC/N3318: Clear coat application](#)
7. [ASC/N3319: Colour evaluation and colour adjustment](#)
8. [ASC/N3320: Design, layout, and measurement](#)
9. [ASC/N3321: Remove minor damage and defects from painted and non-painted surfaces](#)

Qualification Pack (QP) Parameters

Sector	Automotive
Sub-Sector	Manufacturing

Qualification Pack

Occupation	Painting & Surface Treatment Operation
Country	India
NSQF Level	4.5
Credits	17
Aligned to NCO/ISCO/ISIC Code	NCO-2015/7132.0203
Minimum Educational Qualification & Experience	No formal education prescribed
Minimum Level of Education for Training in School	Not Applicable
Pre-Requisite License or Training	NA
Minimum Job Entry Age	22 Years
Last Reviewed On	NA
Next Review Date	30/06/2026
NSQC Approval Date	08/02/2024
Version	1.0
Reference code on NQR	QG-4.5-AU-01833-2024-V1-ASDC
NQR Version	1

Qualification Pack

ASC/N9824: Work organization and management (Car painting)

Description

This NOS unit is about implementing safety, planning work, adopting sustainable practices for optimising the use of resources.

Scope

The scope covers the following :

- Manage work and resources

Elements and Performance Criteria

Manage work and resources

To be competent, the user/individual on the job must be able to:

- PC1.** apply occupational Health, Safety, and Environmental regulations and best practice related to the car painting industry
- PC2.** use correctly and maintain personal protective clothing and equipment
- PC3.** set-up, use, adjust, and maintain all specialist application equipment
- PC4.** set up, adjust, and use all specialist preparation and drying equipment
- PC5.** promote health and safety in the workplace
- PC6.** apply all recommendations and guidance provided by suppliers and manufacturers of equipment or products
- PC7.** adhere to MSDS (Manufacturers Safety Data Sheets)
- PC8.** adopt correct procedures for handling and disposal of environmentally harmful products
- PC9.** only use products that are Volatile Organic Compound (VOC) compliant
- PC10.** adapt materials to take account of the impact of the environment and climate on paints and products
- PC11.** maintain clean spraying environment within paint areas

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** Current occupational Health, Safety, and Environmental regulations related to the car painting industry
- KU2.** Correct use, storage and maintenance of personal protective equipment and clothing
- KU3.** All recommendations and information published by the supplier or manufacturer of products and equipment
- KU4.** The procedures and process for maintaining and using specialist equipment
- KU5.** Terminology that relates to paint materials, processes, and applications
- KU6.** The importance of the correct handling and disposal of environmentally harmful products

Qualification Pack

KU7. The potentially harmful impact car painting products can have on the environment

KU8. The impact that the environment and climate can have on paints and products

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Manage work and resources</i>	15	25	-	10
PC1. apply occupational Health, Safety, and Environmental regulations and best practice related to the car painting industry	2	3	-	1
PC2. use correctly and maintain personal protective clothing and equipment	1	2	-	1
PC3. set-up, use, adjust, and maintain all specialist application equipment	2	3	-	1
PC4. set up, adjust, and use all specialist preparation and drying equipment	1	2	-	1
PC5. promote health and safety in the workplace	1	2	-	1
PC6. apply all recommendations and guidance provided by suppliers and manufacturers of equipment or products	1	2	-	1
PC7. adhere to MSDS (Manufacturers Safety Data Sheets)	2	2	-	1
PC8. adopt correct procedures for handling and disposal of environmentally harmful products	2	3	-	1
PC9. only use products that are Volatile Organic Compound (VOC) compliant	1	2	-	1
PC10. adapt materials to take account of the impact of the environment and climate on paints and products	1	2	-	1
PC11. maintain clean spraying environment within paint areas	1	2	-	-
NOS Total	15	25	-	10

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N9824
NOS Name	Work organization and management (Car painting)
Sector	Automotive
Sub-Sector	Generic
Occupation	Generic
NSQF Level	4.5
Credits	1
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N9825: Communication and interpersonal skills (Car painting)

Description

This unit is about communicating with team members, superior and others.

Scope

The scope covers the following :

- Communicate effectively with others

Elements and Performance Criteria

Communicate effectively with others

To be competent, the user/individual on the job must be able to:

- PC1.** read, interpret, and extract technical data and instructions from workshop manuals in any available format
- PC2.** communicate in the workplace by written and electronic means, using standard formats
- PC3.** communicate in the workplace by oral, written, and electronic means to ensure clarity, effectiveness, and efficiency
- PC4.** use a standard range of communication technologies
- PC5.** complete reports and respond to issues and questions arising
- PC6.** respond to customers' needs face to face and indirectly

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** the range and purposes of documentation, including written and technical drawings, in paper and electronic forms
- KU2.** the technical language associated with the occupation
- KU3.** the industry standards required for quality control in oral, written, and electronic formats
- KU4.** the required industry standards for customer service and care

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Communicate effectively with others</i>	15	25	-	10
PC1. read, interpret, and extract technical data and instructions from workshop manuals in any available format	3	4	-	1
PC2. communicate in the workplace by written and electronic means, using standard formats	2	4	-	2
PC3. communicate in the workplace by oral, written, and electronic means to ensure clarity, effectiveness, and efficiency	3	5	-	2
PC4. use a standard range of communication technologies	3	4	-	2
PC5. complete reports and respond to issues and questions arising	2	4	-	1
PC6. respond to customers' needs face to face and indirectly	2	4	-	2
NOS Total	15	25	-	10

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N9825
NOS Name	Communication and interpersonal skills (Car painting)
Sector	Automotive
Sub-Sector	Generic
Occupation	Generic
NSQF Level	4.5
Credits	1
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N3315: Preparation for painting

Description

This NOS is about preparing for the painting work.

Scope

The scope covers the following :

- Preparing for painting work

Elements and Performance Criteria

Preparing for painting work

To be competent, the user/individual on the job must be able to:

- PC1.** use appropriate cleaning products to remove contaminants
- PC2.** prepare surfaces to be coated with appropriate abrasive products
- PC3.** carry out minor panel repairs
- PC4.** carry out final cleaning of surfaces prior to paint application
- PC5.** remove dust from all areas to be refinished
- PC6.** suitably remove contaminants such as glues, labels, and seam-sealers
- PC7.** carry out masking procedures to protect surrounding areas

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** The range, purpose, and application of products used in the car painting industry for the following procedures: Cleaning, Removal of contaminants, Repairing minor panel and paint damage, Abrading and final cleaning, Other surface contaminants, Removal of dust from all areas to be finished, Protection of parts and areas not being painted

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Preparing for painting work</i>	15	25	-	10
PC1. use appropriate cleaning products to remove contaminants	2	3	-	1
PC2. prepare surfaces to be coated with appropriate abrasive products	2	3	-	1
PC3. carry out minor panel repairs	2	4	-	2
PC4. carry out final cleaning of surfaces prior to paint application	2	4	-	2
PC5. remove dust from all areas to be refinished	2	3	-	1
PC6. suitably remove contaminates such as glues, labels, and seam-sealers	3	5	-	2
PC7. carry out masking procedures to protect surrounding areas	2	3	-	1
NOS Total	15	25	-	10

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N3315
NOS Name	Preparation for painting
Sector	Automotive
Sub-Sector	Manufacturing
Occupation	Painting & Surface Treatment Operation
NSQF Level	4.5
Credits	2
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N3316: Application of adhesion promoters and primers

Description

This NOS is about applying adhesion promoters and primers on the vehicle body/panels.

Scope

The scope covers the following :

- Applying adhesion promoters and primers

Elements and Performance Criteria

Applying adhesion promoters and primers

To be competent, the user/individual on the job must be able to:

- PC1.** apply suitable primers and or fillers to the substrate and appropriate for the process being used: Etch primers; Primer surfaces; Primer fillers; Plastic primers; UV primers
- PC2.** apply the correct procedures for sanding (flatting) primer fillers
- PC3.** reinstate the corrosion protection of the panels being painted
- PC4.** apply seam sealers
- PC5.** follow the Original Engineering Manufacturer (OEM) or paint manufacturer's (Technical Data Sheet – TDS) recommendations
- PC6.** measure out materials carefully to minimize environmental effects and cost implications

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** The range of adhesion promoters and primers available
- KU2.** The purpose of adhesion promoters and primers
- KU3.** The context of where and when various adhesion promoters and primers are used
- KU4.** Mixing and application techniques for each of the adhesion promoters and primers
- KU5.** The preparation and application process for the full range of seam sealers, e.g. gap sealers, weld sealers, seam sealers, etc.
- KU6.** Which materials to select for a particular application
- KU7.** The drying characteristics of each adhesion promoter or primer

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Applying adhesion promoters and primers</i>	15	25	-	10
PC1. apply suitable primers and or fillers to the substrate and appropriate for the process being used: Etch primers; Primer surfaces; Primer fillers; Plastic primers; UV primers	3	5	-	2
PC2. apply the correct procedures for sanding (flattening) primer fillers	3	5	-	2
PC3. reinstate the corrosion protection of the panels being painted	2	4	-	2
PC4. apply seam sealers	2	3	-	1
PC5. follow the Original Engineering Manufacturer (OEM) or paint manufacturer's (Technical Data Sheet - TDS) recommendations	3	5	-	2
PC6. measure out materials carefully to minimize environmental effects and cost implications	2	3	-	1
NOS Total	15	25	-	10

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N3316
NOS Name	Application of adhesion promoters and primers
Sector	Automotive
Sub-Sector	Manufacturing
Occupation	Painting & Surface Treatment Operation
NSQF Level	4.5
Credits	1
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N3317: Base coat and ground coat application

Description

This NOS is about applying base coat and ground coat on the vehicle body/panels.

Scope

The scope covers the following :

- Applying base coat and ground coat

Elements and Performance Criteria

Applying base coat and ground coat

To be competent, the user/individual on the job must be able to:

- PC1.** retrieve colour and application information from printed and electronic sources
- PC2.** use appropriate equipment and technology to access colour formulations (computer based and photo spectrometer)
- PC3.** use colour swatches/chips to identify the correct colour and shade and variant
- PC4.** apply the electronic information to mix required colour and shade
- PC5.** follow the correct procedure to spray out a test paint card and compare with the original standard, adjust as necessary
- PC6.** mix and apply straight/solid colours, metallic, pearls, multi-stage effect colours and special effect colours
- PC7.** apply base/ground coats to metal and non-metal parts
- PC8.** follow the Original Engineering Manufacturer (OEM) or paint manufacturer's (Technical Data Sheet – TDS) recommendations
- PC9.** measure materials to minimize the environmental and cost factors

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** How to access information related to colour and application
- KU2.** Types and specifications of car paints and their uses
- KU3.** Warranty procedures applied to particular vehicles
- KU4.** The correct use of equipment used in applying base coats and ground coats
- KU5.** Specialist paint finishes
- KU6.** The impact upon cost and environment of over mixing materials
- KU7.** Waterborne basecoats

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Applying base coat and ground coat</i>	30	50	-	20
PC1. retrieve colour and application information from printed and electronic sources	3	5	-	2
PC2. use appropriate equipment and technology to access colour formulations (computer based and photo spectrometer)	4	7	-	3
PC3. use colour swatches/chips to identify the correct colour and shade and variant	3	5	-	2
PC4. apply the electronic information to mix required colour and shade	3	5	-	2
PC5. follow the correct procedure to spray out a test paint card and compare with the original standard, adjust as necessary	4	6	-	2
PC6. mix and apply straight/solid colours, metallic, pearls, multi-stage effect colours and special effect colours	4	7	-	3
PC7. apply base/ground coats to metal and non-metal parts	3	5	-	2
PC8. follow the Original Engineering Manufacturer (OEM) or paint manufacturer's (Technical Data Sheet – TDS) recommendations	3	5	-	2
PC9. measure materials to minimize the environmental and cost factors	3	5	-	2
NOS Total	30	50	-	20

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N3317
NOS Name	Base coat and ground coat application
Sector	Automotive
Sub-Sector	Manufacturing
Occupation	Painting & Surface Treatment Operation
NSQF Level	4.5
Credits	3
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N3318: Clear coat application

Description

This NOS is about applying clear coat of paint on the vehicle body/panels.

Scope

The scope covers the following :

- Applying clear coat of paint

Elements and Performance Criteria

Applying clear coat of paint

To be competent, the user/individual on the job must be able to:

- PC1.** identify, mix, and apply clear coats correctly
- PC2.** adjust spray gun to achieve the correct outlet pressure, fan width and fan shape
- PC3.** apply clear coats to match existing finishes (matt clear coat, ceramic, and soft healing clear coat)
- PC4.** apply clear coats as per paint manufacturer's instructions to avoid defects such as runs, excessive orange peel, etc.
- PC5.** follow the Original Equipment Engineering Manufacturer (OEM) or paint manufacturer's (Technical Data Sheet – TDS) recommendations
- PC6.** dispose of unused clear coat in an environmentally safe manner
- PC7.** maintain organized and clean work areas
- PC8.** prevent over-use of products

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** The purpose of a clear coat
- KU2.** The process for identifying, mixing, and applying clear coats
- KU3.** The importance of following manufacturer instructions
- KU4.** The need for flexible additives as required
- KU5.** The spray gun set up and adjustment for clear coat materials
- KU6.** The application of UV clearcoats
- KU7.** The correct gun pressure, speed, distance, and overlap required to produce an excellent finish with clear coats and achieve high gloss levels

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Applying clear coat of paint</i>	30	50	-	20
PC1. identify, mix, and apply clear coats correctly	4	7	-	3
PC2. adjust spray gun to achieve the correct outlet pressure, fan width and fan shape	4	6	-	2
PC3. apply clear coats to match existing finishes (matt clear coat, ceramic, and soft healing clear coat)	4	6	-	3
PC4. apply clear coats as per paint manufacturer's instructions to avoid defects such as runs, excessive orange peel, etc.	4	7	-	3
PC5. follow the Original Equipment Engineering Manufacturer (OEM) or paint manufacturer's (Technical Data Sheet - TDS) recommendations	4	6	-	3
PC6. dispose of unused clear coat in an environmentally safe manor	4	6	-	2
PC7. maintain organized and clean work areas	3	6	-	2
PC8. prevent over-use of products	3	6	-	2
NOS Total	30	50	-	20

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N3318
NOS Name	Clear coat application
Sector	Automotive
Sub-Sector	Manufacturing
Occupation	Painting & Surface Treatment Operation
NSQF Level	4.5
Credits	3
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N3319: Colour evaluation and colour adjustment

Description

This NOS is about evaluating the color and making color adjustment according to the requirement on vehicle body/panels.

Scope

The scope covers the following :

- Colour evaluation and adjustment

Elements and Performance Criteria

Colour evaluation and adjustment

To be competent, the user/individual on the job must be able to:

- PC1.** locate and document vehicle manufacturers paint codes
- PC2.** determine types and colours of paint using manufacturers' paint codes and vehicle information
- PC3.** evaluate spray-out cards against the standards to identify colour mismatches in terms of hue, chroma, saturation, lightness, and darkness
- PC4.** select and apply suitable procedures to adjust colour to match the given standards
- PC5.** select toners to correct colour miss-matches
- PC6.** identify and use the correct lighting to match colours
- PC7.** use the correct gun speeds, distance, and overlap to produce quality spray out cards
- PC8.** maintain organized and clean work areas
- PC9.** use spectrophotometer
- PC10.** use mixing scales to produce ready to spray products
- PC11.** prevent overuse of products

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** Colour technology and colour adjustment techniques (Munsell Colour Wheel)
- KU2.** Technical terms and definitions for colour descriptions
- KU3.** The effects of colour miss-match in terms of face and flop tone
- KU4.** The effects of varying strengths and values of toners
- KU5.** The impact of light quality and type on colour
- KU6.** The impact of spraying techniques upon colour match

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Colour evaluation and adjustment</i>	30	50	-	20
PC1. locate and document vehicle manufacturers paint codes	2	4	-	2
PC2. determine types and colours of paint using manufacturers' paint codes and vehicle information	2	3	-	1
PC3. evaluate spray-out cards against the standards to identify colour mismatches in terms of hue, chroma, saturation, lightness, and darkness	3	5	-	2
PC4. select and apply suitable procedures to adjust colour to match the given standards	3	5	-	2
PC5. select toners to correct colour miss-matches	3	5	-	2
PC6. identify and use the correct lighting to match colours	3	5	-	2
PC7. use the correct gun speeds, distance, and overlap to produce quality spray out cards	3	5	-	2
PC8. maintain organized and clean work areas	3	5	-	2
PC9. use spectrophotometer	3	5	-	2
PC10. use mixing scales to produce ready to spray products	3	5	-	2
PC11. prevent overuse of products	2	3	-	1
NOS Total	30	50	-	20

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N3319
NOS Name	Colour evaluation and colour adjustment
Sector	Automotive
Sub-Sector	Manufacturing
Occupation	Painting & Surface Treatment Operation
NSQF Level	4.5
Credits	2
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N3320: Design, layout, and measurement

Description

This NOS is about masking the vehicle parts and applying final coat on the vehicle body/panels.

Scope

The scope covers the following :

- Masking and applying final coat

Elements and Performance Criteria

Masking and applying final coat

To be competent, the user/individual on the job must be able to:

- PC1.** mask areas of vehicle panels for the prevention of overspray between colours for painting
- PC2.** mask and protect adjacent panels that will not be refinished
- PC3.** apply vinyl decals/transfers to specified locations without creases, bubbles, cuts, etc.
- PC4.** apply covering vinyl (carbon or matt) to given locations without creases, bubbles, cuts, etc.
- PC5.** mask door jambs and other moveable panels
- PC6.** mask for design painting and two-tone finishes
- PC7.** apply a range of special effect coatings, including blended colours

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** Basic geometry
- KU2.** Appropriate materials for masking different areas for two-tones
- KU3.** Uses of different types of masking materials
- KU4.** How to select and use of specialist measuring and marking out equipment e.g. rules, straight edges etc.
- KU5.** Techniques for applying decals/transfers
- KU6.** Techniques for applying covering vinyl (carbon or matt) to given locations without creases, bubbles, cuts, etc.

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Masking and applying final coat</i>	15	25	-	10
PC1. mask areas of vehicle panels for the prevention of overspray between colours for painting	2	3	-	1
PC2. mask and protect adjacent panels that will not be refinished	2	3	-	1
PC3. apply vinyl decals/transfers to specified locations without creases, bubbles, cuts, etc.	2	4	-	2
PC4. apply covering vinyl (carbon or matt) to given locations without creases, bubbles, cuts, etc.	2	4	-	2
PC5. mask door jambs and other moveable panels	2	3	-	1
PC6. mask for design painting and two-tone finishes	3	5	-	2
PC7. apply a range of special effect coatings, including blended colours	2	3	-	1
NOS Total	15	25	-	10

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N3320
NOS Name	Design, layout, and measurement
Sector	Automotive
Sub-Sector	Manufacturing
Occupation	Painting & Surface Treatment Operation
NSQF Level	4.5
Credits	3
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Qualification Pack

ASC/N3321: Remove minor damage and defects from painted and non-painted surfaces

Description

This NOS is about removing minor damage and defects from painted and non-painted surfaces of the vehicle,

Scope

The scope covers the following :

- Removing minor paint damage and defects

Elements and Performance Criteria

Removing minor paint damage and defects

To be competent, the user/individual on the job must be able to:

- PC1.** identify the types of defects that may occur on a painted surface such as dirt nibs, pin holes, runs, environmental effects, etc.
- PC2.** apply correct repair procedures to remove or repair paint defects
- PC3.** carry out 'smart' repairs to small areas of damage
- PC4.** evaluate the extend of minor panel damage and plan work accordingly to rectify this damage
- PC5.** wet and dry sand clear coat to remove and rectify defects
- PC6.** apply polyester and epoxy fillers to repair small stone chip damage to panel surfaces
- PC7.** prepare and blend invisibly scratch and scuff damage
- PC8.** reinstate original gloss levels using polishing techniques and materials

Knowledge and Understanding (KU)

The individual on the job needs to know and understand:

- KU1.** Types of paint-related defects
- KU2.** The correct repair procedures to rectify minor paint damage or defects
- KU3.** The procedures and materials required to rectify minor panel damage
- KU4.** Techniques and materials for removal and repair of minor paint defects
- KU5.** Techniques to invisibly perform a spot repair or blend paint in confined areas

Qualification Pack

Assessment Criteria

Assessment Criteria for Outcomes	Theory Marks	Practical Marks	Project Marks	Viva Marks
<i>Removing minor paint damage and defects</i>	30	50	-	20
PC1. identify the types of defects that may occur on a painted surface such as dirt nibs, pin holes, runs, environmental effects, etc.	4	7	-	3
PC2. apply correct repair procedures to remove or repair paint defects	4	6	-	2
PC3. carry out 'smart' repairs to small areas of damage	4	6	-	3
PC4. evaluate the extend of minor panel damage and plan work accordingly to rectify this damage	4	7	-	3
PC5. wet and dry sand clear coat to remove and rectify defects	4	6	-	3
PC6. apply polyester and epoxy fillers to repair small stone chip damage to panel surfaces	4	6	-	2
PC7. prepare and blend invisibly scratch and scuff damage	3	6	-	2
PC8. reinstate original gloss levels using polishing techniques and materials	3	6	-	2
NOS Total	30	50	-	20

Qualification Pack

National Occupational Standards (NOS) Parameters

NOS Code	ASC/N3321
NOS Name	Remove minor damage and defects from painted and non-painted surfaces
Sector	Automotive
Sub-Sector	Manufacturing
Occupation	Painting & Surface Treatment Operation
NSQF Level	4.5
Credits	1
Version	1.0
Last Reviewed Date	08/02/2024
Next Review Date	08/02/2026
NSQC Clearance Date	08/02/2024

Assessment Guidelines and Assessment Weightage

Assessment Guidelines

1. Criteria for assessment for each Qualification Pack will be created by the Sector Skill Council. Each Performance Criteria (PC) (PC) will be assigned marks proportional to its importance in NOS. SSC will also lay down proportion of marks for Theory and Skills Practical for each PC.
2. The assessment for the theory part will be based on knowledge bank of questions created by the SSC.
3. Individual assessment agencies will create unique question papers for theory part for each candidate at each examination/training centre (as per assessment criteria below).
4. Individual assessment agencies will create unique evaluations for skill practical for every student at each examination/ training centre based on these criteria.
5. In case of successfully passing only certain number of NOSs, the trainee is eligible to take subsequent assessment on the balance NOS's to pass the Qualification Pack.
6. In case of unsuccessful completion, the trainee may seek reassessment on the Qualification Pack

Minimum Aggregate Passing % at QP Level : 70

Qualification Pack

(Please note: Every Trainee should score a minimum aggregate passing percentage as specified above, to successfully clear the Qualification Pack assessment.)

Assessment Weightage

Compulsory NOS

National Occupational Standards	Theory Marks	Practical Marks	Project Marks	Viva Marks	Total Marks	Weightage
ASC/N9824.Work organization and management (Car painting)	15	25	0	10	50	5
ASC/N9825.Communication and interpersonal skills (Car painting)	15	25	0	10	50	5
ASC/N3315.Preparation for painting	15	25	0	10	50	14
ASC/N3316.Application of adhesion promoters and primers	15	25	0	10	50	11
ASC/N3317.Base coat and ground coat application	30	50	0	20	100	16
ASC/N3318.Clear coat application	30	50	0	20	100	17
ASC/N3319.Colour evaluation and colour adjustment	30	50	0	20	100	11
ASC/N3320.Design, layout, and measurement	15	25	0	10	50	13
ASC/N3321.Remove minor damage and defects from painted and non-painted surfaces	30	50	0	20	100	8
Total	195	325	0	130	650	100

Qualification Pack

Acronyms

NOS	National Occupational Standard(s)
NSQF	National Skills Qualifications Framework
QP	Qualifications Pack
TVET	Technical and Vocational Education and Training

Qualification Pack

Glossary

Sector	Sector is a conglomeration of different business operations having similar business and interests. It may also be defined as a distinct subset of the economy whose components share similar characteristics and interests.
Sub-sector	Sub-sector is derived from a further breakdown based on the characteristics and interests of its components.
Occupation	Occupation is a set of job roles, which perform similar/ related set of functions in an industry.
Job role	Job role defines a unique set of functions that together form a unique employment opportunity in an organisation.
Occupational Standards (OS)	OS specify the standards of performance an individual must achieve when carrying out a function in the workplace, together with the Knowledge and Understanding (KU) they need to meet that standard consistently. Occupational Standards are applicable both in the Indian and global contexts.
Performance Criteria (PC)	Performance Criteria (PC) are statements that together specify the standard of performance required when carrying out a task.
National Occupational Standards (NOS)	NOS are occupational standards which apply uniquely in the Indian context.
Qualifications Pack (QP)	QP comprises the set of OS, together with the educational, training and other criteria required to perform a job role. A QP is assigned a unique qualifications pack code.
Unit Code	Unit code is a unique identifier for an Occupational Standard, which is denoted by an 'N'
Unit Title	Unit title gives a clear overall statement about what the incumbent should be able to do.
Description	Description gives a short summary of the unit content. This would be helpful to anyone searching on a database to verify that this is the appropriate OS they are looking for.
Scope	Scope is a set of statements specifying the range of variables that an individual may have to deal with in carrying out the function which have a critical impact on quality of performance required.

Qualification Pack

Knowledge and Understanding (KU)	Knowledge and Understanding (KU) are statements which together specify the technical, generic, professional and organisational specific knowledge that an individual needs in order to perform to the required standard.
Organisational Context	Organisational context includes the way the organisation is structured and how it operates, including the extent of operative knowledge managers have of their relevant areas of responsibility.
Technical Knowledge	Technical knowledge is the specific knowledge needed to accomplish specific designated responsibilities.
Core Skills/ Generic Skills (GS)	Core skills or Generic Skills (GS) are a group of skills that are the key to learning and working in today's world. These skills are typically needed in any work environment in today's world. These skills are typically needed in any work environment. In the context of the OS, these include communication related skills that are applicable to most job roles.
Electives	Electives are NOS/set of NOS that are identified by the sector as contributive to specialization in a job role. There may be multiple electives within a QP for each specialized job role. Trainees must select at least one elective for the successful completion of a QP with Electives.
Options	Options are NOS/set of NOS that are identified by the sector as additional skills. There may be multiple options within a QP. It is not mandatory to select any of the options to complete a QP with Options.