

The quadratic formula

WORKSHEET



Interactive version

Name _____

Class _____

Date _____

WORKED EXAMPLES

Three worked examples

Example 2 • The second garden: $x^2 + 3x - 30 = 0$

COEFFICIENTS

$$a = 1, b = 3, c = -30.$$

DISCRIMINANT

$$D = 3^2 - 4 \cdot 1 \cdot (-30) = 9 + 120 = 129 > 0.$$

FORMULA

$$x_{1,2} = \frac{-3 \pm \sqrt{129}}{2}, \text{ so } x_1 \approx 4.18 \text{ and } x_2 \approx -7.18.$$

ANSWER • YOUR TURN

Example 3 • One root: $4x^2 - 4x + 1 = 0$

COEFFICIENTS

$$a = 4, b = -4, c = 1.$$

DISCRIMINANT

$$D = (-4)^2 - 4 \cdot 4 \cdot 1 = 16 - 16 = 0, \text{ so there is one root.}$$

ROOT • YOUR TURN

CHECK • YOUR TURN

CHECK

Check yourself

Level 1 • threshold

1.

How many real roots does $3x^2 - 5x + 4 = 0$ have?

- ☐ A one
 ☐ B none
 ☐ C can't tell without solving
 ☐ D two

