

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Improved traps for the coconut rhinoceros beetle, *Oryctes rhinoceros*

Aubrey Moore

Western Pacific Tropical Research Center, University of Guam

Roland Quitugua

Cooperative Extension Service, University of Guam

Pacific Entomology Conference, Honolulu, HI, April 2015

Overview

Introduction

Pheromone Traps

Vaned bucket traps

Ultraviolet light emitting diodes (UVLEDs)

Pan traps

Tekken Fish Net Traps

Green-waste / Compost Piles

DeFence Traps

Bow Ties

Mark-Release-Recapture

Conclusions

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Coconut rhinoceros beetle, *Oryctes rhinoceros*



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties


Mark-Release-
Recapture

Conclusions

Geographic Distribution

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua



Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release- Recapture

Conclusions

Coconut rhinoceros beetle damage



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Coconut rhinoceros beetle grubs



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Vaned bucket trap



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture


Conclusions

Vaned bucket trap

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

90 day trapping period ending on 01 Jun 2014



Mean number of beetles caught per trap-day

Introduction

Pheromone Traps

Vaned bucket traps

Ultraviolet light
emitting diodes
(UVLEDs)

Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Ultraviolet light emitting diodes (UVLEDs)

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)

Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions



Ultraviolet light emitting diodes (UVLEDs)

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture


Conclusions



Ultraviolet light emitting diodes (UVLEDs)

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua



Introduction

Pheromone Traps

Vaned bucket traps

Ultraviolet light
emitting diodes
(UVLEDs)

Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Pan traps



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)

Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Pan traps



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)

Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Pan traps



Pan traps catch 16X as many rhino beetles as surrounding vaned bucket pheromone traps

Improved traps for the coconut rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light emitting diodes (UVLEDs)

Pan traps

Tekken Fish Net Traps

Green-waste / Compost Piles
DeFence Traps
Bow Ties

Mark-Release-Recapture

Conclusions

Pan traps - with/without substrate in barrel

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)


Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions



Number of beetles caught per trap between 2014-07-22 and 2014-10-10.

Evolution of CRB Pheromone Traps

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)

Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions



Tekken Fish Net Traps

No lure required



Chipped breeding site material: 0.52 CRB trapped per day
26X more attractive than standard pheromone traps



Fresh, unchipped green waste (pandanus, bamboo, breadfruit): 0.57 CRB trapped per day
29X more attractive than standard pheromone traps

Improved traps for the coconut rhinoceros beetle

Moore and Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light emitting diodes (UVLEDs)
Pan traps

Tekken Fish Net Traps

Green-waste / Compost Piles
DeFence Traps
Bow Ties

Mark-Release-Recapture

Conclusions

Tekken Fish Net Traps



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Tekken Fish Net Traps



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Tekken Fish Net Traps

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps


Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions



DeFence Trap



0.47 CRB per trap day; range = 0.22 to 0.85; n = 4 traps
Captures 24X more CRB than standard pheromone traps

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

DeFence Trap



Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Bow Ties

No lure required



- ▶ We tied pieces of netting around bases of petioles on 22 coconut palms
- ▶ Number of CRB trapped between Jan 28 and Mar 12, 2015: 3.2 (0 to 19)
- ▶ CRB trapped per day: 0.07 (0 to 0.44)

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Mark-Release-Recapture



1. Trapped beetles are fed and allowed to rest for one week
2. Beetles which pass a laboratory flight test are marked with a number
3. Marked beetles are released at the center of 31 pan traps spaced 100m apart
4. About 20% of beetles have been recaptured
5. If wild beetles behave the same as marked beetles, we can infer that pan traps catch about 20% of the wild population

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

Mark-Release-Recapture

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Trap	Relative attractiveness	Proportion of population trapped
Standard pheromone trap	1X	1%
Standard pheromone trap + UVLED	3X	4%
Pan trap	16X	20%
DeFence trap	26X	30%

Introduction

Pheromone Traps

Vaned bucket traps

Ultraviolet light emitting diodes (UVLEDs)

Pan traps

Tekken Fish Net Traps

Green-waste / Compost Piles

DeFence Traps

Bow Ties

Mark-Release-Recapture

Conclusions

Conclusions

1. Mass trapping using standard vaned-bucket pheromone traps did not result in population suppression. These traps catch only about 1% of the adult population.
2. Addition of breeding site material to the barrels under pan did not increase trap catch.
3. Our best pheromone trap is the a pan trap equipped with cone and UVLED. It catches about 16X more rhino beetles per day than our standard vaned bucket traps.
4. Covering breeding sites with fish netting may be effective for population suppression: traps adults attracted to the pile and prevents emergence of adults from within the pile. Netted piles catch about 25X more rhino beetles per day than standard pheromone traps.

Mahalo and Si Yu'us Ma'ase

Improved traps for
the coconut
rhinoceros beetle

Moore and
Quitugua

Introduction

Pheromone Traps

Vaned bucket traps
Ultraviolet light
emitting diodes
(UVLEDs)
Pan traps

Tekken Fish Net
Traps

Green-waste /
Compost Piles
DeFence Traps
Bow Ties

Mark-Release-
Recapture

Conclusions

- ▶ Sheri Smith, US Forest Service
- ▶ Lisa Ishibashi, USDA-APHIS
- ▶ Eric Jang and Matt Siderhurst, USDA-ARS-PBARC
- ▶ Hawaii CRB Eradication Project
- ▶ Jonny Atuli and Frank Cushing